

Maxime Ronot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1179772/publications.pdf>

Version: 2024-02-01

250
papers

6,828
citations

76326

40
h-index

88630

70
g-index

258
all docs

258
docs citations

258
times ranked

7483
citing authors

#	ARTICLE	IF	CITATIONS
1	Reliability Criteria of Two-Dimensional Shear Wave Elastography: Analysis of 4277 Measurements in 788 Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 400-408.e10.	4.4	12
2	Two-dimensional shear wave elastography predicts survival in advanced chronic liver disease. <i>Gut</i> , 2022, 71, 402-414.	12.1	39
3	MRI is useful to suggest and exclude malignancy in mucinous cystic neoplasms of the pancreas. <i>European Radiology</i> , 2022, 32, 1297-1307.	4.5	4
4	Liver surface nodularity on non-contrast MRI identifies advanced fibrosis in patients with NAFLD. <i>European Radiology</i> , 2022, 32, 1781-1791.	4.5	8
5	Multicenter study on recent portal venous system thrombosis associated with cytomegalovirus disease. <i>Journal of Hepatology</i> , 2022, 76, 115-122.	3.7	6
6	Colonic involvement in acute mesenteric ischemia: prevalence, risk factors, and outcomes. <i>European Radiology</i> , 2022, 32, 2813-2823.	4.5	6
7	MR imaging features and long-term evolution of benign focal liver lesions in Budd-Chiari syndrome and Fontan-associated liver disease. <i>Diagnostic and Interventional Imaging</i> , 2022, 103, 111-120.	3.2	6
8	Early hepatocellular carcinoma detection using magnetic resonance imaging is cost-effective in high-risk patients with cirrhosis. <i>JHEP Reports</i> , 2022, 4, 100390.	4.9	15
9	CT/MRI and CEUS LI-RADS Major Features Association with Hepatocellular Carcinoma: Individual Patient Data Meta-Analysis. <i>Radiology</i> , 2022, 302, 326-335.	7.3	32
10	Role of Imaging in the Study of Vascular Disorders of the Liver. , 2022, , 15-33.		2
11	Performance of non-invasive biomarkers compared with invasive methods for risk prediction of posthepatectomy liver failure in hepatocellular carcinoma. <i>British Journal of Surgery</i> , 2022, 109, 455-463.	0.3	7
12	Contrast-enhanced CT and liver surface nodularity for the diagnosis of porto-sinusoidal vascular disorder: A case-control study. <i>Hepatology</i> , 2022, 76, 418-428.	7.3	11
13	Letter to the editor: Pneumatosis in bowel ischemia: time to change the optics to improve patient care. <i>Insights Into Imaging</i> , 2022, 13, 25.	3.4	6
14	Endovascular revascularization of acute arterial mesenteric ischemia: report of a 3-year experience from an intestinal stroke center unit. <i>European Radiology</i> , 2022, 32, 5606-5615.	4.5	12
15	Performance of LI-RADS for the Noninvasive Diagnosis of HCC: Pathology Should Not Be the Only Acceptable Reference. <i>Radiology</i> , 2022, 303, 546-547.	7.3	3
16	Impact of Reference Standard on CT, MRI, and Contrast-enhanced US LI-RADS Diagnosis of Hepatocellular Carcinoma: A Meta-Analysis. <i>Radiology</i> , 2022, 303, 544-545.	7.3	15
17	Reliability of extracellular contrast versus gadoxetic acid in assessing small liver lesions using liver imaging reporting and data system v.2018 and European association for the study of the liver criteria. <i>Hepatology</i> , 2022, 76, 1318-1328.	7.3	10
18	A complication hanging by a thread. <i>Gastroenterology</i> , 2022, , .	1.3	0

#	ARTICLE	IF	CITATIONS
19	Imaging-guided interventions modulating portal venous flow: evidence and controversies. JHEP Reports, 2022, , 100484.	4.9	1
20	Differentiation of hepatocellular adenoma by subtype and hepatocellular carcinoma in non-cirrhotic liver by fractal analysis of perfusion MRI. Insights Into Imaging, 2022, 13, 81.	3.4	5
21	Immunotherapy-Based Treatments of Hepatocellular Carcinoma: <i>AJR</i> Expert Panel Narrative Review. American Journal of Roentgenology, 2022, 219, 533-546.	2.2	6
22	Endovascular Thrombectomy for Acute Arterial Mesenteric Ischaemia: No Benefit of Mechanical Over Manual Thrombus Aspiration. European Journal of Vascular and Endovascular Surgery, 2022, 64, 128-129.	1.5	3
23	Editorial Comment: The Influence of Steatosis on Liver Stiffness Measurement—A Call for Caution, but Limited Clinical Consequences. American Journal of Roentgenology, 2022, , .	2.2	0
24	Molecular deciphering of primary liver neuroendocrine neoplasms confirms their distinct existence with foregut-like profile. Journal of Pathology, 2022, 258, 58-68.	4.5	3
25	Laparoscopic-assisted liver transplantation: A realistic perspective. American Journal of Transplantation, 2022, 22, 3069-3077.	4.7	3
26	Systemic Treatments with Tyrosine Kinase Inhibitor and Platinum-Based Chemotherapy in Patients with Unresectable or Metastatic Hepatocholangiocarcinoma. Liver Cancer, 2022, 11, 460-473.	7.7	13
27	<scp>COVID</scp> associated hepatic artery pseudoaneurysms. Liver International, 2022, 42, 1907-1908.	3.9	4
28	Cystic liver lesions: a pictorial review. Insights Into Imaging, 2022, 13, .	3.4	3
29	CT features associated with underlying malignancy in patients with diagnosed mesenteric panniculitis. Diagnostic and Interventional Imaging, 2022, 103, 394-400.	3.2	1
30	Benign liver tumours: understanding molecular physiology to adapt clinical management. Nature Reviews Gastroenterology and Hepatology, 2022, 19, 703-716.	17.8	11
31	Tumor Growth Rate to Predict the Outcome of Patients with Neuroendocrine Tumors: Performance and Sources of Variability. Neuroendocrinology, 2021, 111, 831-839.	2.5	7
32	The diagnostic performance of a simulated "short" gadoxetic acid-enhanced MRI protocol is similar to that of a conventional protocol for the detection of colorectal liver metastases. European Radiology, 2021, 31, 2451-2460.	4.5	10
33	Typical imaging finding of hepatic infections: a pictorial essay. Abdominal Radiology, 2021, 46, 544-561.	2.1	9
34	New insights into the pathophysiology and clinical care of rare primary liver cancers. JHEP Reports, 2021, 3, 100174.	4.9	24
35	Computed Tomography-Derived Liver Surface Nodularity and Sarcopenia as Prognostic Factors in Patients with Resectable Metabolic Syndrome-Related Hepatocellular Carcinoma. Annals of Surgical Oncology, 2021, 28, 405-416.	1.5	10
36	Ischémie sentririque aiguë. Anesthésie & Réanimation, 2021, 7, 15-25.	0.1	0

#	ARTICLE	IF	CITATIONS
37	Published trials of TACE for HCC are often not registered and subject to outcome reporting bias. <i>JHEP Reports</i> , 2021, 3, 100196.	4.9	2
38	Local Intra-Arterial Vasodilator Infusion in Non-Occlusive Mesenteric Ischemia: Dealing with One Consequence Hoping to Affect the Cause?. <i>CardioVascular and Interventional Radiology</i> , 2021, 44, 507-508.	2.0	2
39	Predictive factors of severe abdominal pain during and after transarterial chemoembolization for hepatocellular carcinoma. <i>European Radiology</i> , 2021, 31, 3267-3275.	4.5	9
40	Clinical Application of Trans-Arterial Radioembolization in Hepatic Malignancies in Europe: First Results from the Prospective Multicentre Observational Study CIRSE Registry for SIR-Spheres Therapy (CIRT). <i>CardioVascular and Interventional Radiology</i> , 2021, 44, 21-35.	2.0	49
41	Short-term Safety and Quality of Life Outcomes Following Radioembolization in Primary and Secondary Liver Tumours: a Multi-centre Analysis of 200 Patients in France. <i>CardioVascular and Interventional Radiology</i> , 2021, 44, 36-49.	2.0	15
42	Comparison of liver stiffness measurements by a 2D-shear wave technique and transient elastography: results from a European prospective multi-centre study. <i>European Radiology</i> , 2021, 31, 1578-1587.	4.5	16
43	Quantification of Pancreas Surface Lobularity on CT: A Feasibility Study in the Normal Pancreas. <i>Korean Journal of Radiology</i> , 2021, 22, 1300.	3.4	5
44	Diagnostic performance of CT for the detection of transmural bowel necrosis in non-occlusive mesenteric ischemia. <i>European Radiology</i> , 2021, 31, 6835-6845.	4.5	15
45	Personalised dosimetry for SIRT: new standard or bridge to surgical resection?. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 161.	8.1	1
46	Liver surface nodularity: a novel predictor of post-hepatectomy liver failure in patients with colorectal liver metastases following chemotherapy. <i>European Radiology</i> , 2021, 31, 5830-5839.	4.5	3
47	Feasibility, safety and accuracy of a CT-guided robotic assistance for percutaneous needle placement in a swine liver model. <i>Scientific Reports</i> , 2021, 11, 5218.	3.3	20
48	Imaging as predictor of clinical response to teduglutide in adult patients with short bowel syndrome with chronic intestinal failure. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1343-1350.	4.7	5
49	Evaluating the Risk of Irreversible Intestinal Necrosis Among Critically Ill Patients With Nonocclusive Mesenteric Ischemia. <i>American Journal of Gastroenterology</i> , 2021, 116, 1506-1513.	0.4	13
50	Influence of clinical suspicion on CT accuracy of acute mesenteric ischemia: Retrospective study of 362 patients. <i>European Journal of Radiology</i> , 2021, 138, 109652.	2.6	4
51	Cost-Utility Analysis of Transarterial Radioembolization With Yttrium-90 Resin Microspheres Compared With Sorafenib in Locally Advanced and Inoperable Hepatocellular Carcinoma. <i>Clinical Therapeutics</i> , 2021, 43, 1201-1212.	2.5	4
52	Serotonin immunoreactive pancreatic neuroendocrine neoplasm associated with main pancreatic duct dilation: a recognizable entity with excellent long-term outcome. <i>European Radiology</i> , 2021, 31, 8671-8681.	4.5	4
53	HCC advances in diagnosis and prognosis: Digital and Imaging. <i>Liver International</i> , 2021, 41, 73-77.	3.9	17
54	An Uncommon Cause of Left Abdominal Pain in a Young Adult. <i>Gastroenterology</i> , 2021, 160, e7-e9.	1.3	0

#	ARTICLE	IF	CITATIONS
55	Quantitative magnetic resonance imaging for focal liver lesions: bridging the gap between research and clinical practice. <i>British Journal of Radiology</i> , 2021, 94, 20210220.	2.2	9
56	Setting the Frame or Framing Practice: The Never-Ending Guidelines Paradox. <i>CardioVascular and Interventional Radiology</i> , 2021, 44, 1683-1684.	2.0	0
57	NON-INVASIVE DIAGNOSIS AND FOLLOW-UP OF VASCULAR LIVER DISEASES. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 46, 101764.	1.5	1
58	NON-INVASIVE DIAGNOSIS AND FOLLOW-UP OF PRIMARY MALIGNANT LIVER TUMOURS. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021, 46, 101766.	1.5	0
59	Enhancing capsule in hepatocellular carcinoma: intra-individual comparison between CT and MRI with extracellular contrast agent. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 735-742.	3.2	13
60	Long-term outcomes following resection of hepatocellular adenomas with small foci of malignant transformation or malignant adenomas. <i>JHEP Reports</i> , 2021, 3, 100326.	4.9	7
61	Treatment outcomes of advanced digestive well-differentiated grade 3 NETs. <i>Endocrine-Related Cancer</i> , 2021, 28, 549-561.	3.1	10
62	Morphological imaging of gastrointestinal and lung neuroendocrine neoplasms. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2021, 19, 1-7.	1.4	0
63	Health-related quality of life in locally advanced hepatocellular carcinoma treated by either radioembolisation or sorafenib (SARAH trial). <i>European Journal of Cancer</i> , 2021, 154, 46-56.	2.8	10
64	Accuracy of citrulline, I-FABP and d-lactate in the diagnosis of acute mesenteric ischemia. <i>Scientific Reports</i> , 2021, 11, 18929.	3.3	26
65	Imaging features of histological subtypes of hepatocellular carcinoma: Implication for LI-RADS. <i>JHEP Reports</i> , 2021, 3, 100380.	4.9	29
66	Re: Re: "Adult appendicitis: Clinical practice guidelines from the French Society of Digestive Surgery (SFCD) and the Society of Abdominal and Digestive Imaging (SIAD). <i>Journal of Visceral Surgery</i> , 2021, 158, 540-541.	0.8	0
67	Real-world outcomes of patients with intrahepatic cholangiocarcinoma treated with trans-arterial radioembolization: Results from the CIRSE Registry for SIR-Spheres Therapy (CIRT), a large European prospective multi-center observational study.. <i>Journal of Clinical Oncology</i> , 2021, 39, 308-308.	1.6	4
68	2D-shear wave elastography: number of acquisitions can be reduced according to clinical setting. <i>Insights Into Imaging</i> , 2021, 12, 145.	3.4	1
69	Long Term Efficacy and Assessment of Tumor Response of Transarterial Chemoembolization in Neuroendocrine Liver Metastases: A 15-Year Monocentric Experience. <i>Cancers</i> , 2021, 13, 5366.	3.7	17
70	Benign Liver Lesions. , 2021, , 27-52.		6
71	Comparison of pulsed and oscillating gradient diffusion-weighted MRI for characterizing hepatocellular nodules in liver cirrhosis: ex vivo study in a rat model. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1065-1074.	3.4	2
72	Influence of pretreatment tumor growth rate on objective response of hepatocellular carcinoma treated with transarterial chemoembolization. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 305-313.	2.8	16

#	ARTICLE	IF	CITATIONS
73	Hepatocellular adenomas: Understanding the pathomolecular lexicon, MRI features, terminology, and pitfalls to inform a standardized approach. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1630-1640.	3.4	20
74	Clinical impact of a new cone beam CT angiography respiratory motion artifact reduction algorithm during hepatic intra-arterial interventions. <i>European Radiology</i> , 2020, 30, 163-174.	4.5	11
75	Gender gap in articles published in <i>European Radiology</i> and <i>CardioVascular and Interventional Radiology</i> : evolution between 2002 and 2016. <i>European Radiology</i> , 2020, 30, 1011-1019.	4.5	25
76	Prevalence, features and predictive factors of liver nodules in Fontan surgery patients: The VALDIG Fonliver prospective cohort. <i>Journal of Hepatology</i> , 2020, 72, 702-710.	3.7	45
77	Comparison of extracellular and hepatobiliary MR contrast agents for the diagnosis of small HCCs. <i>Journal of Hepatology</i> , 2020, 72, 937-945.	3.7	57
78	High insertion of conjoint tendon is associated with inguinal-related groin pain: a MRI study. <i>European Radiology</i> , 2020, 30, 1517-1524.	4.5	3
79	Quantification of hepatic steatosis with ultrasound: promising role of attenuation imaging coefficient in a biopsy-proven cohort. <i>European Radiology</i> , 2020, 30, 2293-2301.	4.5	65
80	Performance of liver surface nodularity quantification for the diagnosis of portal hypertension in patients with cirrhosis: comparison between MRI with hepatobiliary phase sequences and CT. <i>Abdominal Radiology</i> , 2020, 45, 365-372.	2.1	16
81	CT and MR perfusion techniques to assess diffuse liver disease. <i>Abdominal Radiology</i> , 2020, 45, 3496-3506.	2.1	13
82	A proposal for a useful algorithm to diagnose small hepatocellular carcinoma on MRI. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 74-79.	1.6	2
83	Performance of B-mode ratio and 2D shear wave elastography for the detection and quantification of hepatic steatosis and fibrosis after liver transplantation. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 222-230.	1.6	10
84	Real Life Prospective Evaluation of New Drug-Eluting Platform for Chemoembolization of Patients with Hepatocellular Carcinoma: PARIS Registry. <i>Cancers</i> , 2020, 12, 3405.	3.7	10
85	Similar performance of liver stiffness measurement and liver surface nodularity for the detection of portal hypertension in patients with hepatocellular carcinoma. <i>JHEP Reports</i> , 2020, 2, 100147.	4.9	15
86	Morphological imaging and CT histogram analysis to differentiate pancreatic neuroendocrine tumor grade 3 from neuroendocrine carcinoma. <i>Diagnostic and Interventional Imaging</i> , 2020, 101, 821-830.	3.2	28
87	CT-Based Radiomics Analysis to Predict Malignancy in Patients with Intraductal Papillary Mucinous Neoplasm (IPMN) of the Pancreas. <i>Cancers</i> , 2020, 12, 3089.	3.7	32
88	Small-Bowel Dilatation Is the Most Consistent Feature of Transmural Intestinal Necrosis. <i>American Journal of Roentgenology</i> , 2020, 215, W42-W42.	2.2	3
89	Applications of Quantitative Perfusion and Permeability in the Liver. <i>Advances in Magnetic Resonance Technology and Applications</i> , 2020, , 405-426.	0.1	0
90	Contrast-Enhanced CT for the Diagnosis of Acute Mesenteric Ischemia. <i>American Journal of Roentgenology</i> , 2020, 215, 29-38.	2.2	30

#	ARTICLE	IF	CITATIONS
91	Hepatobiliary MR contrast agents are useful to diagnose hepatocellular carcinoma in patients with Budd-Chiari syndrome. JHEP Reports, 2020, 2, 100097.	4.9	11
92	Limited added value of contrast-enhanced ultrasound over B-mode for the subtyping of hepatocellular adenomas. European Journal of Radiology, 2020, 128, 109027.	2.6	6
93	Evaluation of liver tumour response by imaging. JHEP Reports, 2020, 2, 100100.	4.9	33
94	Factors Associated with Tumor Progression After Percutaneous Ablation of Hepatocellular Carcinoma: Comparison Between Monopolar Radiofrequency and Microwaves. Results of a Propensity Score Matching Analysis. CardioVascular and Interventional Radiology, 2020, 43, 1608-1618.	2.0	8
95	Long-term Evolution of Hepatocellular Adenomas at MRI Follow-up. Radiology, 2020, 295, 361-372.	7.3	17
96	Relationship of Tumor Radiation-â€absorbed Dose to Survival and Response in Hepatocellular Carcinoma Treated with Transarterial Radioembolization with ^{90}Y in the SARAH Study. Radiology, 2020, 296, 673-684.	7.3	117
97	Interventional Radiology for Colorectal Liver Metastases. Current Colorectal Cancer Reports, 2020, 16, 29-37.	0.5	3
98	Imaging of liver tumours: Whatâ€™s new?. Liver International, 2020, 40, 154-159.	3.9	1
99	Results of trials assessing transarterial chemoembolization for treating hepatocellular carcinoma are critically underreported. European Radiology, 2020, 30, 5633-5640.	4.5	4
100	CT-based liver surface nodularity for the detection of clinically significant portal hypertension: defining measurement quality criteria. Abdominal Radiology, 2020, 45, 2755-2763.	2.1	11
101	Colorectal liver metastases: radiopathological correlation. Insights Into Imaging, 2020, 11, 99.	3.4	18
102	Normal Lactate and Unenhanced CT-Scan Result in Delayed Diagnosis of Acute Mesenteric Ischemia. American Journal of Gastroenterology, 2020, 115, 1902-1905.	0.4	17
103	Imaging of Budd-â€Chiari Syndrome. , 2020, , 39-55.		0
104	Low Iodine Contrast Injection for CT Acquisition Prior to Transcatheter Aortic Valve Replacement: Aorta Assessment and Screening for Coronary Artery Disease. Academic Radiology, 2019, 26, e150-e160.	2.5	7
105	Visceral Obesity and Open Passive Drainage Increase the Risk of Pancreatic Fistula Following Distal Pancreatectomy. Journal of Gastrointestinal Surgery, 2019, 23, 1414-1424.	1.7	27
106	Tumor Growth Rate as a Validated Early Radiological Biomarker Able to Reflect Treatment-Induced Changes in Neuroendocrine Tumors: The GREPONET-2 Study. Clinical Cancer Research, 2019, 25, 6692-6699.	7.0	18
107	Impact of Liver Diseases on Heart&Lungs. JACC: Cardiovascular Imaging, 2019, 12, 2071-2075.	5.3	2
108	Combining imaging and tumour biopsy improves the diagnosis of combined hepatocellular&cholangiocarcinoma. Liver International, 2019, 39, 2386-2396.	3.9	32

#	ARTICLE	IF	CITATIONS
109	Targeted and non-targeted liver biopsies carry the same risk of complication. <i>European Radiology</i> , 2019, 29, 5772-5783.	4.5	12
110	Rare Solid Tumor of the Exocrine Pancreas: A Pictorial Review. <i>Seminars in Ultrasound, CT and MRI</i> , 2019, 40, 483-499.	1.5	2
111	Iso- or hyperintensity of hepatocellular adenomas on hepatobiliary phase does not always correspond to hepatospecific contrast-agent uptake: importance for tumor subtyping. <i>European Radiology</i> , 2019, 29, 3791-3801.	4.5	19
112	Short- and Long-Term Outcomes of Liver Resection for Intrahepatic Cholangiocarcinoma Associated with the Metabolic Syndrome. <i>World Journal of Surgery</i> , 2019, 43, 2048-2060.	1.6	17
113	Hepatocellular Carcinoma: Current Imaging Modalities for Diagnosis and Prognosis. <i>Digestive Diseases and Sciences</i> , 2019, 64, 934-950.	2.3	46
114	Value of Tumor Growth Rate (TGR) as an Early Biomarker Predictor of Patients' Outcome in Neuroendocrine Tumors (NET) – The GREPONET Study. <i>Oncologist</i> , 2019, 24, e1082-e1090.	3.7	26
115	Lipiodol retention pattern after TACE for HCC is a predictor for local progression in lesions with complete response. <i>Cancer Imaging</i> , 2019, 19, 75.	2.8	29
116	Non-measurable infiltrative HCC: is post-contrast attenuation on CT a sign of tumor response?. <i>European Radiology</i> , 2019, 29, 4389-4399.	4.5	8
117	Symptom relief and not cyst reduction determines treatment success in aspiration sclerotherapy of hepatic cysts. <i>European Radiology</i> , 2019, 29, 3062-3068.	4.5	14
118	Lessons learnt from pathologic imaging correlation in the liver: an historical perspective. <i>British Journal of Radiology</i> , 2019, 92, 20180701.	2.2	2
119	Ultrasonic Adaptive Sound Speed Estimation for the Diagnosis and Quantification of Hepatic Steatosis: A Pilot Study. <i>Ultraschall in Der Medizin</i> , 2019, 40, 722-733.	1.5	48
120	Endovascular Treatment of Arterial Complications After Liver Transplantation: Long-Term Follow-Up Evaluated on Doppler Ultrasound and Magnetic Resonance Cholangiopancreatography. <i>CardioVascular and Interventional Radiology</i> , 2019, 42, 381-388.	2.0	11
121	Low specificity of washout to diagnose hepatocellular carcinoma in nodules showing arterial hyperenhancement in patients with Budd-Chiari syndrome. <i>Journal of Hepatology</i> , 2019, 70, 1123-1132.	3.7	37
122	Is Routine Splenectomy Justified for All Left-Sided Pancreatic Cancers? Histological Reappraisal of Splenic Hilar Lymphadenectomy. <i>Annals of Surgical Oncology</i> , 2019, 26, 1071-1078.	1.5	21
123	The clinical spectrum of Fontan-associated liver disease: results from a prospective multimodality screening cohort. <i>European Heart Journal</i> , 2019, 40, 1057-1068.	2.2	99
124	Oral Antibiotics Reduce Intestinal Necrosis in Acute Mesenteric Ischemia: A Prospective Cohort Study. <i>American Journal of Gastroenterology</i> , 2019, 114, 348-351.	0.4	28
125	Rather than Surgical Technique, Dedicated Stroke Centers Improve Bowel and Life Outcomes in Acute Mesenteric Ischemia. <i>Journal of Clinical Gastroenterology</i> , 2019, 53, 471-472.	2.2	4
126	Hepatocellular carcinoma surveillance: Eastern and Western perspectives. <i>Ultrasonography</i> , 2019, 38, 191-199.	2.3	13

#	ARTICLE	IF	CITATIONS
127	Intrahepatic Cholangiocarcinoma. Cancer Dissemination Pathways, 2018, , 53-65.	0.0	0
128	Hepatocellular carcinoma surveillance with ultrasoundâ€”cost-effectiveness, high-risk populations, uptake. British Journal of Radiology, 2018, 91, 20170436.	2.2	7
129	Benign and malignant hepatocellular lesions in patients with vascular liver diseases. Abdominal Radiology, 2018, 43, 1968-1977.	2.1	44
130	Peritoneal and pleural fluids may appear hyperintense on hepatobiliary phase using hepatobiliary MR contrast agents. European Radiology, 2018, 28, 3020-3031.	4.5	10
131	Acute mesenteric ischemia: A critical role for the radiologist. Diagnostic and Interventional Imaging, 2018, 99, 123-134.	3.2	42
132	Uncommon evolutions and complications of common benign liver lesions. Abdominal Radiology, 2018, 43, 2075-2096.	2.1	12
133	Comparison of the accuracy of AASLD and LI-RADS criteria for the non-invasive diagnosis of HCC smaller than 3â€”cm. Journal of Hepatology, 2018, 68, 715-723.	3.7	83
134	Diagnosis of Buddâ€”Chiari syndrome. Abdominal Radiology, 2018, 43, 1896-1907.	2.1	35
135	Morphological and Functional Imaging for Detecting and Assessing the Resectability of Neuroendocrine Liver Metastases. Neuroendocrinology, 2018, 106, 74-88.	2.5	44
136	Focal Nodular Hyperplasia After Treatment With Oxaliplatin: A Multiinstitutional Series of Cases Diagnosed at MRI. American Journal of Roentgenology, 2018, 210, 775-779.	2.2	31
137	Non-cirrhotic portal hypertension: an imaging review. Abdominal Radiology, 2018, 43, 1991-2010.	2.1	18
138	Assessment of biopsyâ€”proven liver fibrosis by twoâ€”dimensional shear wave elastography: An individual patient dataâ€”based metaâ€”analysis. Hepatology, 2018, 67, 260-272.	7.3	322
139	Polycystic liver disease: Hepatic venous outflow obstruction lesions of the noncystic parenchyma have major consequences. Hepatology, 2018, 68, 652-662.	7.3	25
140	Early Acute Mesenteric Ischemia: Many Rivers to Cross. Annals of Surgery, 2018, 268, e41.	4.2	4
141	Can dual-energy CT replace perfusion CT for the functional evaluation of advanced hepatocellular carcinoma?. European Radiology, 2018, 28, 1977-1985.	4.5	34
142	Volumetric measurement of hepatic tumors: Accuracy of manual contouring using CT with volumetric pathology as the reference method. Diagnostic and Interventional Imaging, 2018, 99, 83-89.	3.2	9
143	Hemorrhage of hepatocellular adenoma: a complication that can be treated by conservative management without surgery. Hpb, 2018, 20, 1198-1205.	0.3	15
144	Hypervirulent <i>Klebsiella pneumoniae</i> in Cryptogenic Liver Abscesses, Paris, France. Emerging Infectious Diseases, 2018, 24, 221-229.	4.3	47

#	ARTICLE	IF	CITATIONS
145	Health Care Simulation in Developing Countries and Low-Resource Situations. <i>Journal of Continuing Education in the Health Professions</i> , 2018, 38, 205-212.	1.3	25
146	Ultrasonic fat fraction quantification using <i>in vivo</i> adaptive sound speed estimation. <i>Physics in Medicine and Biology</i> , 2018, 63, 215013.	3.0	38
147	Routine MRI With DWI Sequences to Detect Liver Metastases in Patients With Potentially Resectable Pancreatic Ductal Carcinoma and Normal Liver CT: A Prospective Multicenter Study. <i>American Journal of Roentgenology</i> , 2018, 211, W217-W225.	2.2	60
148	Quantification of Liver Surface Nodularity at CT: Utility for Detection of Portal Hypertension. <i>Radiology</i> , 2018, 289, 698-707.	7.3	45
149	Inter-reader agreement of CT features of acute mesenteric ischemia. <i>European Journal of Radiology</i> , 2018, 105, 87-95.	2.6	31
150	Imaging of inguinal-related groin pain in athletes. <i>British Journal of Radiology</i> , 2018, 91, 20170856.	2.2	10
151	Vascular liver disorders: radiology at the center of patient management. <i>Abdominal Radiology</i> , 2018, 43, 1885-1885.	2.1	0
152	Ethylene vinyl alcohol copolymer for occlusion of specific portal branches during preoperative portal vein embolisation with n-butyl-cyanoacrylate. <i>European Radiology</i> , 2018, 28, 4810-4817.	4.5	6
153	Additional value of tumour growth rate (TGR) in patients (pts) diagnosed with well-differentiated neuroendocrine tumours (NETs) achieving RECIST-defined stable disease (SD): Subgroup analysis of the GREPONET study.. <i>Journal of Clinical Oncology</i> , 2018, 36, 4094-4094.	1.6	0
154	Predictors of treatment response following aspiration sclerotherapy of hepatic cysts: an international pooled analysis of individual patient data. <i>European Radiology</i> , 2017, 27, 741-748.	4.5	12
155	Predictive Factors of Intestinal Necrosis in Acute Mesenteric Ischemia: Prospective Study from an Intestinal Stroke Center. <i>American Journal of Gastroenterology</i> , 2017, 112, 597-605.	0.4	158
156	Neuroendocrine liver metastases: Vascular patterns on triple-phase MDCT are indicative of primary tumour location. <i>European Journal of Radiology</i> , 2017, 89, 156-162.	2.6	38
157	Is visual radiological evaluation of liver tumour burden in patients with neuroendocrine tumours reproducible?. <i>Endocrine Connections</i> , 2017, 6, 33-38.	1.9	12
158	Letter to the Editor re: Should fat in the radiofrequency ablation zone of hepatocellular adenomas raise suspicion for residual tumour?. <i>European Radiology</i> , 2017, 27, 2235-2236.	4.5	0
159	Predictive value of CT for first esophageal variceal bleeding in patients with cirrhosis: Score calibration and prediction. <i>European Journal of Radiology</i> , 2017, 93, 289.	2.6	1
160	Focal lesions in cirrhosis: Not always HCC. <i>European Journal of Radiology</i> , 2017, 93, 157-168.	2.6	21
161	Iloprost Use in Patients with Persistent Intestinal Ischemia Unsuitable for Revascularization. <i>Annals of Vascular Surgery</i> , 2017, 42, 128-135.	0.9	6
162	<sc>EASL</sc> and <sc>AASLD</sc> recommendations for the diagnosis of <sc>HCC</sc> to the test of daily practice. <i>Liver International</i> , 2017, 37, 1515-1525.	3.9	102

#	ARTICLE	IF	CITATIONS
163	Predictive value of CT for first esophageal variceal bleeding in patients with cirrhosis: Value of para-umbilical vein patency. <i>European Journal of Radiology</i> , 2017, 87, 45-52.	2.6	19
164	Efficacy and safety of selective internal radiotherapy with yttrium-90 resin microspheres compared with sorafenib in locally advanced and inoperable hepatocellular carcinoma (SARAH): an open-label randomised controlled phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1624-1636.	10.7	595
165	To Avoid Chronic Intestinal Failure. <i>Transplantation</i> , 2017, 101, S10.	1.0	2
166	Hepatic Fibrosis, Inflammation, and Steatosis: Influence on the MR Viscoelastic and Diffusion Parameters in Patients with Chronic Liver Disease. <i>Radiology</i> , 2017, 283, 98-107.	7.3	53
167	Efficacy and Safety of Aspiration Sclerotherapy of Simple Hepatic Cysts: A Systematic Review. <i>American Journal of Roentgenology</i> , 2017, 208, 201-207.	2.2	65
168	Long-term Outcome and Analysis of Dysfunction of Transjugular Intrahepatic Portosystemic Shunt Placement in Chronic Primary Budd-Chiari Syndrome. <i>Radiology</i> , 2017, 283, 280-292.	7.3	54
169	Risks factors for severe pain after selective liver transarterial chemoembolization. <i>Liver International</i> , 2017, 37, 583-591.	3.9	21
170	Prediction of pancreatic neuroendocrine tumour grade with MR imaging features: added value of diffusion-weighted imaging. <i>European Radiology</i> , 2017, 27, 1748-1759.	4.5	80
171	Liver volume is a prognostic indicator for clinical outcome of patients with alcoholic hepatitis. <i>Abdominal Radiology</i> , 2017, 42, 460-467.	2.1	5
172	Qualitative analysis of pulmonary perfusion changes assessed by Dual-Energy Computed-Tomography after Endoscopic Lung Volume Reduction by Coils. , 2017, , .		0
173	Functional imaging in liver tumours. <i>Journal of Hepatology</i> , 2016, 65, 1017-1030.	3.7	45
174	Optimal visualization of focal nodular hyperplasia: quantitative and qualitative evaluation of single and multiphase arterial phase acquisition at 1.5T MR imaging. <i>Abdominal Radiology</i> , 2016, 41, 990-1000.	2.1	4
175	Mo1301 Intestinal Resection Un Acute Mesenteric Ischemia: Predictive Factors in 221 Consecutive Patients Followed in an Intestinal Stroke Center. <i>Gastroenterology</i> , 2016, 150, S692.	1.3	3
176	Sequential transarterial chemoembolization and portal vein embolization before resection is a valid oncological strategy for unilobar hepatocellular carcinoma regardless of the tumor burden. <i>Hpb</i> , 2016, 18, 684-690.	0.3	35
177	An Exceptional Cause of Abdominal Pain. <i>Gastroenterology</i> , 2016, 151, 817-818.	1.3	0
178	Comparison of Choi criteria and Response Evaluation Criteria in Solid Tumors (RECIST) for intrahepatic cholangiocarcinoma treated with glass-microspheres Yttrium-90 selective internal radiation therapy (SIRT). <i>European Journal of Radiology</i> , 2016, 85, 1445-1452.	2.6	23
179	Imaging review of hepatocellular carcinoma after thermal ablation: The good, the bad, and the ugly. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1070-1090.	3.4	19
180	Imaging of Hepatic Focal Nodular Hyperplasia: Pictorial Review and Diagnostic Strategy. <i>Seminars in Ultrasound, CT and MRI</i> , 2016, 37, 511-524.	1.5	32

#	ARTICLE	IF	CITATIONS
181	Correlation of tumor response on computed tomography with pathological necrosis in hepatocellular carcinoma treated by chemoembolization before liver transplantation. <i>Liver Transplantation</i> , 2016, 22, 1491-1500.	2.4	31
182	Avoiding Pitfalls in the Interpretation of Gadoteric Acid—Enhanced Magnetic Resonance Imaging. <i>Seminars in Ultrasound, CT and MRI</i> , 2016, 37, 561-572.	1.5	12
183	EKG-triggered high-pitch CT for simultaneous assessment of the aorta and coronary arteries. <i>Journal of Cardiovascular Computed Tomography</i> , 2016, 10, 407-413.	1.3	10
184	Development of Collateral Pathways in Tumor Obstruction of Confluence of the Hepatic Veins: Neither Fortuitous nor Innocuous. <i>Journal of the American College of Surgeons</i> , 2016, 223, 595-601.	0.5	4
185	Pulmonary Perfusion Changes as Assessed by Contrast-Enhanced Dual-Energy Computed Tomography after Endoscopic Lung Volume Reduction by Coils. <i>Respiration</i> , 2016, 92, 404-413.	2.6	5
186	Indication of Percutaneous Microwave Ablation for the Treatment of Hepatic Adenomas: Squaring the Circle. <i>Journal of Vascular and Interventional Radiology</i> , 2016, 27, 932-933.	0.5	2
187	Retroperitoneal ectopic splenic tissue: Imaging findings. <i>Diagnostic and Interventional Imaging</i> , 2016, 97, 935-937.	3.2	2
188	Response: Transient liver modifications associated with abdominal sepsis are various and underestimated. <i>European Radiology</i> , 2016, 26, 4327-4328.	4.5	0
189	Multiparametric magnetic resonance imaging in patients with chronic liver disease: are we there yet?. <i>Liver International</i> , 2016, 36, 631-633.	3.9	0
190	Acute extrahepatic infectious or inflammatory diseases are a cause of transient mosaic pattern on CT and MR imaging related to sinusoidal dilatation of the liver. <i>European Radiology</i> , 2016, 26, 3094-3101.	4.5	19
191	Hepatic fat fraction and visceral adipose tissue fatty acid composition in mice: Quantification with 7.0T MRI. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 510-518.	3.0	25
192	A meta-analysis of diffusion-weighted and gadoteric acid-enhanced MR imaging for the detection of liver metastases. <i>European Radiology</i> , 2016, 26, 4595-4615.	4.5	126
193	Transient excess of liver fat detected by magnetic resonance imaging in women with acute fatty liver of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 127-129.	1.3	22
194	Endovascular management of delayed post-pancreatectomy haemorrhage. <i>European Radiology</i> , 2016, 26, 3456-3465.	4.5	27
195	Cone-Beam CT Angiography for Determination of Tumor-Feeding Vessels During Chemoembolization of Liver Tumors: Comparison of Conventional and Dedicated-Software Analysis. <i>Journal of Vascular and Interventional Radiology</i> , 2016, 27, 32-38.	0.5	28
196	Pitfalls in Liver Imaging. <i>Radiology</i> , 2016, 278, 34-51.	7.3	43
197	Liver steatosis assessed by preoperative MRI: An independent risk factor for severe complications after major hepatic resection. <i>Surgery</i> , 2016, 159, 1050-1057.	1.9	14
198	Cone Beam Computed Tomography (CBCT) in the Field of Interventional Oncology of the Liver. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 8-20.	2.0	63

#	ARTICLE	IF	CITATIONS
199	Assessment of the residual tumour of colorectal liver metastases after chemotherapy: diffusion-weighted MR magnetic resonance imaging in the peripheral and entire tumour. <i>European Radiology</i> , 2016, 26, 206-215.	4.5	24
200	BIOSHARE multicenter neoadjuvant phase 2 study: Results of pre-operative sorafenib in patients with resectable hepatocellular carcinoma (HCC)â€”From GERCOR IRC.. <i>Journal of Clinical Oncology</i> , 2016, 34, 252-252.	1.6	10
201	Follow-up Imaging After Liver Transplantation Should Take Into Consideration Primary Hepatocellular Carcinoma Characteristics. <i>Transplantation</i> , 2015, 99, 1613-1618.	1.0	16
202	Disease control with sunitinib in advanced intrahepatic cholangiocarcinoma resistant to gemcitabine-oxaliplatin chemotherapy. <i>World Journal of Hepatology</i> , 2015, 7, 910.	2.0	6
203	Assessment of liver ablation using cone beam computed tomography. <i>World Journal of Gastroenterology</i> , 2015, 21, 517.	3.3	24
204	Advanced Fibrosis: Correlation between Pharmacokinetic Parameters at Dynamic Gadoxetate-enhanced MR Imaging and Hepatocyte Organic Anion Transporter Expression in Rat Liver. <i>Radiology</i> , 2015, 274, 379-386.	7.3	36
205	Hepatocellular Carcinoma With Osseous Metaplasia and Bone Marrow Elements. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, e26-e27.	4.4	2
206	Hepatic lymphatics: anatomy and related diseases. <i>Abdominal Imaging</i> , 2015, 40, 1997-2011.	2.0	34
207	Characterization of fortuitously discovered focal liver lesions: additional information provided by shearwave elastography. <i>European Radiology</i> , 2015, 25, 346-358.	4.5	44
208	Combined Transhepatic Portal Venous and Transarterial Treatment of Superior Mesenteric Arteriovenous Fistula in a Patient with Cirrhosis. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 601-603.	0.5	4
209	TRIP: a pathological score for transarterial chemoembolization resistance individualized prediction in hepatocellular carcinoma. <i>Liver International</i> , 2015, 35, 2466-2473.	3.9	24
210	Massive biliary necrosis as a complication of a hereditary hemorrhagic telangiectasia. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 471-474.	1.6	4
211	Is magnetic resonance imaging of hepatic hemangioma any different in liver fibrosis and cirrhosis compared to normal liver?. <i>European Journal of Radiology</i> , 2015, 84, 816-822.	2.6	15
212	Portal Vein Embolization Before Extended Hepatectomy in a Toddler With Mesenchymal Hamartoma. <i>Pediatrics</i> , 2015, 136, e1055-e1059.	2.1	9
213	Shear-wave Elastography for the Noninvasive Diagnosis of Focal Liver Lesions: It Always Starts with the Clinical Context. <i>Radiology</i> , 2015, 276, 928-929.	7.3	0
214	Prospective Comparison of Spleen and Liver Stiffness by Using Shear-Wave and Transient Elastography for Detection of Portal Hypertension in Cirrhosis. <i>Radiology</i> , 2015, 275, 589-598.	7.3	190
215	Hepatic and perihepatic involvement of female genital diseases and pregnancy: a review. <i>Abdominal Imaging</i> , 2015, 40, 1331-1349.	2.0	4
216	Sunitinib as second-line treatment in patients with advanced intrahepatic cholangiocarcinoma (SUN-CK phase II trial): Safety, efficacy, and updated translational results.. <i>Journal of Clinical Oncology</i> , 2015, 33, 343-343.	1.6	14

#	ARTICLE	IF	CITATIONS
217	Viscoelastic Parameters for Quantifying Liver Fibrosis: Three-Dimensional Multifrequency MR Elastography Study on Thin Liver Rat Slices. <i>PLoS ONE</i> , 2014, 9, e94679.	2.5	20
218	Clinical studies in hepatocellular carcinoma. <i>Future Oncology</i> , 2014, 10, 13-16.	2.4	2
219	Hepatobiliary and Pancreatic Neoplasms in Patients With McCune-Albright Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E97-E101.	3.6	75
220	Alternative Response Criteria (Choi, European Association for the Study of the Liver, and Modified) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Hepatocellular Carcinoma Treated With Sorafenib. <i>Oncologist</i> , 2014, 19, 394-402.	3.7	134
221	Quantification of the triglyceride fatty acid composition with 3.0%T MRI. <i>NMR in Biomedicine</i> , 2014, 27, 1211-1221.	2.8	54
222	Radioembolisation with yttrium-90 microspheres versus sorafenib for treatment of advanced hepatocellular carcinoma (SARAH): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 474.	1.6	38
223	Lessons From McCune-Albright Syndrome-Associated Intraductal Papillary Mucinous Neoplasms. <i>JAMA Surgery</i> , 2014, 149, 858.	4.3	33
224	Hepatic hemangiomas: Factors associated with T2 shine-through effect on diffusion-weighted MR sequences. <i>European Journal of Radiology</i> , 2014, 83, 468-478.	2.6	36
225	Re: "Radiofrequency Ablation of Hepatic Cysts: Evaluation of Therapeutic Efficacy". <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 808.	0.5	0
226	Sporadic nonfunctioning pancreatic neuroendocrine tumors: Prognostic significance of incidental diagnosis. <i>Surgery</i> , 2014, 155, 13-21.	1.9	62
227	Hepatic cysts treated with percutaneous ethanol sclerotherapy: time to extend the indications to haemorrhagic cysts and polycystic liver disease. <i>European Radiology</i> , 2014, 24, 1030-1038.	4.5	37
228	Assessment of portal hypertension and high-risk oesophageal varices with liver and spleen three-dimensional multifrequency MR elastography in liver cirrhosis. <i>European Radiology</i> , 2014, 24, 1394-402.	4.5	103
229	The Liver Halo Sign after Tumor Ablation. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1641-1643.	0.5	1
230	Hepatocellular carcinoma: Diagnostic criteria by imaging techniques. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2014, 28, 795-812.	2.4	37
231	Local Venous Thrombotic Risk of an Expanding Haemostatic Agent Used During Liver Resection. <i>World Journal of Surgery</i> , 2014, 38, 2363-2369.	1.6	4
232	Colorectal Liver Metastases Growth in the Embolized and Non-Embolized Liver After Portal Vein Embolization: Influence of Initial Response to Induction Chemotherapy. <i>Annals of Surgical Oncology</i> , 2014, 21, 3077-3083.	1.5	26
233	Imaging of benign hepatocellular lesions: Current concepts and recent updates. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014, 38, 681-688.	1.5	48
234	Reappraisal of Central Pancreatectomy. <i>JAMA Surgery</i> , 2014, 149, 356.	4.3	92

#	ARTICLE	IF	CITATIONS
235	Benign Neoplasms of the Liver. , 2013, , 1063-1088.		0
236	MR findings of steatotic focal nodular hyperplasia and comparison with other fatty tumours. European Radiology, 2013, 23, 914-923.	4.5	43
237	Diffusion-weighted and T2-weighted MR imaging for colorectal liver metastases detection in a rat model at 7T: a comparative study using histological examination as reference. European Radiology, 2013, 23, 2156-2164.	4.5	10
238	Intratumoral Gas in Hepatocellular Carcinoma following Transarterial Chemoembolization: Associated Factors and Clinical Impact. Journal of Vascular and Interventional Radiology, 2013, 24, 1623-1631.	0.5	9
239	Effects of a Multimodal Management Strategy for Acute Mesenteric Ischemia on Survival and Intestinal Failure. Clinical Gastroenterology and Hepatology, 2013, 11, 158-165.e2.	4.4	111
240	Tumour progression and liver regeneration insights from animal models. Nature Reviews Gastroenterology and Hepatology, 2013, 10, 452-462.	17.8	34
241	Case 200: Gastric Enterochromaffinlike Cell Tumors in a Patient with Type 1 Multiple Endocrine Neoplasia. Radiology, 2013, 269, 940-944.	7.3	0
242	Liver Resection in Patients with Hepatic Hereditary Hemorrhagic Telangiectasia. Digestive Surgery, 2013, 30, 410-414.	1.2	9
243	High-Value Diffusion-weighted MR Imaging of Benign Hepatocellular Lesions: Quantitative and Qualitative Analysis. Radiology, 2012, 262, 511-519.	7.3	77
244	Lemmel's syndrome as a rare cause of obstructive jaundice. Clinics and Research in Hepatology and Gastroenterology, 2012, 36, 628-631.	1.5	44
245	Neither Preoperative Computed Tomography nor Intra-Operative Examination can Predict Metastatic Lymph Node in the Hepatic Pedicle in Patients with Colorectal Liver Metastasis. Annals of Surgical Oncology, 2012, 19, 163-168.	1.5	22
246	Imaging response in neuroendocrine tumors treated with targeted therapies: the experience of sunitinib. Targeted Oncology, 2012, 7, 127-133.	3.6	45
247	Complete regression of locally advanced hepatocellular carcinoma induced by sorafenib allowing curative resection. Liver International, 2011, 31, 740-743.	3.9	68
248	Hepatocellular adenomas: Accuracy of magnetic resonance imaging and liver biopsy in subtype classification. Hepatology, 2011, 53, 1182-1191.	7.3	180
249	Liver Fibrosis in Chronic Hepatitis C Virus Infection: Differentiating Minimal from Intermediate Fibrosis with Perfusion CT. Radiology, 2010, 256, 135-142.	7.3	116
250	Telangiectatic adenoma: An entity associated with increased body mass index and inflammation. Hepatology, 2007, 46, 140-146.	7.3	157