

Erik Ilsa, Christensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11805447/publications.pdf>

Version: 2024-02-01

22
papers

3,159
citations

567281

15
h-index

752698

20
g-index

24
all docs

24
docs citations

24
times ranked

3363
citing authors

#	ARTICLE	IF	CITATIONS
1	Beyond the tubule: pathological variants of <i>LRP2</i>, encoding the megalin receptor, result in glomerular loss and early progressive chronic kidney disease. American Journal of Physiology - Renal Physiology, 2020, 319, F988-F999.	2.7	13
2	Enzyme Replacement Therapy During Pregnancy in Fabry Patients. JIMD Reports, 2018, 44, 93-101.	1.5	5
3	Megalyn and cubilin in proximal tubule protein reabsorption: from experimental models to human disease. Kidney International, 2016, 89, 58-67.	5.2	321
4	Megalyn in acute kidney injury: foe and friend. American Journal of Physiology - Renal Physiology, 2014, 306, F147-F154.	2.7	50
5	Renal Filtration, Transport, and Metabolism of Albumin and Albuminuria. , 2013, , 2457-2474.		2
6	Comparison of mutual information with a standard method for alignment of histological serial sections. , 2011, , .		0
7	Proteinuria and events beyond the slit. Pediatric Nephrology, 2010, 25, 813-822.	1.7	85
8	Receptor-mediated endocytosis in renal proximal tubule. Pflugers Archiv European Journal of Physiology, 2009, 458, 1039-1048.	2.8	199
9	Megalyn Deficiency Offers Protection from Renal Aminoglycoside Accumulation. Journal of Biological Chemistry, 2002, 277, 618-622.	3.4	186
10	Pathophysiology of protein and vitamin handling in the proximal tubule. Nephrology Dialysis Transplantation, 2002, 17, 57-58.	0.7	14
11	The tandem endocytic receptors megalyn and cubilin are important proteins in renal pathology. Kidney International, 2002, 62, 745-756.	5.2	135
12	Megalyn and cubilin: multifunctional endocytic receptors. Nature Reviews Molecular Cell Biology, 2002, 3, 258-267.	37.0	699
13	Megalyn and cubilin: synergistic endocytic receptors in renal proximal tubule. American Journal of Physiology - Renal Physiology, 2001, 280, F562-F573.	2.7	310
14	Authors' reply:. American Journal of Kidney Diseases, 2001, 38, 200-204.	1.9	7
15	Transcellular Transport of Vitamin B12 in LLC-PK1 Renal Proximal Tubule Cells. Journal of the American Society of Nephrology: JASN, 2001, 12, 1099-1106.	6.1	23
16	Evidence for the Role of Megalyn in Renal Uptake of Transthyretin. Journal of Biological Chemistry, 2000, 275, 38176-38181.	3.4	109
17	The intrinsic factor vitamin B12 receptor, cubilin, is a high-affinity apolipoprotein A-I receptor facilitating endocytosis of high-density lipoprotein. Nature Medicine, 1999, 5, 656-661.	30.7	248
18	Megalyn Knockout Mice as an Animal Model of Low Molecular Weight Proteinuria. American Journal of Pathology, 1999, 155, 1361-1370.	3.8	407

#	ARTICLE	IF	CITATIONS
19	Evidence for an Essential Role of Megalin in Transepithelial Transport of Retinol. Journal of the American Society of Nephrology: JASN, 1999, 10, 685-695.	6.1	223
20	Examination of rat salivary glands for the presence of the aquaporin CHIP. Pflugers Archiv European Journal of Physiology, 1994, 428, 455-460.	2.8	61
21	Three-dimensional Growth of Renal Epithelial Cells in Vitro: A Tool in Toxicity Testing. ATLA Alternatives To Laboratory Animals, 1993, 21, 191-195.	1.0	2
22	Proteinuria induced by sodium maleate in rats: Effects on ultrastructure and protein handling in renal proximal tubule. Kidney International, 1980, 17, 771-787.	5.2	42