

# Geoffrey Davies

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11820983/publications.pdf>

Version: 2024-02-01

82  
papers

2,165  
citations

218677

26  
h-index

243625

44  
g-index

82  
all docs

82  
docs citations

82  
times ranked

1687  
citing authors

#	ARTICLE	IF	CITATIONS
1	Soil Color and US Northeast Aquods. Soil Science Society of America Journal, 2016, 80, 965-972.	2.2	2
2	Measuring the Total and Sequestered Organic Matter Contents of Grassland and Forest Soil Profiles in the National Ecological Observatory Network Initiative. Soil Horizons, 2015, 56, 1-11.	0.3	4
3	Optimized conditions for determination of total soil organic matter in diverse samples by mass loss on ignition. Journal of Plant Nutrition and Soil Science, 2014, 177, 914-919.	1.9	18
4	National Soil Project Underway at Northeastern University â€” Assistance Requested. Soil Horizons, 2011, 52, 61.	0.3	0
5	Environmental insights from Langmuir adsorption site capacities. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2011, 381, 37-40.	4.7	8
6	Kinetics of Formation and Dissociation of Aquocobalt(III) Complexes with Some Carboxylic Acids in Acid Perchlorate Solutionâ€“. Journal of Physical Chemistry B, 2007, 111, 6955-6961.	2.6	2
7	Spectroscopic characterization of humic acid fractions isolated from soil using different extraction procedures. Geoderma, 2006, 133, 204-216.	5.1	86
8	Metal binding by humic acids isolated from water hyacinth plants (Eichhornia crassipes [Mart.] Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	7.5	48
9	Suitability of Different 13C Solid-state NMR Techniques in the Characterization of Humic Acids. International Journal of Environmental Analytical Chemistry, 2002, 82, 183-196.	3.3	39
10	Humic Acids: Marvelous Products of Soil Chemistry. Journal of Chemical Education, 2001, 78, 1609.	2.3	43
11	Generation of Hydroxyl Radicals from Metal-Loaded Humic Acids. Environmental Science & Technology, 1999, 33, 1814-1818.	10.0	77
12	CHARACTERISTICS OF SEQUENTIAL SOLVENT PRE-EXTRACTION IN THE ISOLATION OF HUMIC ACID FROM THE ALGA PILAYELLA LIT TOR A LIS. Chemical Engineering Communications, 1999, 172, 41-64.	2.6	1
13	Title is missing!. Transition Metal Chemistry, 1998, 23, 795-800.	1.4	5
14	Tight metal binding by humic acids and its role in biomineralizationâ€Šâ€. Journal of the Chemical Society Dalton Transactions, 1997, , 4047-4060.	1.1	148
15	Molecular catalyst design. Synthesis, characterization and properties of zeolite NaY catalysts made with a tetranuclear copper(II) complex. Catalysis Today, 1997, 33, 313-322.	4.4	4
16	Title is missing!. Journal of Applied Phycology, 1997, 9, 481-488.	2.8	2
17	Experiential, Cooperative, and Study Abroad Education. Journal of Chemical Education, 1996, 73, 438.	2.3	2
18	Supercritical fluid CO2 extraction accelerates isolation of humic acid from livePilayella littoralis (Phaeophyta). Journal of Applied Phycology, 1996, 8, 545-551.	2.8	8

#	ARTICLE	IF	CITATIONS
19	Isolation of humic acid from the brown algae <i>Ascophyllum nodosum</i> , <i>Fucus vesiculosus</i> , <i>Laminaria saccharina</i> and the marine angiosperm <i>Zostera marina</i> . <i>Journal of Applied Phycology</i> , 1996, 8, 553-562.	2.8	27
20	Structural modeling in humic acids. <i>Materials Science and Engineering C</i> , 1996, 4, 175-179.	7.3	53
21	Electrodeposition of Metal Alloy and Mixed Oxide Films Using a Single Precursor Tetranuclear Copper-Nickel Complex. <i>Journal of the Electrochemical Society</i> , 1995, 142, 3357-3365.	2.9	127
22	Isolation of humic acid from the brown alga <i>Pilayella littoralis</i> . <i>Journal of Applied Phycology</i> , 1994, 6, 459-468.	2.8	38
23	Unusually stable peroxocopper complexes. Stoichiometry, products and kinetics of oxidation of the dimeric copper(II) complex [LCuBr] <sub>2</sub> (L=N,N-diethylethylenediamine) by dioxygen in methylene chloride from 5 to 30 °C. <i>Inorganica Chimica Acta</i> , 1994, 217, 109-119.	2.4	16
24	Transmetalation of targets (1/4-Y)N <sub>4</sub> Cu <sub>2</sub> ICu <sub>2</sub> ICl <sub>4</sub> and (1/4-Y,1/4-O)N <sub>4</sub> Cu <sub>4</sub> Cl <sub>4</sub> (Y=3,4,5,6-tetrachlorocatecholate) with M(NS) <sub>2</sub> reagents. <i>Inorganica Chimica Acta</i> , 1994, 217, 85-92.	2.4	1
25	Treatment of Dehydrated Na-Y Zeolite with the Heteropolymetallic Products of Transmetalation Reactions. , 1993, , 121-126.		2
26	Protonation of tetranuclear oxo(chloro)pyridinecopper(II) complexes by HBF <sub>4</sub> in nitrobenzene. <i>Inorganica Chimica Acta</i> , 1992, 195, 35-43.	2.4	3
27	Properties and reactions of tetranuclear copper(I) complexes [LCuX] <sub>4</sub> (L=N,N-dimethylaminomethylferrocene; X=Cl and Br). Crystal and molecular structure of (1/4-O)L <sub>4</sub> Cu <sub>4</sub> Cl <sub>6</sub> . <i>Inorganica Chimica Acta</i> , 1992, 194, 139-149.	2.4	19
28	Effects of transmetalation on the mechanisms of copper-catalyzed phenolic oxidative coupling reactions. <i>Inorganica Chimica Acta</i> , 1992, 192, 31-42.	2.4	5
29	Transmetalation of tetranuclear copper complexes with tin transmetalators. Molecular structure of cis-dichloro-bis(trans-S-methyl isopropylidenehydrazinecarbodithioato)tin(IV) and consideration of transmetalation mechanisms. <i>Inorganica Chimica Acta</i> , 1992, 193, 43-56.	2.4	43
30	Mixed Metal Oxide Synthesis by Thermolyses of Simple Heteropolymetallic Precursors in Oxygen. <i>Materials Research Society Symposia Proceedings</i> , 1991, 249, 87.	0.1	4
31	Cooperativity in metal exchange reactions of bis(acetylacetonato)copper(II) with Co(NS) <sub>2</sub> and Zn(NS) <sub>2</sub> reagents in methylene chloride. <i>Inorganica Chimica Acta</i> , 1991, 179, 245-254.	2.4	5
32	Influence of catecholate bridges on the transmetalation of tetranuclear copper(II) complexes [NCuCl] <sub>4</sub> Y <sub>2</sub> and N <sub>4</sub> Cu <sub>4</sub> (OH) <sub>2</sub> Cl <sub>4</sub> Y <sub>2</sub> ·3H <sub>2</sub> O (N = N,N-diethylnicotinamide; Y =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,222 Td (3,4,5,6-tetrahydro-2H-pyridin-2-ylidene) in methylene chloride. <i>Inorganica Chimica Acta</i> , 1991, 182, 213-220.	2.4	6
33	Synthesis, molecular structures, properties and reactions of halo- and carbonyl(amine)copper(I) complexes. <i>Polyhedron</i> , 1990, 9, 2319-2351.	2.2	56
34	Synthesis of S-methylisopropylidenehydrazinecarbodithioate complexes of aluminum. <i>Heteroatom Chemistry</i> , 1990, 1, 291-294.	0.7	0
35	Stoichiometry, products and kinetics of monotransmetalation and complexation of dimeric complexes [N <sub>2</sub> CuCl <sub>2</sub> ] <sub>2</sub> and [N <sub>2</sub> NiCl <sub>2</sub> ] <sub>2</sub> (N is N,N-diethylnicotinamide) with M(NS) <sub>2</sub> reagents in nitrobenzene. <i>Inorganica Chimica Acta</i> , 1990, 173, 163-173.	2.4	6
36	Products and kinetics of the reactions of bis-(acetylacetonato)copper(II) with Ni(NS) <sub>2</sub> and Cu(NS) <sub>2</sub> reagents in methylene chloride. <i>Inorganica Chimica Acta</i> , 1990, 177, 167-178.	2.4	6



#	ARTICLE	IF	CITATIONS
55	Distinguishable sites in tetranuclear oxocopper(II) complexes (py) <sub>3</sub> Cu <sub>4</sub> Cl <sub>4</sub> O <sub>2</sub> and (DENC) <sub>3</sub> Cu <sub>3</sub> M(H <sub>2</sub> O)Cl <sub>4</sub> O <sub>2</sub> (M = Co, Ni, Cu, Zn). <i>Inorganic Chemistry</i> , 1986, 25, 4479-4487.	4.0	25
56	Transmetalation of tetranuclear copper complexes. 6. Transmetalation of copper dioxo L <sub>4</sub> Cu <sub>4</sub> O <sub>2</sub> complexes (L = 6-methyl-2-hydroxypyridinate) by M(NS) <sub>2</sub> reagents. <i>Inorganic Chemistry</i> , 1986, 25, 1935-1940.	4.0	16
57	Transmetalation of tetranuclear copper complexes. 5. Transmetalation of copper(I) complexes and stoichiometry and kinetics of oxidation of neutral tetranuclear (DENC) <sub>3</sub> Cu <sub>3</sub> M(NS) <sub>4</sub> (DENC = ) Tj ETQq1 1 0.784314 rgBT /Overlock 19 1929-1934.	4.0	19
58	PREVENTION OF GUM FORMATION AND VISCOSITY INCREASES IN COAL-DERIVED DISTILLATE FUELS. <i>Petroleum Science and Technology</i> , 1986, 4, 327-343.	0.2	1
59	Transmetalation of tetranuclear copper complexes. 7. Spectral evidence for the substoichiometric transmetalation of (μ <sub>4</sub> -O)[(DENC)Cu] <sub>4</sub> X <sub>6</sub> complexes (DENC = N,N-diethylnicotinamide; X = Cl or Br) by a bis(acetone S-methyl hydrazonocarbodithioato)nickel reagent. <i>Inorganic Chemistry</i> , 1986, 25, 2269-2271.	4.0	33
60	Crystal and molecular structure of racemic fac-tris-(S-methylisopropylidene-hydrazinecarbodithioato)cobalt(III), Co(NS) <sub>3</sub> , and the kinetics of its isomerization in aprotic solvents. <i>Inorganica Chimica Acta</i> , 1986, 119, 121-126.	2.4	16
61	Crystal and molecular structures of three M(NS) <sub>2</sub> transmetalating agents (NS is a monoanionic) Tj ETQq1 1 0.784314 rgBT /Overlock 19 2.4	2.4	19
62	MINIMIZATION OF THE RATE OF AMBIENT DIOXYGEN CONSUMPTION BY A COAL-DERIVED MIDDLE DISTILLATE. <i>Petroleum Science and Technology</i> , 1986, 4, 575-591.	0.2	0
63	Synthesis, structure and properties of the isomeric dinuclear complexes [(DENC) <sub>2</sub> CuX <sub>2</sub> ] <sub>2</sub> (DENC = ) Tj ETQq1 1 0.784314 rgBT /Overlock 19 chloride. <i>Inorganica Chimica Acta</i> , 1985, 98, 85-94.	2.4	23
64	Transmetalation of 1/4-carbonatodicopper(II) complexes with M(NS) <sub>2</sub> reagents. <i>Inorganica Chimica Acta</i> , 1985, 104, 131-135.	2.4	12
65	Stoichiometry and kinetics of oxidation of dimeric bis(μ-halo)-bis((diamine)copper(I)) complexes L <sub>2</sub> Cu <sub>2</sub> X <sub>2</sub> by dioxygen in aprotic solvents. <i>Inorganic Chemistry</i> , 1985, 24, 3387-3390.	4.0	36
66	Transmetallation reactions of tetranuclear copper(II) complexes. I. Crystal and molecular structures		

#	ARTICLE	IF	CITATIONS
73	Homogeneous oxidative coupling catalysts. Stoichiometry and kinetics of the reactions of two structurally distinct ( $\mu$ -carbonato)-dicopper(II) oxidative coupling initiators with 2,4,6-trichlorophenol in methylene chloride. <i>Inorganic Chemistry</i> , 1981, 20, 3757-3763.	4.0	11
74	Synthesis, physical properties and structural characterization of $\mu$ -carbonato-dicopper(II) complexes. 2. Products of oxidation of Cu(I) by dioxygen in aprotic media containing carbon dioxide and alkylated diamine ligands and the crystal structure of paramagnetic (Et <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> NEt <sub>2</sub> ) <sub>2</sub> Cu <sub>2</sub> Cl <sub>2</sub> (asym. $\mu$ -CO <sub>3</sub> ). <i>Inorganic Chemistry</i> , 1980, 19, 201-208.	4.0	55
75	Homogeneous Oxidative Coupling Catalysts. <i>Advances in Chemistry Series</i> , 1979, , 178-194.	0.6	18
76	Homogeneous oxidative coupling catalysts. Properties of the oxidative coupling initiator obtained from the reaction of copper(I) chloride with oxygen in pyridine. <i>Inorganic Chemistry</i> , 1978, 17, 1814-1819.	4.0	33
77	A phenomenological model for redox reactions in solution application to aquocobalt(III) systems. <i>Coordination Chemistry Reviews</i> , 1974, 14, 269-285.	18.8	13
78	The mechanistic assignment of terms in empirical rate laws for complexation and redox reactions of metal ions in aqueous solution: acid dependences in perchlorate media. <i>Coordination Chemistry Reviews</i> , 1974, 14, 287-303.	18.8	12
79	Aspects of the chemistry of cobalt(III) in aqueous perchlorate solution. <i>Coordination Chemistry Reviews</i> , 1970, 5, 349-378.	18.8	42
80	Stoichiometry and kinetics of manganese(III) reactions with hydrazine and the methylhydrazines in acid perchlorate solution. <i>The Journal of Physical Chemistry</i> , 1969, 73, 2248-2253.	2.9	20
81	Some aspects of the chemistry of manganese(III) in aqueous solution. <i>Coordination Chemistry Reviews</i> , 1969, 4, 199-224.	18.8	211
82	Kinetics and stoichiometry of the reaction between manganese(III) and hydrogen peroxide in acid perchlorate solution. <i>Inorganic Chemistry</i> , 1968, 7, 146-154.	4.0	68