

Tyler Jacks

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11823747/publications.pdf>

Version: 2024-02-01

240
papers

95,482
citations

867

120
h-index

1238

233
g-index

252
all docs

252
docs citations

252
times ranked

90145
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | MicroRNA expression profiles classify human cancers. <i>Nature</i> , 2005, 435, 834-838. | 13.7 | 8,931 |
| 2 | Chromatin signature reveals over a thousand highly conserved large non-coding RNAs in mammals. <i>Nature</i> , 2009, 458, 223-227. | 13.7 | 3,801 |
| 3 | A mammalian cell cycle checkpoint pathway utilizing p53 and GADD45 is defective in ataxia-telangiectasia. <i>Cell</i> , 1992, 71, 587-597. | 13.5 | 3,006 |
| 4 | p53-dependent apoptosis modulates the cytotoxicity of anticancer agents. <i>Cell</i> , 1993, 74, 957-967. | 13.5 | 2,848 |
| 5 | p53 is required for radiation-induced apoptosis in mouse thymocytes. <i>Nature</i> , 1993, 362, 847-849. | 13.7 | 2,829 |
| 6 | Systematic RNA interference reveals that oncogenic KRAS-driven cancers require TBK1. <i>Nature</i> , 2009, 462, 108-112. | 13.7 | 2,707 |
| 7 | Hypoxia-mediated selection of cells with diminished apoptotic potential in solid tumours. <i>Nature</i> , 1996, 379, 88-91. | 13.7 | 2,223 |
| 8 | Preinvasive and invasive ductal pancreatic cancer and its early detection in the mouse. <i>Cancer Cell</i> , 2003, 4, 437-450. | 7.7 | 2,150 |
| 9 | Identification of Bronchioalveolar Stem Cells in Normal Lung and Lung Cancer. <i>Cell</i> , 2005, 121, 823-835. | 13.5 | 2,023 |
| 10 | A Large Intergenic Noncoding RNA Induced by p53 Mediates Global Gene Repression in the p53 Response. <i>Cell</i> , 2010, 142, 409-419. | 13.5 | 1,919 |
| 11 | Tumor spectrum analysis in p53-mutant mice. <i>Current Biology</i> , 1994, 4, 1-7. | 1.8 | 1,903 |
| 12 | Effects of an Rb mutation in the mouse. <i>Nature</i> , 1992, 359, 295-300. | 13.7 | 1,730 |
| 13 | Sunburn and p53 in the onset of skin cancer. <i>Nature</i> , 1994, 372, 773-776. | 13.7 | 1,724 |
| 14 | Analysis of lung tumor initiation and progression using conditional expression of oncogenic K-ras. <i>Genes and Development</i> , 2001, 15, 3243-3248. | 2.7 | 1,663 |
| 15 | Restoration of p53 function leads to tumour regression in vivo. <i>Nature</i> , 2007, 445, 661-665. | 13.7 | 1,662 |
| 16 | Targeted Deletion Reveals Essential and Overlapping Functions of the miR-17~1492 Family of miRNA Clusters. <i>Cell</i> , 2008, 132, 875-886. | 13.5 | 1,504 |
| 17 | Impaired microRNA processing enhances cellular transformation and tumorigenesis. <i>Nature Genetics</i> , 2007, 39, 673-677. | 9.4 | 1,351 |
| 18 | Altered cell cycle arrest and gene amplification potential accompany loss of wild-type p53. <i>Cell</i> , 1992, 70, 923-935. | 13.5 | 1,345 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Radiation-induced cell cycle arrest compromised by p21 deficiency. <i>Nature</i> , 1995, 377, 552-557. | 13.7 | 1,218 |
| 20 | Mutant p53 Gain of Function in Two Mouse Models of Li-Fraumeni Syndrome. <i>Cell</i> , 2004, 119, 847-860. | 13.5 | 1,140 |
| 21 | Somatic activation of the K-ras oncogene causes early onset lung cancer in mice. <i>Nature</i> , 2001, 410, 1111-1116. | 13.7 | 1,060 |
| 22 | Characterization of ribosomal frameshifting in HIV-1 gag-pol expression. <i>Nature</i> , 1988, 331, 280-283. | 13.7 | 928 |
| 23 | p53-Dependent apoptosis suppresses tumor growth and progression in vivo. <i>Cell</i> , 1994, 78, 703-711. | 13.5 | 873 |
| 24 | MicroRNAs and Cancer: Short RNAs Go a Long Way. <i>Cell</i> , 2009, 136, 586-591. | 13.5 | 824 |
| 25 | Genome editing with Cas9 in adult mice corrects a disease mutation and phenotype. <i>Nature Biotechnology</i> , 2014, 32, 551-553. | 9.4 | 823 |
| 26 | Suppression of non-small cell lung tumor development by the <i>let-7</i> microRNA family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 3903-3908. | 3.3 | 808 |
| 27 | Role of K-ras and Pten in the development of mouse models of endometriosis and endometrioid ovarian cancer. <i>Nature Medicine</i> , 2005, 11, 63-70. | 15.2 | 785 |
| 28 | p63 and p73 are required for p53-dependent apoptosis in response to DNA damage. <i>Nature</i> , 2002, 416, 560-564. | 13.7 | 775 |
| 29 | Tumour predisposition in mice heterozygous for a targeted mutation in Nf1. <i>Nature Genetics</i> , 1994, 7, 353-361. | 9.4 | 731 |
| 30 | Conditional mouse lung cancer models using adenoviral or lentiviral delivery of Cre recombinase. <i>Nature Protocols</i> , 2009, 4, 1064-1072. | 5.5 | 711 |
| 31 | Endogenous oncogenic K-rasG12D stimulates proliferation and widespread neoplastic and developmental defects. <i>Cancer Cell</i> , 2004, 5, 375-387. | 7.7 | 710 |
| 32 | CRISPR-mediated direct mutation of cancer genes in the mouse liver. <i>Nature</i> , 2014, 514, 380-384. | 13.7 | 673 |
| 33 | Tumor Induction and Tissue Atrophy in Mice Lacking E2F-1. <i>Cell</i> , 1996, 85, 537-548. | 13.5 | 671 |
| 34 | Role for the p53 homologue p73 in E2F-1-induced apoptosis. <i>Nature</i> , 2000, 407, 645-648. | 13.7 | 656 |
| 35 | Signals for ribosomal frameshifting in the rous sarcoma virus gag-pol region. <i>Cell</i> , 1988, 55, 447-458. | 13.5 | 647 |
| 36 | STI571 inactivation of the gastrointestinal stromal tumor c-KIT oncoprotein: biological and clinical implications. <i>Oncogene</i> , 2001, 20, 5054-5058. | 2.6 | 643 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | p53-dependent apoptosis produced by Rb-deficiency in the developing mouse lens. <i>Nature</i> , 1994, 371, 72-74. | 13.7 | 625 |
| 38 | Environment Impacts the Metabolic Dependencies of Ras-Driven Non-Small Cell Lung Cancer. <i>Cell Metabolism</i> , 2016, 23, 517-528. | 7.2 | 616 |
| 39 | KRAS and YAP1 Converge to Regulate EMT and Tumor Survival. <i>Cell</i> , 2014, 158, 171-184. | 13.5 | 608 |
| 40 | Commensal Microbiota Promote Lung Cancer Development via $\gamma\delta$ T Cells. <i>Cell</i> , 2019, 176, 998-1013.e16. | 13.5 | 592 |
| 41 | Cre-lox-regulated conditional RNA interference from transgenes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 10380-10385. | 3.3 | 575 |
| 42 | MHC-II neoantigens shape tumour immunity and response to immunotherapy. <i>Nature</i> , 2019, 574, 696-701. | 13.7 | 563 |
| 43 | Loss of NF1 results in activation of the Ras signaling pathway and leads to aberrant growth in haematopoietic cells. <i>Nature Genetics</i> , 1996, 12, 144-148. | 9.4 | 555 |
| 44 | NF1 Tumor Suppressor Gene Function. <i>Cell</i> , 2001, 104, 593-604. | 13.5 | 553 |
| 45 | Targeted disruption of the three Rb-related genes leads to loss of G1 control and immortalization. <i>Genes and Development</i> , 2000, 14, 3037-3050. | 2.7 | 546 |
| 46 | A subset of p53-deficient embryos exhibit exencephaly. <i>Nature Genetics</i> , 1995, 10, 175-180. | 9.4 | 544 |
| 47 | Mechanism for the learning deficits in a mouse model of neurofibromatosis type 1. <i>Nature</i> , 2002, 415, 526-530. | 13.7 | 541 |
| 48 | Autophagy suppresses progression of K-ras-induced lung tumors to oncocytomas and maintains lipid homeostasis. <i>Genes and Development</i> , 2013, 27, 1447-1461. | 2.7 | 529 |
| 49 | Differential effects of oncogenic K-Ras and N-Ras on proliferation, differentiation and tumor progression in the colon. <i>Nature Genetics</i> , 2008, 40, 600-608. | 9.4 | 514 |
| 50 | Synthetic Lethal Interaction between Oncogenic KRAS Dependency and STK33 Suppression in Human Cancer Cells. <i>Cell</i> , 2009, 137, 821-834. | 13.5 | 510 |
| 51 | Acute mutation of retinoblastoma gene function is sufficient for cell cycle re-entry. <i>Nature</i> , 2003, 424, 223-228. | 13.7 | 501 |
| 52 | The Differential Effects of Mutant p53 Alleles on Advanced Murine Lung Cancer. <i>Cancer Research</i> , 2005, 65, 10280-10288. | 0.4 | 488 |
| 53 | Requirement for NF- κ B signalling in a mouse model of lung adenocarcinoma. <i>Nature</i> , 2009, 462, 104-107. | 13.7 | 483 |
| 54 | Expression of tumour-specific antigens underlies cancer immunoediting. <i>Nature</i> , 2012, 482, 405-409. | 13.7 | 478 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Characterization of the p53-Dependent Postmitotic Checkpoint following Spindle Disruption. <i>Molecular and Cellular Biology</i> , 1998, 18, 1055-1064. | 1.1 | 466 |
| 56 | Keap1 loss promotes Kras-driven lung cancer and results in dependence on glutaminolysis. <i>Nature Medicine</i> , 2017, 23, 1362-1368. | 15.2 | 462 |
| 57 | Tumor predisposition in mice mutant for p63 and p73: Evidence for broader tumor suppressor functions for the p53 family. <i>Cancer Cell</i> , 2005, 7, 363-373. | 7.7 | 455 |
| 58 | Autophagy Is Required for Glucose Homeostasis and Lung Tumor Maintenance. <i>Cancer Discovery</i> , 2014, 4, 914-927. | 7.7 | 450 |
| 59 | Tissue of origin dictates branched-chain amino acid metabolism in mutant <i>Kras</i> -driven cancers. <i>Science</i> , 2016, 353, 1161-1165. | 6.0 | 447 |
| 60 | Mouse Models of Tumor Development in Neurofibromatosis Type 1. <i>Science</i> , 1999, 286, 2172-2176. | 6.0 | 441 |
| 61 | PKM2 Isoform-Specific Deletion Reveals a Differential Requirement for Pyruvate Kinase in Tumor Cells. <i>Cell</i> , 2013, 155, 397-409. | 13.5 | 429 |
| 62 | LincRNA-p21 Activates p21 In cis to Promote Polycomb Target Gene Expression and to Enforce the G1/S Checkpoint. <i>Molecular Cell</i> , 2014, 54, 777-790. | 4.5 | 412 |
| 63 | An oncogenic KRAS2 expression signature identified by cross-species gene-expression analysis. <i>Nature Genetics</i> , 2005, 37, 48-55. | 9.4 | 392 |
| 64 | <i>Dicer1</i> functions as a haploinsufficient tumor suppressor. <i>Genes and Development</i> , 2009, 23, 2700-2704. | 2.7 | 391 |
| 65 | PKM2, cancer metabolism, and the road ahead. <i>EMBO Reports</i> , 2016, 17, 1721-1730. | 2.0 | 384 |
| 66 | Suppression of lung adenocarcinoma progression by Nkx2-1. <i>Nature</i> , 2011, 473, 101-104. | 13.7 | 383 |
| 67 | Growth-Inhibitory and Tumor-Suppressive Functions of p53 Depend on Its Repression of CD44 Expression. <i>Cell</i> , 2008, 134, 62-73. | 13.5 | 381 |
| 68 | Cooperative tumorigenic effects of germline mutations in Rb and p53. <i>Nature Genetics</i> , 1994, 7, 480-484. | 9.4 | 379 |
| 69 | Nf1;Trp53 mutant mice develop glioblastoma with evidence of strain-specific effects. <i>Nature Genetics</i> , 2000, 26, 109-113. | 9.4 | 379 |
| 70 | Circadian Rhythm Disruption Promotes Lung Tumorigenesis. <i>Cell Metabolism</i> , 2016, 24, 324-331. | 7.2 | 366 |
| 71 | The retinoblastoma gene family in differentiation and development. <i>Oncogene</i> , 1999, 18, 7873-7882. | 2.6 | 362 |
| 72 | Mutation of E2f-1 Suppresses Apoptosis and Inappropriate S Phase Entry and Extends Survival of Rb-Deficient Mouse Embryos. <i>Molecular Cell</i> , 1998, 2, 293-304. | 4.5 | 361 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Regulatory T Cells in Tumor-Associated Tertiary Lymphoid Structures Suppress Anti-tumor T Cell Responses. <i>Immunity</i> , 2015, 43, 579-590. | 6.6 | 360 |
| 74 | Vascular system defects and neuronal apoptosis in mice lacking Ras GTPase-activating protein. <i>Nature</i> , 1995, 377, 695-701. | 13.7 | 357 |
| 75 | Rapid modelling of cooperating genetic events in cancer through somatic genome editing. <i>Nature</i> , 2014, 516, 428-431. | 13.7 | 353 |
| 76 | Combined inhibition of BET family proteins and histone deacetylases as a potential epigenetics-based therapy for pancreatic ductal adenocarcinoma. <i>Nature Medicine</i> , 2015, 21, 1163-1171. | 15.2 | 349 |
| 77 | Cancer Modeling in the Modern Era. <i>Cell</i> , 2002, 108, 135-144. | 13.5 | 348 |
| 78 | Applications of the CRISPR-Cas9 system in cancer biology. <i>Nature Reviews Cancer</i> , 2015, 15, 387-393. | 12.8 | 340 |
| 79 | A mouse model for the learning and memory deficits associated with neurofibromatosis type I. <i>Nature Genetics</i> , 1997, 15, 281-284. | 9.4 | 336 |
| 80 | Classification of Proliferative Pulmonary Lesions of the Mouse. <i>Cancer Research</i> , 2004, 64, 2307-2316. | 0.4 | 313 |
| 81 | The Nf2 Tumor Suppressor, Merlin, Functions in Rac-Dependent Signaling. <i>Developmental Cell</i> , 2001, 1, 63-72. | 3.1 | 311 |
| 82 | PERP, an apoptosis-associated target of p53, is a novel member of the PMP-22/gas3 family. <i>Genes and Development</i> , 2000, 14, 704-718. | 2.7 | 310 |
| 83 | Context-Dependent Transformation of Adult Pancreatic Cells by Oncogenic K-Ras. <i>Cancer Cell</i> , 2009, 16, 379-389. | 7.7 | 305 |
| 84 | Characterizing deformability and surface friction of cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 7580-7585. | 3.3 | 297 |
| 85 | Taking the Study of Cancer Cell Survival to a New Dimension. <i>Cell</i> , 2002, 111, 923-925. | 13.5 | 279 |
| 86 | Cell-cycle control and its watchman. <i>Nature</i> , 1996, 381, 643-644. | 13.7 | 278 |
| 87 | Loss of E2F-1 reduces tumorigenesis and extends the lifespan of Rb1(+/-) mice. <i>Nature Genetics</i> , 1998, 18, 360-364. | 9.4 | 274 |
| 88 | A spatially and temporally restricted mouse model of soft tissue sarcoma. <i>Nature Medicine</i> , 2007, 13, 992-997. | 15.2 | 274 |
| 89 | A Wnt-producing niche drives proliferative potential and progression in lung adenocarcinoma. <i>Nature</i> , 2017, 545, 355-359. | 13.7 | 265 |
| 90 | A dominant-negative effect drives selection of TP53 missense mutations in myeloid malignancies. <i>Science</i> , 2019, 365, 599-604. | 6.0 | 265 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Stage-specific sensitivity to p53 restoration during lung cancer progression. <i>Nature</i> , 2010, 468, 572-575. | 13.7 | 255 |
| 92 | In vivo genome editing and organoid transplantation models of colorectal cancer and metastasis. <i>Nature Biotechnology</i> , 2017, 35, 569-576. | 9.4 | 248 |
| 93 | Genetic and Clonal Dissection of Murine Small Cell Lung Carcinoma Progression by Genome Sequencing. <i>Cell</i> , 2014, 156, 1298-1311. | 13.5 | 241 |
| 94 | Conditional expression of oncogenic K-ras from its endogenous promoter induces a myeloproliferative disease. <i>Journal of Clinical Investigation</i> , 2004, 113, 528-538. | 3.9 | 231 |
| 95 | Merlin, the Product of the Nf2 Tumor Suppressor Gene, Is an Inhibitor of the p21-Activated Kinase, Pak1. <i>Molecular Cell</i> , 2003, 12, 841-849. | 4.5 | 222 |
| 96 | Nkx2-1 Represses a Latent Gastric Differentiation Program in Lung Adenocarcinoma. <i>Molecular Cell</i> , 2013, 50, 185-199. | 4.5 | 215 |
| 97 | Merlin Phosphorylation by p21-activated Kinase 2 and Effects of Phosphorylation on Merlin Localization. <i>Journal of Biological Chemistry</i> , 2002, 277, 10394-10399. | 1.6 | 213 |
| 98 | Selective killing of K-ras mutant cancer cells by small molecule inducers of oxidative stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 8773-8778. | 3.3 | 213 |
| 99 | Small RNA combination therapy for lung cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E3553-61. | 3.3 | 210 |
| 100 | Emergence of a High-Plasticity Cell State during Lung Cancer Evolution. <i>Cancer Cell</i> , 2020, 38, 229-246.e13. | 7.7 | 210 |
| 101 | Endogenous T Cell Responses to Antigens Expressed in Lung Adenocarcinomas Delay Malignant Tumor Progression. <i>Cancer Cell</i> , 2011, 19, 72-85. | 7.7 | 209 |
| 102 | Cell type-specific effects of Rb deletion in the murine retina. <i>Genes and Development</i> , 2004, 18, 1681-1694. | 2.7 | 208 |
| 103 | Lung Adenocarcinoma Distally Rewires Hepatic Circadian Homeostasis. <i>Cell</i> , 2016, 165, 896-909. | 13.5 | 195 |
| 104 | Targeted point mutations of p53 lead to dominant-negative inhibition of wild-type p53 function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2948-2953. | 3.3 | 176 |
| 105 | Chronic cisplatin treatment promotes enhanced damage repair and tumor progression in a mouse model of lung cancer. <i>Genes and Development</i> , 2010, 24, 837-852. | 2.7 | 174 |
| 106 | RhoA-Dependent Phosphorylation and Relocalization of ERM Proteins into Apical Membrane/Actin Protrusions in Fibroblasts. <i>Molecular Biology of the Cell</i> , 1998, 9, 403-419. | 0.9 | 171 |
| 107 | Notum produced by Paneth cells attenuates regeneration of aged intestinal epithelium. <i>Nature</i> , 2019, 571, 398-402. | 13.7 | 166 |
| 108 | Suppression of Rev3, the catalytic subunit of Pol η , sensitizes drug-resistant lung tumors to chemotherapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20786-20791. | 3.3 | 160 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Mutational landscape of <i>EGFR</i> , <i>MYC</i> , and <i>Kras</i> driven genetically engineered mouse models of lung adenocarcinoma. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E6409-E6417. | 3.3 | 158 |
| 110 | Targeted Deletion Reveals an Essential Function for the Telomere Length Regulator Trf1. Molecular and Cellular Biology, 2003, 23, 6533-6541. | 1.1 | 150 |
| 111 | Requirement for Rac1 in a K-ras-Induced Lung Cancer in the Mouse. Cancer Research, 2007, 67, 8089-8094. | 0.4 | 148 |
| 112 | p21 Is a Critical CDK2 Regulator Essential for Proliferation Control in Rb-deficient Cells. Journal of Cell Biology, 1998, 141, 503-514. | 2.3 | 145 |
| 113 | ROS Fusion Tyrosine Kinase Activates a SH2 Domain-Containing Phosphatase-2/Phosphatidylinositol 3-Kinase/Mammalian Target of Rapamycin Signaling Axis to Form Glioblastoma in Mice. Cancer Research, 2006, 66, 7473-7481. | 0.4 | 145 |
| 114 | Nuclear factor I/B is an oncogene in small cell lung cancer. Genes and Development, 2011, 25, 1470-1475. | 2.7 | 142 |
| 115 | Nf1 Regulates Hematopoietic Progenitor Cell Growth and Ras Signaling in Response to Multiple Cytokines. Journal of Experimental Medicine, 1998, 187, 1893-1902. | 4.2 | 140 |
| 116 | Epigenomic State Transitions Characterize Tumor Progression in Mouse Lung Adenocarcinoma. Cancer Cell, 2020, 38, 212-228.e13. | 7.7 | 140 |
| 117 | Caspase-2-Mediated Cleavage of Mdm2 Creates a p53-Induced Positive Feedback Loop. Molecular Cell, 2011, 43, 57-71. | 4.5 | 139 |
| 118 | Use of gene expression profiling to direct in vivo molecular imaging of lung cancer. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 14404-14409. | 3.3 | 133 |
| 119 | Nf1 and Gmcsf Interact in Myeloid Leukemogenesis. Molecular Cell, 2000, 5, 189-195. | 4.5 | 132 |
| 120 | Mist1-KrasG12D Knock-In Mice Develop Mixed Differentiation Metastatic Exocrine Pancreatic Carcinoma and Hepatocellular Carcinoma. Cancer Research, 2006, 66, 242-247. | 0.4 | 132 |
| 121 | Hematopoiesis and leukemogenesis in mice expressing oncogenic NrasG12D from the endogenous locus. Blood, 2011, 117, 2022-2032. | 0.6 | 132 |
| 122 | Survival of pancreatic cancer cells lacking KRAS function. Nature Communications, 2017, 8, 1090. | 5.8 | 131 |
| 123 | Germline loss of PKM2 promotes metabolic distress and hepatocellular carcinoma. Genes and Development, 2016, 30, 1020-1033. | 2.7 | 122 |
| 124 | Stromal Expression of miR-143/145 Promotes Neoangiogenesis in Lung Cancer Development. Cancer Discovery, 2016, 6, 188-201. | 7.7 | 122 |
| 125 | Modeling human lung cancer in mice: similarities and shortcomings. Oncogene, 1999, 18, 5318-5324. | 2.6 | 121 |
| 126 | Mammalian RNAi: a practical guide. BioTechniques, 2005, 39, 215-224. | 0.8 | 121 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Dynamic regulation of the Ras pathway via proteolysis of the NF1 tumor suppressor. <i>Genes and Development</i> , 2003, 17, 449-454. | 2.7 | 120 |
| 128 | Sprouty-2 regulates oncogenic K-ras in lung development and tumorigenesis. <i>Genes and Development</i> , 2007, 21, 694-707. | 2.7 | 120 |
| 129 | p63 and p73 Transcriptionally Regulate Genes Involved in DNA Repair. <i>PLoS Genetics</i> , 2009, 5, e1000680. | 1.5 | 120 |
| 130 | The CD155/TIGIT axis promotes and maintains immune evasion in neoantigen-expressing pancreatic cancer. <i>Cancer Cell</i> , 2021, 39, 1342-1360.e14. | 7.7 | 119 |
| 131 | HIF-2 α deletion promotes Kras-driven lung tumor development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 14182-14187. | 3.3 | 117 |
| 132 | Spatial genomics enables multi-modal study of clonal heterogeneity in tissues. <i>Nature</i> , 2022, 601, 85-91. | 13.7 | 117 |
| 133 | Increased Sensitivity to UV Radiation in Mice with a p53 Point Mutation at Ser389. <i>Molecular and Cellular Biology</i> , 2004, 24, 8884-8894. | 1.1 | 116 |
| 134 | Defective apoptosis and B-cell lymphomas in mice with p53 point mutation at Ser 23. <i>EMBO Journal</i> , 2004, 23, 3689-3699. | 3.5 | 116 |
| 135 | Response and Resistance to NF- κ B Inhibitors in Mouse Models of Lung Adenocarcinoma. <i>Cancer Discovery</i> , 2011, 1, 236-247. | 7.7 | 116 |
| 136 | Quantitative proteomics identify Tenascin-C as a promoter of lung cancer progression and contributor to a signature prognostic of patient survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E5625-E5634. | 3.3 | 116 |
| 137 | Regulation of the Neurofibromatosis Type 2 Tumor Suppressor Protein, Merlin, by Adhesion and Growth Arrest Stimuli. <i>Journal of Biological Chemistry</i> , 1998, 273, 7757-7764. | 1.6 | 113 |
| 138 | Insights into cancer from transgenic mouse models. , 1999, 187, 43-60. | | 113 |
| 139 | Conventional type I dendritic cells maintain a reservoir of proliferative tumor-antigen specific TCF-1+ CD8+ T α cells in tumor-draining lymph nodes. <i>Immunity</i> , 2021, 54, 2338-2353.e6. | 6.6 | 111 |
| 140 | Lineage tracing reveals the phylodynamics, plasticity, and paths of tumor evolution. <i>Cell</i> , 2022, 185, 1905-1923.e25. | 13.5 | 108 |
| 141 | Double indemnity: p53, BRCA and cancer. <i>Nature Medicine</i> , 1997, 3, 721-722. | 15.2 | 105 |
| 142 | TUMOR SUPPRESSOR GENE MUTATIONS IN MICE. <i>Annual Review of Genetics</i> , 1996, 30, 603-636. | 3.2 | 104 |
| 143 | Recapitulation of the Effects of the Human Papillomavirus Type 16 E7 Oncogene on Mouse Epithelium by Somatic Rb Deletion and Detection of pRb-Independent Effects of E7 In Vivo. <i>Molecular and Cellular Biology</i> , 2003, 23, 9094-9103. | 1.1 | 103 |
| 144 | The Comparative Pathology of Genetically Engineered Mouse Models for Neuroendocrine Carcinomas of the Lung. <i>Journal of Thoracic Oncology</i> , 2015, 10, 553-564. | 0.5 | 100 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Perp Is a Mediator of p53-Dependent Apoptosis in Diverse Cell Types. <i>Current Biology</i> , 2003, 13, 1985-1990. | 1.8 | 97 |
| 146 | Activation of the p53-dependent G1 checkpoint response in mouse embryo fibroblasts depends on the specific DNA damage inducer. <i>Oncogene</i> , 2004, 23, 973-980. | 2.6 | 97 |
| 147 | Coordinate loss of a microRNA and protein-coding gene cooperate in the pathogenesis of 5q ⁺ syndrome. <i>Blood</i> , 2011, 118, 4666-4673. | 0.6 | 97 |
| 148 | Involvement of p53 and p21 in Cellular Defects and Tumorigenesis in Atm ^{-/-} Mice. <i>Molecular and Cellular Biology</i> , 1998, 18, 4385-4390. | 1.1 | 94 |
| 149 | Requirement of c-Jun NH ₂ -Terminal Kinase for Ras-Initiated Tumor Formation. <i>Molecular and Cellular Biology</i> , 2011, 31, 1565-1576. | 1.1 | 93 |
| 150 | The Rb tumor suppressor is required for stress erythropoiesis. <i>EMBO Journal</i> , 2004, 23, 4319-4329. | 3.5 | 91 |
| 151 | An Induced Ets Repressor Complex Regulates Growth Arrest during Terminal Macrophage Differentiation. <i>Cell</i> , 2002, 109, 169-180. | 13.5 | 90 |
| 152 | Susceptibility to astrocytoma in mice mutant for Nf1 and Trp53 is linked to chromosome 11 and subject to epigenetic effects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13008-13013. | 3.3 | 89 |
| 153 | Identification of DHODH as a therapeutic target in small cell lung cancer. <i>Science Translational Medicine</i> , 2019, 11, . | 5.8 | 89 |
| 154 | RB signaling prevents replication-dependent DNA double-strand breaks following genotoxic insult. <i>Nucleic Acids Research</i> , 2004, 32, 25-34. | 6.5 | 87 |
| 155 | Foxa2 and Cdx2 cooperate with Nkx2-1 to inhibit lung adenocarcinoma metastasis. <i>Genes and Development</i> , 2015, 29, 1850-1862. | 2.7 | 87 |
| 156 | A Reversible Gene-Targeting Strategy Identifies Synthetic Lethal Interactions between MK2 and p53 in the DNA Damage Response In Vivo. <i>Cell Reports</i> , 2013, 5, 868-877. | 2.9 | 85 |
| 157 | Antigen dominance hierarchies shape TCF1 ⁺ progenitor CD8 T cell phenotypes in tumors. <i>Cell</i> , 2021, 184, 4996-5014.e26. | 13.5 | 84 |
| 158 | p130 Is Dispensable in Peripheral T Lymphocytes: Evidence for Functional Compensation by p107 and pRB. <i>Molecular and Cellular Biology</i> , 1998, 18, 206-220. | 1.1 | 81 |
| 159 | In Vitro and In Vivo Effects of a Farnesyltransferase Inhibitor on Nf1-Deficient Hematopoietic Cells. <i>Blood</i> , 1999, 94, 2469-2476. | 0.6 | 81 |
| 160 | Technologically advanced cancer modeling in mice. <i>Current Opinion in Genetics and Development</i> , 2002, 12, 105-110. | 1.5 | 77 |
| 161 | Endocrine-Exocrine Signaling Drives Obesity-Associated Pancreatic Ductal Adenocarcinoma. <i>Cell</i> , 2020, 181, 832-847.e18. | 13.5 | 77 |
| 162 | Uncoupling Cancer Mutations Reveals Critical Timing of p53 Loss in Sarcomagenesis. <i>Cancer Research</i> , 2011, 71, 4040-4047. | 0.4 | 76 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Genetically engineered mouse models of cancer reveal new insights about the antitumor immune response. <i>Current Opinion in Immunology</i> , 2013, 25, 192-199. | 2.4 | 76 |
| 164 | Colonoscopy-based colorectal cancer modeling in mice with CRISPR-Cas9 genome editing and organoid transplantation. <i>Nature Protocols</i> , 2018, 13, 217-234. | 5.5 | 74 |
| 165 | Chimeric mouse tumor models reveal differences in pathway activation between ERBB family and KRAS-dependent lung adenocarcinomas. <i>Nature Biotechnology</i> , 2010, 28, 71-78. | 9.4 | 71 |
| 166 | ARF Is Not Required for Apoptosis in Rb Mutant Mouse Embryos. <i>Current Biology</i> , 2002, 12, 159-163. | 1.8 | 70 |
| 167 | Cyclooxygenase-1 Is Overexpressed in Multiple Genetically Engineered Mouse Models of Epithelial Ovarian Cancer. <i>Cancer Research</i> , 2006, 66, 2527-2531. | 0.4 | 70 |
| 168 | Murine bilateral retinoblastoma exhibiting rapid-onset, metastatic progression and N-myc gene amplification. <i>EMBO Journal</i> , 2007, 26, 784-794. | 3.5 | 69 |
| 169 | A functional switch from lung cancer resistance to susceptibility at the Pas1 locus in Kras2LA2 mice. <i>Nature Genetics</i> , 2006, 38, 926-930. | 9.4 | 67 |
| 170 | The Related Retinoblastoma (pRb) and p130 Proteins Cooperate to Regulate Homeostasis in the Intestinal Epithelium. <i>Journal of Biological Chemistry</i> , 2006, 281, 638-647. | 1.6 | 66 |
| 171 | Differential Tks5 isoform expression contributes to metastatic invasion of lung adenocarcinoma. <i>Genes and Development</i> , 2013, 27, 1557-1567. | 2.7 | 62 |
| 172 | Radiation-induced neoantigens broaden the immunotherapeutic window of cancers with low mutational loads. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 62 |
| 173 | Integrated cistromic and expression analysis of amplified NKX2-1 in lung adenocarcinoma identifies LMO3 as a functional transcriptional target. <i>Genes and Development</i> , 2013, 27, 197-210. | 2.7 | 61 |
| 174 | Dissecting cell-type-specific metabolism in pancreatic ductal adenocarcinoma. <i>ELife</i> , 2020, 9, . | 2.8 | 61 |
| 175 | Dominant Role of Oncogene Dosage and Absence of Tumor Suppressor Activity in Nras-Driven Hematopoietic Transformation. <i>Cancer Discovery</i> , 2013, 3, 993-1001. | 7.7 | 60 |
| 176 | Mice Expressing a Mammary Gland-Specific R270H Mutation in the p53 Tumor Suppressor Gene Mimic Human Breast Cancer Development. <i>Cancer Research</i> , 2005, 65, 8166-8173. | 0.4 | 59 |
| 177 | Proliferation and Tumorigenesis of a Murine Sarcoma Cell Line in the Absence of DICER1. <i>Cancer Cell</i> , 2012, 21, 848-855. | 7.7 | 58 |
| 178 | Clonal dynamics following p53 loss of heterozygosity in Kras-driven cancers. <i>Nature Communications</i> , 2016, 7, 12685. | 5.8 | 58 |
| 179 | Urinary detection of lung cancer in mice via noninvasive pulmonary protease profiling. <i>Science Translational Medicine</i> , 2020, 12, . | 5.8 | 58 |
| 180 | Imaging Primary Lung Cancers in Mice to Study Radiation Biology. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 76, 973-977. | 0.4 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Low neoantigen expression and poor T-cell priming underlie early immune escape in colorectal cancer. <i>Nature Cancer</i> , 2021, 2, 1071-1085. | 5.7 | 57 |
| 182 | Myeloid Malignancies Induced by Alkylating Agents in Nf1 Mice. <i>Blood</i> , 1999, 93, 3617-3623. | 0.6 | 55 |
| 183 | Tissue-specific p19 ^{Arf} regulation dictates the response to oncogenic K-ras. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10184-10189. | 3.3 | 54 |
| 184 | A Modular Assembly Platform for Rapid Generation of DNA Constructs. <i>Scientific Reports</i> , 2016, 6, 16836. | 1.6 | 54 |
| 185 | CRISPR-mediated modeling and functional validation of candidate tumor suppressor genes in small cell lung cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 513-521. | 3.3 | 54 |
| 186 | IL-33 Signaling Alters Regulatory T Cell Diversity in Support of Tumor Development. <i>Cell Reports</i> , 2019, 29, 2998-3008.e8. | 2.9 | 53 |
| 187 | A versatile reporter system for CRISPR-mediated chromosomal rearrangements. <i>Genome Biology</i> , 2015, 16, 111. | 13.9 | 52 |
| 188 | A big step in the study of small cell lung cancer. <i>Cancer Cell</i> , 2003, 4, 163-166. | 7.7 | 50 |
| 189 | Enhanced adaptive immune responses in lung adenocarcinoma through natural killer cell stimulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 17460-17469. | 3.3 | 50 |
| 190 | Rb and N- ras Function Together To Control Differentiation in the Mouse. <i>Molecular and Cellular Biology</i> , 2003, 23, 5256-5268. | 1.1 | 49 |
| 191 | <i>Smarca4</i> Inactivation Promotes Lineage-Specific Transformation and Early Metastatic Features in the Lung. <i>Cancer Discovery</i> , 2022, 12, 562-585. | 7.7 | 48 |
| 192 | Regulated Expression of a Tumor-Associated Antigen Reveals Multiple Levels of T-Cell Tolerance in a Mouse Model of Lung Cancer. <i>Cancer Research</i> , 2008, 68, 9459-9468. | 0.4 | 45 |
| 193 | Keap1 mutation renders lung adenocarcinomas dependent on Slc33a1. <i>Nature Cancer</i> , 2020, 1, 589-602. | 5.7 | 44 |
| 194 | ARF mutation accelerates pituitary tumor development in Rb ^{+/-} mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 16865-16870. | 3.3 | 42 |
| 195 | Cellular transformation by a FERM domain mutant of the Nf2 tumor suppressor gene. <i>Oncogene</i> , 2002, 21, 5990-5997. | 2.6 | 42 |
| 196 | Comparison of gene expression and DNA copy number changes in a murine model of lung cancer. <i>Genes Chromosomes and Cancer</i> , 2006, 45, 338-348. | 1.5 | 42 |
| 197 | Discrete signaling pathways participate in RB-dependent responses to chemotherapeutic agents. <i>Oncogene</i> , 2004, 23, 4107-4120. | 2.6 | 41 |
| 198 | Characterization of pheochromocytomas in a mouse strain with a targeted disruptive mutation of the neurofibromatosis gene Nf1. <i>Endocrine Pathology</i> , 1995, 6, 323-335. | 5.2 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Dominant-Negative but not Gain-of-Function Effects of a p53.R270H Mutation in Mouse Epithelium Tissue after DNA Damage. <i>Cancer Research</i> , 2007, 67, 4648-4656. | 0.4 | 40 |
| 200 | Deciphering the immunopeptidome in vivo reveals new tumour antigens. <i>Nature</i> , 2022, 607, 149-155. | 13.7 | 38 |
| 201 | Generation of normal lymphocyte populations by Rb-deficient embryonic stem cells. <i>Current Biology</i> , 1993, 3, 405-413. | 1.8 | 37 |
| 202 | SnapShot: Lung Cancer Models. <i>Cell</i> , 2012, 149, 246-246.e1. | 13.5 | 36 |
| 203 | <i>Pten</i> -Null Tumors Cohabiting the Same Lung Display Differential AKT Activation and Sensitivity to Dietary Restriction. <i>Cancer Discovery</i> , 2013, 3, 908-921. | 7.7 | 36 |
| 204 | Lack of p53 Ser389 Phosphorylation Predisposes Mice to Develop 2-Acetylaminofluorene-Induced Bladder Tumors but not Ionizing Radiation-Induced Lymphomas. <i>Cancer Research</i> , 2005, 65, 3610-3616. | 0.4 | 35 |
| 205 | Adaptive and Reversible Resistance to Kras Inhibition in Pancreatic Cancer Cells. <i>Cancer Research</i> , 2018, 78, 985-1002. | 0.4 | 35 |
| 206 | Lessons from the p53 mutant mouse. <i>Journal of Cancer Research and Clinical Oncology</i> , 1996, 122, 319-327. | 1.2 | 33 |
| 207 | BRG1 Loss Predisposes Lung Cancers to Replicative Stress and ATR Dependency. <i>Cancer Research</i> , 2020, 80, 3841-3854. | 0.4 | 32 |
| 208 | Inducible de novo expression of neoantigens in tumor cells and mice. <i>Nature Biotechnology</i> , 2021, 39, 64-73. | 9.4 | 32 |
| 209 | Recombinase-based conditional and reversible gene regulation via XTR alleles. <i>Nature Communications</i> , 2015, 6, 8783. | 5.8 | 31 |
| 210 | Thinking beyond the tumor cell: Nf1 haploinsufficiency in the tumor environment. <i>Cancer Cell</i> , 2002, 1, 408-410. | 7.7 | 30 |
| 211 | Genetically engineered mouse models of astrocytoma: GEMs in the rough?. <i>Seminars in Cancer Biology</i> , 2001, 11, 177-190. | 4.3 | 28 |
| 212 | NF- κ B Fans the Flames of Lung Carcinogenesis. <i>Cancer Prevention Research</i> , 2010, 3, 403-405. | 0.7 | 27 |
| 213 | Mechanisms of carcinogenesis and the mutant mouse. <i>Current Opinion in Genetics and Development</i> , 1996, 6, 65-70. | 1.5 | 26 |
| 214 | Tumor Suppression by a Severely Truncated Species of Retinoblastoma Protein. <i>Molecular and Cellular Biology</i> , 2002, 22, 3103-3110. | 1.1 | 25 |
| 215 | Defective proliferative responses in B lymphocytes and thymocytes that lack neurofibromin. <i>Molecular Immunology</i> , 2002, 38, 701-708. | 1.0 | 25 |
| 216 | Live cell tagging tracking and isolation for spatial transcriptomics using photoactivatable cell dyes. <i>Nature Communications</i> , 2021, 12, 4995. | 5.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | Isoform-specific deletion of PKM2 constrains tumor initiation in a mouse model of soft tissue sarcoma. <i>Cancer & Metabolism</i> , 2018, 6, 6. | 2.4 | 24 |
| 218 | <i>Mycl</i> Gene Fusion Drives Tumorigenesis and Metastasis in a Mouse Model of Small Cell Lung Cancer. <i>Cancer Discovery</i> , 2021, 11, 3214-3229. | 7.7 | 24 |
| 219 | A mouse plasma PeptideAtlas as a resource for disease proteomics. <i>Genome Biology</i> , 2008, 9, R93. | 13.9 | 22 |
| 220 | Marked Regression of Metastatic Pilocytic Astrocytoma During Treatment With Imatinib Mesylate (STI-571, Gleevec): A Case Report and Laboratory Investigation. <i>Journal of Pediatric Hematology/Oncology</i> , 2003, 25, 644-648. | 0.3 | 21 |
| 221 | Progressive Genomic Instability in the FVB/KrasLA2 Mouse Model of Lung Cancer. <i>Molecular Cancer Research</i> , 2011, 9, 1339-1345. | 1.5 | 21 |
| 222 | Future of Early Detection of Lung Cancer: The Role of Mouse Models. <i>Clinical Cancer Research</i> , 2005, 11, 4999s-5003s. | 3.2 | 20 |
| 223 | Differences in Nanoparticle Uptake in Transplanted and Autochthonous Models of Pancreatic Cancer. <i>Nano Letters</i> , 2018, 18, 2195-2208. | 4.5 | 20 |
| 224 | Mitochondrial apoptotic priming is a key determinant of cell fate upon p53 restoration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 20 |
| 225 | Mutation at p53 serine 389 does not rescue the embryonic lethality in <i>mdm2</i> or <i>mdm4</i> null mice. <i>Oncogene</i> , 2004, 23, 7644-7650. | 2.6 | 18 |
| 226 | Measuring kinetics and metastatic propensity of CTCs by blood exchange between mice. <i>Nature Communications</i> , 2021, 12, 5680. | 5.8 | 18 |
| 227 | Deletion of p21 cannot substitute for p53 loss in rescue of <i>mdm2</i> null lethality. <i>Nature Genetics</i> , 1997, 16, 336-337. | 9.4 | 16 |
| 228 | Dicer loss and recovery induce an oncogenic switch driven by transcriptional activation of the oncofetal <i>Imp1</i> family. <i>Genes and Development</i> , 2017, 31, 674-687. | 2.7 | 16 |
| 229 | Tumor suppressor mutations in mice: the next generation. <i>Current Opinion in Genetics and Development</i> , 1998, 8, 304-310. | 1.5 | 15 |
| 230 | Modulation of tumor induction and progression of oncogenic K-ras-positive tumors in the presence of TGF-1 haploinsufficiency. <i>Carcinogenesis</i> , 2007, 28, 2589-2596. | 1.3 | 11 |
| 231 | <i>Nf1</i> gene targeting: toward models and mechanisms. <i>Seminars in Cancer Biology</i> , 1996, 7, 291-298. | 4.3 | 10 |
| 232 | Protocol for single-cell ATAC sequencing using combinatorial indexing in mouse lung adenocarcinoma. <i>STAR Protocols</i> , 2021, 2, 100583. | 0.5 | 9 |
| 233 | A GATA4-regulated secretory program suppresses tumors through recruitment of cytotoxic CD8 T cells. <i>Nature Communications</i> , 2022, 13, 256. | 5.8 | 8 |
| 234 | Myeloid Malignancies Induced by Alkylating Agents in <i>Nf1</i> Mice. <i>Blood</i> , 1999, 93, 3617-3623. | 0.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 235 | Neurofibromatosis Type 1. , 2003, 222, 223-237. | | 5 |
| 236 | Genetic Mouse Models of Cancer. , 2015, , 145-154.e2. | | 5 |
| 237 | Basic Mouse Methods for Clinician Researchers. , 2017, , 291-312. | | 2 |
| 238 | p53 Family Members: p63 and p73. , 2005, , 187-198. | | 1 |
| 239 | Roles of microRNAs in cancer and development. , 2007, , 322-337. | | 0 |
| 240 | Genetic Mouse Models of Cancer. , 2008, , 129-138. | | 0 |