

Hermann Wagner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11831099/publications.pdf>

Version: 2024-02-01

133
papers

31,295
citations

7096

78
h-index

14759

127
g-index

134
all docs

134
docs citations

134
times ranked

24645
citing authors

#	ARTICLE	IF	CITATIONS
1	TLR7 Controls VSV Replication in CD169+ SCS Macrophages and Associated Viral Neuroinvasion. <i>Frontiers in Immunology</i> , 2019, 10, 466.	4.8	11
2	Conventional Dendritic Cells Confer Protection against Mouse Cytomegalovirus Infection via TLR9 and MyD88 Signaling. <i>Cell Reports</i> , 2016, 17, 1113-1127.	6.4	31
3	Human <sc>TLR</sc> 8 senses <sc>UR</sc> / <sc>URR</sc> motifs in bacterial and mitochondrial <sc>RNA</sc>. <i>EMBO Reports</i> , 2015, 16, 1656-1663.	4.5	110
4	A Single Naturally Occurring 2â€™-O-Methylation Converts a TLR7- and TLR8-Activating RNA into a TLR8-Specific Ligand. <i>PLoS ONE</i> , 2015, 10, e0120498.	2.5	25
5	Classification of current anticancer immunotherapies. <i>Oncotarget</i> , 2014, 5, 12472-12508.	1.8	395
6	Guanine Modification of Inhibitory Oligonucleotides Potentiates Their Suppressive Function. <i>Journal of Immunology</i> , 2013, 191, 3240-3253.	0.8	18
7	Toll-Like Receptors in Gastrointestinal Diseases. <i>Digestive Diseases</i> , 2012, 30, 74-77.	1.9	5
8	TLR13 Recognizes Bacterial 23S rRNA Devoid of Erythromycin Resistance-Forming Modification. <i>Science</i> , 2012, 337, 1111-1115.	12.6	361
9	Innate immunity's path to the Nobel Prize 2011 and beyond. <i>European Journal of Immunology</i> , 2012, 42, 1089-1092.	2.9	15
10	Toll-Like Receptors 2 and 4 Regulate the Frequency of IFN γ -Producing CD4+ T-Cells during Pulmonary Infection with Chlamydia pneumoniae. <i>PLoS ONE</i> , 2011, 6, e26101.	2.5	9
11	New vistas on TLR9 activation. <i>European Journal of Immunology</i> , 2011, 41, 2814-2816.	2.9	6
12	Chlamydia pneumoniae downregulates MHC-class II expression by two cell type-specific mechanisms. <i>Molecular Microbiology</i> , 2010, 76, 648-661.	2.5	2
13	Alternating 2'-O-ribose methylation is a universal approach for generating non-stimulatory siRNA by acting as TLR7 antagonist. <i>Immunobiology</i> , 2010, 215, 559-569.	1.9	82
14	Maternal TLR signaling is required for prenatal asthma protection by the nonpathogenic microbe <i>Acinetobacter lwoffii</i> F78. <i>Journal of Experimental Medicine</i> , 2009, 206, 2869-2877.	8.5	301
15	Induction of Tumor Cell Apoptosis or Necrosis by Conditional Expression of Cell Death Proteins: Analysis of Cell Death Pathways and In Vitro Immune Stimulatory Potential. <i>Journal of Immunology</i> , 2009, 182, 4538-4546.	0.8	27
16	Sequence independent interferon α induction by multimerized phosphodiester DNA depends on spatial regulation of Toll-like receptor activation in plasmacytoid dendritic cells. <i>Immunology</i> , 2009, 126, 290-298.	4.4	16
17	The immunogenicity of CpG-antigen conjugates. <i>Advanced Drug Delivery Reviews</i> , 2009, 61, 243-247.	13.7	44
18	Extracellular and Intracellular Pattern Recognition Receptors Cooperate in the Recognition of Helicobacter pylori. <i>Gastroenterology</i> , 2009, 136, 2247-2257.	1.3	162

#	ARTICLE	IF	CITATIONS
19	Circumvention of regulatory CD4 ⁺ T cell activity during cross-priming strongly enhances T cell-mediated immunity. <i>European Journal of Immunology</i> , 2008, 38, 1585-1597.	2.9	24
20	The sweetness of the DNA backbone drives Toll-like receptor 9. <i>Current Opinion in Immunology</i> , 2008, 20, 396-400.	5.5	37
21	Vaccine protocols for enhanced immunogenicity of exogenous antigens. <i>International Journal of Medical Microbiology</i> , 2008, 298, 27-32.	3.6	20
22	The DNA Sugar Backbone – Deoxyribose Determines Toll-like Receptor 9 Activation. <i>Immunity</i> , 2008, 28, 315-323.	14.3	245
23	Induction of inflammatory and immune responses by HMGB1–nucleosome complexes: implications for the pathogenesis of SLE. <i>Journal of Experimental Medicine</i> , 2008, 205, 3007-3018.	8.5	467
24	Group A Streptococcus Activates Type I Interferon Production and MyD88-dependent Signaling without Involvement of TLR2, TLR4, and TLR9. <i>Journal of Biological Chemistry</i> , 2008, 283, 19879-19887.	3.4	80
25	Decreased Pathology and Prolonged Survival of Human DC-SIGN Transgenic Mice during Mycobacterial Infection. <i>Journal of Immunology</i> , 2008, 180, 6836-6845.	0.8	80
26	Innate Immunity to Pneumococcal Infection of the Central Nervous System Depends on Toll-Like Receptor (TLR) 2 and TLR4. <i>Journal of Infectious Diseases</i> , 2008, 198, 1028-1036.	4.0	119
27	Survival of lethal poxvirus infection in mice depends on TLR9, and therapeutic vaccination provides protection. <i>Journal of Clinical Investigation</i> , 2008, 118, 1776-1784.	8.2	122
28	Natural DNA Recognition by Toll-Like Receptor 9 Does Not Rely upon CpG Motifs. , 2008, , 77-83.		0
29	Cellular Recognition of Trimyristoylated Peptide or Enterobacterial Lipopolysaccharide via Both TLR2 and TLR4. <i>Journal of Biological Chemistry</i> , 2007, 282, 13190-13198.	3.4	37
30	Poly(lactide-co-glycolide) microspheres co-encapsulating recombinant tandem prion protein with CpG oligonucleotide break self-tolerance to prion protein in wild-type mice and induce CD4 and CD8 T cell responses. <i>Journal of Immunology</i> , 2007, 179, 2797-2807.	0.8	50
31	MyD88-dependent changes in the pulmonary transcriptome after infection with <i>Chlamydia pneumoniae</i> . <i>Physiological Genomics</i> , 2007, 30, 134-145.	2.3	35
32	IL-6 and maturation govern TLR2 and TLR4 induced TLR agonist tolerance and cross-tolerance in dendritic cells. <i>Journal of Immunology</i> , 2007, 179, 5811-5818.	0.8	66
33	Selective depletion of Foxp3 ⁺ regulatory T cells induces a scurfy-like disease. <i>Journal of Experimental Medicine</i> , 2007, 204, 57-63.	8.5	807
34	Acute brain injury triggers MyD88-dependent, TLR2/4-independent inflammatory responses. <i>American Journal of Pathology</i> , 2007, 171, 200-213.	3.8	63
35	Toll-like receptor-dependent activation of antigen-presenting cells affects adaptive immunity to <i>Helicobacter pylori</i> . <i>Gastroenterology</i> , 2007, 133, 150-163.e3.	1.3	80
36	Interferon- γ regulatory factor 1 controls Toll-like receptor 9-mediated IFN- γ production in myeloid dendritic cells. <i>European Journal of Immunology</i> , 2007, 37, 315-327.	2.9	125

#	ARTICLE	IF	CITATIONS
37	Antigen co-encapsulated with adjuvants efficiently drive protective T cell immunity. <i>European Journal of Immunology</i> , 2007, 37, 2063-2074.	2.9	114
38	Endogenous TLR Ligands and Autoimmunity. <i>Advances in Immunology</i> , 2006, 91, 159-173.	2.2	117
39	Toll-like receptor 9 contributes to recognition of <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin by Flt3-ligand generated dendritic cells. <i>Immunobiology</i> , 2006, 211, 557-565.	1.9	69
40	U1 small nuclear ribonucleoprotein immune complexes induce type I interferon in plasmacytoid dendritic cells through TLR7. <i>Blood</i> , 2006, 107, 3229-3234.	1.4	241
41	Specificity in Toll-like receptor signalling through distinct effector functions of TRAF3 and TRAF6. <i>Nature</i> , 2006, 439, 204-207.	27.8	836
42	CpG motif-independent activation of TLR9 upon endosomal translocation of natural phosphodiester DNA. <i>European Journal of Immunology</i> , 2006, 36, 431-436.	2.9	106
43	Systemic application of CpG-rich DNA suppresses adaptive T cell immunity via induction of IDO. <i>European Journal of Immunology</i> , 2006, 36, 12-20.	2.9	153
44	Adenovirus efficiently transduces plasmacytoid dendritic cells resulting in TLR9-dependent maturation and IFN- γ production. <i>Journal of Gene Medicine</i> , 2006, 8, 1300-1306.	2.8	99
45	All is not Toll: new pathways in DNA recognition. <i>Journal of Experimental Medicine</i> , 2006, 203, 265-268.	8.5	73
46	Toll-Like Receptor-Dependent Activation of Antigen Presenting Cells by Hsp60, gp96 and Hsp70. , 2005, , 113-132.		7
47	Toll-like receptor-dependent activation of several human blood cell types by protamine-condensed mRNA. <i>European Journal of Immunology</i> , 2005, 35, 1557-1566.	2.9	183
48	Toll-like receptor 9 signaling can sensitize fibroblasts for apoptosis. <i>Immunology Letters</i> , 2005, 97, 115-122.	2.5	26
49	Murine TLR2 expression analysis and systemic antagonism by usage of specific monoclonal antibodies. <i>Immunology Letters</i> , 2005, 98, 200-207.	2.5	7
50	Protective CD8 T Cell Immunity Triggered by CpG-Protein Conjugates Competes with the Efficacy of Live Vaccines. <i>Journal of Immunology</i> , 2005, 174, 4373-4380.	0.8	93
51	Endosomal Translocation of Vertebrate DNA Activates Dendritic Cells via TLR9-Dependent and -Independent Pathways. <i>Journal of Immunology</i> , 2005, 174, 6129-6136.	0.8	239
52	Herpes simplex virus type-1 induces IFN- γ production via Toll-like receptor 9-dependent and -independent pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 11416-11421.	7.1	403
53	Activation of toll-like receptor 9 induces progression of renal disease in MRL-Fas(lpr) mice. <i>FASEB Journal</i> , 2004, 18, 534-536.	0.5	204
54	The Major Surface Protein of <i>Wolbachia</i> Endosymbionts in Filarial Nematodes Elicits Immune Responses through TLR2 and TLR4. <i>Journal of Immunology</i> , 2004, 173, 437-445.	0.8	185

#	ARTICLE	IF	CITATIONS
55	CpG-DNA Aided Cross-Priming by Cross-Presenting B Cells. <i>Journal of Immunology</i> , 2004, 172, 1501-1507.	0.8	129
56	Induction of Nuclear Factor- κ B and c-Jun/Activator Protein-1 via Toll-Like Receptor 2 in Macrophages by Antimycotic-Treated <i>Candida albicans</i> . <i>Journal of Infectious Diseases</i> , 2004, 190, 1318-1326.	4.0	41
57	Of men, mice and pigs: looking at their plasmacytoid dendritic cells. <i>Immunology</i> , 2004, 112, 26-27.	4.4	28
58	Lymphoid follicle destruction and immunosuppression after repeated CpG oligodeoxynucleotide administration. <i>Nature Medicine</i> , 2004, 10, 187-192.	30.7	417
59	Targeting split vaccines to the endosome improves vaccination. <i>Current Opinion in Biotechnology</i> , 2004, 15, 538-542.	6.6	14
60	Toll-like receptor 9 binds single-stranded CpG-DNA in a sequence- and pH-dependent manner. <i>European Journal of Immunology</i> , 2004, 34, 2541-2550.	2.9	470
61	Transcriptional activation induced in macrophages by Toll-like receptor (TLR) ligands: from expression profiling to a model of TLR signaling. <i>European Journal of Immunology</i> , 2004, 34, 2863-2873.	2.9	89
62	Blood plasmacytoid dendritic cell responses to CpG oligodeoxynucleotides are impaired in human newborns. <i>Blood</i> , 2004, 103, 1030-1032.	1.4	164
63	Species-Specific Recognition of Single-Stranded RNA via Toll-like Receptor 7 and 8. <i>Science</i> , 2004, 303, 1526-1529.	12.6	3,413
64	Direct Toll-like receptor 2 mediated co-stimulation of T cells in the mouse system as a basis for chronic inflammatory joint disease. <i>Arthritis Research</i> , 2004, 6, R433.	2.0	75
65	The immunobiology of the TLR9 subfamily. <i>Trends in Immunology</i> , 2004, 25, 381-386.	6.8	311
66	Antagonistic antibody prevents toll-like receptor 2-driven lethal shock-like syndromes. <i>Journal of Clinical Investigation</i> , 2004, 113, 1473-1481.	8.2	181
67	IL-4 regulates IL-12 p40 expression post-transcriptionally as well as via a promoter-based mechanism. <i>European Journal of Immunology</i> , 2003, 33, 428-433.	2.9	7
68	The Toll-like receptor 7 (TLR7)-specific stimulus loxoribine uncovers a strong relationship within the TLR7, 8 and 9 subfamily. <i>European Journal of Immunology</i> , 2003, 33, 2987-2997.	2.9	487
69	The Gram-negative bacterium <i>Chlamydia trachomatis</i> L2 stimulates tumor necrosis factor secretion by innate immune cells independently of its endotoxin. <i>Microbes and Infection</i> , 2003, 5, 463-470.	1.9	41
70	Contribution of Toll-like receptors 2 and 4 in an oral <i>Yersinia enterocolitica</i> mouse infection model. <i>International Journal of Medical Microbiology</i> , 2003, 293, 341-348.	3.6	23
71	A Dominant Role of Toll-Like Receptor 4 in the Signaling of Apoptosis in Bacteria-Faced Macrophages. <i>Journal of Immunology</i> , 2003, 171, 4294-4303.	0.8	124
72	Cutting Edge: Toll-Like Receptor 9 Expression Is Not Required for CpG DNA-Aided Cross-Presentation of DNA-Conjugated Antigens but Essential for Cross-Priming of CD8 T Cells. <i>Journal of Immunology</i> , 2003, 170, 2802-2805.	0.8	92

#	ARTICLE	IF	CITATIONS
73	Differential Contribution of Toll-Like Receptors 4 and 2 to the Cytokine Response to <i>Salmonella enterica</i> Serovar Typhimurium and <i>Staphylococcus aureus</i> in Mice. <i>Infection and Immunity</i> , 2003, 71, 6058-6062.	2.2	72
74	Cellular Recognition of Tri-/Di-palmitoylated Peptides Is Independent from a Domain Encompassing the N-terminal Seven Leucine-rich Repeat (LRR)/LRR-like Motifs of TLR2. <i>Journal of Biological Chemistry</i> , 2003, 278, 39822-39829.	3.4	66
75	Vaccination with Plasmid DNA Activates Dendritic Cells via Toll-Like Receptor 9 (TLR9) but Functions in TLR9-Deficient Mice. <i>Journal of Immunology</i> , 2003, 171, 5908-5912.	0.8	189
76	Toll-Like Receptor 2 Participates in Mediation of Immune Response in Experimental Pneumococcal Meningitis. <i>Journal of Immunology</i> , 2003, 170, 438-444.	0.8	208
77	Compartmentalized Production of CCL17 In Vivo. <i>Journal of Experimental Medicine</i> , 2003, 197, 585-599.	8.5	169
78	Heat shock protein-mediated activation of innate immune cells. , 2003, , 43-54.		1
79	Cutting Edge: Myeloid Differentiation Factor 88 Deficiency Improves Resistance Against Sepsis Caused by Polymicrobial Infection. <i>Journal of Immunology</i> , 2002, 169, 2823-2827.	0.8	141
80	Caspase-9/-3 Activation and Apoptosis Are Induced in Mouse Macrophages upon Ingestion and Digestion of <i>Escherichia coli</i> Bacteria. <i>Journal of Immunology</i> , 2002, 169, 3172-3179.	0.8	52
81	HSP70 as Endogenous Stimulus of the Toll/Interleukin-1 Receptor Signal Pathway. <i>Journal of Biological Chemistry</i> , 2002, 277, 15107-15112.	3.4	827
82	The Endoplasmic Reticulum-resident Heat Shock Protein Gp96 Activates Dendritic Cells via the Toll-like Receptor 2/4 Pathway. <i>Journal of Biological Chemistry</i> , 2002, 277, 20847-20853.	3.4	429
83	Interactions between bacterial CpG-DNA and TLR9 bridge innate and adaptive immunity. <i>Current Opinion in Microbiology</i> , 2002, 5, 62-69.	5.1	182
84	Human and mouse plasmacytoid dendritic cells. <i>Human Immunology</i> , 2002, 63, 1103-1110.	2.4	102
85	Generation of neutralizing mouse anti-mouse IL-18 antibodies for inhibition of inflammatory responses in vivo. <i>Journal of Immunological Methods</i> , 2002, 259, 149-157.	1.4	17
86	Bacterial CpG-DNA and lipopolysaccharides activate Toll-like receptors at distinct cellular compartments. <i>European Journal of Immunology</i> , 2002, 32, 1958.	2.9	676
87	CpG-DNA aided cross-presentation of soluble antigens by dendritic cells. <i>European Journal of Immunology</i> , 2002, 32, 2356.	2.9	158
88	Role of chlamydial heat shock protein 60 in the stimulation of innate immune cells by <i>Chlamydia pneumoniae</i> . <i>European Journal of Immunology</i> , 2002, 32, 2460-2470.	2.9	91
89	Human TLR7 or TLR8 independently confer responsiveness to the antiviral compound R-848. <i>Nature Immunology</i> , 2002, 3, 499-499.	14.5	875
90	Vaccination of mice against invasive aspergillosis with recombinant <i>Aspergillus</i> proteins and CpG oligodeoxynucleotides as adjuvants. <i>Microbes and Infection</i> , 2002, 4, 1281-1290.	1.9	151

#	ARTICLE	IF	CITATIONS
91	Toll Meets Bacterial CpG-DNA. <i>Immunity</i> , 2001, 14, 499-502.	14.3	168
92	Leptospiral lipopolysaccharide activates cells through a TLR2-dependent mechanism. <i>Nature Immunology</i> , 2001, 2, 346-352.	14.5	637
93	IL-4 instructs TH1 responses and resistance to <i>Leishmania major</i> in susceptible BALB/c mice. <i>Nature Immunology</i> , 2001, 2, 1054-1060.	14.5	262
94	Bacterial CpG-DNA Triggers Activation and Maturation of Human CD11c ⁺ , CD123 ⁺ Dendritic Cells. <i>Journal of Immunology</i> , 2001, 166, 5000-5007.	0.8	277
95	Endocytosed HSP60s Use Toll-like Receptor 2 (TLR2) and TLR4 to Activate the Toll/Interleukin-1 Receptor Signaling Pathway in Innate Immune Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 31332-31339.	3.4	728
96	Predominant Role of Toll-Like Receptor 2 Versus 4 in <i>Chlamydia pneumoniae</i> -Induced Activation of Dendritic Cells. <i>Journal of Immunology</i> , 2001, 167, 3316-3323.	0.8	164
97	The role of immunostimulatory CpG-DNA in septic shock. , 2001, , 167-171.		0
98	Immunostimulatory DNA sequences help to eradicate intracellular pathogens. , 2001, , 147-152.		4
99	Bacterial CpG-DNA activates dendritic cells in vivo: T helper cell-independent cytotoxic T cell responses to soluble proteins. <i>European Journal of Immunology</i> , 2000, 30, 3591-3597.	2.9	161
100	Causing a commotion in the blood: immunotherapy progresses from bacteria to bacterial DNA. <i>Trends in Immunology</i> , 2000, 21, 521-526.	7.5	117
101	A Toll-like receptor recognizes bacterial DNA. <i>Nature</i> , 2000, 408, 740-745.	27.8	5,827
102	Immunostimulatory CpG-oligonucleotides induce functional high affinity IL-2 receptors on B-CLL cells. <i>Experimental Hematology</i> , 2000, 28, 558-568.	0.4	89
103	The role of immunostimulatory CpG-DNA in septic shock. <i>Seminars in Immunopathology</i> , 2000, 22, 167-171.	4.0	11
104	Immunostimulatory DNA sequences help to eradicate intracellular pathogens. <i>Seminars in Immunopathology</i> , 2000, 22, 147-152.	4.0	5
105	Immunostimulatory CpG-oligonucleotides cause proliferation, cytokine production, and an immunogenic phenotype in chronic lymphocytic leukemia B cells. <i>Blood</i> , 2000, 95, 999-1006.	1.4	202
106	Immune Cell Activation by Bacterial CpG-DNA through Myeloid Differentiation Marker 88 and Tumor Necrosis Factor Receptor-Associated Factor (Traf)6. <i>Journal of Experimental Medicine</i> , 2000, 192, 595-600.	8.5	434
107	Increased Resistance Against Acute Polymicrobial Sepsis in Mice Challenged with Immunostimulatory CpG Oligodeoxynucleotides Is Related to an Enhanced Innate Effector Cell Response. <i>Journal of Immunology</i> , 2000, 165, 4537-4543.	0.8	123
108	CpG-DNA-Mediated Transient Lymphadenopathy Is Associated with a State of Th1 Predisposition to Antigen-Driven Responses. <i>Journal of Immunology</i> , 2000, 165, 1228-1235.	0.8	127

#	ARTICLE	IF	CITATIONS
109	CpG-DNA Activates In Vivo T Cell Epitope Presenting Dendritic Cells to Trigger Protective Antiviral Cytotoxic T Cell Responses. <i>Journal of Immunology</i> , 2000, 164, 2372-2378.	0.8	123
110	Role of Interleukin-18 (IL-18) during Lethal Shock: Decreased Lipopolysaccharide Sensitivity but Normal Superantigen Reaction in IL-18-Deficient Mice. <i>Infection and Immunity</i> , 2000, 68, 3502-3508.	2.2	68
111	Bacterial CpG DNA Activates Immune Cells to Signal Infectious Danger. <i>Advances in Immunology</i> , 1999, 73, 329-368.	2.2	269
112	CpG-DNA upregulates the major acute-phase proteins SAA and SAP. <i>Cellular Microbiology</i> , 1999, 1, 61-67.	2.1	15
113	The resistance against <i>Listeria monocytogenes</i> and the formation of germinal centers depend on a functional death domain of the 55 kDa tumor necrosis factor receptor. <i>European Journal of Immunology</i> , 1999, 29, 581-591.	2.9	16
114	CpG-oligodeoxynucleotides co-stimulate primary T cells in the absence of antigen-presenting cells. <i>European Journal of Immunology</i> , 1999, 29, 1209-1218.	2.9	155
115	Guanosine-rich oligodeoxynucleotides induce proliferation of macrophage progenitors in cultures of murine bone marrow cells. <i>European Journal of Immunology</i> , 1999, 29, 3496-3506.	2.9	30
116	Guanosine-rich oligodeoxynucleotides induce proliferation of macrophage progenitors in cultures of murine bone marrow cells. <i>European Journal of Immunology</i> , 1999, 29, 3496-3506.	2.9	8
117	CpG-DNA-specific activation of antigen-presenting cells requires stress kinase activity and is preceded by non-specific endocytosis and endosomal maturation. <i>EMBO Journal</i> , 1998, 17, 6230-6240.	7.8	590
118	Bacterial DNA and immunostimulatory CpG oligonucleotides trigger maturation and activation of murine dendritic cells. <i>European Journal of Immunology</i> , 1998, 28, 2045-2054.	2.9	744
119	Bacterial DNA and immunostimulatory CpG oligonucleotides trigger maturation and activation of murine dendritic cells. , 1998, 28, 2045.		6
120	Bacterial DNA causes septic shock. <i>Nature</i> , 1997, 386, 336-337.	27.8	408
121	Macrophages sense pathogens via DNA motifs: induction of tumor necrosis factor α -mediated shock. <i>European Journal of Immunology</i> , 1997, 27, 1671-1679.	2.9	402
122	CpG-containing synthetic oligonucleotides promote B and cytotoxic T cell responses to protein antigen: A new class of vaccine adjuvants. <i>European Journal of Immunology</i> , 1997, 27, 2340-2344.	2.9	354
123	Immunostimulatory DNA: Sequence-dependent production of potentially harmful or useful cytokines. <i>European Journal of Immunology</i> , 1997, 27, 3420-3426.	2.9	244
124	HLA-A2-restricted peripheral blood cytolytic T lymphocyte response to HPV type 16 proteins E6 and E7 from patients with neoplastic cervical lesions. <i>Cancer Immunology, Immunotherapy</i> , 1996, 42, 151-160.	4.2	50
125	Mechanisms of peripheral T cell deletion: anergized T cells are Fas resistant but undergo proliferation-associated apoptosis. <i>European Journal of Immunology</i> , 1996, 26, 1459-1467.	2.9	40
126	Exogenous superantigens acutely trigger distinct levels of peripheral T cell tolerance/immunosuppression: Dose-response relationship. <i>European Journal of Immunology</i> , 1994, 24, 1893-1902.	2.9	49

#	ARTICLE	IF	CITATIONS
127	Vaccination with immunodominant peptides encapsulated in Quil A-containing liposomes induces peptide-specific primary CD8+ cytotoxic T cells. <i>Vaccine</i> , 1994, 12, 73-80.	3.8	79
128	Clonal deletion as direct consequence of an in vivo T cell response to bacterial superantigen. <i>European Journal of Immunology</i> , 1993, 23, 1197-1200.	2.9	72
129	Vaccination of class I major histocompatibility complex (MHC)-restricted murine CD8+ cytotoxic T lymphocytes towards soluble antigens: immunostimulating-ovalbumin complexes enter the class I MHC-restricted antigen pathway and allow sensitization against the immunodominant peptide. <i>European Journal of Immunology</i> , 1991, 21, 1523-1527.	2.9	95
130	Dissection of signals controlling T cell function and activation: H7, an inhibitor of protein kinase C, blocks induction of primary T cell proliferation by suppressing interleukin (IL) 2 receptor expression without affecting IL 2 production. <i>European Journal of Immunology</i> , 1991, 21, 1575-1582.	2.9	14
131	<i>Plasmodium falciparum</i> merozoites primarily stimulate the V β 39 subset of human α β T cells. <i>European Journal of Immunology</i> , 1991, 21, 2613-2616.	2.9	102
132	Primary responses of human T cells to mycobacteria: a frequent set of α β T cells are stimulated by protease-resistant ligands. <i>European Journal of Immunology</i> , 1990, 20, 1175-1179.	2.9	272
133	Toll-like Receptors. , 0, , 119-127.		0