

Paul A Keifer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11835431/publications.pdf>

Version: 2024-02-01

28
papers

2,551
citations

394421

19
h-index

552781

26
g-index

30
all docs

30
docs citations

30
times ranked

2078
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemical-shift referencing and resolution stability in methanol:water gradient LC-NMR. <i>Journal of Magnetic Resonance</i> , 2010, 205, 130-140.	2.1	8
2	Chemical-shift referencing and resolution stability in gradient LC-NMR (acetonitrile:water). <i>Journal of Magnetic Resonance</i> , 2009, 199, 75-87.	2.1	11
3	NMR characterization of the Escherichia coli nitrogen regulatory protein IANtr in solution and interaction with its partner protein, NPr. <i>Protein Science</i> , 2005, 14, 1082-1090.	7.6	19
4	Short-chain diacyl phosphatidylglycerols: which one to choose for the NMR structural determination of a membrane-associated peptide from <i>Escherichia coli</i> ? <i>Spectroscopy</i> , 2004, 18, 257-264.	0.8	14
5	Effects of detergent alkyl chain length and chemical structure on the properties of a micelle-bound bacterial membrane targeting peptide. <i>Analytical Biochemistry</i> , 2004, 331, 33-39.	2.4	11
6	Warifteine and methylwarifteine: ¹ H and ¹³ C assignments by two-dimensional NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 213-218.	1.9	10
7	Flow injection analysis NMR (FIA-NMR): a novel flow NMR technique that complements LC-NMR and direct injection NMR (DI-NMR). <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 509-516.	1.9	21
8	Flow NMR applications in combinatorial chemistry. <i>Current Opinion in Chemical Biology</i> , 2003, 7, 388-394.	6.1	37
9	Solution structure of the N-terminal amphitropic domain of <i>Escherichia coli</i> glucose-specific enzyme IIA in membrane-mimetic micelles. <i>Protein Science</i> , 2003, 12, 1087-1096.	7.6	47
10	Seaweed resistance to microbial attack: A targeted chemical defense against marine fungi. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 6916-6921.	7.1	221
11	NMR analysis tools for the peptide sciences. , 2002, , 396-398.		0
12	Direct-Injection NMR (DI-NMR): A Flow NMR Technique for the Analysis of Combinatorial Chemistry Libraries. <i>ACS Combinatorial Science</i> , 2000, 2, 151-171.	3.3	67
13	NMR spectroscopy in drug discovery: Tools for combinatorial chemistry, natural products, and metabolism research. , 2000, 55, 137-211.		24
14	Shape-Selective Recognition of a Model Okazaki Fragment By Geometrically-Constrained Bis-Distamycins. <i>Journal of Biomolecular Structure and Dynamics</i> , 1999, 17, 507-518.	3.5	19
15	NMR tools for biotechnology. <i>Current Opinion in Biotechnology</i> , 1999, 10, 34-41.	6.6	57
16	90° pulse width calibrations: How to read a pulse width array. <i>Concepts in Magnetic Resonance</i> , 1999, 11, 165-180.	1.3	43
17	A Cyclized Didemnimide Alkaloid from the Caribbean Ascidian <i>Didemnum conchyliatum</i> . <i>Journal of Natural Products</i> , 1999, 62, 389-391.	3.0	35
18	High-resolution NMR techniques for solid-phase synthesis and combinatorial chemistry. <i>Drug Discovery Today</i> , 1997, 2, 468-478.	6.4	84

#	ARTICLE	IF	CITATIONS
19	Influence of Resin Structure, Tether Length, and Solvent upon the High-Resolution ¹ H NMR Spectra of Solid-Phase-Synthesis Resins. <i>Journal of Organic Chemistry</i> , 1996, 61, 1558-1559.	3.2	144
20	An NMR Method To Identify Nondestructively Chemical Compounds Bound to a Single Solid-Phase-Synthesis Bead for Combinatorial Chemistry Applications. <i>Journal of the American Chemical Society</i> , 1996, 118, 2305-2306.	13.7	129
21	A Comparison of NMR Spectra Obtained for Solid-Phase-Synthesis Resins Using Conventional High-Resolution, Magic-Angle-Spinning, and High-Resolution Magic-Angle-Spinning Probes. <i>Journal of Magnetic Resonance Series A</i> , 1996, 119, 65-75.	1.6	163
22	Novel steroids from <i>Trichilia hirta</i> as identified by nanoprobe INADEQUATE 2D-NMR spectroscopy. <i>Tetrahedron Letters</i> , 1996, 37, 7875-7878.	1.4	24
23	WET Solvent Suppression and Its Applications to LC NMR and High-Resolution NMR Spectroscopy. <i>Journal of Magnetic Resonance Series A</i> , 1995, 117, 295-303.	1.6	530
24	Identification of a Novel Glycosaminoglycan Core-like Molecule I. <i>Journal of Biological Chemistry</i> , 1995, 270, 9154-9163.	3.4	64
25	High-Resolution ¹ H NMR in Solid-Phase Organic Synthesis. <i>Journal of Organic Chemistry</i> , 1994, 59, 7955-7956.	3.2	222
26	Milnamide A, an unusual cytotoxic tripeptide from the marine sponge <i>Auletta cf. constricta</i> . <i>Journal of Organic Chemistry</i> , 1994, 59, 2932-2934.	3.2	88
27	Ecteinascidins 729, 743, 745, 759A, 759B, and 770: potent antitumor agents from the Caribbean tunicate <i>Ecteinascidia turbinata</i> . <i>Journal of Organic Chemistry</i> , 1990, 55, 4512-4515.	3.2	451
28	Stereochemistry and bonding in <i>N</i> -substituted <i>o</i> -phenylcyanoaziridines. <i>Journal of Heterocyclic Chemistry</i> , 1988, 25, 353-359.	2.6	4