Chunjiang Zhao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11842704/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	High Prevalence of Hypervirulent Klebsiella pneumoniae Infection in China: Geographic Distribution, Clinical Characteristics, and Antimicrobial Resistance. Antimicrobial Agents and Chemotherapy, 2016, 60, 6115-6120.	3.2	222
2	Emergence of a hypervirulent carbapenem-resistant Klebsiella pneumoniae isolate from clinical infections in China. Journal of Infection, 2015, 71, 553-560.	3.3	176
3	Characterization of Community Acquired Staphylococcus aureus Associated with Skin and Soft Tissue Infection in Beijing: High Prevalence of PVL+ ST398. PLoS ONE, 2012, 7, e38577.	2.5	98
4	The Changing Pattern of Population Structure of Staphylococcus aureus from Bacteremia in China from 2013 to 2016: ST239-030-MRSA Replaced by ST59-t437. Frontiers in Microbiology, 2018, 9, 332.	3.5	95
5	Population structure and characterisation of Staphylococcus aureus from bacteraemia at multiple hospitals in China: association between antimicrobial resistance, toxin genes and genotypes. International Journal of Antimicrobial Agents, 2013, 42, 211-219.	2.5	84
6	<i>In Vitro</i> Activities of Ceftazidime-Avibactam and Aztreonam-Avibactam against 372 Gram-Negative Bacilli Collected in 2011 and 2012 from 11 Teaching Hospitals in China. Antimicrobial Agents and Chemotherapy, 2014, 58, 1774-1778.	3.2	81
7	Antimicrobial resistance trends among 5608 clinical Gram-positive isolates in China: results from the Gram-Positive Cocci Resistance Surveillance program (2005–2010). Diagnostic Microbiology and Infectious Disease, 2012, 73, 174-181.	1.8	65
8	An Outbreak of a Nosocomial NDM-1-Producing <i>Klebsiella pneumoniae</i> ST147 at a Teaching Hospital in Mainland China. Microbial Drug Resistance, 2014, 20, 144-149.	2.0	57
9	Evolution of Carbapenem-Resistant Acinetobacter baumannii Revealed through Whole-Genome Sequencing and Comparative Genomic Analysis. Antimicrobial Agents and Chemotherapy, 2015, 59, 1168-1176.	3.2	56
10	Genetic characterisation of clinical Klebsiella pneumoniae isolates with reduced susceptibility to tigecycline: Role of the global regulator RamA and its local repressor RamR. International Journal of Antimicrobial Agents, 2015, 45, 635-640.	2.5	52
11	Prevalence and Characterization of Heterogeneous Vancomycin-Intermediate <i>Staphylococcus aureus</i> Isolates from 14 Cities in China. Antimicrobial Agents and Chemotherapy, 2009, 53, 3642-3649.	3.2	51
12	Novel NDM-9 metallo-β-lactamase identified from a ST107 Klebsiella pneumoniae strain isolated in China. International Journal of Antimicrobial Agents, 2014, 44, 90-91.	2.5	48
13	Serotype distribution and antibiotic resistance of Streptococcus pneumoniae isolates from 17 Chinese cities from 2011 to 2016. BMC Infectious Diseases, 2017, 17, 804.	2.9	45
14	Phenotypic and Genotypic Characteristic of Invasive Pneumococcal Isolates from Both Children and Adult Patients from a Multicenter Surveillance in China 2005–2011. PLoS ONE, 2013, 8, e82361.	2.5	38
15	In vitro activity of the novel β-lactamase inhibitor taniborbactam (VNRX-5133), in combination with cefepime or meropenem, against MDR Gram-negative bacterial isolates from China. Journal of Antimicrobial Chemotherapy, 2020, 75, 1850-1858.	3.0	32
16	Evaluation of the in vitro activity of new polymyxin B analogue SPR206 against clinical MDR, colistin-resistant and tigecycline-resistant Gram-negative bacilli. Journal of Antimicrobial Chemotherapy, 2020, 75, 2609-2615.	3.0	30
17	Antimicrobial susceptibility of Streptococcus pneumoniae, Haemophilus influenzae and Moraxella catarrhalis isolated from community-acquired respiratory tract infections in China: Results from the CARTIPS Antimicrobial Surveillance Program. Journal of Global Antimicrobial Resistance, 2016, 5, 36-41.	2.2	27
18	Efficacy and safety of daptomycin for the treatment of infectious disease: a meta-analysis based on randomized controlled trials. Journal of Antimicrobial Chemotherapy, 2014, 69, 3181-3189.	3.0	26

Chunjiang Zhao

#	Article	IF	CITATIONS
19	Clinical and microbiological characteristics of adults with hospital-acquired pneumonia: a 10-year prospective observational study in China. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 683-690.	2.9	26
20	Bloodstream Infections Caused by Carbapenem-Resistant Enterobacterales: Risk Factors for Mortality, Antimicrobial Therapy and Treatment Outcomes from a Prospective Multicenter Study. Infection and Drug Resistance, 2021, Volume 14, 731-742.	2.7	23
21	Comparative Proteomics-Based Identification of Genes Associated with Glycopeptide Resistance in Clinically Derived Heterogeneous Vancomycin-Intermediate Staphylococcus aureus Strains. PLoS ONE, 2013, 8, e66880.	2.5	23
22	Prevalence and molecular typing of oxacillin-susceptible mecA-positive Staphylococcus aureus from multiple hospitals in China. Diagnostic Microbiology and Infectious Disease, 2013, 77, 267-269.	1.8	22
23	Prospective multi-center evaluation on risk factors, clinical characteristics and outcomes due to carbapenem resistance in Acinetobacter baumannii complex bacteraemia: experience from the Chinese Antimicrobial Resistance Surveillance of Nosocomial Infections (CARES) Network. Journal of Medical Microbiology, 2020, 69, 949-959.	1.8	22
24	The role of interspecies recombination in the evolution of antibiotic-resistant pneumococci. ELife, 2021, 10, .	6.0	21
25	In vitro activities of tedizolid compared with other antibiotics against Gram-positive pathogens associated with hospital-acquired pneumonia, skin and soft tissue infection and bloodstream infection collected from 26 hospitals in China. Journal of Medical Microbiology, 2016, 65, 1215-1224.	1.8	20
26	In vitro antimicrobial activity of the novel oxazolidinone tedizolid and comparator agents against Staphylococcus aureus and linezolid-resistant Gram-positive pathogens: a multicentre study in China. International Journal of Antimicrobial Agents, 2014, 44, 276-277.	2.5	18
27	A multicenter epidemiology study on the risk factors and clinical outcomes of nosocomial intra-abdominal infections in China: results from the Chinese antimicrobial resistance surveillance of nosocomial infections (CARES) 2007–2016. Infection and Drug Resistance, 2018, Volume 11, 2311-2319	2.7	16
28	In vitro activities of Eravacycline against 336 isolates collected from 2012 to 2016 from 11 teaching hospitals in China. BMC Infectious Diseases, 2019, 19, 508.	2.9	16
29	Clinical Profile, Prognostic Factors, and Outcome Prediction in Hospitalized Patients With Bloodstream Infection: Results From a 10-Year Prospective Multicenter Study. Frontiers in Medicine, 2021, 8, 629671.	2.6	16
30	A Practical Approach for Predicting Antimicrobial Phenotype Resistance in Staphylococcus aureus Through Machine Learning Analysis of Genome Data. Frontiers in Microbiology, 2022, 13, 841289.	3.5	15
31	<p>Long-Term Continuous Antimicrobial Resistance Surveillance Among Nosocomial Gram-Negative Bacilli in China from 2010 to 2018 (CMSS)</p> . Infection and Drug Resistance, 2020, Volume 13, 2617-2629.	2.7	12
32	Identification of Gene Clusters Associated with Host Adaptation and Antibiotic Resistance in Chinese Staphylococcus aureus Isolates by Microarray-Based Comparative Genomics. PLoS ONE, 2013, 8, e53341.	2.5	12
33	<p>Investigation of Antibiotic Resistance, Serotype Distribution, and Genetic Characteristics of 164 Invasive Streptococcus pneumoniae from North China Between April 2016 and October 2017</p> . Infection and Drug Resistance, 2020, Volume 13, 2117-2128.	2.7	11
34	A retrospective study on Xpert MTB/RIF for detection of tuberculosis in a teaching hospital in China. BMC Infectious Diseases, 2020, 20, 362.	2.9	10
35	Insights on evolution of virulence and resistance from the whole-genome analysis of a predominant methicillin-resistant Staphylococcus aureus clone sequence type 239 in China. Science Bulletin, 2014, 59, 1104-1112.	1.7	7
36	Comparative evaluation of tigecycline susceptibility testing methods for Acinetobacter baumannii and Enterobacteriaceae. Journal of Global Antimicrobial Resistance, 2015, 3, 75-79.	2.2	4

#	Article	IF	CITATIONS
37	Evolution of Acinetobacter baumannii in Clinical Bacteremia Patients. Infection and Drug Resistance, 2021, Volume 14, 3553-3562.	2.7	3
38	In vitro antibacterial activities of two novel oral antibiotics, tebipenem and cefditoren, and other comparators against community-acquired respiratory tract infection-associated bacterial pathogens: A multicentre study in China. International Journal of Antimicrobial Agents, 2014, 43, 92-93.	2.5	0