
Lee Friedman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11852877/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cellular changes in the postmortem hippocampus in major depression. Biological Psychiatry, 2004, 56, 640-650.	1.3	633
2	Increase in Serotonin-1A Autoreceptors in the Midbrain of Suicide Victims with Major Depression—Postmortem Evidence for Decreased Serotonin Activity. Journal of Neuroscience, 1998, 18, 7394-7401.	3.6	385
3	Improvement in cognitive functions and psychiatric symptoms in treatment-refractory schizophrenic patients receiving clozapine. Biological Psychiatry, 1993, 34, 702-712.	1.3	366
4	Report on a multicenter fMRI quality assurance protocol. Journal of Magnetic Resonance Imaging, 2006, 23, 827-839.	3.4	330
5	Atlas of catecholamine perikarya, varicosities and pathways in the brainstem of the cat. Journal of Comparative Neurology, 1983, 215, 382-396.	1.6	290
6	Test–retest and betweenâ€site reliability in a multicenter fMRI study. Human Brain Mapping, 2008, 29, 958-972.	3.6	225
7	Meta-analysis of thalamic size in schizophrenia. Biological Psychiatry, 2001, 49, 28-38.	1.3	192
8	Meta-analysis of brain and cranial size in schizophrenia. Schizophrenia Research, 1996, 22, 197-213.	2.0	189
9	Reducing interscanner variability of activation in a multicenter fMRI study: Controlling for signal-to-fluctuation-noise-ratio (SFNR) differences. NeuroImage, 2006, 33, 471-481.	4.2	185
10	Reducing inter-scanner variability of activation in a multicenter fMRI study: Role of smoothness equalization. NeuroImage, 2006, 32, 1656-1668.	4.2	148
11	Brain Activation During Silent Word Generation Evaluated with Functional MRI. Brain and Language, 1998, 64, 231-256.	1.6	144
12	Insight and Its Relationship to Violent Behavior in Patients With Schizophrenia. American Journal of Psychiatry, 2004, 161, 1712-1714.	7.2	123
13	A magnetic resonance imaging study of thalamic area in adolescent patients with either schizophrenia or bipolar disorder as compared to healthy controls. Psychiatry Research - Neuroimaging, 1999, 91, 155-162.	1.8	110
14	An MRI study of adolescent patients with either schizophrenia or bipolar disorder as compared to healthy control subjects. Biological Psychiatry, 1999, 46, 78-88.	1.3	102
15	Modification of Paradoxical Sleep Following Transections of the Reticular Formation at the Pontomedullary Junction. Sleep, 1986, 9, 1-23.	1.1	96
16	The serotonin transporter in the midbrain of suicide victims with major depression. Biological Psychiatry, 2000, 47, 1015-1024.	1.3	73
17	Meta-analysis of brain size in bipolar disorder. Schizophrenia Research, 1999, 37, 177-181.	2.0	68
18	Neurokinin-1 receptors are decreased in major depressive disorder. NeuroReport, 2002, 13, 1223-1227.	1.2	57

Lee Friedman

#	Article	IF	CITATIONS
19	Antagonist but not agonist labeling of serotonin-1A receptors is decreased in major depressive disorder. Journal of Psychiatric Research, 2009, 43, 887-894.	3.1	38
20	Why vote-count reviews don't count. Biological Psychiatry, 2001, 49, 161-162.	1.3	36
21	Functional magnetic resonance imaging in schizophrenia: initial methodology and evaluation of the motor cortex. Psychiatry Research - Neuroimaging, 1997, 74, 13-23.	1.8	35
22	Relationship between smooth pursuit eye-tracking and cognitive performance in schizophrenia. Biological Psychiatry, 1995, 37, 265-272.	1.3	30
23	Chronic smoking and the BOLD response to a visual activation task and a breath hold task in patients with schizophrenia and healthy controls. NeuroImage, 2008, 40, 1181-1194.	4.2	29
24	CHILD AND ADOLESCENT SCHIZOPHRENIA. Psychiatric Clinics of North America, 1998, 21, 43-56.	1.3	20
25	If patients with schizophrenia have small brains, why don't they have small heads?. Schizophrenia Research, 2000, 42, 1-6.	2.0	14
26	Head size and schizophrenia. Schizophrenia Research, 2002, 55, 99-104.	2.0	9
27	Dr. Buckley and Colleagues Reply. American Journal of Psychiatry, 2005, 162, 2195-a-2195.	7.2	Ο