

Nam-Gyun Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11859483/publications.pdf>

Version: 2024-02-01

21
papers

2,500
citations

430874

18
h-index

752698

20
g-index

21
all docs

21
docs citations

21
times ranked

4433
citing authors

#	ARTICLE	IF	CITATIONS
1	Cell contact and Nf2/Merlin-dependent regulation of TEAD palmitoylation and activity. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 9877-9882.	7.1	59
2	Adhesion to fibronectin regulates Hippo signaling via the FAK-Src-PI3K pathway. Journal of Cell Biology, 2015, 210, 503-515.	5.2	333
3	The Hippo-YAP signaling pathway and contact inhibition of growth. Journal of Cell Science, 2014, 127, 709-717.	2.0	279
4	The Hippo-YAP signaling pathway and contact inhibition of growth. Development (Cambridge), 2014, 141, e607-e607.	2.5	1
5	Regulation of Hippo pathway by mitogenic growth factors via phosphoinositide 3-kinase and phosphoinositide-dependent kinase-1. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 2569-2574.	7.1	290
6	E-cadherin mediates contact inhibition of proliferation through Hippo signaling-pathway components. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 11930-11935.	7.1	576
7	Regulation of protein stability by GSK3 mediated phosphorylation. Cell Cycle, 2009, 8, 4032-4039.	2.6	176
8	Identification of targets of the Wnt pathway destruction complex in addition to β -catenin. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 5165-5170.	7.1	82
9	Selective Translational Repression of Truncated Proteins from Frameshift Mutation-Derived mRNAs in Tumors. PLoS Biology, 2007, 5, e109.	5.6	50
10	Correlation of KIT and platelet-derived growth factor receptor \pm mutations with gene activation and expression profiles in gastrointestinal stromal tumors. Oncogene, 2005, 24, 1066-1074.	5.9	82
11	Impaired nonhomologous end-joining in mismatch repair-deficient colon carcinomas. Laboratory Investigation, 2005, 85, 1130-1138.	3.7	31
12	Concerted promoter hypermethylation of <i>hMLH1</i> , <i>p16^{INK4A}</i> , and <i>E-cadherin</i> in gastric carcinomas with microsatellite instability. Journal of Pathology, 2003, 200, 23-31.	4.5	69
13	Chromosomal Imbalances in the Colorectal Carcinomas with Microsatellite Instability. American Journal of Pathology, 2003, 163, 1429-1436.	3.8	43
14	Clinicopathologic characteristics related to the high variability of coding mononucleotide repeat sequences in tumors with high-microsatellite instability. Oncology Reports, 2003, 10, 439-44.	2.6	4
15	Assessment of chromosomal losses and gains in hepatocellular carcinoma. Cancer Letters, 2002, 182, 193-202.	7.2	42
16	Identification of MARCKS, FLJ11383 and TAF1B as putative novel target genes in colorectal carcinomas with microsatellite instability. Oncogene, 2002, 21, 5081-5087.	5.9	48
17	Proteomic analysis and molecular characterization of tissue ferritin light chain in hepatocellular carcinoma. Hepatology, 2002, 35, 1459-1466.	7.3	98
18	Chromosomal Alterations in Paired Gastric Adenomas and Carcinomas. American Journal of Pathology, 2001, 158, 655-662.	3.8	32

#	ARTICLE	IF	CITATIONS
19	Putative chromosomal deletions on 9p, 9q and 22q occur preferentially in malignant gastrointestinal stromal tumors. , 2000, 85, 633-638.		74
20	p16 is a major inactivation target in hepatocellular carcinoma. Cancer, 2000, 89, 60-68.	4.1	110
21	Deletion mapping on the short arm of chromosome 8 in hepatocellular carcinoma. Cancer Letters, 1999, 138, 227-232.	7.2	21