Kathleen W Wyrwich

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11861297/publications.pdf

Version: 2024-02-01

| 39 | 11,855 | 26 | 39 |
|----------|----------------|--------------|----------------|
| papers | citations | h-index | g-index |
| 39 | 39 | 39 | 14224 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Psychometric Validation of the Role Function Restrictive Domain of the Migraine Specific Qualityâ€ofâ€Life Questionnaire Version 2.1 Electronic Patientâ€Reported Outcome in Patients With Episodic and Chronic Migraine. Headache, 2019, 59, 756-774. | 3.9 | 14 |
| 2 | Identifying an important change estimate for the Multiple Sclerosis Walking Scale-12 (MSWS-12v1) for interpreting clinical trial results. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2015, 1, 205521731559699. | 1.0 | 26 |
| 3 | Responder definition of the Multiple Sclerosis Impact Scale physical impact subscale for patients with physical worsening. Multiple Sclerosis Journal, 2014, 20, 1753-1760. | 3.0 | 40 |
| 4 | Are treatment benefits in neuropathic pain reflected in the self assessment of treatment questionnaire?. Health and Quality of Life Outcomes, 2013, 11, 8. | 2.4 | 13 |
| 5 | The Fatigue Associated with Depression Questionnaire (FAsD): responsiveness and responder definition. Quality of Life Research, 2013, 22, 351-360. | 3.1 | 12 |
| 6 | Humanistic and economic burden of generalized anxiety disorder in North America and Europe. Journal of Affective Disorders, 2012, 140, 103-112. | 4.1 | 117 |
| 7 | Differences in Smokers and Nonsmokers' Assessments of an Educational Campaign About Tobacco Use. Health Education and Behavior, 2011, 38, 574-583. | 2.5 | 9 |
| 8 | Validation of the PAGI-SYM and PAGI-QOL among healing and maintenance of erosive esophagitis clinical trial participants. Quality of Life Research, 2010, 19, 551-564. | 3.1 | 12 |
| 9 | Psychometric validation of two patient-reported outcome measures to assess symptom severity and changes in symptoms in hereditary angioedema. Quality of Life Research, 2009, 18, 929-939. | 3.1 | 42 |
| 10 | Interpreting the Clinical Importance of Treatment Outcomes in Chronic Pain Clinical Trials: IMMPACT Recommendations. Journal of Pain, 2008, 9, 105-121. | 1.4 | 2,564 |
| 11 | Identifying meaningful differences in vasomotor symptoms among menopausal women. Menopause, 2008, 15, 698-705. | 2.0 | 24 |
| 12 | Triangulating Patient and Clinician Perspectives on Clinically Important Differences in Health-Related Quality of Life among Patients with Heart Disease. Health Services Research, 2007, 42, 2257-2274. | 2.0 | 26 |
| 13 | The mathematical relationship among different forms of responsiveness coefficients. Quality of Life Research, 2007, 16, 815-822. | 3.1 | 149 |
| 14 | Validity of patient-reported health-related quality of life global ratings of change using structural equation modeling. Quality of Life Research, 2007, 16, 1193-1202. | 3.1 | 26 |
| 15 | Measuring Patient and Clinician Perspectives to Evaluate Change in Health-Related Quality of Life Among Patients with Chronic Obstructive Pulmonary Disease. Journal of General Internal Medicine, 2007, 22, 161-170. | 2.6 | 37 |
| 16 | Interpreting quality-of-life data: methods for community consensus in asthma. Annals of Allergy, Asthma and Immunology, 2006, 96, 826-833. | 1.0 | 4 |
| 17 | Physician-estimated disease severity in patients with chronic heart or lung disease: a cross-sectional analysis. Health and Quality of Life Outcomes, 2006, 4, 60. | 2.4 | 14 |
| 18 | Developing patient-reported outcome measures for pain clinical trials: IMMPACT recommendations. Pain, 2006, 125, 208-215. | 4.2 | 255 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Individual, social environmental, and physical environmental influences on physical activity among black and white Adults: A Structural Equation Analysis. Annals of Behavioral Medicine, 2006, 31, 36-44. | 2.9 | 204 |
| 20 | A comparison of traditional and Rasch cut points for assessing clinically important change in health-related quality of life among patients with asthma. Quality of Life Research, 2006, 15, 1639-1649. | 3.1 | 15 |
| 21 | Understanding global transition assessments. Quality of Life Research, 2006, 15, 995-1004. | 3.1 | 39 |
| 22 | A Comparison of Clinically Important Differences in Health-Related Quality of Life for Patients with Chronic Lung Disease, Asthma, or Heart Disease. Health Services Research, 2005, 40, 577-592. | 2.0 | 206 |
| 23 | Estimating clinically significant differences in quality of life outcomes. Quality of Life Research, 2005, 14, 285-295. | 3.1 | 406 |
| 24 | Bridging the Gap: Using Triangulation Methodology to Estimate Minimal Clinically Important Differences (MCIDs). COPD: Journal of Chronic Obstructive Pulmonary Disease, 2005, 2, 157-165. | 1.6 | 67 |
| 25 | A comparison of clinically important differences in health-related quality of life for patients with chronic lung disease, asthma, or heart disease. Health Services Research, 2005, 40, 577-91. | 2.0 | 101 |
| 26 | The truly remarkable universality of half a standard deviation: confirmation through another look. Expert Review of Pharmacoeconomics and Outcomes Research, 2004, 4, 581-585. | 1.4 | 375 |
| 27 | Continuous or emergent EEG: can bedside caregivers recognize epileptiform discharges?. Intensive Care Medicine, 2004, 30, 207-212. | 8.2 | 21 |
| 28 | Minimal Important Difference Thresholds and the Standard Error of Measurement: Is There a Connection?. Journal of Biopharmaceutical Statistics, 2004, 14, 97-110. | 0.8 | 151 |
| 29 | Clinically important differences in health status for patients with heart disease: an expert consensus panel report. American Heart Journal, 2004, 147, 615-622. | 2.7 | 122 |
| 30 | Clinically important changes in health-related quality of life for patients with chronic obstructive pulmonary disease. Journal of General Internal Medicine, 2003, 18, 196-202. | 2.6 | 111 |
| 31 | Clinically important differences in health-related quality of life for patients with asthma: an expert consensus panel report. Annals of Allergy, Asthma and Immunology, 2003, 91, 148-153. | 1.0 | 32 |
| 32 | Interpretation of Changes in Health-related Quality of Life. Medical Care, 2003, 41, 582-592. | 2.4 | 3,681 |
| 33 | Methods to Explain the Clinical Significance of Health Status Measures. Mayo Clinic Proceedings, 2002, 77, 371-383. | 3.0 | 1,279 |
| 34 | Using the standard error of measurement to identify important changes on the Asthma Quality of Life Questionnaire. Quality of Life Research, 2002, 11, 1-7. | 3.1 | 116 |
| 35 | Identifying meaningful intraâ€individual change standards for healthâ€related quality of life measures. Journal of Evaluation in Clinical Practice, 2000, 6, 39-49. | 1.8 | 194 |
| 36 | Further Evidence Supporting an SEM-Based Criterion for Identifying Meaningful Intra-Individual Changes in Health-Related Quality of Life. Journal of Clinical Epidemiology, 1999, 52, 861-873. | 5.0 | 751 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Gender Differences in the Sequelae of Hospitalization for Acute Myocardial Infarction Among Older Adults. Journal of the American Geriatrics Society, 1999, 47, 151-158. | 2.6 | 16 |
| 38 | Linking Clinical Relevance and Statistical significance in Evaluating Intra-Individual Changes in Health-Related Quality of Life. Medical Care, 1999, 37, 469-478. | 2.4 | 517 |
| 39 | Generic versus Disease-Specific Health Status Measures. Evaluation and the Health Professions, 1998, 21, 216-243. | 1.9 | 67 |