Luis Alberto GarcÃ-a RodrÃ-guez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11863222/publications.pdf

Version: 2024-02-01

27 papers

3,612 citations

279798 23 h-index 27 g-index

28 all docs 28 docs citations

28 times ranked 4266 citing authors

#	Article	IF	Citations
1	Association between selective serotonin reuptake inhibitors and upper gastrointestinal bleeding: population based case-control study. BMJ: British Medical Journal, 1999, 319, 1106-1109.	2.3	377
2	Cardiovascular Events Associated With SGLT-2 Inhibitors Versus Other Glucose-Lowering Drugs. Journal of the American College of Cardiology, 2018, 71, 2628-2639.	2.8	370
3	Acute Gastroenteritis Is Followed by an Increased Risk of Inflammatory Bowel Disease. Gastroenterology, 2006, 130, 1588-1594.	1.3	351
4	Risk of Hospitalization for Upper Gastrointestinal Tract Bleeding Associated With Ketorolac, Other Nonsteroidal Anti-inflammatory Drugs, Calcium Antagonists, and Other Antihypertensive Drugs. Archives of Internal Medicine, 1998, 158, 33.	3.8	293
5	Role of Dose Potency in the Prediction of Risk of Myocardial Infarction Associated With Nonsteroidal Anti-Inflammatory Drugs in the General Population. Journal of the American College of Cardiology, 2008, 52, 1628-1636.	2.8	271
6	Relative Risk of Upper Gastrointestinal Complications among Users of Acetaminophen and Nonsteroidal Anti-Inflammatory Drugs. Epidemiology, 2001, 12, 570-576.	2.7	259
7	Kidney outcomes associated with use of SGLT2 inhibitors in real-world clinical practice (CVD-REAL 3): a multinational observational cohort study. Lancet Diabetes and Endocrinology,the, 2020, 8, 27-35.	11.4	215
8	Incidence of chronic atrial fibrillation in general practice and its treatment pattern. Journal of Clinical Epidemiology, 2002, 55, 358-363.	5.0	186
9	Selective Serotonin Reuptake Inhibitors and the Risk of Stroke. Stroke, 2002, 33, 1465-1473.	2.0	133
10	Incidence of serious upper gastrointestinal bleeding/perforation in the general population:. Journal of Clinical Epidemiology, 2002, 55, 157-163.	5.0	131
11	Chest pain in general practice: incidence, comorbidity and mortality. Family Practice, 2006, 23, 167-174.	1.9	131
12	Nonsteroidal Antiinflammatory Drugs as a Trigger of Clinical Heart Failure. Epidemiology, 2003, 14, 240-246.	2.7	125
13	Risk of Uncomplicated Peptic Ulcer among Users of Aspirin and Nonaspirin Nonsteroidal Antiinflammatory Drugs. American Journal of Epidemiology, 2004, 159, 23-31.	3.4	120
14	Use of Acid-Suppressing Drugs and the Risk of Bacterial Gastroenteritis. Clinical Gastroenterology and Hepatology, 2007, 5, 1418-1423.	4.4	118
15	Predictors and prognosis of paroxysmal atrial fibrillation in general practice in the UK. BMC Cardiovascular Disorders, 2005, 5, 20.	1.7	97
16	Incidence of newly diagnosed heart failure in UK general practice. European Journal of Heart Failure, 2001, 3, 225-231.	7.1	80
17	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. Lancet Diabetes and Endocrinology,the, 2020, 8, 606-615.	11.4	67
18	Long-term Use of Anti-inflammatory Drugs and Risk of Atrial Fibrillation. Archives of Internal Medicine, 2010, 170, 1450-5.	3.8	62

#	Article	IF	CITATIONS
19	Dyspepsia in general practice: incidence, risk factors, comorbidity and mortality. Family Practice, 2007, 24, 403-411.	1.9	46
20	NSAID Use Selectively Increases the Risk of Non-Fatal Myocardial Infarction: A Systematic Review of Randomised Trials and Observational Studies. PLoS ONE, 2011, 6, e16780.	2.5	46
21	Risk of mortality in a cohort of patients newly diagnosed with chronic atrial fibrillation. BMC Cardiovascular Disorders, 2002, 2, 5.	1.7	39
22	The ever growing story of cyclo-oxygenase inhibition. Lancet, The, 2006, 368, 1745-1747.	13.7	30
23	Risk of cardiovascular and cerebrovascular events after atrial fibrillation diagnosis. International Journal of Cardiology, 2009, 136, 186-192.	1.7	28
24	Cardiovascular outcomes with sodium–glucose cotransporter-2 inhibitors vs other glucose-lowering drugs in 13 countries across three continents: analysis of CVD-REAL data. Cardiovascular Diabetology, 2021, 20, 159.	6.8	15
25	Risk of Cerebrovascular Accident After a First Diagnosis of Atrial Fibrillation. Clinical Cardiology, 2007, 30, 624-628.	1.8	9
26	Antidepressant drug use and subdural hematoma risk. Journal of Thrombosis and Haemostasis, 2020, 18, 318-327.	3.8	8
27	Gender and drug treatment as determinants of mortality in a cohort of heart failure patients. European Journal of Epidemiology, 2001, 17, 329-335.	5.7	5