

Micheal Raad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11892873/publications.pdf>

Version: 2024-02-01

42
papers

509
citations

687363

13
h-index

794594

19
g-index

44
all docs

44
docs citations

44
times ranked

640
citing authors

#	ARTICLE	IF	CITATIONS
1	Using Predictive Modeling and Supervised Machine Learning to Identify Patients at Risk for Venous Thromboembolism Following Posterior Lumbar Fusion. <i>Global Spine Journal</i> , 2023, 13, 1097-1103.	2.3	8
2	Presence and Severity of Mental Illness Is Associated With Increased Risk of Postoperative Emergency Visits, Readmission, and Reoperation Following Outpatient ACDF: A National Database Analysis. <i>Global Spine Journal</i> , 2023, 13, 1267-1272.	2.3	4
3	Do Disparities in Wait Times to Operative Fixation for Pathologic Fractures of the Long Bones and 30-day Complications Exist Between Black and White Patients? A Study Using the NSQIP Database. <i>Clinical Orthopaedics and Related Research</i> , 2022, 480, 57-63.	1.5	9
4	Growing Racial Disparities in the Utilization of Adult Spinal Deformity Surgery. <i>Spine</i> , 2022, 47, E283-E289.	2.0	10
5	The BTK Safety Score: A Novel Scoring System for Risk Stratifying Patients Undergoing Simultaneous Bilateral Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2022, , .	1.6	1
6	The CARDE-B Scoring System Predicts 30-Day Mortality After Revision Total Joint Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 424-431.	3.0	6
7	Caudally directed upper-instrumented vertebra pedicle screws associated with minimized risk of proximal junctional failure in patients with long posterior spinal fusion for adult spinal deformity. <i>Spine Journal</i> , 2021, 21, 1072-1079.	1.3	5
8	Persistent sleep disturbance after spine surgery is associated with failure to achieve meaningful improvements in pain and health-related quality of life. <i>Spine Journal</i> , 2021, 21, 1325-1331.	1.3	8
9	How is staging of ALIF following posterior spinal arthrodesis to the pelvis related to functional improvement in patients with adult spinal deformity?. <i>Spine Deformity</i> , 2021, 9, 1085-1091.	1.5	2
10	Using Predictive Modeling and Machine Learning to Identify Patients Appropriate for Outpatient Anterior Cervical Fusion and Discectomy. <i>Spine</i> , 2021, 46, 665-670.	2.0	14
11	Chronic opioid use following anterior cervical discectomy and fusion surgery for degenerative cervical pathology. <i>Spine Journal</i> , 2020, 20, 78-86.	1.3	29
12	Outcomes Following Posterior Lumbar Fusion in Patients with Polycythemia Vera. <i>World Neurosurgery</i> , 2020, 134, e372-e378.	1.3	2
13	Solid Organ Transplant Is Associated With Increased Morbidity and Mortality in Patients Undergoing One or Two-level Anterior Cervical Decompression and Fusion. <i>Spine</i> , 2020, 45, 158-162.	2.0	2
14	Opioid Prescribing Trends and Geographic Variation After Anterior Cruciate Ligament Reconstruction. <i>Sports Health</i> , 2020, 12, 528-533.	2.7	10
15	Costâ€Utility Analysis of rhBMP-2 Use in Adult Spinal Deformity Surgery. <i>Spine</i> , 2020, 45, 1009-1015.	2.0	28
16	Opioid Prescriptions for New Low Back Pain: Trends and Variability by State. <i>Journal of the American Board of Family Medicine</i> , 2020, 33, 138-142.	1.5	14
17	<i>Clostridium difficile</i> Infection Following Spine Surgery. <i>Spine</i> , 2020, 45, 1572-1579.	2.0	9
18	Opioid prescribing practices after posterior spinal arthrodesis for adolescent idiopathic scoliosis. <i>Spine Deformity</i> , 2020, 8, 965-973.	1.5	5

#	ARTICLE	IF	CITATIONS
19	Are preoperative depression and anxiety associated with patient-reported outcomes, health care payments, and opioid use after anterior discectomy and fusion?. Spine Journal, 2020, 20, 1167-1175.	1.3	30
20	Cryoballoon ablation for gastric pouch and/or outlet reduction in patients with weight regain post Roux-en-Y gastric bypass. Endoscopy, 2020, 52, 227-230.	1.8	13
21	Factors associated with extended length of stay in patients undergoing posterior spinal fusion for adolescent idiopathic scoliosis. Spine Deformity, 2020, 8, 187-193.	1.5	7
22	Preoperative functional status predicts outcomes after total shoulder arthroplasty. Seminars in Arthroplasty, 2020, 30, 340-345.	0.7	4
23	Opioids and Spinal Cord Stimulators: Pre- and Postoperative Opioid Use Patterns and Predictors of Prolonged Postoperative Opioid Use. Neurospine, 2020, 17, 246-253.	2.9	16
24	Racial Disparity in Time to Surgery and Complications for Hip Fracture Patients. Clinics in Orthopedic Surgery, 2020, 12, 430.	2.2	33
25	Demographic Trends in Paddle Lead Spinal Cord Stimulator Placement: Private Insurance and Medicare Beneficiaries. Neurospine, 2020, 17, 384-389.	2.9	5
26	Chronic Opioid Use Following Lumbar Discectomy: Prevalence, Risk Factors, and Current Trends in the United States. Neurospine, 2020, 17, 879-887.	2.9	4
27	Healing of Pathologic Humeral Fractures in Patients with Metastatic Disease: Consideration for Operative Fixation in Patients. Journal of Surgical Orthopaedic Advances, 2020, 29, 177-181.	0.1	0
28	Risk factors for nonroutine discharge in adult spinal deformity surgery. Spine Journal, 2019, 19, 357-363.	1.3	12
29	The learning curve for performing three-column osteotomies in adult spinal deformity patients: one surgeon's experience with 197 cases. Spine Journal, 2019, 19, 1926-1933.	1.3	11
30	Diagnostic Imaging Use for the Initial Evaluation of Low Back Pain by Primary Care Providers in the United States: 2011-2016. Journal of the American College of Radiology, 2019, 16, 1522-1527.	1.8	8
31	Sacropelvic Fixation: A Comprehensive Review. Spine Deformity, 2019, 7, 509-516.	1.5	21
32	A Real-World, Insurance-Based Algorithm Using the Two-Fold Running Suture Technique for Transoral Outlet Reduction for Weight Regain and Dumping Syndrome After Roux-En-Y Gastric Bypass. Obesity Surgery, 2019, 29, 2225-2232.	2.1	15
33	Pediatric Gartland Type-IV Supracondylar Humeral Fractures Have Substantial Overlap with Flexion-Type Fractures. Journal of Bone and Joint Surgery - Series A, 2019, 101, 1351-1356.	3.0	18
34	Trends in Treatment of Scheuermann Kyphosis: A Study of 1,070 Cases From 2003 to 2012. Spine Deformity, 2019, 7, 100-106.	1.5	14
35	Multilevel Arthrodesis for Adult Spinal Deformity: When Should We Anticipate Major Blood Loss?. Spine Deformity, 2019, 7, 141-145.	1.5	12
36	Fragility Fracture Risk in Elderly Patients With Cervical Myelopathy. Spine, 2019, 44, 96-102.	2.0	8

#	ARTICLE	IF	CITATIONS
37	Preoperative Patient Functional Status Is an Independent Predictor of Outcomes After Primary Total Hip Arthroplasty. <i>Orthopedics</i> , 2019, 42, e326-e330.	1.1	14
38	Association of Patient-Reported Narcotic Use With Short- and Long-Term Outcomes After Adult Spinal Deformity Surgery. <i>Spine</i> , 2018, 43, 1340-1346.	2.0	13
39	Increasing Body Mass Index is Associated With Worse Perioperative Outcomes and Higher Costs in Adult Spinal Deformity Surgery. <i>Spine</i> , 2018, 43, 693-698.	2.0	15
40	Prior bariatric surgery lowers complication rates following spine surgery in obese patients. <i>Acta Neurochirurgica</i> , 2018, 160, 2459-2465.	1.7	21
41	Clinical Impact and Economic Burden of Hospital-Acquired Conditions Following Common Surgical Procedures. <i>Spine</i> , 2018, 43, E1358-E1363.	2.0	27
42	Trends in isolated lumbar spinal stenosis surgery among working US adults aged 40â€“64 years, 2010â€“2014. <i>Journal of Neurosurgery: Spine</i> , 2018, 29, 169-175.	1.7	20