

Elon Eisenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11912911/publications.pdf>

Version: 2024-02-01

38
papers

5,295
citations

172457

29
h-index

345221

36
g-index

39
all docs

39
docs citations

39
times ranked

4088
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Opioids for neuropathic pain. The Cochrane Library, 2019, 2019, CD006146. | 2.8 | 196 |
| 2 | The relationship between sensitivity to pain and conditioned pain modulation in healthy people. Neuroscience Letters, 2019, 708, 134333. | 2.1 | 9 |
| 3 | Spinal cord stimulation attenuates temporal summation in patients with neuropathic pain. Pain, 2015, 156, 381-385. | 4.2 | 40 |
| 4 | Oxycodone alters temporal summation but not conditioned pain modulation: Preclinical findings and possible relations to mechanisms of opioid analgesia. Pain, 2013, 154, 1413-1418. | 4.2 | 31 |
| 5 | European Pain Management Discussion Forum. Journal of Pain and Palliative Care Pharmacotherapy, 2011, 25, 294-295. | 0.8 | 0 |
| 6 | Predicting the analgesic effect to oxycodone by "static" and "dynamic" quantitative sensory testing in healthy subjects. Pain, 2010, 151, 104-109. | 4.2 | 72 |
| 7 | Factors affecting " And relationships between " Different modes of endogenous pain modulation in healthy volunteers. European Journal of Pain, 2010, 14, 608-614. | 2.8 | 47 |
| 8 | European Perspectives on Pain & Palliative Care. Journal of Pain and Palliative Care Pharmacotherapy, 2009, 23, 282-289. | 0.8 | 1 |
| 9 | Quality of life, resource consumption and costs of spinal cord stimulation versus conventional medical management in neuropathic pain patients with failed back surgery syndrome (PROCESS trial). European Journal of Pain, 2008, 12, 1047-1058. | 2.8 | 185 |
| 10 | Oxycodone: a review of its use in the management of pain. Current Medical Research and Opinion, 2008, 24, 175-192. | 1.9 | 123 |
| 11 | Voltage-gated sodium channel expression in rat and human epidermal keratinocytes: Evidence for a role in pain. Pain, 2008, 139, 90-105. | 4.2 | 153 |
| 12 | Serum and salivary oxidative analysis in Complex Regional Pain Syndrome. Pain, 2008, 138, 226-232. | 4.2 | 67 |
| 13 | Oral opioid use alters DNIC but not cold pain perception in patients with chronic pain " New perspective of opioid-induced hyperalgesia. Pain, 2008, 139, 431-438. | 4.2 | 128 |
| 14 | Prediction of chronic post-operative pain: Pre-operative DNIC testing identifies patients at risk. Pain, 2008, 138, 22-28. | 4.2 | 650 |
| 15 | European Pain Management Discussion Forum. Journal of Pain and Palliative Care Pharmacotherapy, 2008, 22, 235-238. | 0.8 | 2 |
| 16 | International Perspectives on Pain and Palliative Care. Journal of Pain and Palliative Care Pharmacotherapy, 2008, 22, 327-332. | 0.8 | 0 |
| 17 | THE EFFECTS OF SPINAL CORD STIMULATION IN NEUROPATHIC PAIN ARE SUSTAINED. Neurosurgery, 2008, 63, 762-770. | 1.1 | 584 |
| 18 | Spinal cord stimulation versus conventional medical management for neuropathic pain: A multicentre randomised controlled trial in patients with failed back surgery syndrome. Pain, 2007, 132, 179-188. | 4.2 | 944 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Effect of Early Administration of the N-Methyl-D-Aspartate Receptor Antagonist Amantadine on the Development of Postmastectomy Pain Syndrome: A Prospective Pilot Study. <i>Journal of Pain</i> , 2007, 8, 223-229. | 1.4 | 37 |
| 20 | Antiepileptic Drugs in the Treatment of Neuropathic Pain. <i>Drugs</i> , 2007, 67, 1265-1289. | 10.9 | 121 |
| 21 | Pharmacotherapy options for complex regional pain syndrome. <i>Expert Review of Neurotherapeutics</i> , 2007, 7, 521-531. | 2.8 | 16 |
| 22 | Opioids for neuropathic pain. , 2006, , CD006146. | | 93 |
| 23 | Opioids and abnormal pain perception: New evidence from a study of chronic opioid addicts and healthy subjects. <i>Drug and Alcohol Dependence</i> , 2006, 82, 218-223. | 3.2 | 142 |
| 24 | Pathologic alterations of cutaneous innervation and vasculature in affected limbs from patients with complex regional pain syndrome. <i>Pain</i> , 2006, 120, 244-266. | 4.2 | 242 |
| 25 | Response to Editorial on Albrecht et al. (2006). <i>Pain</i> , 2006, 123, 217. | 4.2 | 66 |
| 26 | Spinal Cord Stimulation vs. Conventional Medical Management: A Prospective, Randomized, Controlled, Multicenter Study of Patients with Failed Back Surgery Syndrome (PROCESS Study). <i>Neuromodulation</i> , 2005, 8, 213-218. | 0.8 | 151 |
| 27 | Oral opioid administration and hyperalgesia in patients with cancer or chronic nonmalignant pain. <i>British Journal of Clinical Pharmacology</i> , 2005, 60, 311-318. | 2.4 | 51 |
| 28 | Efficacy and Safety of Opioid Agonists in the Treatment of Neuropathic Pain of Nonmalignant Origin. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 3043. | 7.4 | 363 |
| 29 | Evidence for cortical hyperexcitability of the affected limb representation area in CRPS: a psychophysical and transcranial magnetic stimulation study. <i>Pain</i> , 2005, 113, 99-105. | 4.2 | 135 |
| 30 | Asymmetric impairment of cortical excitability in CRPS. <i>Pain</i> , 2005, 115, 220-221. | 4.2 | 2 |
| 31 | Can coadministration of oxycodone and morphine produce analgesic synergy in humans? An experimental cold pain study. <i>British Journal of Clinical Pharmacology</i> , 2004, 58, 235-242. | 2.4 | 40 |
| 32 | Post-surgical neuralgia. <i>Pain</i> , 2004, 111, 3-7. | 4.2 | 47 |
| 33 | Lamotrigine for intractable sciatica: correlation between dose, plasma concentration and analgesia. <i>European Journal of Pain</i> , 2003, 7, 485-491. | 2.8 | 28 |
| 34 | Prevalence and characteristics of post coronary artery bypass graft surgery pain (PCP). <i>Pain</i> , 2001, 92, 11-17. | 4.2 | 131 |
| 35 | Can patients with chronic neuropathic pain be cured by acute administration of the NMDA receptor antagonist amantadine?. <i>Pain</i> , 1998, 74, 337-339. | 4.2 | 54 |
| 36 | The NMDA receptor antagonist amantadine reduces surgical neuropathic pain in cancer patients: a double blind, randomized, placebo controlled trial. <i>Pain</i> , 1998, 75, 349-354. | 4.2 | 137 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The clinically tested N-methyl-d-aspartate receptor antagonist memantine blocks and reverses thermal hyperalgesia in a rat model of painful mononeuropathy. <i>Neuroscience Letters</i> , 1995, 187, 17-20. | 2.1 | 100 |
| 38 | The NMDA antagonist memantine blocks pain behavior in a rat model of formalin-induced facial pain. <i>Pain</i> , 1993, 54, 301-307. | 4.2 | 90 |