
Peng Zhong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11914959/publications.pdf Version: 2024-02-01



PENC 7HONC

#	Article	IF	CITATIONS
1	A common hub for sleep and motor control in the substantia nigra. Science, 2020, 367, 440-445.	12.6	86
2	Control of Non-REM Sleep by Midbrain Neurotensinergic Neurons. Neuron, 2019, 104, 795-809.e6.	8.1	43
3	Sleep Regulation by Neurotensinergic Neurons in a Thalamo-Amygdala Circuit. Neuron, 2019, 103, 323-334.e7.	8.1	43
4	An Excitatory Circuit in the Perioculomotor Midbrain for Non-REM Sleep Control. Cell, 2019, 177, 1293-1307.e16.	28.9	54
5	Reciprocal control of excitatory synapse numbers by Wnt and Wnt inhibitor PRR7 secreted on exosomes. Nature Communications, 2018, 9, 3434.	12.8	42
6	HCN2 channels in the ventral tegmental area regulate behavioral responses to chronic stress. ELife, 2018, 7, .	6.0	55
7	PDE4 Inhibition Restores the Balance Between Excitation and Inhibition in VTA Dopamine Neurons Disrupted by Repeated In Vivo Cocaine Exposure. Neuropsychopharmacology, 2017, 42, 1991-1999.	5.4	16
8	ldentification of preoptic sleep neurons using retrograde labelling and gene profiling. Nature, 2017, 545, 477-481.	27.8	246
9	Blockade of 2â€arachidonoylglycerol hydrolysis produces antidepressantâ€like effects and enhances adult hippocampal neurogenesis and synaptic plasticity. Hippocampus, 2015, 25, 16-26.	1.9	73
10	BDNF Interacts with Endocannabinoids to Regulate Cocaine-Induced Synaptic Plasticity in Mouse Midbrain Dopamine Neurons. Journal of Neuroscience, 2015, 35, 4469-4481.	3.6	40
11	Metabolic Interplay between Astrocytes and Neurons Regulates Endocannabinoid Action. Cell Reports, 2015, 12, 798-808.	6.4	84
12	Basal forebrain circuit for sleep-wake control. Nature Neuroscience, 2015, 18, 1641-1647.	14.8	405
13	High mobility group A1 expression shows negative correlation with recurrence time in patients with glioblastoma multiforme. Pathology Research and Practice, 2015, 211, 596-600.	2.3	9
14	CaMKII Activity in the Ventral Tegmental Area Gates Cocaine-Induced Synaptic Plasticity in the Nucleus Accumbens. Neuropsychopharmacology, 2014, 39, 989-999.	5.4	28
15	Cyclin-Dependent Kinase 5 in the Ventral Tegmental Area Regulates Depression-Related Behaviors. Journal of Neuroscience, 2014, 34, 6352-6366.	3.6	46
16	Monoacylglycerol Lipase Inhibition Blocks Chronic Stress-Induced Depressive-Like Behaviors via Activation of mTOR Signaling. Neuropsychopharmacology, 2014, 39, 1763-1776.	5.4	109
17	Metabotropic Glutamate Receptor I (mGluR1) Antagonism Impairs Cocaine-Induced Conditioned Place Preference via Inhibition of Protein Synthesis. Neuropsychopharmacology, 2013, 38, 1308-1321.	5.4	45
18	Phosphodiesterase 4 Inhibition Impairs Cocaine-Induced Inhibitory Synaptic Plasticity and Conditioned Place Preference. Neuropsychopharmacology, 2012, 37, 2377-2387.	5.4	34

Peng Zhong

#	Article	IF	CITATIONS
19	Genetic deletion of monoacylglycerol lipase alters endocannabinoidâ€mediated retrograde synaptic depression in the cerebellum. Journal of Physiology, 2011, 589, 4847-4855.	2.9	54
20	Alterations of Endocannabinoid Signaling, Synaptic Plasticity, Learning, and Memory in Monoacylglycerol Lipase Knock-out Mice. Journal of Neuroscience, 2011, 31, 13420-13430.	3.6	129
21	Extracellular Signal-Regulated Kinase Signaling in the Ventral Tegmental Area Mediates Cocaine-Induced Synaptic Plasticity and Rewarding Effects. Journal of Neuroscience, 2011, 31, 11244-11255.	3.6	56