

Jann N Sarkaria

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1191913/publications.pdf>

Version: 2024-02-01

172
papers

13,697
citations

50276

46
h-index

23533

111
g-index

174
all docs

174
docs citations

174
times ranked

19144
citing authors

#	ARTICLE	IF	CITATIONS
1	Preclinical modeling in glioblastoma patient-derived xenograft (GBM PDX) xenografts to guide clinical development of lisavanbulinâ€”a novel tumor checkpoint controller targeting microtubules. <i>Neuro-Oncology</i> , 2022, 24, 384-395.	1.2	7
2	Matrix Hyaluronic Acid and Hypoxia Influence a CD133 ⁺ Subset of Patient-Derived Glioblastoma Cells. <i>Tissue Engineering - Part A</i> , 2022, 28, 330-340.	3.1	3
3	Multimodal platform for assessing drug distribution and response in clinical trials. <i>Neuro-Oncology</i> , 2022, 24, 64-77.	1.2	4
4	massNet: integrated processing and classification of spatially resolved mass spectrometry data using deep learning for rapid tumor delineation. <i>Bioinformatics</i> , 2022, 38, 2015-2021.	4.1	13
5	The influence of the bloodâ€”brain barrier in the treatment of brain tumours. <i>Journal of Internal Medicine</i> , 2022, 292, 3-30.	6.0	23
6	RBBP4-p300 axis modulates expression of genes essential for cell survival and is a potential target for therapy in glioblastoma. <i>Neuro-Oncology</i> , 2022, 24, 1261-1272.	1.2	6
7	Central Nervous System Delivery of the Catalytic Subunit of DNA-Dependent Protein Kinase Inhibitor Peposertib as Radiosensitizer for Brain Metastases. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2022, 381, 217-228.	2.5	7
8	Factors Influencing Luciferase-Based Bioluminescent Imaging in Preclinical Models of Brain Tumor. <i>Drug Metabolism and Disposition</i> , 2022, 50, 277-286.	3.3	6
9	Selective Vulnerability of Senescent Glioblastoma Cells to BCL-XL Inhibition. <i>Molecular Cancer Research</i> , 2022, 20, 938-948.	3.4	22
10	Overcoming differential tumor penetration of BRAF inhibitors using computationally guided combination therapy. <i>Science Advances</i> , 2022, 8, eabl6339.	10.3	6
11	IL-13R α 2 Status Predicts GB-13 (IL13.E13K-PE4E) Efficacy in High-Grade Glioma. <i>Pharmaceutics</i> , 2022, 14, 922.	4.5	4
12	Detection of temozolomide-induced hypermutation and response to PD-1 checkpoint inhibitor in recurrent glioblastoma. <i>Neuro-Oncology Advances</i> , 2022, 4, .	0.7	6
13	Characterization of Transgenic NSG-SGM3 Mouse Model of Precision Radiation-Induced Chronic Hyposalivation. <i>Radiation Research</i> , 2022, 198, .	1.5	2
14	Phage Particles of Controlled Length and Genome for <i>In Vivo</i> Targeted Glioblastoma Imaging and Therapeutic Delivery. <i>ACS Nano</i> , 2022, 16, 11676-11691.	14.6	19
15	Inhibition of ATM Induces Hypersensitivity to Proton Irradiation by Upregulating Toxic End Joining. <i>Cancer Research</i> , 2021, 81, 3333-3346.	0.9	16
16	<i>In Vivo</i> Efficacy of Tesevatinib in EGFR-Amplified Patient-Derived Xenograft Glioblastoma Models May Be Limited by Tissue Binding and Compensatory Signaling. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1009-1018.	4.1	11
17	EGFRvIII tumorigenicity requires PDGFRA co-signaling and reveals therapeutic vulnerabilities in glioblastoma. <i>Oncogene</i> , 2021, 40, 2682-2696.	5.9	9
18	Nanocell-mediated delivery of miR-34a counteracts temozolomide resistance in glioblastoma. <i>Molecular Medicine</i> , 2021, 27, 28.	4.4	8

#	ARTICLE	IF	CITATIONS
19	Quantitative Analysis of Tyrosine Phosphorylation from FFPE Tissues Reveals Patient-Specific Signaling Networks. <i>Cancer Research</i> , 2021, 81, 3930-3941.	0.9	16
20	Heterogeneous delivery across the blood-brain barrier limits the efficacy of an EGFR-targeting antibody drug conjugate in glioblastoma. <i>Neuro-Oncology</i> , 2021, 23, 2042-2053.	1.2	37
21	Efflux Limits Tumor Drug Delivery Despite Disrupted BBB. <i>Trends in Pharmacological Sciences</i> , 2021, 42, 426-428.	8.7	9
22	Macropinocytosis requires Gal-3 in a subset of patient-derived glioblastoma stem cells. <i>Communications Biology</i> , 2021, 4, 718.	4.4	14
23	Experimental Design of Preclinical Experiments: Number of PDX Lines versus Subsampling within PDX Lines. <i>Neuro-Oncology</i> , 2021, 23, 2066-2075.	1.2	1
24	Initial Results of a Phase 2 Trial of 18F-DOPA PET-Guided Dose-Escalated Radiation Therapy for Glioblastoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 1383-1395.	0.8	31
25	TOP2B Enzymatic Activity on Promoters and Introns Modulates Multiple Oncogenes in Human Gliomas. <i>Clinical Cancer Research</i> , 2021, 27, 5669-5680.	7.0	4
26	Preclinical Risk Evaluation of Normal Tissue Injury With Novel Radiosensitizers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, e54-e62.	0.8	7
27	Changes in the vasculature of human brain tumors: Implications for treatment. <i>Neuro-Oncology</i> , 2021, 23, 1995-1997.	1.2	2
28	Peak learning of mass spectrometry imaging data using artificial neural networks. <i>Nature Communications</i> , 2021, 12, 5544.	12.8	43
29	Brain Distribution of Berzosertib: An Ataxia Telangiectasia and Rad3-Related Protein Inhibitor for the Treatment of Glioblastoma. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 379, 343-357.	2.5	7
30	Methods for intratumoral microdialysis probe targeting and validation in murine brain tumor models. <i>Journal of Neuroscience Methods</i> , 2021, 363, 109321.	2.5	3
31	Moving Beyond the Standard of Care: Accelerate Testing of Radiation-Drug Combinations. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 1131-1139.	0.8	5
32	Protein kinase C δ and SRC signaling define reciprocally related subgroups of glioblastoma with distinct therapeutic vulnerabilities. <i>Cell Reports</i> , 2021, 37, 110054.	6.4	6
33	The novel BET inhibitor UM-002 reduces glioblastoma cell proliferation and invasion. <i>Scientific Reports</i> , 2021, 11, 23370.	3.3	14
34	Patient-derived xenografts of central nervous system metastasis reveal expansion of aggressive minor clones. <i>Neuro-Oncology</i> , 2020, 22, 70-83.	1.2	12
35	Attenuating hypoxia driven malignant behavior in glioblastoma with a novel hypoxia-inducible factor 2 alpha inhibitor. <i>Scientific Reports</i> , 2020, 10, 15195.	3.3	19
36	ST3GAL1 is a target of the SOX2-GLI1 transcriptional complex and promotes melanoma metastasis through AXL. <i>Nature Communications</i> , 2020, 11, 5865.	12.8	54

#	ARTICLE	IF	CITATIONS
37	Crosstalk between microglia and patient-derived glioblastoma cells inhibit invasion in a three-dimensional gelatin hydrogel model. Journal of Neuroinflammation, 2020, 17, 346.	7.2	21
38	Targeting the RhoGEF Î²PIX/COOL-1 in Glioblastoma: Proof of Concept Studies. Cancers, 2020, 12, 3531.	3.7	4
39	Purine metabolism regulates DNA repair and therapy resistance in glioblastoma. Nature Communications, 2020, 11, 3811.	12.8	103
40	Expression of the Androgen Receptor Governs Radiation Resistance in a Subset of Glioblastomas Vulnerable to Antiandrogen Therapy. Molecular Cancer Therapeutics, 2020, 19, 2163-2174.	4.1	17
41	Quantifying Glioblastoma Drug Response Dynamics Incorporating Treatment Sensitivity and Blood Brain Barrier Penetrance From Experimental Data. Frontiers in Physiology, 2020, 11, 830.	2.8	8
42	Addressing BBB Heterogeneity: A New Paradigm for Drug Delivery to Brain Tumors. Pharmaceutics, 2020, 12, 1205.	4.5	31
43	Semaphorin 3A mediated brain tumor stem cell proliferation and invasion in EGFRviii mutant gliomas. BMC Cancer, 2020, 20, 1213.	2.6	17
44	Brain metastases-derived extracellular vesicles induce binding and aggregation of low-density lipoprotein. Journal of Nanobiotechnology, 2020, 18, 162.	9.1	45
45	Radiation Induced Metabolic Alterations Associate With Tumor Aggressiveness and Poor Outcome in Glioblastoma. Frontiers in Oncology, 2020, 10, 535.	2.8	22
46	Enhancing Brain Retention of a KIF11 Inhibitor Significantly Improves its Efficacy in a Mouse Model of Glioblastoma. Scientific Reports, 2020, 10, 6524.	3.3	20
47	Comments on: "Synergistic activity of mTORC1/2 kinase and MEK inhibitors suppresses pediatric low-grade glioma tumorigenicity and vascularity" Neuro-Oncology, 2020, 22, 1404-1405.	1.2	0
48	Localized Metabolomic Gradients in Patient-Derived Xenograft Models of Glioblastoma. Cancer Research, 2020, 80, 1258-1267.	0.9	67
49	Genomic and Phenotypic Characterization of a Broad Panel of Patient-Derived Xenografts Reflects the Diversity of Glioblastoma. Clinical Cancer Research, 2020, 26, 1094-1104.	7.0	124
50	Image-based metric of invasiveness predicts response to adjuvant temozolomide for primary glioblastoma. PLoS ONE, 2020, 15, e0230492.	2.5	10
51	Title is missing!. , 2020, 15, e0230492.		0
52	Title is missing!. , 2020, 15, e0230492.		0
53	Title is missing!. , 2020, 15, e0230492.		0
54	Title is missing!. , 2020, 15, e0230492.		0

#	ARTICLE	IF	CITATIONS
55	Hyaluronic acid-functionalized gelatin hydrogels reveal extracellular matrix signals temper the efficacy of erlotinib against patient-derived glioblastoma specimens. <i>Biomaterials</i> , 2019, 219, 119371.	11.4	34
56	Molecular profiling of long-term IDH-wildtype glioblastoma survivors. <i>Neuro-Oncology</i> , 2019, 21, 1458-1469.	1.2	47
57	Efficacy of EGFR plus TNF inhibition in a preclinical model of temozolomide-resistant glioblastoma. <i>Neuro-Oncology</i> , 2019, 21, 1529-1539.	1.2	21
58	The medical necessity of advanced molecular testing in the diagnosis and treatment of brain tumor patients. <i>Neuro-Oncology</i> , 2019, 21, 1498-1508.	1.2	49
59	Temozolomide Sensitizes MGMT-Deficient Tumor Cells to ATR Inhibitors. <i>Cancer Research</i> , 2019, 79, 4331-4338.	0.9	44
60	Brain Distributional Kinetics of a Novel MDM2 Inhibitor SAR405838: Implications for Use in Brain Tumor Therapy. <i>Drug Metabolism and Disposition</i> , 2019, 47, 1403-1414.	3.3	13
61	Inhibition of phosphatidylinositol 3-kinase by PX-866 suppresses temozolomide-induced autophagy and promotes apoptosis in glioblastoma cells. <i>Molecular Medicine</i> , 2019, 25, 49.	4.4	27
62	Estrogen-related receptor β^2 activation and isoform shifting by cdc2-like kinase inhibition restricts migration and intracranial tumor growth in glioblastoma. <i>FASEB Journal</i> , 2019, 33, 13476-13491.	0.5	19
63	Brain Distribution of a Panel of Epidermal Growth Factor Receptor Inhibitors Using Cassette Dosing in Wild-Type and <i>Abcb1/Abcg2</i> -Deficient Mice. <i>Drug Metabolism and Disposition</i> , 2019, 47, 393-404.	3.3	38
64	Xenograft-based, platform-independent gene signatures to predict response to alkylating chemotherapy, radiation, and combination therapy for glioblastoma. <i>Neuro-Oncology</i> , 2019, 21, 1141-1149.	1.2	17
65	Fluorescent reporter assays provide direct, accurate, quantitative measurements of MGMT status in human cells. <i>PLoS ONE</i> , 2019, 14, e0208341.	2.5	15
66	Pathogenic Germ Line Variants in a Patient With Severe Toxicity From Breast Radiotherapy. <i>Clinical Breast Cancer</i> , 2019, 19, e400-e405.	2.4	1
67	Automatic 3D Nonlinear Registration of Mass Spectrometry Imaging and Magnetic Resonance Imaging Data. <i>Analytical Chemistry</i> , 2019, 91, 6206-6216.	6.5	45
68	Imaging and Dosimetry Study of Inter-fraction Setup Error in a Murine Xenograft Flank Tumor Radiation Model. <i>Radiation Research</i> , 2019, 193, 161.	1.5	4
69	ENvironmental Dynamics Underlying Responsive Extreme Survivors (ENDURES) of Glioblastoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2019, 42, 655-661.	1.3	3
70	Editorial: Targeted Therapies for Glioblastoma: A Critical Appraisal. <i>Frontiers in Oncology</i> , 2019, 9, 1216.	2.8	9
71	Quantifying the setup uncertainty of a stereotactic murine micro-image guided radiation therapy system. <i>British Journal of Radiology</i> , 2019, 92, 20180487.	2.2	9
72	Brain Distribution and Active Efflux of Three panRAF Inhibitors: Considerations in the Treatment of Melanoma Brain Metastases. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 368, 446-461.	2.5	15

#	ARTICLE	IF	CITATIONS
73	Methylation-dependent Tissue Factor Suppression Contributes to the Reduced Malignancy of IDH1-mutant Gliomas. <i>Clinical Cancer Research</i> , 2019, 25, 747-759.	7.0	35
74	Molecular and Structural Traits of Insulin Receptor Substrate 1/LC3 Nuclear Structures and Their Role in Autophagy Control and Tumor Cell Survival. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	5
75	Combining precision radiotherapy with molecular targeting and immunomodulatory agents: a guideline by the American Society for Radiation Oncology. <i>Lancet Oncology</i> , The, 2018, 19, e240-e251.	10.7	108
76	Phase I/II trial of vorinostat combined with temozolomide and radiation therapy for newly diagnosed glioblastoma: results of Alliance N0874/ABTC 02. <i>Neuro-Oncology</i> , 2018, 20, 546-556.	1.2	93
77	Brain Distribution of a Novel MEK Inhibitor E6201: Implications in the Treatment of Melanoma Brain Metastases. <i>Drug Metabolism and Disposition</i> , 2018, 46, 658-666.	3.3	24
78	Pharmacokinetic Assessment of Cooperative Efflux of the Multitargeted Kinase Inhibitor Ponatinib Across the Blood-Brain Barrier. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 365, 249-261.	2.5	30
79	Phase 1/2 trial of temsirolimus and sorafenib in the treatment of patients with recurrent glioblastoma: North Central Cancer Treatment Group Study/Alliance N0572. <i>Cancer</i> , 2018, 124, 1455-1463.	4.1	41
80	Is the bloodâ€“brain barrier really disrupted in all glioblastomas? A critical assessment of existing clinical data. <i>Neuro-Oncology</i> , 2018, 20, 184-191.	1.2	443
81	RDNA-04. POTENTIAL MECHANISM OF TEMOZOLOMIDE-MEDIATED RADIO-SENSITIZATION IN MGMT HYPERMETHYLATED GLIOBLASTOMA CELLS. <i>Neuro-Oncology</i> , 2018, 20, vi222-vi222.	1.2	0
82	RTHP-02. IMPACT OF 18F-DOPA PET ON RADIOTHERAPY TARGET VOLUMES FOR NEWLY DIAGNOSED MGMT UNMETHYLATED GLIOBLASTOMA PATIENTS; PRELIMINARY RESULTS OF A PHASE II DOSE-ESCALATION TRIAL. <i>Neuro-Oncology</i> , 2018, 20, vi225-vi225.	1.2	1
83	TMOD-11. IMAGING BASED INVASION METRIC PREDICTIVE OF RESPONSE TO ABT414 IN ORTHOTOPIC EGFRviii AMPLIFIED PATIENT DERIVED XENOGRAPHS. <i>Neuro-Oncology</i> , 2018, 20, vi270-vi271.	1.2	0
84	RDNA-06. A NOVEL ROLE OF SGEF IN MEDIATING GBM CELL SURVIVAL BY MODULATING THE DNA DAMAGE REPAIR MECHANISM. <i>Neuro-Oncology</i> , 2018, 20, vi222-vi223.	1.2	0
85	GENE-20. A NOVEL K-M ENHANCER REGULATES TEMOZOLOMIDE RESISTANCE AND TUMOR GROWTH IN GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2018, 20, vi107-vi107.	1.2	0
86	TMIC-36. LOCAL TISSUE BIOMARKERS OF RESPONSE TO THERAPY FOR GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2018, 20, vi264-vi264.	1.2	0
87	DDIS-25. TARGETING GLIOBLASTOMA HETEROGENEITY WITH miR-34a. <i>Neuro-Oncology</i> , 2018, 20, vi74-vi74.	1.2	0
88	TMOD-18. THE PATIENT DERIVED XENOGRAFT NATIONAL RESOURCE: A COMPREHENSIVE COLLECTION OF HIGH-GRADE GLIOMA MODELS FOR PRE-CLINICAL AND TRANSLATIONAL STUDIES. <i>Neuro-Oncology</i> , 2018, 20, vi272-vi272.	1.2	0
89	DDIS-01. THE ANTIBODY-DRUG CONJUGATE ABT-414 DEMONSTRATES SINGLE-AGENT ANTI-CANCER ACTIVITY ACROSS A PANEL OF GBM PATIENT-DERIVED XENOGRAPHS. <i>Neuro-Oncology</i> , 2018, 20, vi69-vi69.	1.2	4
90	CADD-57. THE EFFICACY OF THERAPY WITH ABT-414, AN EGFR-TARGETING ADC, IS POTENTIALLY ALTERED BY HETEROZYGOUS DELETION OF THE ENDOCYTIC TRAFFICKING REGULATOR RBSN. <i>Neuro-Oncology</i> , 2018, 20, vi283-vi284.	1.2	0

#	ARTICLE	IF	CITATIONS
91	TMOD-07. LOCALIZATION OF ERLONIB RELATIVE TO MRI-BASED TUMOR EXTENT IN PDX GLIOBLASTOMA MODEL: TOWARDS A MATHEMATICAL MODEL FOR THE INTERFACE BETWEEN MRI AND DRUG DISTRIBUTION. <i>Neuro-Oncology</i> , 2018, 20, vi269-vi270.	1.2	1
92	Integrated mapping of pharmacokinetics and pharmacodynamics in a patient-derived xenograft model of glioblastoma. <i>Nature Communications</i> , 2018, 9, 4904.	12.8	62
93	DRES-17. ACTIVATION OF FGF SIGNALING PATHWAY CONFERS RESISTANCE TO EGFR INHIBITION IN GBM. <i>Neuro-Oncology</i> , 2018, 20, vi79-vi79.	1.2	0
94	ACTR-12. PRELIMINARY SAFETY AND EFFICACY OF A PHASE II TRIAL OF 18F-DOPA PET-GUIDED, DOSE-ESCALATED RADIOTHERAPY IN THE TREATMENT OF GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2018, 20, vi13-vi13.	1.2	2
95	Drug and disease signature integration identifies synergistic combinations in glioblastoma. <i>Nature Communications</i> , 2018, 9, 5315.	12.8	78
96	IGFBP6 controls the expansion of chemoresistant glioblastoma through paracrine IGF2/IGF-1R signaling. <i>Cell Communication and Signaling</i> , 2018, 16, 61.	6.5	20
97	ATR Inhibition Is a Promising Radiosensitizing Strategy for Triple-Negative Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 2462-2472.	4.1	59
98	Constitutive Interferon Pathway Activation in Tumors as an Efficacy Determinant Following Oncolytic Virotherapy. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1123-1132.	6.3	83
99	A novel enhancer regulates MGMT expression and promotes temozolomide resistance in glioblastoma. <i>Nature Communications</i> , 2018, 9, 2949.	12.8	183
100	Influence of Hyaluronic Acid Transitions in Tumor Microenvironment on Glioblastoma Malignancy and Invasive Behavior. <i>Frontiers in Materials</i> , 2018, 5, .	2.4	74
101	H3.3K27M mutant proteins reprogram epigenome by sequestering the PRC2 complex to poised enhancers. <i>ELife</i> , 2018, 7, .	6.0	72
102	Barriers to Effective Drug Treatment for Brain Metastases: A Multifactorial Problem in the Delivery of Precision Medicine. <i>Pharmaceutical Research</i> , 2018, 35, 177.	3.5	53
103	Distinctive epigenomes characterize glioma stem cells and their response to differentiation cues. <i>Genome Biology</i> , 2018, 19, 43.	8.8	81
104	Hypoxia-inducible factor 2Î±: a novel target in gliomas. <i>Future Medicinal Chemistry</i> , 2018, 10, 2227-2236.	2.3	28
105	A PDGFRÎ±-driven mouse model of glioblastoma reveals a stathmin1-mediated mechanism of sensitivity to vinblastine. <i>Nature Communications</i> , 2018, 9, 3116.	12.8	30
106	Presence of stromal cells in a bioengineered tumor microenvironment alters glioblastoma migration and response to STAT3 inhibition. <i>PLoS ONE</i> , 2018, 13, e0194183.	2.5	31
107	PARP Inhibitors for Sensitization of Alkylation Chemotherapy in Glioblastoma: Impact of Blood-Brain Barrier and Molecular Heterogeneity. <i>Frontiers in Oncology</i> , 2018, 8, 670.	2.8	60
108	Immunovirotherapy with measles virus strains in combination with antiâ€PD-1 antibody blockade enhances antitumor activity in glioblastoma treatment. <i>Neuro-Oncology</i> , 2017, 19, now179.	1.2	85

#	ARTICLE	IF	CITATIONS
109	Combination therapy in a xenograft model of glioblastoma: enhancement of the antitumor activity of temozolomide by an MDM2 antagonist. <i>Journal of Neurosurgery</i> , 2017, 126, 446-459.	1.6	39
110	Sulforaphane suppresses the growth of glioblastoma cells, glioblastoma stem cell-like spheroids, and tumor xenografts through multiple cell signaling pathways. <i>Journal of Neurosurgery</i> , 2017, 127, 1219-1230.	1.6	29
111	EGFR Signals through a DOCK180-MLK3 Axis to Drive Glioblastoma Cell Invasion. <i>Molecular Cancer Research</i> , 2017, 15, 1085-1095.	3.4	26
112	Drug delivery to melanoma brain metastases: Can current challenges lead to new opportunities?. <i>Pharmacological Research</i> , 2017, 123, 10-25.	7.1	31
113	Characterization of relative biological effectiveness for conventional radiation therapy: a comparison of clinical 6 MV X-rays and ¹³⁷ Cs. <i>Journal of Radiation Research</i> , 2017, 58, 608-613.	1.6	23
114	A TNFα-JNK-Axl-ERK signaling axis mediates primary resistance to EGFR inhibition in glioblastoma. <i>Nature Neuroscience</i> , 2017, 20, 1074-1084.	14.8	82
115	Myosin-1E interacts with FAK proline-rich region 1 to induce fibronectin-type matrix. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 3933-3938.	7.1	18
116	Inhibiting DNA-PKCS radiosensitizes human osteosarcoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 307-313.	2.1	29
117	Heterogeneous Binding and Central Nervous System Distribution of the Multitargeted Kinase Inhibitor Ponatinib Restrict Orthotopic Efficacy in a Patient-Derived Xenograft Model of Glioblastoma. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017, 363, 136-147.	2.5	25
118	Restricted Delivery of Talazoparib Across the Blood-Brain Barrier Limits the Sensitizing Effects of PARP Inhibition on Temozolomide Therapy in Glioblastoma. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 2735-2746.	4.1	58
119	Macropinocytosis of Bevacizumab by Glioblastoma Cells in the Perivascular Niche Affects their Survival. <i>Clinical Cancer Research</i> , 2017, 23, 7059-7071.	7.0	26
120	CD90 Expression Controls Migration and Predicts Dasatinib Response in Glioblastoma. <i>Clinical Cancer Research</i> , 2017, 23, 7360-7374.	7.0	45
121	Extracellular Hyaluronic Acid Influences the Efficacy of EGFR Tyrosine Kinase Inhibitors in a Biomaterial Model of Glioblastoma. <i>Advanced Healthcare Materials</i> , 2017, 6, 1700529.	7.6	41
122	Glut3 Addiction Is a Druggable Vulnerability for a Molecularly Defined Subpopulation of Glioblastoma. <i>Cancer Cell</i> , 2017, 32, 856-868.e5.	16.8	121
123	DNA Repair Capacity in Multiple Pathways Predicts Chemoresistance in Glioblastoma Multiforme. <i>Cancer Research</i> , 2017, 77, 198-206.	0.9	96
124	Radiogenomics to characterize regional genetic heterogeneity in glioblastoma. <i>Neuro-Oncology</i> , 2017, 19, 128-137.	1.2	170
125	Anti-GD2-ch14.18/CHO coated nanoparticles mediate glioblastoma (GBM)-specific delivery of the aromatase inhibitor, Letrozole, reducing proliferation, migration and chemoresistance in patient-derived GBM tumor cells. <i>Oncotarget</i> , 2017, 8, 16605-16620.	1.8	30
126	Real-Time Methylation-Specific Polymerase Chain Reaction for MGMT Promoter Methylation Clinical Testing in Glioblastoma. <i>American Journal of Clinical Pathology</i> , 2017, 148, 296-307.	0.7	5

#	ARTICLE	IF	CITATIONS
127	Investigating Dependencies of Relative Biological Effectiveness for Proton Therapy in Cancer Cells. International Journal of Particle Therapy, 2017, 4, 12-22.	1.8	28
128	Challenges in the Delivery of Therapies to Melanoma Brain Metastases. Current Pharmacology Reports, 2016, 2, 309-325.	3.0	18
129	Quantitative Phosphoproteomics Reveals Wee1 Kinase as a Therapeutic Target in a Model of Proneural Glioblastoma. Molecular Cancer Therapeutics, 2016, 15, 1332-1343.	4.1	14
130	Network Modeling Identifies Patient-specific Pathways in Glioblastoma. Scientific Reports, 2016, 6, 28668.	3.3	25
131	SCEF Is Regulated via TWEAK/Fn14/NF- κ B Signaling and Promotes Survival by Modulation of the DNA Repair Response to Temozolomide. Molecular Cancer Research, 2016, 14, 302-312.	3.4	17
132	InsR/IGF1R Pathway Mediates Resistance to EGFR Inhibitors in Glioblastoma. Clinical Cancer Research, 2016, 22, 1767-1776.	7.0	58
133	Retinoblastoma Binding Protein 4 Modulates Temozolomide Sensitivity in Glioblastoma by Regulating DNA Repair Proteins. Cell Reports, 2016, 14, 2587-2598.	6.4	58
134	Factors Influencing the Central Nervous System Distribution of a Novel Phosphoinositide 3-Kinase/Mammalian Target of Rapamycin Inhibitor GSK2126458: Implications for Overcoming Resistance with Combination Therapy for Melanoma Brain Metastases. Journal of Pharmacology and Experimental Therapeutics, 2016, 356, 251-259.	2.5	18
135	Strategies to improve delivery of anticancer drugs across the blood-brain barrier to treat glioblastoma. Neuro-Oncology, 2016, 18, 27-36.	1.2	210
136	ATPS-61NEW SMALL MOLECULES THAT KILL HYPOXICALLY TRANSFORMED GLIOMA STEM-LIKE CELLS. Neuro-Oncology, 2015, 17, v31.4-v31.	1.2	0
137	Inhibition of multidrug resistance protein 1 (MRP1) improves chemotherapy drug response in primary and recurrent glioblastoma multiforme. Frontiers in Neuroscience, 2015, 9, 218.	2.8	96
138	Effective Treatment of Established GL261 Murine Gliomas through Picornavirus Vaccination-Enhanced Tumor Antigen-Specific CD8+ T Cell Responses. PLoS ONE, 2015, 10, e0125565.	2.5	22
139	Orthogonal targeting of EGFRvIII expressing glioblastomas through simultaneous EGFR and PLK1 inhibition. Oncotarget, 2015, 6, 11751-11767.	1.8	9
140	A phase II trial of everolimus, temozolomide, and radiotherapy in patients with newly diagnosed glioblastoma: NCCTG N057K. Neuro-Oncology, 2015, 17, 1261-1269.	1.2	126
141	MARQUIS: A multiplex method for absolute quantification of peptides and posttranslational modifications. Nature Communications, 2015, 6, 5924.	12.8	39
142	Decreased affinity for efflux transporters increases brain penetrance and molecular targeting of a PI3K/mTOR inhibitor in a mouse model of glioblastoma. Neuro-Oncology, 2015, 17, 1210-9.	1.2	26
143	Dasatinib in recurrent glioblastoma: failure as a teacher. Neuro-Oncology, 2015, 17, 910-911.	1.2	27
144	Src family kinases differentially influence glioma growth and motility. Molecular Oncology, 2015, 9, 1783-1798.	4.6	52

#	ARTICLE	IF	CITATIONS
145	Convertible MRI contrast: Sensing the delivery and release of anti-glioma nano-drugs. Scientific Reports, 2015, 5, 9874.	3.3	37
146	The Bromodomain protein BRD4 controls HOTAIR, a long noncoding RNA essential for glioblastoma proliferation. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 8326-8331.	7.1	186
147	The Efficacy of the Wee1 Inhibitor MK-1775 Combined with Temozolomide Is Limited by Heterogeneous Distribution across the Blood-Brain Barrier in Glioblastoma. Clinical Cancer Research, 2015, 21, 1916-1924.	7.0	86
148	Radiation Therapy Oncology Group 9802: Controversy or Consensus in the Treatment of Newly Diagnosed Low-Grade Glioma?. Seminars in Radiation Oncology, 2015, 25, 197-202.	2.2	19
149	Efflux Transporters at the Blood-Brain Barrier Limit Delivery and Efficacy of Cyclin-Dependent Kinase 4/6 Inhibitor Palbociclib (PD-0332991) in an Orthotopic Brain Tumor Model. Journal of Pharmacology and Experimental Therapeutics, 2015, 355, 264-271.	2.5	84
150	Hirsutinolide Series Inhibit Stat3 Activity, Alter GCN1, MAP1B, Hsp105, G6PD, Vimentin, TrxR1, and Importin β -2 Expression, and Induce Antitumor Effects against Human Glioma. Journal of Medicinal Chemistry, 2015, 58, 7734-7748.	6.4	22
151	Delineation of MGMT-Hypermethylation as a Biomarker for Veliparib-Mediated Temozolomide-Sensitizing Therapy of Glioblastoma. Journal of the National Cancer Institute, 2015, 108, djv369.	6.3	102
152	Multi-Parametric MRI and Texture Analysis to Visualize Spatial Histologic Heterogeneity and Tumor Extent in Glioblastoma. PLoS ONE, 2015, 10, e0141506.	2.5	104
153	Peptide Carrier-Mediated Non-Covalent Delivery of Unmodified Cisplatin, Methotrexate and Other Agents via Intravenous Route to the Brain. PLoS ONE, 2014, 9, e97655.	2.5	30
154	BET bromodomain proteins are required for glioblastoma cell proliferation. Epigenetics, 2014, 9, 611-620.	2.7	123
155	PM-19 * DEVELOPMENT OF A PANEL OF PATIENT-DERIVED XENOGRAFT (PDX) MODELS FROM BRAIN METASTASES. Neuro-Oncology, 2014, 16, v173-v173.	1.2	2
156	Factors Influencing the CNS Distribution of a Novel MEK-1/2 Inhibitor: Implications for Combination Therapy for Melanoma Brain Metastases. Drug Metabolism and Disposition, 2014, 42, 1292-1300.	3.3	89
157	Design and characterization of an economical ¹⁹² Ir hemi-brain small animal irradiator. International Journal of Radiation Biology, 2014, 90, 936-942.	1.8	3
158	A genome-wide miRNA screen revealed miR-603 as a MGMT-regulating miRNA in glioblastomas. Oncotarget, 2014, 5, 4026-4039.	1.8	62
159	Lung stereotactic body radiotherapy using a coplanar versus a non-coplanar beam technique: a comparison of clinical outcomes. Journal of Radiosurgery and SBRT, 2013, 2, 225-233.	0.2	1
160	Inhibition of Histone Deacetylation Potentiates the Evolution of Acquired Temozolomide Resistance Linked to MGMT Upregulation in Glioblastoma Xenografts. Clinical Cancer Research, 2012, 18, 4070-4079.	7.0	127
161	Establishment, Maintenance, and In Vitro and In Vivo Applications of Primary Human Glioblastoma Multiforme (GBM) Xenograft Models for Translational Biology Studies and Drug Discovery. Current Protocols in Pharmacology, 2011, 52, Unit 14.16.	4.0	185
162	Expression of CD74 in high grade gliomas: a potential role in temozolomide resistance. Journal of Neuro-Oncology, 2010, 100, 177-186.	2.9	48

#	ARTICLE	IF	CITATIONS
163	Integrated Genomic Analysis Identifies Clinically Relevant Subtypes of Glioblastoma Characterized by Abnormalities in PDGFRA, IDH1, EGFR, and NF1. <i>Cancer Cell</i> , 2010, 17, 98-110.	16.8	6,138
164	Induction of MGMT expression is associated with temozolomide resistance in glioblastoma xenografts. <i>Neuro-Oncology</i> , 2009, 11, 281-291.	1.2	289
165	Radiosensitizing Effects of Temozolomide Observed in vivo only in a Subset of O6-Methylguanine-DNA Methyltransferase Methylated Glioblastoma Multiforme Xenografts. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, 212-219.	0.8	77
166	Mechanisms of Chemoresistance to Alkylating Agents in Malignant Glioma. <i>Clinical Cancer Research</i> , 2008, 14, 2900-2908.	7.0	319
167	Overview of cancer molecular radiobiology. <i>Cancer Treatment and Research</i> , 2008, 139, 117-33.	0.5	5
168	Phase I Trial of Sirolimus Combined with Radiation and Cisplatin in Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2007, 2, 751-757.	1.1	47
169	Bioluminescence monitoring of intracranial glioblastoma xenograft: response to primary and salvage temozolomide therapy. <i>Journal of Neurosurgery</i> , 2007, 107, 610-616.	1.6	74
170	Use of an Orthotopic Xenograft Model for Assessing the Effect of Epidermal Growth Factor Receptor Amplification on Glioblastoma Radiation Response. <i>Clinical Cancer Research</i> , 2006, 12, 2264-2271.	7.0	242
171	Patient tumor EGFR and PDGFRA gene amplifications retained in an invasive intracranial xenograft model of glioblastoma multiforme. <i>Neuro-Oncology</i> , 2005, 7, 164-176.	1.2	296
172	Identifying Inhibitors of ATM and ATR Kinase Activities. , 2003, 85, 49-56.		19