

Gen Nishijima

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1193630/publications.pdf>

Version: 2024-02-01

208
papers

2,569
citations

257450

24
h-index

302126

39
g-index

208
all docs

208
docs citations

208
times ranked

1207
citing authors

#	ARTICLE	IF	CITATIONS
1	Critical current improvement and resistance evaluation of superconducting joint between Bi2223 tapes. Superconductor Science and Technology, 2022, 35, 02LT02.	3.5	11
2	In-Field Evaluation of REBCO Superconducting Joint. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-4.	1.7	3
3	Demonstration of kA-Class Rutherford Cables Using MgB ₂ Wires for an Energy Storage Device Suitable for a Liquid Hydrogen Indirect Cooling. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-5.	1.7	4
4	Measurement of Irreversible External-Compressive Strain at RT and Enhancing Strain Tolerance at RT on MgB ₂ Multifilament Wire. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-5.	1.7	2
5	Influence of Zn Addition in Cu Matrix on the Mechanical and Superconducting Properties of Nb ₃ Sn Conductor. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-5.	1.7	4
6	Round Robin Test of Critical Current of Superconducting Cable. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-4.	1.7	3
7	Quench and self-protecting behaviour of an intra-layer no-insulation (LNI) REBCO coil at 31.4 T. Superconductor Science and Technology, 2021, 34, 064003.	3.5	45
8	Quench Detection Performance of Low-Temperature Superconducting Quench Detectors for REBCO Tape in Magnetic Fields. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-5.	1.7	1
9	Measurement of critical current of superconducting cable. Japanese Journal of Applied Physics, 2021, 60, 123001.	1.5	1
10	Tailored joint fabrication process derived ultra-low resistance MgB ₂ superconducting joint. Scripta Materialia, 2020, 178, 198-202.	5.2	15
11	Development of a Superconducting Joint Resistance Evaluation System. IEEE Transactions on Applied Superconductivity, 2020, 30, 1-4.	1.7	11
12	Estimation of Joint Resistance in REBCO Single-Turn Loop Under Magnetic Fields. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	7
13	Transport Property of REBCO Superconducting Joints in Magnetic Fields at Various Temperatures. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	4
14	Influence of Sintering Conditions on Bending Tolerance at RT and <i>In Situ</i> MgB ₂ wire. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-4.	1.7	4
15	Fundamental Evaluations of Applicability of LTS Quench Detectors to REBCO Pancake Coil. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	7
16	International round robin test for tensile testing HTS wires at cryogenic temperatures. Superconductor Science and Technology, 2019, 32, 024005.	3.5	10
17	Development of Liquid Nitrogen Cooled RE-Ba-Cu-O (RE = Rare Earth) Superconducting Magnet for NMR Use. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-5.	1.7	4
18	Experimental Verifications of REBCO Layer Winding Aimed at Persistent Current Operation. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-5.	1.7	2

#	ARTICLE	IF	CITATIONS
19	Difference of Irreversible Strain Limit in Technical RHQT Nb ₃ Al Superconductors. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-5.	1.7	1
20	International Round Robin Test for Critical Current Measurement of RE-Ba-Cu-O Superconducting Tapes. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-5.	1.7	9
21	Development of Ag-Barrier RHQT Nb ₃ Al Wires. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-4.	1.7	5
22	High-performance dense MgB ₂ superconducting wire fabricated from mechanically milled powder. Superconductor Science and Technology, 2017, 30, 044006.	3.5	40
23	Superconducting joints using Bi-added PbSn solders. Applied Physics Express, 2017, 10, 093102.	2.4	12
24	Superior Jc-B-T Characteristics of 10- μ m-Thick MgB ₂ Film for Tape Application. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-4.	1.7	6
25	Electromagnetic properties and microstructures of in situ MgB ₂ wires made from three types of boron powders. Superconductor Science and Technology, 2016, 29, 105016.	3.5	8
26	Efficiency of High Magnetic Fields in Solid-state NMR. Chemistry Letters, 2016, 45, 209-210.	1.3	11
27	24 T High-Resolution and -Sensitivity Solid-State NMR Measurements of Low-Gamma Half-Integer Quadrupolar Nuclei ³⁵ Cl and ³⁷ Cl. Analytical Sciences, 2016, 32, 1339-1345.	1.6	5
28	International round robin test of the retained critical current after double bending at room temperature of Ag-sheathed Bi-2223 superconducting wires. Superconductor Science and Technology, 2016, 29, 025010.	3.5	7
29	Shimming for the 1020 MHz LTS/Bi-2223 NMR Magnet. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-7.	1.7	18
30	Equipment for Power Outage in Operation of Driven-Mode NMR Magnet. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-4.	1.7	15
31	Successful Upgrading of 920-MHz NMR Superconducting Magnet to 1020 MHz Using Bi-2223 Innermost Coil. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-7.	1.7	31
32	Dependence of Critical Current and Quench Energy of BSCCO-2223 Tapes on Bending Diameter. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-5.	1.7	8
33	Operation of 1020-MHz NMR Superconducting Magnet. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-4.	1.7	10
34	Degradation of a REBCO Coil Due to Cleavage and Peeling Originating From an Electromagnetic Force. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-6.	1.7	49
35	Combination of high hoop stress tolerance and a small screening current-induced field for an advanced Bi-2223 conductor coil at 4.2 K in an external field. Superconductor Science and Technology, 2015, 28, 125005.	3.5	31
36	Strain Dependence of Critical Current for Nb ₃ Al Superconducting Wire Fabricated by Restacked RHQT Process. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-4.	1.7	4

#	ARTICLE	IF	CITATIONS
37	Hoop stress test on new high strength alloy laminated Bi-2223 conductor. Superconductor Science and Technology, 2015, 28, 075013.	3.5	15
38	High field Ic characterizations of commercial HTS conductors. Physica C: Superconductivity and Its Applications, 2015, 516, 31-35.	1.2	19
39	Achievement of 1020 MHz NMR. Journal of Magnetic Resonance, 2015, 256, 30-33.	2.1	127
40	1020 MHz single-channel proton fast magic angle spinning solid-state NMR spectroscopy. Journal of Magnetic Resonance, 2015, 261, 1-5.	2.1	38
41	Homogeneous performance and strain tolerance of long Bi-2223 HTS conductors under hoop stress. Superconductor Science and Technology, 2014, 27, 025003.	3.5	8
42	International round robin test for mechanical properties of REBCO superconductive tapes at room temperature. Superconductor Science and Technology, 2014, 27, 085009.	3.5	9
43	Transport Characteristics of a Bi-2223 Solenoid Coil in High Magnetic Fields. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-4.	1.7	2
44	HTS Coil Test Facility in a Large Bore 20 T Resistive Magnet at LNCMI. IEEE Transactions on Applied Superconductivity, 2013, 23, 9500204-9500204.	1.7	14
45	A new facility for investigation on neutron irradiation effect on superconducting properties of Nb3Sn strand for fusion magnet. Fusion Engineering and Design, 2013, 88, 1551-1554.	1.9	6
46	Superconducting and Mechanical Properties of Impregnated REBCO Pancake Coils Under Large Hoop Stress. IEEE Transactions on Applied Superconductivity, 2013, 23, 4600305-4600305.	1.7	8
47	J_{c} Evaluation for High- T_c Superconductors in Pressurized/Depressurized Liquid Nitrogen. IEEE Transactions on Applied Superconductivity, 2013, 23, 8000703-8000703.	1.7	7
48	Transport critical current measurement apparatus using liquid nitrogen cooled high- T_c superconducting magnet with variable temperature insert. Review of Scientific Instruments, 2013, 84, 015113.	1.3	12
49	Mechanical properties of MgB ₂ superconducting wires fabricated by internal Mg diffusion process. Superconductor Science and Technology, 2012, 25, 054012.	3.5	30
50	Transport property measurement of practical coated conductor with copper stabilizer. , 2012, , .		4
51	Influence of Zr- and Sn-Doping on Sm-Ba-Cu-O Filaments Fabricated by a Chemical Solution Spinning. IEEE Transactions on Applied Superconductivity, 2012, 22, 6601104-6601104.	1.7	0
52	Axial and lateral lattice strain states under a tensile load in as-reacted and prebent CuNb/Nb3Sn wires using neutron diffraction. Journal of Applied Physics, 2012, 111, .	2.5	6
53	Strain Dependence of Superconducting Properties for GdBCO Coated Conductor in High Field Under Tensile Load. IEEE Transactions on Applied Superconductivity, 2012, 22, 6600504-6600504.	1.7	7
54	Transport and Mechanical Property Evaluation for Cu Stabilized PLD- $\text{GdBa}_2\text{Cu}_3\text{O}_m$ Coated Conductor. IEEE Transactions on Applied Superconductivity, 2012, 22, 6600304-6600304.	1.7	9

#	ARTICLE	IF	CITATIONS
55	Effect of Zr addition and magnetic field process on the J_c property of CVD-HoBa ₂ Cu ₃ O _{7-x} films. Journal of Alloys and Compounds, 2012, 527, 188-192.	5.5	1
56	New Superconducting Test Facility in Radiation Control Area for Neutron Irradiation Study. IEEE Transactions on Applied Superconductivity, 2012, 22, 4803904-4803904.	1.7	0
57	Quench protection tests of a cryocooler cooled 6 T NbTi superconducting magnet by an active power method. Cryogenics, 2012, 52, 321-324.	1.7	2
58	Quench Detection/Protection of a Cryocooled NbTi Superconducting Magnet by using an Active Power Method. Physics Procedia, 2012, 27, 428-431.	1.2	4
59	Three-Dimensional Strain Model for Various Kinds of Nb ₃ Sn Wires. IEEE Transactions on Applied Superconductivity, 2011, 21, 2513-2516.	1.7	4
60	Unit Coil Development for Y-SMES. IEEE Transactions on Applied Superconductivity, 2011, 21, 1348-1353.	1.7	7
61	Study on neutron irradiation effect of superconductors and installation of 15.5T magnet in hot laboratory at IMR in Tohoku University. Journal of Nuclear Materials, 2011, 417, 842-845.	2.7	6
62	Mechanical and transport characteristic exploration for coated conductors by hoop stress tests. Physica C: Superconductivity and Its Applications, 2011, 471, 1062-1066.	1.2	4
63	Cryogen-Free 23 T Superconducting Magnet Employing an YBa ₂ Cu ₃ O ₇ Coated Conductor Insert. Journal of Superconductivity and Novel Magnetism, 2011, 24, 993-997.	1.8	6
64	Hoop Stress Test of GdBa ₂ Cu ₃ O _m Coated Conductor. IEEE Transactions on Applied Superconductivity, 2011, 21, 3094-3097.	1.7	9
65	Thermal Stability Properties of YBa ₂ Cu ₃ O ₇ Coated Conductor Tape Under the Cryocooling Condition. IEEE Transactions on Applied Superconductivity, 2011, 21, 2449-2452.	1.7	1
66	Electromagnetic Stress Properties of Gd123 Monolayer Coils. TEION KOGAKU (Journal of Cryogenics) 10(1) 0-0	0.1	0
67	Large transport critical currents of powder-in-tube Sr _{0.6} K _{0.4} Fe ₂ As ₂ /Ag superconducting wires and tapes. Physica C: Superconductivity and Its Applications, 2010, 470, 183-186.	1.2	72
68	Thermal properties of a large-bore cryocooled 10T superconducting magnet for a hybrid magnet. Physica C: Superconductivity and Its Applications, 2010, 470, 1745-1748.	1.2	2
69	Tohoku High Magnetic Field Research Activities Using Cryogen-Free Superconducting Magnets. Journal of Low Temperature Physics, 2010, 159, 370-373.	1.4	1
70	Thermal analysis of the cryocooled superconducting magnet for the liquid helium-free hybrid magnet. Physica C: Superconductivity and Its Applications, 2010, 470, S1027-S1029.	1.2	2
71	Influence of acetone doping on the J_c anisotropy of MgB ₂ /Fe tapes. Physica C: Superconductivity and Its Applications, 2010, 470, 1435-1437.	1.2	9
72	Simultaneous introduction of scattering and pinning in organic rare-earth salt doped MgB ₂ tapes. Superconductor Science and Technology, 2010, 23, 045024.	3.5	14

#	ARTICLE	IF	CITATIONS
73	Strain Gauge Method for Evaluating a Three-Dimensional Residual Strain State in Nb_3Sn Wires. IEEE Transactions on Applied Superconductivity, 2010, 20, 1420-1423.	1.7	11
74	Doping with a special carbohydrate, $\text{C}_9\text{H}_{11}\text{NO}$, to improve the properties of MgB_2 tapes. Superconductor Science and Technology, 2010, 23, 025024.	3.5	23
75	Angular dependence of residual strain in $\text{CuNb}/(\text{Nb}, \text{Ti})_3\text{Sn}$ wires. Superconductor Science and Technology, 2010, 23, 105010.	3.5	2
76	Effect of ODS-Cu Composition for Mechanical-Electromagnetic Property of Bronze-Processed Nb_3Sn Superconducting Wire. IEEE Transactions on Applied Superconductivity, 2010, 20, 1391-1394.	1.7	22
77	Residual strain measurement using neutron diffraction for practical Nb_3Sn wires under a tensile load. Superconductor Science and Technology, 2010, 23, 025034.	3.5	12
78	Three-Dimensional Strain Model on the Superconducting Properties Under the Strain for Nb_3Sn Wires. IEEE Transactions on Applied Superconductivity, 2010, 20, 1424-1427.	1.7	11
79	Upgrading Design to a 25 T Cryogen-Free Superconducting Magnet Based on Low Temperature and High Magnetic Field Properties of the Practical CVD Processed Coated Conductors. IEEE Transactions on Applied Superconductivity, 2010, 20, 592-595.	1.7	18
80	14 MEV NEUTRON IRRADIATION EFFECT ON CRITICAL CURRENT AND CRITICAL MAGNETIC FIELD OF Nb_3Sn AND Nb_3Al WIRES. , 2010, , .		1
81	Cryogen-Free 23 T Superconducting Magnet with a 7.5 T $\text{YBa}_2\text{Cu}_3\text{O}_7$ Insert Coil. Applied Physics Express, 2009, 2, 113001.	2.4	14
82	Current Transport Mechanism and Control of the n -Value for $\text{Ag}/\text{Bi}2212$ Wires and Tapes. IEEE Transactions on Applied Superconductivity, 2009, 19, 3071-3075.	1.7	1
83	Development of Pre-Bent High-Strength Nb_3Sn Cable With Stainless-Steel Reinforcement Strands. IEEE Transactions on Applied Superconductivity, 2009, 19, 1112-1115.	1.7	2
84	Enhancement of the High-Field J_c properties of MgB_2/Fe Tapes by Acetone Doping. Journal of Superconductivity and Novel Magnetism, 2009, 22, 671-676.	1.8	3
85	Neutron irradiation effects on superconducting wires and insulating materials. Fusion Engineering and Design, 2009, 84, 1425-1428.	1.9	17
86	Effect of processing temperature on the superconducting properties of acetone doped MgB_2 tapes. Physica C: Superconductivity and Its Applications, 2009, 469, 23-26.	1.2	14
87	Effect of the hot pressing on the magnetic-field and temperature dependences of flux pinning for SiC-doped MgB_2 tape. Physica C: Superconductivity and Its Applications, 2009, 469, 1515-1518.	1.2	4
88	20 T Compact Superconducting Outsert Employing Y123 Coated Conductors for a 45 T Hybrid Magnet. IEEE Transactions on Applied Superconductivity, 2009, 19, 1592-1595.	1.7	9
89	Fabrication and Superconducting Properties of Aluminum Doped (Nd,Sm,Gd) BaCuO Filaments. IEEE Transactions on Applied Superconductivity, 2009, 19, 2953-2956.	1.7	1
90	Quench and Normal Zone Propagation Characteristics of RHQT-Processed Nb_3Al Wires Under Cryocooler-Cooling Conditions. IEEE Transactions on Applied Superconductivity, 2009, 19, 2666-2669.	1.7	0

#	ARTICLE	IF	CITATIONS
91	Effect of Pt Addition on Microstructure and Superconducting Properties for Filamentary (Nd,Sm,Gd)-Ba-Cu-O Superconductors. IEEE Transactions on Applied Superconductivity, 2009, 19, 2957-2960.	1.7	0
92	Initial composition dependence of the critical current density in filamentary NSG123 superconductors. Physica C: Superconductivity and Its Applications, 2008, 468, 1583-1586.	1.2	0
93	Fundamental studies for the application of quench protection systems based on an active power method for cryocooled LTS coils. Cryogenics, 2008, 48, 148-153.	1.7	21
94	Case Study of a 20 T- ϕ 400 mm Room Temperature Bore Superconducting Outsert for a 45 T Hybrid Magnet. IEEE Transactions on Applied Superconductivity, 2008, 18, 552-555.	1.7	15
95	Transport Characteristics of CVD-YBCO Coated Conductor under Hoop Stress. IEEE Transactions on Applied Superconductivity, 2008, 18, 1131-1134.	1.7	37
96	The Prebending Strain Effect on Nb_3Sn Superconducting Cabling Conductors. IEEE Transactions on Applied Superconductivity, 2008, 18, 1018-1021.	1.7	9
97	Transport Critical Current of Filamentary Zr-Doped Gd-Ba-Cu-O Superconductors in High Magnetic Fields. IEEE Transactions on Applied Superconductivity, 2008, 18, 1200-1203.	1.7	2
98	Ag-SHEATHED $\text{Bi}_{2}\text{Sr}_{2}\text{CaCu}_{2}\text{O}_{8}$ SQUARE WIRE INSULATED WITH OXIDIZED HASTELLOY FIBER BRAID. AIP Conference Proceedings, 2008, , .	0.4	0
99	Development of a pre-bent react-and-wind CuNb_{3}Sn multilayer superconducting coil. Superconductor Science and Technology, 2008, 21, 054012.	3.5	2
100	Partial Melting in Filamentary NSG123 Superconductors Under Various Oxygen Atmospheres. IEEE Transactions on Applied Superconductivity, 2008, 18, 1204-1207.	1.7	1
101	Influence of Deviatoric Strain for Superconducting Parameters of Nb_3Sn Wires. IEEE Transactions on Applied Superconductivity, 2008, 18, 1047-1050.	1.7	7
102	Mitigation of Critical Current Degradation in Mechanically Loaded Nb_3Sn Superconducting Multi-Strand Cable. IEEE Transactions on Applied Superconductivity, 2008, 18, 491-494.	1.7	1
103	Evaluation of Stability of NbTi Multi-Strand Conductor by Induced-Current Methods. IEEE Transactions on Applied Superconductivity, 2008, 18, 1118-1122.	1.7	0
104	Doped MgB_2 prepared by field assisted sintering technique. Journal of Physics: Conference Series, 2008, 97, 012079.	0.4	0
105	High-strength CuNb_{3}Sn strand cables with residual strain controlled by the repeated bending treatment. Journal of Physics: Conference Series, 2008, 97, 012008.	0.4	1
106	Mechanical treatments at room temperature of Nb_{3}Sn practical wires: pre-torsion for wires with a different architecture. Journal of Physics: Conference Series, 2008, 97, 012036.	0.4	1
107	Current-Carrying Capacity of $\text{YBa}_2\text{Cu}_3\text{O}_7$ -Coated Conductors for a 30 T Superconducting Magnet. Applied Physics Express, 2008, 1, 081701.	2.4	4
108	Behavior of $\text{m Nb}_3\text{m Sn}$ Composite Wires: Multiple Room Temperature Bending Cycles. IEEE Transactions on Applied Superconductivity, 2007, 17, 2672-2675.	1.7	0

#	ARTICLE	IF	CITATIONS
109	Performance of as-reacted and multiple bent (â€pre-bentâ€™) practical Nb ₃ Sn bronze route wires with different architectures. Superconductor Science and Technology, 2007, 20, 273-280.	3.5	11
110	Maximization of the critical current of practical Nb ₃ Sn wires through complex mechanical treatments at room temperature. Superconductor Science and Technology, 2007, 20, 810-813.	3.5	5
111	High Field and High Temperature Characteristics of Small Test Coil Using CVD-YBCO Tape for SMES. IEEE Transactions on Applied Superconductivity, 2007, 17, 2220-2223.	1.7	6
112	Three-Directional FEM Analyses of Pre-Bending Effects for $\{m \text{ Nb} \}_3 \{m \text{ Sn} \}$ Composite Wires. IEEE Transactions on Applied Superconductivity, 2007, 17, 2676-2679.	1.7	1
113	Application of Prebending Effect to Triplet Cables Using Bronze-Route $\{m \text{ Nb} \}_3 \{m \text{ Sn} \}$ Strands. IEEE Transactions on Applied Superconductivity, 2007, 17, 2595-2598.	1.7	6
114	Steady and Unsteady Current Modes and Thermal Runaway Conditions of High- $\{m T\}_m \{m c\}$ Composite Superconductors. IEEE Transactions on Applied Superconductivity, 2007, 17, 3133-3136.	1.7	1
115	High-Strength Nb ₃ Sn Wire Development for Compact Superconducting Magnets. Materials Science Forum, 2007, 546-549, 1841-1848.	0.3	2
116	Transport Properties of Bi2212 Round Wires Grown in High Magnetic Fields. IEEE Transactions on Applied Superconductivity, 2007, 17, 3106-3108.	1.7	2
117	Large irreversibility field in nanoscale C-doped MgB ₂ /Fe tape conductors. Superconductor Science and Technology, 2007, 20, L5-L8.	3.5	25
118	Design and Test Results of 18.1 T Cryocooled Superconducting Magnet With Bi2223 Insert. IEEE Transactions on Applied Superconductivity, 2007, 17, 1422-1425.	1.7	13
119	Authors' reply to "Comments on 'A New Model of Two Directional J_c Distributions for Bi ₂ Sr ₂ CaCu ₂ O ₈ Materials'". IEEE Transactions on Applied Superconductivity, 2007, 17, 3897-3897.	1.7	0
120	Critical Current of Mechanically Loaded $\{m \text{ Nb} \}_3 \{m \text{ Sn} \}$ Superconducting Multi-Strand Cable. IEEE Transactions on Applied Superconductivity, 2007, 17, 1390-1393.	1.7	2
121	Effect of Nano-C Doping on the Critical Current Density and Flux Pinning of MgB ₂ Tapes. IEEE Transactions on Applied Superconductivity, 2007, 17, 2915-2918.	1.7	10
122	Room and low temperature direct three-dimensional-strain measurements by neutron diffraction on as-reacted and prebent CuNbâ•N ₃ Sn wire. Journal of Applied Physics, 2007, 101, 103913.	2.5	36
123	Microstructures and critical current density of filamentary Euâ€Baâ€Cuâ€O with Zr and Zn additions. Physica C: Superconductivity and Its Applications, 2007, 463-465, 554-558.	1.2	5
124	Critical current density of filamentary NSG123 superconductors in high magnetic field. Physica C: Superconductivity and Its Applications, 2007, 463-465, 559-563.	1.2	4
125	Prebending Strain Effect on $\text{CuNb/Nb}_3\text{Sn}$ Superconducting Wire During Practical React-and-Wind Process. IEEE Transactions on Applied Superconductivity, 2006, 16, 1220-1223.	1.7	13
126	Neutron Diffraction Study on Prebending Effects for Bronze Route Nb_3Sn Wires Without Reinforcement. IEEE Transactions on Applied Superconductivity, 2006, 16, 1228-1231.	1.7	19

#	ARTICLE	IF	CITATIONS
127	Performance of a Cryogen-Free 30 T-Class Hybrid Magnet. IEEE Transactions on Applied Superconductivity, 2006, 16, 934-939.	1.7	30
128	Ic Enhancement Effect in Nb3Sn Coils Fabricated by the React-and-Wind Method. AIP Conference Proceedings, 2006, , .	0.4	3
129	Oxidized Hastelloy Cloth Insulation for a Wind-and-React Processed Ag/Bi2Sr2CaCu2O8 Superconducting Magnet. AIP Conference Proceedings, 2006, , .	0.4	1
130	Influence of Precursor Composition on the Microstructure and Superconducting Properties of Dy-Ba-Cu-O filaments. Journal of Physics: Conference Series, 2006, 43, 191-194.	0.4	0
131	Effect of Zr and Zn Doping on Critical Current Density of Filamentary Dy-Ba-Cu-O Superconductors. Journal of Physics: Conference Series, 2006, 43, 470-473.	0.4	2
132	Cryocooled superconducting magnets for high magnetic fields at the HFLSM and future collaboration with the TML. Journal of Physics: Conference Series, 2006, 51, 631-634.	0.4	5
133	Application of prebending effect to high strength Nb3 Sn strands. Fusion Engineering and Design, 2006, 81, 2473-2478.	1.9	10
134	Comparison of avalanche-like quenches between NbTi and Nb3Sn cables. Fusion Engineering and Design, 2006, 81, 2497-2502.	1.9	5
135	18.1 T cryocooled superconducting magnet with a Bi2223 high- insert. Fusion Engineering and Design, 2006, 81, 2425-2432.	1.9	24
136	Superconducting properties of MgB2 bulks processed in high magnetic fields. Physica C: Superconductivity and Its Applications, 2006, 445-448, 811-813.	1.2	5
137	Enhancement of Jc properties in MoSi2-doped MgB2tapes. Superconductor Science and Technology, 2006, 19, 699-702.	3.5	8
138	The effect of different nanoscale material doping on the critical current properties of in situ processed MgB2tapes. Superconductor Science and Technology, 2006, 19, 479-483.	3.5	21
139	The effect of ZrSi2 and SiC doping on the microstructure and Jc properties of PIT processed MgB2tapes. Superconductor Science and Technology, 2006, 19, 133-137.	3.5	46
140	Relationship between architecture, filament breakage and critical current decay in Nb3Sn composite wires repeatedly in-plane bent at room temperature. Superconductor Science and Technology, 2006, 19, 323-332.	3.5	9
141	Current-carrying capacity dependence of composite Bi2Sr2CaCu2O8 superconductors on the liquid coolant conditions. Superconductor Science and Technology, 2006, 19, 703-710.	3.5	10
142	Development of a 10 T Cryocooled Superconducting Magnet with a Room Temperature Bore of 360 mm for a 29 T Hybrid Magnet. AIP Conference Proceedings, 2006, , .	0.4	2
143	Significantly enhanced critical current densities in MgB2 tapes made by a scaleable nanocarbon addition route. Applied Physics Letters, 2006, 88, 072502.	3.3	177
144	Effect of Prebending Strain on $\text{CuNb/Nb}_3\text{Sn}$ Superconducting Coils Using a React and Wind Method. IEEE Transactions on Applied Superconductivity, 2006, 16, 1237-1240.	1.7	11

#	ARTICLE	IF	CITATIONS
145	Sub- and overcritical stable states of composite high-Tc superconductors with different E(J) dependences and their unavoidable overheating. Journal of Applied Physics, 2006, 100, 063905.	2.5	10
146	A New Model of Two Directional $J_{rm c}$ Distributions for $B_{rm c}$ and $I_{rm c}$ of $Bi_{2}Sr_{2}CaCu_{2}O_{8}$ Materials. IEEE Transactions on Applied Superconductivity, 2006, 16, 1019-1022.	1.7	7
147	Development of High Strength $Nb_{3}Sn$ Wires With Ta -reinforced Filaments. IEEE Transactions on Applied Superconductivity, 2006, 16, 1261-1264.	1.7	6
148	High critical-current density and ultra high-voltage TEM study of filamentary 0.1at% Zr-doped $(Nd_{0.33}Eu_{0.38}Gd_{0.28})Ba_{2}Cu_{3}O_{x}$ superconductors. Physica C: Superconductivity and Its Applications, 2005, 425, 166-170.	1.2	4
149	MgB ₂ /Fe superconducting tapes made using mechanically milled powders in Ar and H ₂ atmospheres. Physica C: Superconductivity and Its Applications, 2005, 426-431, 1231-1237.	1.2	12
150	Carbon nanohorn doping in MgB ₂ wire prepared by suspension spinning. Physica C: Superconductivity and Its Applications, 2005, 426-431, 1249-1253.	1.2	15
151	Effect of transverse compressive stress on internal reinforced Nb ₃ Sn superconducting wires and coils. Cryogenics, 2005, 45, 653-658.	1.7	23
152	Prebending effects in bronze route Nb ₃ Sn wires. Superconductor Science and Technology, 2005, 18, S313-S318.	3.5	22
153	Mechanical characteristics of Bi-2223 tape with a low matrix ratio. Superconductor Science and Technology, 2005, 18, 47-50.	3.5	6
154	Application of the prebending strain effect on CuNb/Nb ₃ Sn superconducting coils fabricated by a react-and-wind method. Superconductor Science and Technology, 2005, 18, S261-S265.	3.5	14
155	Properties and local distribution of practical Ag-sheathed Bi ₂ Sr ₂ CaCu ₂ O ₈ tapes. Superconductor Science and Technology, 2005, 18, S223-S226.	3.5	4
156	SiC Addition for MgB_{2} Superconducting Wire by Suspension Spinning. IEEE Transactions on Applied Superconductivity, 2005, 15, 3341-3344.	1.7	0
157	Superconducting Properties and Thermal Stability of High-Strength $Nb_{3}Sn$ Wire With Ta-Reinforced Filaments. IEEE Transactions on Applied Superconductivity, 2005, 15, 3442-3445.	1.7	8
158	Large T_{c} and B_{c2} and I_{c} Enhancement Effect Due to the Prebending Treatment for Bronze Route $Nb_{3}Sn$ Wires. IEEE Transactions on Applied Superconductivity, 2005, 15, 3564-3567.	1.7	21
159	Effects of Cu stabilizer configuration on thermal stability of Nb ₃ /Sn composite superconductors under cryocooling condition. IEEE Transactions on Applied Superconductivity, 2005, 15, 3410-3413.	1.7	1
160	Development of a Bi2223 Insert Coil for a Conduction-Cooled 19 T Superconducting Magnet. IEEE Transactions on Applied Superconductivity, 2005, 15, 1512-1515.	1.7	11
161	Physical Origin of Magnetically Induced Periodic Structure Observed in Terahertz Radiation Spectrum Emitted from InAs. Japanese Journal of Applied Physics, 2004, 43, L1017-L1019.	1.5	2
162	Enhancement of Upper Critical Field and Critical Temperature by Prebending Process for Practical Nb ₃ Sn Wires. Japanese Journal of Applied Physics, 2004, 43, L709-L711.	1.5	17

#	ARTICLE	IF	CITATIONS
163	Current-carrying properties in a low resistivity state for Ag-sheathed Bi ₂ Sr ₂ CuCu ₂ O ₈ tape. Superconductor Science and Technology, 2004, 17, S533-S537.	3.5	6
164	Limiting current-carrying capacity of Ag-sheathed Bi ₂ Sr ₂ CaCu ₂ O ₈ conductors: linear approximation. Superconductor Science and Technology, 2004, 17, 1242-1246.	3.5	16
165	Jproperties of Bi ₂₂₁₂ tape in the practical current region. Superconductor Science and Technology, 2004, 17, S568-S571.	3.5	7
166	Development of a Cryo-Cooled Superconducting Magnet With a Large Magnetic-Force Field. IEEE Transactions on Applied Superconductivity, 2004, 14, 384-387.	1.7	2
167	Development of High-StrengthNb_3SnConductor. IEEE Transactions on Applied Superconductivity, 2004, 14, 1004-1007.	1.7	24
168	Terahertz radiation from InAs with various surface orientations under magnetic field irradiated with femtosecond optical pulses at different wavelengths. Journal of Applied Physics, 2004, 95, 4545-4550.	2.5	11
169	Mechanical and Superconducting Properties of Bi-2223 Tape for 19 T Cryogen-Free Superconducting Magnet. IEEE Transactions on Applied Superconductivity, 2004, 14, 1210-1213.	1.7	9
170	Design of a Cryocooler-Cooled Large Bore Superconducting Magnet for a 30 T Hybrid Magnet. IEEE Transactions on Applied Superconductivity, 2004, 14, 368-371.	1.7	7
171	Advances in the First Cryogen-Free Hybrid Magnet. IEEE Transactions on Applied Superconductivity, 2004, 14, 388-392.	1.7	12
172	A Cryocooler-Cooled 19 T Superconducting Magnet With 52 mm Room Temperature Bore. IEEE Transactions on Applied Superconductivity, 2004, 14, 393-396.	1.7	25
173	Magnet technology and materials research at the High-Field Laboratory for Superconducting Materials. Physica B: Condensed Matter, 2004, 346-347, 618-622.	2.7	2
174	Critical current density for filamentary (Eu, Gd, Ho) ₁₂₃ superconductors. Physica C: Superconductivity and Its Applications, 2004, 412-414, 971-975.	1.2	2
175	J properties of Bi ₂ Sr ₂ CaCu ₂ O ₈ thick films. Physica C: Superconductivity and Its Applications, 2004, 412-414, 1041-1044.	1.2	4
176	Current sharing effect on the current instability and allowable temperature rise of composite high-TC superconductors. Physica C: Superconductivity and Its Applications, 2004, 416, 126-136.	1.2	18
177	Acoustic emission and disturbances in central solenoid model coil for International Thermonuclear Experimental Reactor. Cryogenics, 2004, 44, 15-27.	1.7	4
178	Thermal stability of reinforced Nb ₃ Sn composite superconductor under cryocooled conditions. Cryogenics, 2004, 44, 687-693.	1.7	13
179	Improvement ofJ_cby Loading and Unloading Bending Strain for High StrengthNb_3SnWires. IEEE Transactions on Applied Superconductivity, 2004, 14, 983-986.	1.7	16
180	Effects of a High Magnetic Field on Microstructure and Texture Evolution in a Cold-rolled Interstitial-Free (IF) Steel Sheet during Annealing. Advanced Engineering Materials, 2003, 5, 579-583.	3.5	43

#	ARTICLE	IF	CITATIONS
181	Cryogen-free hybrid magnet for magnetic levitation. Physica C: Superconductivity and Its Applications, 2003, 386, 485-489.	1.2	27
182	Thermal stability of oxide superconductors in flux flow state. IEEE Transactions on Applied Superconductivity, 2003, 13, 1576-1579.	1.7	10
183	Evaluation method of critical current and current sharing temperature for large-current cable-in-conduit conductors. IEEE Transactions on Applied Superconductivity, 2003, 13, 1404-1407.	1.7	9
184	Anomalous power and spectrum dependence of terahertz radiation from femtosecond-laser-irradiated indium arsenide in high magnetic fields up to 14 T. Applied Physics Letters, 2003, 82, 1164-1166.	3.3	21
185	First performance test of the cryogenfree hybrid magnet. IEEE Transactions on Applied Superconductivity, 2003, 13, 1632-1635.	1.7	6
186	Magnetic-Field-Induced Enhancement of THz-Radiation Power from Femtosecond-Laser-Irradiated InAs up to 27 T. Japanese Journal of Applied Physics, 2003, 42, L532-L534.	1.5	9
187	Transport characteristics of a CuNb/Nb3Sn superconducting coil fabricated using a react and wind method. Superconductor Science and Technology, 2003, 16, 1082-1085.	3.5	5
188	Enhancement of Critical Current Densities by the Prebending Strain at Room Temperature for Nb3Sn Wires. Japanese Journal of Applied Physics, 2003, 42, L1142-L1144.	1.5	18
189	Fabrication of MgB2 Wire by Suspension Spinning. TEION KOGAKU (Journal of Cryogenics and Superconductivity Society of Japan), 2003, 38, 262-269.	0.1	0
190	Thermal Stability of Reinforced Nb3Sn Composite Superconductor under Cryocooled Conditions. TEION KOGAKU (Journal of Cryogenics and Superconductivity Society of Japan), 2003, 38, 262-269.	0.1	0
191	Performance test of a CuNb reinforced (Nb,Ti)/sub 3/Sn coil fabricated by the react and wind method. IEEE Transactions on Applied Superconductivity, 2002, 12, 1697-1700.	1.7	9
192	Thermal stability of oxide superconductor at various temperatures. IEEE Transactions on Applied Superconductivity, 2002, 12, 1155-1158.	1.7	20
193	Test of the ITER central solenoid model coil and CS insert. IEEE Transactions on Applied Superconductivity, 2002, 12, 600-605.	1.7	75
194	Construction of the cryogen-free 23 T hybrid magnet. IEEE Transactions on Applied Superconductivity, 2002, 12, 678-681.	1.7	9
195	First test results for the ITER central solenoid model coil. Fusion Engineering and Design, 2001, 56-57, 59-70.	1.9	40
196	Development of ITER-CS model coil terminal assembling by using indium wires. Fusion Engineering and Design, 2001, 58-59, 93-97.	1.9	15
197	Evaluation of critical current performance of 13 T 46 kA steel-jacketed Nb3Al conductor. Fusion Engineering and Design, 2001, 58-59, 1-5.	1.9	5
198	Design of a 60-kA HTS current lead for fusion magnets and its R&D. IEEE Transactions on Applied Superconductivity, 2001, 11, 2535-2538.	1.7	8

#	ARTICLE	IF	CITATIONS
199	Current distribution and strain influence on the electromagnetic performance of the CS Insert. IEEE Transactions on Applied Superconductivity, 2001, 11, 1538-1541.	1.7	10
200	Progress of the ITER central solenoid model coil programme. Nuclear Fusion, 2001, 41, 645-651.	3.5	63
201	ITER CS model coil and CS insert test results. IEEE Transactions on Applied Superconductivity, 2001, 11, 2030-2033.	1.7	43
202	Completion of CS insert fabrication. IEEE Transactions on Applied Superconductivity, 2000, 10, 564-567.	1.7	32
203	Development of 46-kA Nb ₃ Sn conductor joint for ITER Model Coils. IEEE Transactions on Applied Superconductivity, 2000, 10, 580-583.	1.7	22
204	Completion of the ITER CS model coil-outer module fabrication. IEEE Transactions on Applied Superconductivity, 2000, 10, 568-571.	1.7	15
205	An evaluation of the inlet flow reduction for a cable in conduit conductor by rapid heating. Cryogenics, 1999, 39, 939-945.	1.7	4
206	Fabrication of ITER central solenoid model coil-outer module. IEEE Transactions on Applied Superconductivity, 1999, 9, 628-631.	1.7	10
207	Magnetic stability of AC superconducting wire in self field. IEEE Transactions on Applied Superconductivity, 1997, 7, 778-781.	1.7	0
208	Compact Design of a 30 T Superconducting Magnet Incorporating YBa ₂ Cu ₃ O ₇ Coated Conductor Tapes and Pre-reacted Nb ₃ Sn Strand Cables. Applied Physics Express, 0, 1, 101703.	2.4	10