

# Kevin D Hyde

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11937822/publications.pdf>

Version: 2024-02-01

923  
papers

35,771  
citations

3515

90  
h-index

8835

145  
g-index

943  
all docs

943  
docs citations

943  
times ranked

13619  
citing authors

#	ARTICLE	IF	CITATIONS
1	A higher-level phylogenetic classification of the Fungi. <i>Mycological Research</i> , 2007, 111, 509-547.	2.5	1,994
2	Families of Dothideomycetes. <i>Fungal Diversity</i> , 2013, 63, 1-313.	4.7	509
3	The Faces of Fungi database: fungal names linked with morphology, phylogeny and human impacts. <i>Fungal Diversity</i> , 2015, 74, 3-18.	4.7	471
4	The amazing potential of fungi: 50 ways we can exploit fungi industrially. <i>Fungal Diversity</i> , 2019, 97, 1-136.	4.7	459
5	The sooty moulds. <i>Fungal Diversity</i> , 2014, 66, 1-36.	4.7	417
6	Fungal diversity notes 111â€“252â€“ taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2015, 75, 27-274.	4.7	375
7	The genus <i>Phomopsis</i> : biology, applications, species concepts and names of common phytopathogens. <i>Fungal Diversity</i> , 2011, 50, 189-225.	4.7	331
8	The Amsterdam Declaration on Fungal Nomenclature. <i>IMA Fungus</i> , 2011, 2, 105-111.	1.7	320
9	Fungal diversity notes 367â€“490: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 80, 1-270.	4.7	314
10	Fungal diversity notes 1â€“110: taxonomic and phylogenetic contributions to fungal species. <i>Fungal Diversity</i> , 2015, 72, 1-197.	4.7	304
11	Pleosporales. <i>Fungal Diversity</i> , 2012, 53, 1-221.	4.7	282
12	Towards a natural classification and backbone tree for Sordariomycetes. <i>Fungal Diversity</i> , 2015, 72, 199-301.	4.7	273
13	Finding needles in haystacks: linking scientific names, reference specimens and molecular data for Fungi. <i>Database: the Journal of Biological Databases and Curation</i> , 2014, 2014, bau061-bau061.	1.4	272
14	Families of Sordariomycetes. <i>Fungal Diversity</i> , 2016, 79, 1-317.	4.7	256
15	Notes, outline and divergence times of Basidiomycota. <i>Fungal Diversity</i> , 2019, 99, 105-367.	4.7	256
16	Role of fungi in marine ecosystems. <i>Biodiversity and Conservation</i> , 1998, 7, 1147-1161.	1.2	246
17	One stop shop: backbones trees for important phytopathogenic genera: I (2014). <i>Fungal Diversity</i> , 2014, 67, 21-125.	4.7	241
18	Fungal diversity notes 253â€“366: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 78, 1-237.	4.7	239

#	ARTICLE	IF	CITATIONS
19	Outline of Ascomycota: 2017. <i>Fungal Diversity</i> , 2018, 88, 167-263.	4.7	232
20	Unambiguous identification of fungi: where do we stand and how accurate and precise is fungal DNA barcoding?. <i>IMA Fungus</i> , 2020, 11, 14.	1.7	232
21	<i>Colletotrichum gloeosporioides</i> is not a common pathogen on tropical fruits. <i>Fungal Diversity</i> , 2010, 44, 33-43.	4.7	225
22	Insights into the genus <i>Diaporthe</i> : phylogenetic species delimitation in the <i>D. eres</i> species complex. <i>Fungal Diversity</i> , 2014, 67, 203-229.	4.7	221
23	A phylogenetic and taxonomic re-evaluation of the <i>Bipolaris</i> - <i>Cochliobolus</i> - <i>Curvularia</i> Complex. <i>Fungal Diversity</i> , 2012, 56, 131-144.	4.7	216
24	Naming and outline of Dothideomycetesâ€”2014 including proposals for the protection or suppression of generic names. <i>Fungal Diversity</i> , 2014, 69, 1-55.	4.7	216
25	Notes for genera: Ascomycota. <i>Fungal Diversity</i> , 2017, 86, 1-594.	4.7	213
26	A multi-locus backbone tree for <i>Pestalotiopsis</i> , with a polyphasic characterization of 14 new species. <i>Fungal Diversity</i> , 2012, 56, 95-129.	4.7	211
27	Fungal diversity notes 929â€”1035: taxonomic and phylogenetic contributions on genera and species of fungi. <i>Fungal Diversity</i> , 2019, 95, 1-273.	4.7	203
28	<i>Pestalotiopsis</i> â€”morphology, phylogeny, biochemistry and diversity. <i>Fungal Diversity</i> , 2011, 50, 167-187.	4.7	198
29	Towards a natural classification of Botryosphaerales. <i>Fungal Diversity</i> , 2012, 57, 149-210.	4.7	198
30	Life styles of <i>Colletotrichum</i> species and implications for plant biosecurity. <i>Fungal Biology Reviews</i> , 2017, 31, 155-168.	1.9	198
31	Endophytic fungi associated with palms. <i>Mycological Research</i> , 2000, 104, 1202-1212.	2.5	197
32	Use of endophytes as biocontrol agents. <i>Fungal Biology Reviews</i> , 2019, 33, 133-148.	1.9	196
33	A multi-locus phylogenetic evaluation of <i>Diaporthe</i> ( <i>Phomopsis</i> ). <i>Fungal Diversity</i> , 2012, 56, 157-171.	4.7	189
34	Bioactive metabolites from macrofungi: ethnopharmacology, biological activities and chemistry. <i>Fungal Diversity</i> , 2013, 62, 1-40.	4.7	182
35	Medicinal mushrooms in prevention and control of diabetes mellitus. <i>Fungal Diversity</i> , 2012, 56, 1-29.	4.7	181
36	Role of fungi in freshwater ecosystems. <i>Biodiversity and Conservation</i> , 1998, 7, 1187-1206.	1.2	180

#	ARTICLE	IF	CITATIONS
37	Fungal diversity notes 491â€“602: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2017, 83, 1-261.	4.7	180
38	Medicinal mushrooms in supportive cancer therapies: an approach to anti-cancer effects and putative mechanisms of action. <i>Fungal Diversity</i> , 2012, 55, 1-35.	4.7	173
39	Fungal diversity notes 709â€“839: taxonomic and phylogenetic contributions to fungal taxa with an emphasis on fungi on Rosaceae. <i>Fungal Diversity</i> , 2018, 89, 1-236.	4.7	169
40	Fungal diversity notes 603â€“708: taxonomic and phylogenetic notes on genera and species. <i>Fungal Diversity</i> , 2017, 87, 1-235.	4.7	165
41	Towards unraveling relationships in Xylariomycetidae (Sordariomycetes). <i>Fungal Diversity</i> , 2015, 73, 73-144.	4.7	164
42	Bambusicolous fungi. <i>Fungal Diversity</i> , 2017, 82, 1-105.	4.7	158
43	Biodiversity of palm fungi in the tropics: are global fungal diversity estimates realistic?. <i>Biodiversity and Conservation</i> , 1999, 8, 977-1004.	1.2	156
44	Phylogenetic relationships of Pestalotiopsis and allied genera inferred from ribosomal DNA sequences and morphological characters. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 378-392.	1.2	156
45	Calonectria species and their Cyliandrocladium anamorphs: species with clavate vesicles. <i>Studies in Mycology</i> , 2006, 55, 213-226.	4.5	156
46	Fungal diversity notes 1151â€“1276: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2020, 100, 5-277.	4.7	156
47	Phylogenetic significance of morphological characters in the taxonomy of Pestalotiopsis species. <i>Molecular Phylogenetics and Evolution</i> , 2003, 27, 372-383.	1.2	154
48	Phylogenetic investigations of Sordariaceae based on multiple gene sequences and morphology. <i>Mycological Research</i> , 2006, 110, 137-150.	2.5	152
49	Chilli anthracnose disease caused by Colletotrichum species. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 764-778.	1.3	150
50	Host-specificity, host-exclusivity, and host-recurrence in saprobic fungi. <i>Mycological Research</i> , 2001, 105, 1449-1457.	2.5	148
51	Fungal diversity notes 1036â€“1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2019, 96, 1-242.	4.7	148
52	Can leaf degrading enzymes provide evidence that endophytic fungi becoming saprobes?. <i>Fungal Diversity</i> , 2010, 41, 89-99.	4.7	147
53	The Diaporthe sojae species complex: Phylogenetic re-assessment of pathogens associated with soybean, cucurbits and other field crops. <i>Fungal Biology</i> , 2015, 119, 383-407.	1.1	146
54	Direct comparison of culture-dependent and culture-independent molecular approaches reveal the diversity of fungal endophytic communities in stems of grapevine (Vitis vinifera). <i>Fungal Diversity</i> , 2018, 90, 85-107.	4.7	143

#	ARTICLE	IF	CITATIONS
55	An updated phylogeny of Sordariomycetes based on phylogenetic and molecular clock evidence. <i>Fungal Diversity</i> , 2017, 84, 25-41.	4.7	142
56	<i>Cochliobolus</i> : an overview and current status of species. <i>Fungal Diversity</i> , 2011, 51, 3-42.	4.7	139
57	Five <i>Colletotrichum</i> species are responsible for mango anthracnose in northeastern Brazil. <i>Fungal Diversity</i> , 2013, 61, 75-88.	4.7	139
58	Thailand's amazing diversity: up to 96% of fungi in northern Thailand may be novel. <i>Fungal Diversity</i> , 2018, 93, 215-239.	4.7	139
59	Effects of fungal endophytes on grass and non-grass litter decomposition rates. <i>Fungal Diversity</i> , 2011, 47, 1-7.	4.7	138
60	Ranking higher taxa using divergence times: a case study in Dothideomycetes. <i>Fungal Diversity</i> , 2017, 84, 75-99.	4.7	138
61	Endophytic fungi of wild banana ( <i>Musa acuminata</i> ) at Doi Suthep Pui National Park, Thailand. <i>Mycological Research</i> , 2001, 105, 1508-1513.	2.5	137
62	Taxonomy and phylogeny of dematiaceous coelomycetes. <i>Fungal Diversity</i> , 2016, 77, 1-316.	4.7	134
63	An online resource for marine fungi. <i>Fungal Diversity</i> , 2019, 96, 347-433.	4.7	133
64	The numbers of fungi: is the descriptive curve flattening?. <i>Fungal Diversity</i> , 2020, 103, 219-271.	4.7	128
65	Revision of Phaeosphaeriaceae. <i>Fungal Diversity</i> , 2014, 68, 159-238.	4.7	127
66	Epitypification and neotypification: guidelines with appropriate and inappropriate examples. <i>Fungal Diversity</i> , 2014, 69, 57-91.	4.7	125
67	Fungal diversity notes 840-928: micro-fungi associated with Pandanaceae. <i>Fungal Diversity</i> , 2018, 93, 1-160.	4.7	125
68	A six-gene phylogenetic overview of Basidiomycota and allied phyla with estimated divergence times of higher taxa and a phyloproteomics perspective. <i>Fungal Diversity</i> , 2017, 84, 43-74.	4.7	124
69	Improving ITS sequence data for identification of plant pathogenic fungi. <i>Fungal Diversity</i> , 2014, 67, 11-19.	4.7	123
70	Detection and Taxonomic Placement of Endophytic Fungi within Frond Tissues of <i>Livistona chinensis</i> Based on rDNA Sequences. <i>Molecular Phylogenetics and Evolution</i> , 2001, 20, 1-13.	1.2	121
71	Ribosomal and RPB2 DNA sequence analyses suggest that <i>Sporidesmium</i> and morphologically similar genera are polyphyletic. <i>Mycological Research</i> , 2006, 110, 916-928.	2.5	119
72	<i>Hericium erinaceus</i> , an amazing medicinal mushroom. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	119

#	ARTICLE	IF	CITATIONS
73	Freshwater Sordariomycetes. <i>Fungal Diversity</i> , 2019, 99, 451-660.	4.7	119
74	From morphology to molecular biology: can we use sequence data to identify fungal endophytes?. <i>Fungal Diversity</i> , 2011, 50, 113-120.	4.7	114
75	Molecular identification of white morphotype strains of endophytic fungi from <i>Pinus tabulaeformis</i> . <i>Mycological Research</i> , 2003, 107, 680-688.	2.5	113
76	Endophytic fungi from <i>Nerium oleander</i> L (Apocynaceae): main constituents and antioxidant activity. <i>World Journal of Microbiology and Biotechnology</i> , 2007, 23, 1253-1263.	1.7	111
77	Endophytic species of <i>Colletotrichum</i> associated with mango in northeastern Brazil. <i>Fungal Diversity</i> , 2014, 67, 181-202.	4.7	110
78	Capnodiaceae. <i>Fungal Diversity</i> , 2011, 51, 103-134.	4.7	108
79	Microfungi on <i>Tectona grandis</i> (teak) in Northern Thailand. <i>Fungal Diversity</i> , 2017, 82, 107-182.	4.7	107
80	A molecular phylogenetic reappraisal of the Didymosphaeriaceae (= Montagnulaceae). <i>Fungal Diversity</i> , 2014, 68, 69-104.	4.7	106
81	Phylogenetics and evolution of nematode-trapping fungi (Orbiliiales) estimated from nuclear and protein coding genes. <i>Mycologia</i> , 2005, 97, 1034-1046.	0.8	105
82	Major clades in tropical <i>Agaricus</i> . <i>Fungal Diversity</i> , 2011, 51, 279-296.	4.7	105
83	The ApMat marker can resolve <i>Colletotrichum</i> species: a case study with <i>Mangifera indica</i> . <i>Fungal Diversity</i> , 2013, 61, 117-138.	4.7	103
84	Biodiversity of fungi on <i>Vitis vinifera</i> L. revealed by traditional and high-resolution culture-independent approaches. <i>Fungal Diversity</i> , 2018, 90, 1-84.	4.7	101
85	Fungal taxonomy and sequence-based nomenclature. <i>Nature Microbiology</i> , 2021, 6, 540-548.	5.9	101
86	What are the common anthracnose pathogens of tropical fruits?. <i>Fungal Diversity</i> , 2013, 61, 165-179.	4.7	99
87	Recommended names for pleomorphic genera in Dothideomycetes. <i>IMA Fungus</i> , 2015, 6, 507-523.	1.7	99
88	Generic names in Magnaporthales. <i>IMA Fungus</i> , 2016, 7, 155-159.	1.7	98
89	A without-prejudice list of generic names of fungi for protection under the International Code of Nomenclature for algae, fungi, and plants. <i>IMA Fungus</i> , 2013, 4, 381-443.	1.7	97
90	Lignicolous freshwater fungi along a north-south latitudinal gradient in the Asian/Australian region; can we predict the impact of global warming on biodiversity and function?. <i>Fungal Ecology</i> , 2016, 19, 190-200.	0.7	97

#	ARTICLE	IF	CITATIONS
91	A molecular, morphological and ecological re-appraisal of Venturiales—a new order of Dothideomycetes. <i>Fungal Diversity</i> , 2011, 51, 249-277.	4.7	96
92	A reappraisal of Microthyriaceae. <i>Fungal Diversity</i> , 2011, 51, 189-248.	4.7	95
93	Revision of lignicolous Tubeufiaceae based on morphological reexamination and phylogenetic analysis. <i>Fungal Diversity</i> , 2011, 51, 63-102.	4.7	95
94	Species of Botryosphaeriaceae involved in grapevine dieback in China. <i>Fungal Diversity</i> , 2013, 61, 221-236.	4.7	95
95	Phylogenetic Significance of the Pseudoparaphyses in Loculoascomycete Taxonomy. <i>Molecular Phylogenetics and Evolution</i> , 2000, 16, 392-402.	1.2	94
96	Towards a natural classification and backbone tree for Pleosporaceae. <i>Fungal Diversity</i> , 2015, 71, 85-139.	4.7	93
97	Microfungi associated with Clematis (Ranunculaceae) with an integrated approach to delimiting species boundaries. <i>Fungal Diversity</i> , 2020, 102, 1-203.	4.7	93
98	Endophytic Diaporthe associated with Citrus: A phylogenetic reassessment with seven new species from China. <i>Fungal Biology</i> , 2015, 119, 331-347.	1.1	91
99	Colletotrichum species from Jasmine (Jasminum sambac). <i>Fungal Diversity</i> , 2011, 46, 171-182.	4.7	90
100	Diversity of saprobic microfungi. <i>Biodiversity and Conservation</i> , 2007, 16, 7-35.	1.2	89
101	Phyllosticta—an overview of current status of species recognition. <i>Fungal Diversity</i> , 2011, 51, 43-61.	4.7	89
102	Large-scale phylogenetic analyses reveal multiple gains of actinorhizal nitrogen-fixing symbioses in angiosperms associated with climate change. <i>Scientific Reports</i> , 2015, 5, 14023.	1.6	89
103	Reviewing the world's edible mushroom species: A new evidence-based classification system. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 1982-2014.	5.9	89
104	<i>Colletotrichum</i> Species on <i>Orchidaceae</i> in Southwest China. <i>Cryptogamie, Mycologie</i> , 2011, 32, 229-253.	0.2	88
105	<i>Phyllosticta capitalensis</i> , a widespread endophyte of plants. <i>Fungal Diversity</i> , 2013, 60, 91-105.	4.7	88
106	Fungal diversity notes 1387–1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2021, 111, 1-335.	4.7	88
107	Fungal communities on submerged wood from streams in Brunei, Hong Kong, and Malaysia. <i>Mycological Research</i> , 2001, 105, 1492-1501.	2.5	87
108	Notes for genera: basal clades of Fungi (including Aphelidiomycota, Basidiobolomycota,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 77 Td (Bl</i> <i>Diversity</i> , 2018, 92, 43-129.	4.7	87

#	ARTICLE	IF	CITATIONS
109	Tubeufiales, ord. nov., integrating sexual and asexual generic names. <i>Fungal Diversity</i> , 2014, 68, 239-298.	4.7	86
110	The world's ten most feared fungi. <i>Fungal Diversity</i> , 2018, 93, 161-194.	4.7	85
111	Recommendations for competing sexual-asexually typified generic names in Sordariomycetes (except) Tj ETQq1 1 0,784314 rgBT /Over	1.7	84
112	The ranking of fungi: a tribute to David L. Hawksworth on his 70th birthday. <i>Fungal Diversity</i> , 2017, 84, 1-23.	4.7	84
113	Towards a natural classification and backbone tree for Lophiostomataceae, Floricolaceae, and Amorsiaceae fam. nov.. <i>Fungal Diversity</i> , 2015, 74, 199-266.	4.7	83
114	Taxonomic and phylogenetic contributions to fungi associated with the invasive weed <i>Chromolaena odorata</i> (Siam weed). <i>Fungal Diversity</i> , 2020, 101, 1-175.	4.7	82
115	<i>Astrosphaeriella</i> is polyphyletic, with species in <i>Fissuroma</i> gen. nov., and <i>Neoastrosphaeriella</i> gen. nov.. <i>Fungal Diversity</i> , 2011, 51, 135-154.	4.7	81
116	Prized edible Asian mushrooms: ecology, conservation and sustainability. <i>Fungal Diversity</i> , 2012, 56, 31-47.	4.7	80
117	<i>Phyllosticta</i> species associated with citrus diseases in China. <i>Fungal Diversity</i> , 2012, 52, 209-224.	4.7	80
118	What are fungal species and how to delineate them?. <i>Fungal Diversity</i> , 2021, 109, 1-25.	4.7	80
119	<i>Agaricus subrufescens</i> : A review. <i>Saudi Journal of Biological Sciences</i> , 2012, 19, 131-146.	1.8	77
120	Towards a natural classification and backbone tree for Graphostromataceae, Hypoxylaceae, Lopadostomataceae and Xylariaceae. <i>Fungal Diversity</i> , 2018, 88, 1-165.	4.7	77
121	How to publish a new fungal species, or name, version 3.0. <i>IMA Fungus</i> , 2021, 12, 11.	1.7	76
122	The families Distoseptisporaceae fam. nov., Kirschsteiniiotheliaceae, Sporormiaceae and Torulaceae, with new species from freshwater in Yunnan Province, China. <i>Fungal Diversity</i> , 2016, 80, 375-409.	4.7	75
123	Molecular evidence for teleomorph-anamorph connections in <i>Cordyceps</i> based on ITS-5.8S rDNA sequences. <i>Mycological Research</i> , 2002, 106, 1100-1108.	2.5	74
124	Towards standardizing taxonomic ranks using divergence times – a case study for reconstruction of the <i>Agaricus</i> taxonomic system. <i>Fungal Diversity</i> , 2016, 78, 239-292.	4.7	74
125	Response of endophytic fungi of <i>Stipa grandis</i> to experimental plant function group removal in Inner Mongolia steppe, China. <i>Fungal Diversity</i> , 2010, 43, 93-101.	4.7	73
126	<i>Diaporthe</i> species occurring on citrus in China. <i>Fungal Diversity</i> , 2013, 61, 237-250.	4.7	73



#	ARTICLE	IF	CITATIONS
127	Freshwater Dothideomycetes. <i>Fungal Diversity</i> , 2020, 105, 319-575.	4.7	73
128	<i>Anthostomella</i> is polyphyletic comprising several genera in Xylariaceae. <i>Fungal Diversity</i> , 2015, 73, 203-238.	4.7	72
129	Production of wood-decay enzymes, mass loss and lignin solubilization in wood by tropical Xylariaceae. <i>Mycological Research</i> , 2003, 107, 231-235.	2.5	71
130	Investigating species boundaries in <i>Colletotrichum</i> . <i>Fungal Diversity</i> , 2021, 107, 107-127.	4.7	71
131	Variation between freshwater and terrestrial fungal communities on decaying bamboo culms. <i>Antonie Van Leeuwenhoek</i> , 2006, 89, 293-301.	0.7	70
132	Phylogenetic utility of protein (RPB2, $\beta$ -tubulin) and ribosomal (LSU, SSU) gene sequences in the systematics of Sordariomycetes (Ascomycota, Fungi). <i>Antonie Van Leeuwenhoek</i> , 2007, 91, 327-349.	0.7	70
133	Refined families of Dothideomycetes: orders and families incertae sedis in Dothideomycetes. <i>Fungal Diversity</i> , 2020, 105, 17-318.	4.7	70
134	Screening of basidiomycetes and xylariaceous fungi for lignin peroxidase and laccase gene-specific sequences. <i>Mycological Research</i> , 2005, 109, 115-124.	2.5	69
135	Two new <i>Kirschsteiniotheli</i> species with <i>Dendryphiopsis</i> anamorphs cluster in <i>Kirschsteiniotheliaceae</i> fam. nov.. <i>Mycologia</i> , 2012, 104, 698-714.	0.8	69
136	Roussoellaceae, a new pleosporalean family to accommodate the genera <i>Neoroussoella</i> gen. nov., <i>Roussoella</i> and <i>Roussoellopsis</i> . <i>Phytotaxa</i> , 2014, 181, 1.	0.1	69
137	Fungicolous fungi: terminology, diversity, distribution, evolution, and species checklist. <i>Fungal Diversity</i> , 2019, 95, 337-430.	4.7	69
138	One stop shop II: taxonomic update with molecular phylogeny for important phytopathogenic genera: 26â€“50 (2019). <i>Fungal Diversity</i> , 2019, 94, 41-129.	4.7	69
139	Occurrence and diversity of basidiomycetous endophytes from the oil palm, <i>Elaeis guineensis</i> in Thailand. <i>Fungal Diversity</i> , 2010, 41, 71-88.	4.7	66
140	High Genetic Diversity and Species Complexity of <i>Diaporthe</i> Associated With Grapevine Dieback in China. <i>Frontiers in Microbiology</i> , 2019, 10, 1936.	1.5	66
141	Epitypification: should we epitypify?. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 842-846.	1.3	65
142	Low-diversity fungal assemblage in an Antarctic Dry Valleys soil. <i>Polar Biology</i> , 2012, 35, 567-574.	0.5	65
143	Phylogenetic and chemotaxonomic resolution of the genus <i>Annulohypoxyton</i> (Xylariaceae) including four new species. <i>Fungal Diversity</i> , 2017, 85, 1-43.	4.7	65
144	Identification of endophytic fungi from leaves of Pandanaceae based on their morphotypes and DNA sequence data from southern Thailand. <i>MycKeys</i> , 2018, 33, 25-67.	0.8	65

#	ARTICLE	IF	CITATIONS
145	Diverse species of <i>Colletotrichum</i> associated with grapevine anthracnose in China. <i>Fungal Diversity</i> , 2015, 71, 233-246.	4.7	64
146	Families in Botryosphaeriales: a phylogenetic, morphological and evolutionary perspective. <i>Fungal Diversity</i> , 2019, 94, 1-22.	4.7	63
147	Morphological and molecular characterisation of <i>Diaporthe</i> species associated with grapevine trunk disease in China. <i>Fungal Biology</i> , 2015, 119, 283-294.	1.1	62
148	Culturable plant pathogenic fungi associated with sugarcane in southern China. <i>Fungal Diversity</i> , 2019, 99, 1-104.	4.7	62
149	Endophytic <i>Colletotrichum</i> from tropical grasses with a new species <i>C. endophytica</i> . <i>Fungal Diversity</i> , 2013, 61, 107-115.	4.7	61
150	Taxonomic circumscription of <i>Diaporthe</i> based on multigene phylogeny and morphology. <i>Fungal Diversity</i> , 2018, 93, 241-443.	4.7	61
151	Phylogenetics and evolution of nematode-trapping fungi (Orbiliaceae) estimated from nuclear and protein coding genes. <i>Mycologia</i> , 2005, 97, 1034-1046.	0.8	60
152	Towards a natural classification of <i>Astrosphaeriella</i> -like species; introducing <i>Astrosphaeriellaceae</i> and <i>Pseudoastrosphaeriellaceae</i> fam. nov. and <i>Astrosphaeriellopsis</i> , gen. nov.. <i>Fungal Diversity</i> , 2015, 74, 143-197.	4.7	60
153	Comparative genome and transcriptome analyses reveal adaptations to opportunistic infections in woody plant degrading pathogens of Botryosphaeriaceae. <i>DNA Research</i> , 2018, 25, 87-102.	1.5	60
154	Fungal diversity notes 1277-1386: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2020, 104, 1-266.	4.7	60
155	Macrofungi as a Nutraceutical Source: Promising Bioactive Compounds and Market Value. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 397.	1.5	60
156	The family Pleosporaceae: intergeneric relationships and phylogenetic perspectives based on sequence analyses of partial 28S rDNA. <i>Mycologia</i> , 2006, 98, 571-583.	0.8	59
157	Sequence data reveals phylogenetic affinities of fungal anamorphs <i>Bahusutrabeeja</i> , <i>Diplococcium</i> , <i>Natarajania</i> , <i>Paliphora</i> , <i>Polyschema</i> , <i>Rattania</i> and <i>Spadicoides</i> . <i>Fungal Diversity</i> , 2010, 44, 161-169.	4.7	59
158	The family Agaricaceae: phylogenies and two new white-spored genera. <i>Mycologia</i> , 2011, 103, 494-509.	0.8	59
159	Trichomeriaceae, a new sooty mould family of Chaetothyriales. <i>Fungal Diversity</i> , 2012, 56, 63-76.	4.7	58
160	Cytology and ultrastructure of interactions between <i>Ustilago esculenta</i> and <i>Zizania latifolia</i> . <i>Mycological Progress</i> , 2012, 11, 499-508.	0.5	58
161	<i>Colletotrichum</i> species on grape in Guizhou and Yunnan provinces, China. <i>Mycoscience</i> , 2013, 54, 29-41.	0.3	58
162	Taxonomy and phylogeny of hyaline-spored coelomycetes. <i>Fungal Diversity</i> , 2020, 100, 279-801.	4.7	58

#	ARTICLE	IF	CITATIONS
163	Diversity of fungi on six species of Gramineae and one species of Cyperaceae in Hong Kong. <i>Mycological Research</i> , 2001, 105, 1485-1491.	2.5	56
164	<i>Cytospora</i> species associated with walnut canker disease in China, with description of a new species <i>C. gígalocus</i> . <i>Fungal Biology</i> , 2015, 119, 310-319.	1.1	56
165	Integrative approaches for species delimitation in Ascomycota. <i>Fungal Diversity</i> , 2021, 109, 155-179.	4.7	55
166	Can we use environmental DNA as holotypes?. <i>Fungal Diversity</i> , 2018, 92, 1-30.	4.7	54
167	The numbers of fungi: contributions from traditional taxonomic studies and challenges of metabarcoding. <i>Fungal Diversity</i> , 2022, 114, 327-386.	4.7	53
168	Diversity and distribution of saprobic microfungi in leaf litter of an Australian tropical rainforest. <i>Mycological Research</i> , 2006, 110, 1441-1454.	2.5	52
169	Morphology: still essential in a molecular world. <i>Mycotaxon</i> , 2011, 114, 439-451.	0.1	52
170	<i>Pestalotiopsis</i> species associated with <i>Camellia sinensis</i> (tea). <i>Mycotaxon</i> , 2013, 123, 47-61.	0.1	52
171	The numbers of fungi: are the most speciose genera truly diverse?. <i>Fungal Diversity</i> , 2022, 114, 387-462.	4.7	52
172	Fungal Biodiversity Profiles 11–20. <i>Cryptogamie, Mycologie</i> , 2015, 36, 355-380.	0.2	51
173	A study of the vertical zonation of intertidal fungi on <i>Rhizophora apiculata</i> at Kampong Kapok mangrove, Brunei. <i>Aquatic Botany</i> , 1990, 36, 255-262.	0.8	50
174	Fungi from decaying intertidal fronds of <i>Nypa fruticans</i> , including three new genera and four new species. <i>Botanical Journal of the Linnean Society</i> , 1992, 110, 95-110.	0.8	50
175	Epitypification of <i>Colletotrichum musae</i> , the causative agent of banana anthracnose. <i>Mycoscience</i> , 2011, 52, 376-382.	0.3	50
176	A destructive new disease of <i>Syzygium samarangense</i> in Thailand caused by the new species <i>Pestalotiopsis samarangensis</i> . <i>Tropical Plant Pathology</i> , 2013, 38, 227-235.	0.8	50
177	Revision and phylogeny of <i>Leptosphaeriaceae</i> . <i>Fungal Diversity</i> , 2015, 74, 19-51.	4.7	50
178	Dothideales. <i>Fungal Diversity</i> , 2014, 68, 105-158.	4.7	49
179	A taxonomic reassessment of <i>Tubeufiales</i> based on multi-locus phylogeny and morphology. <i>Fungal Diversity</i> , 2018, 92, 131-344.	4.7	49
180	Multi-gene phylogeny and morphotaxonomy of <i>Amniculicola lignicola</i> : a novel freshwater fungus from France and its relationships to the <i>Pleosporales</i> . <i>Mycological Research</i> , 2008, 112, 1186-1194.	2.5	48

#	ARTICLE	IF	CITATIONS
181	Multi-locus Phylogeny Reveals Three new Species of Diaporthe from Thailand. <i>Cryptogamie, Mycologie</i> , 2012, 33, 295-309.	0.2	48
182	Taxonomic and phylogenetic contributions to <i>Celtis formosana</i> , <i>Ficus ampelas</i> , <i>F. septica</i> , <i>Macaranga tanarius</i> and <i>Morus australis</i> leaf litter inhabiting microfungi. <i>Fungal Diversity</i> , 2021, 108, 1-215.	4.7	48
183	Studies on Amphisphaeriales: The Amphisphaeriaceae (sensu stricto). <i>Mycological Research</i> , 1999, 103, 53-64.	2.5	47
184	Fungi on submerged wood from the River Coln, England. <i>Mycological Research</i> , 1999, 103, 1561-1574.	2.5	47
185	Dynamics of the worldwide number of fungi with emphasis on fungal diversity in China. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	47
186	One stop shop IV: taxonomic update with molecular phylogeny for important phytopathogenic genera: 76–100 (2020). <i>Fungal Diversity</i> , 2020, 103, 87-218.	4.7	47
187	Endophytic fungi from <i>Amomum siamense</i> . <i>Canadian Journal of Microbiology</i> , 2001, 47, 943-948.	0.8	46
188	Where are the missing fungi? Does Hong Kong have any answers?. <i>Mycological Research</i> , 2001, 105, 1514-1518.	2.5	46
189	Novel Species of <i>Colletotrichum</i> Revealed by Morphology and Molecular Analysis. <i>Cryptogamie, Mycologie</i> , 2012, 33, 347-362.	0.2	46
190	Molecular and morphological evidence support four new species in the genus <i>Muscodor</i> from northern Thailand. <i>Annals of Microbiology</i> , 2013, 63, 1341-1351.	1.1	46
191	Revision of genera in Asterinales. <i>Fungal Diversity</i> , 2014, 68, 1-68.	4.7	46
192	Lenormandins A–G, new azaphilones from <i>Hypoxylen lenormandii</i> and <i>Hypoxylen jaklitschii</i> sp. nov., recognised by chemotaxonomic data. <i>Fungal Diversity</i> , 2015, 71, 165-184.	4.7	46
193	Pyristriatins A and B: Pyridino-Cyathane Antibiotics from the Basidiomycete <i>Cyathus cf. striatus</i> . <i>Journal of Natural Products</i> , 2016, 79, 1684-1688.	1.5	46
194	Molecular Phylogeny and Morphological Characterization of Asexual Fungi (Tubeufiaceae) from Freshwater Habitats in Yunnan, China. <i>Cryptogamie, Mycologie</i> , 2017, 38, 27-53.	0.2	46
195	An evaluation of the monophyly of <i>Massarina</i> based on ribosomal DNA sequences. <i>Mycologia</i> , 2002, 94, 803-813.	0.8	45
196	Diversity and abundance of nematode-trapping fungi from decaying litter in terrestrial, freshwater and mangrove habitats. <i>Biodiversity and Conservation</i> , 2009, 18, 1695-1714.	1.2	45
197	A Novel Species of <i>Pestalotiopsis</i> Causing Leaf Spots of <i>Trachycarpus Fortunei</i> . <i>Cryptogamie, Mycologie</i> , 2012, 33, 311-318.	0.2	45
198	<i>Bambusicola</i> , a New Genus from Bamboo with Asexual and Sexual Morphs. <i>Cryptogamie, Mycologie</i> , 2012, 33, 363-379.	0.2	45

#	ARTICLE	IF	CITATIONS
199	Molecular systematics of the Amphisphaeriaceae based on cladistic analyses of partial LSU rDNA gene sequences. <i>Mycological Research</i> , 2003, 107, 1392-1402.	2.5	44
200	Phylogeny of Chaetothyriaceae in northern Thailand including three new species. <i>Mycologia</i> , 2012, 104, 382-395.	0.8	44
201	Plant growth and photosynthetic performance of <i>Zizania latifolia</i> are altered by endophytic <i>Ustilago esculenta</i> infection. <i>Physiological and Molecular Plant Pathology</i> , 2013, 83, 75-83.	1.3	44
202	Dictyosporiaceae fam. nov.. <i>Fungal Diversity</i> , 2016, 80, 457-482.	4.7	44
203	Microfungi on <i>Tamarix</i> . <i>Fungal Diversity</i> , 2017, 82, 239-306.	4.7	44
204	The polyphyletic nature of Pleosporales: an example from <i>Massariosphaeria</i> based on rDNA and RBP2 gene phylogenies. <i>Mycological Research</i> , 2007, 111, 1268-1276.	2.5	43
205	Morphological and molecular characterization of three <i>Agaricus</i> species from tropical Asia (Pakistan, Thailand) reveals a new group in section <i>Xanthodermatei</i> . <i>Mycologia</i> , 2014, 106, 1220-1232.	0.8	43
206	Effects of vegetation disturbance by fire on channel initiation thresholds. <i>Geomorphology</i> , 2014, 214, 84-96.	1.1	43
207	Identification and characterization of <i>Pestalotiopsis</i> -like fungi related to grapevine diseases in China. <i>Fungal Biology</i> , 2015, 119, 348-361.	1.1	43
208	Overview of <i>Stachybotrys</i> ( <i>Memnoniella</i> ) and current species status. <i>Fungal Diversity</i> , 2015, 71, 17-83.	4.7	43
209	Deconins A-E: Cuparenic and Mevalonic or Propionic Acid Conjugates from the Basidiomycete <i>Deconica</i> sp. 471. <i>Journal of Natural Products</i> , 2015, 78, 934-938.	1.5	43
210	A phylogenetic census of global diversity of gut anaerobic fungi and a new taxonomic framework. <i>Fungal Diversity</i> , 2018, 89, 253-266.	4.7	43
211	A re-evaluation of the Chaetothyriales using criteria of comparative biology. <i>Fungal Diversity</i> , 2020, 103, 47-85.	4.7	43
212	Sporothriolide derivatives as chemotaxonomic markers for <i>Hypoxyylon monticulosum</i> . <i>Mycology</i> , 2014, 5, 110-119.	2.0	42
213	Morpho-Molecular Characterization of Two <i>Ampelomyces</i> spp. (Pleosporales) Strains Mycoparasites of Powdery Mildew of <i>Hevea brasiliensis</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 12.	1.5	42
214	What is a species in fungal plant pathogens?. <i>Fungal Diversity</i> , 2021, 109, 239-266.	4.7	42
215	The Global Soil Mycobiome consortium dataset for boosting fungal diversity research. <i>Fungal Diversity</i> , 2021, 111, 573-588.	4.7	42
216	Frequency-magnitude distribution of debris flows compiled from global data, and comparison with post-fire debris flows in the western U.S.. <i>Geomorphology</i> , 2013, 191, 118-128.	1.1	41

#	ARTICLE	IF	CITATIONS
217	Phylogenetic relationships and morphological reappraisal of Melanommataceae (Pleosporales). <i>Fungal Diversity</i> , 2015, 74, 267-324.	4.7	41
218	Towards a natural classification of Annulatasceae-like taxa: introducing <i>Atractosporales</i> ord. nov. and six new families. <i>Fungal Diversity</i> , 2017, 85, 75-110.	4.7	41
219	<i>Pseudostanjehughesia aquitropica</i> gen. et sp. nov. and <i>Sporidesmium</i> sensu lato species from freshwater habitats. <i>Mycological Progress</i> , 2018, 17, 591-616.	0.5	41
220	Biodiversity and distribution of fungi associated with decomposing <i>Nypa fruticans</i> . <i>Biodiversity and Conservation</i> , 2000, 9, 393-402.	1.2	40
221	Estimation of microfungal diversity in tropical rainforest leaf litter using particle filtration: the effects of leaf storage and surface treatment. <i>Mycological Research</i> , 2003, 107, 748-756.	2.5	40
222	Molecular Systematics of <i>Zopfiella</i> and allied genera: evidence from multi-gene sequence analyses. <i>Mycological Research</i> , 2006, 110, 359-368.	2.5	40
223	Confusion surrounding <i>Didymosphaeria</i> phylogenetic and morphological evidence suggest <i>Didymosphaeriaceae</i> is not a distinct family. <i>Phytotaxa</i> , 2014, 176, 102.	0.1	40
224	<i>Cytospora</i> species associated with canker disease of three anti-desertification plants in northwestern China. <i>Phytotaxa</i> , 2015, 197, 227-244.	0.1	40
225	Fungal Biodiversity Profiles 10. <i>Cryptogamie, Mycologie</i> , 2015, 36, 121-166.	0.2	40
226	Ten reasons why a sequence-based nomenclature is not useful for fungi anytime soon. <i>IMA Fungus</i> , 2018, 9, 177-183.	1.7	40
227	Enzymatic activity of endophytic fungi of six native seedling species from Doi Suthep-Pui National Park, Thailand. <i>Canadian Journal of Microbiology</i> , 2002, 48, 1109-1112.	0.8	38
228	Overlooked competing asexual and sexually typified generic names of Ascomycota with recommendations for their use or protection. <i>IMA Fungus</i> , 2016, 7, 289-308.	1.7	38
229	Intertidal mangrove fungi from north Sumatra. <i>Canadian Journal of Botany</i> , 1989, 67, 3078-3082.	1.2	37
230	Fungi on submerged wood in the Riviere St Marie-Louis, The Seychelles. <i>South African Journal of Botany</i> , 1998, 64, 330-336.	1.2	37
231	The need to carry out re-inventory of plant pathogenic fungi. <i>Tropical Plant Pathology</i> , 2011, 36, 205-213.	0.8	37
232	Sequence Data Reveals Phylogenetic Affinities of <i>Acrocallymma aquaticasp. nov.</i> , <i>Aquasubmersa mircensis</i> gen. et sp. nov. and <i>Clohesyomyces aquaticus</i> (Freshwater Coelomycetes). <i>Cryptogamie, Mycologie</i> , 2012, 33, 333-346.	0.2	37
233	Optimization of Large-Scale Culture Conditions for the Production of Cordycepin with <i>Cordyceps militaris</i> by Liquid Static Culture. <i>Scientific World Journal</i> , The, 2014, 2014, 1-15.	0.8	37
234	Improving the backbone tree for the genus <i>Pestalotiopsis</i> ; addition of <i>P. steyaertii</i> and <i>P. magna</i> sp. nov.. <i>Mycological Progress</i> , 2014, 13, 617-624.	0.5	37

#	ARTICLE	IF	CITATIONS
235	<i>Neopestalotiopsis vitis</i> sp. nov. causing grapevine leaf spot in China. <i>Phytotaxa</i> , 2016, 258, 63.	0.1	37
236	Longitudinal and temporal distribution of freshwater ascomycetes and dematiaceous hyphomycetes on submerged wood in the Lam Tsuen River, Hong Kong. <i>Journal of the North American Benthological Society</i> , 2001, 20, 533-549.	3.0	36
237	Climate change effects fruiting of the prize matsutake mushroom in China. <i>Fungal Diversity</i> , 2012, 56, 189-198.	4.7	36
238	Gymnopalynes A and B, Chloropropynyl-isocoumarin Antibiotics from Cultures of the Basidiomycete <i>Gymnopuss</i> . <i>Journal of Natural Products</i> , 2013, 76, 2141-2144.	1.5	36
239	<i>Ophiocordyceps xuefengensis</i> sp. nov. from larvae of <i>Phassus nodus</i> (Hepialidae) in Hunan Province, southern China. <i>Phytotaxa</i> , 2013, 123, 41.	0.1	36
240	Backbone tree for Chaetothyriales with four new species of <i>Minimelanolocus</i> from aquatic habitats. <i>Fungal Biology</i> , 2015, 119, 1046-1062.	1.1	36
241	Divergence time calibrations for ancient lineages of Ascomycota classification based on a modern review of estimations. <i>Fungal Diversity</i> , 2019, 96, 285-346.	4.7	36
242	Towards a natural classification of <i>Ophiobolus</i> and ophiobolus-like taxa; introducing three novel genera <i>Ophiobolopsis</i> , <i>Paraophiobolus</i> and <i>Pseudoophiobolus</i> in Phaeosphaeriaceae (Pleosporales). <i>Fungal Diversity</i> , 2017, 87, 299-339.	4.7	35
243	Early-diverging fungal phyla: taxonomy, species concept, ecology, distribution, anthropogenic impact, and novel phylogenetic proposals. <i>Fungal Diversity</i> , 2021, 109, 59-98.	4.7	35
244	One stop shop III: taxonomic update with molecular phylogeny for important phytopathogenic genera: 51â€“75 (2019). <i>Fungal Diversity</i> , 2019, 98, 77-160.	4.7	35
245	Morphological and phylogenetic characterisation of novel <i>Cytospora</i> species associated with mangroves. <i>MycKeys</i> , 2018, 38, 93-120.	0.8	35
246	Taxonomy, phylogeny, molecular dating and ancestral state reconstruction of Xylariomycetidae (Sordariomycetes). <i>Fungal Diversity</i> , 2022, 112, 1-88.	4.7	35
247	The genera <i>Aniptodera</i> , <i>Halosarpheia</i> , <i>Nais</i> and <i>Phaeonectriella</i> from freshwater habitats. <i>Mycoscience</i> , 1999, 40, 165-183.	0.3	34
248	<i>Muscodor cinnamomi</i> , a new endophytic species from <i>Cinnamomum bejolghota</i> . <i>Mycotaxon</i> , 2011, 114, 15-23.	0.1	34
249	<i>Deniquelata barringtoniae</i> gen. et sp. nov., associated with leaf spots of <i>Barringtonia asiatica</i> . <i>Phytotaxa</i> , 2013, 105, 11.	0.1	34
250	<i>Camarosporium</i> -Like Species are Polyphyletic in Pleosporales; Introducing <i>Paracamarosporium</i> and <i>Pseudocamarosporium</i> gen. nov. in Montagnulaceae. <i>Cryptogamie, Mycologie</i> , 2014, 35, 177-198.	0.2	34
251	Global diversity and taxonomy of the <i>Auricularia auricula-judae</i> complex (Auriculariales). <i>Trends in Microbiology</i> , 2011, 19, 107-114.	0.5	34
252	The genus <i>Simplicillium</i> . <i>MycKeys</i> , 2019, 60, 69-92.	0.8	34

#	ARTICLE	IF	CITATIONS
253	Diversity of fungi on rainforest litter in North Queensland, Australia. <i>Biodiversity and Conservation</i> , 2002, 11, 1185-1194.	1.2	33
254	Mushroom diversity in sustainable shade tea forest and the effect of fire damage. <i>Biodiversity and Conservation</i> , 2010, 19, 1401-1415.	1.2	33
255	Three new ascomycetes from freshwater in China. <i>Mycologia</i> , 2012, 104, 1478-1489.	0.8	33
256	A new species of <i>Trichoderma hypoxylon</i> harbours abundant secondary metabolites. <i>Scientific Reports</i> , 2016, 6, 37369.	1.6	33
257	Morphological and molecular taxonomy of novel species <i>Pleurotheciaceae</i> from freshwater habitats in Yunnan, China. <i>Mycological Progress</i> , 2018, 17, 511-530.	0.5	33
258	Immunomodulatory compounds from <i>Pestalotiopsis leucotheca</i> , an endophytic fungus from <i>Tripterygium wilfordii</i> . <i>Life Sciences</i> , 2005, 78, 147-156.	2.0	32
259	The new genus <i>Rostrohypoxylon</i> and two new <i>Annulohypoxylon</i> species from Northern Thailand. <i>Fungal Diversity</i> , 2010, 40, 23-36.	4.7	32
260	A monograph of <i>Micropsalliota</i> in Northern Thailand based on morphological and molecular data. <i>Fungal Diversity</i> , 2010, 45, 33-79.	4.7	32
261	A novel <i>Trichoderma</i> species isolated from soil in Guizhou, T. <i>guizhouense</i> . <i>Mycological Progress</i> , 2013, 12, 167-172.	0.5	32
262	<i>Pustulomyces</i> gen. nov. Accommodated in <i>Diaporthaceae</i> , <i>Diaporthales</i> , as Revealed by Morphology and Molecular Analyses. <i>Cryptogamie, Mycologie</i> , 2014, 35, 63-72.	0.2	32
263	Genetic Analyses of the Internal Transcribed Spacer Sequences Suggest Introgression and Duplication in the Medicinal Mushroom <i>Agaricus subrufescens</i> . <i>PLoS ONE</i> , 2016, 11, e0156250.	1.1	32
264	Elucidation of the life cycle of the endophytic genus <i>Muscodor</i> and its transfer to <i>Induratia</i> in <i>Induratiaceae</i> fam. nov., based on a polyphasic taxonomic approach. <i>Fungal Diversity</i> , 2020, 101, 177-210.	4.7	32
265	Ascomycetes from freshwater habitats: <i>Ascolacicola aquatica</i> gen. et sp. nov. and a new species of <i>Ascotaiwania</i> from wood submerged in a reservoir in Hong Kong. <i>Mycologia</i> , 1998, 90, 1055-1062.	0.8	31
266	Diversity and ecological distribution of macrofungi in the Laojun Mountain region, southwestern China. <i>Biodiversity and Conservation</i> , 2010, 19, 3545-3563.	1.2	31
267	<i>Pseudopestalotiopsis ignota</i> and <i>Ps. camelliae</i> spp. nov. associated with grey blight disease of tea in China. <i>Mycological Progress</i> , 2016, 15, 1.	0.5	31
268	<i>Thyridariella</i> , a novel marine fungal genus from India: morphological characterization and phylogeny inferred from multigene DNA sequence analyses. <i>Mycological Progress</i> , 2018, 17, 791-804.	0.5	31
269	<i>Nigrospora</i> Species Associated with Various Hosts from Shandong Peninsula, China. <i>Mycobiology</i> , 2020, 48, 169-183.	0.6	31
270	A polyphasic approach to delineate species in <i>Bipolaris</i> . <i>Fungal Diversity</i> , 2020, 102, 225-256.	4.7	31



#	ARTICLE	IF	CITATIONS
271	Fungal Biodiversity Profiles 21â€“30. Cryptogamie, Mycologie, 2017, 38, 101-146.	0.2	31
272	<i>Agaricus flocculosipes</i> sp. nov., a new potentially cultivatable species from the palaeotropics. Mycoscience, 2012, 53, 300-311.	0.3	30
273	Morphology and Phylogeny of <i>Neoscytalidium orchidacearum</i> sp. nov. (Botryosphaeriaceae). Mycobiology, 2016, 44, 79-84.	0.6	30
274	Antagonistic interaction between <i>Trichoderma asperellum</i> and <i>Phytophthora capsici</i> in vitro. Journal of Zhejiang University: Science B, 2016, 17, 271-281.	1.3	30
275	<i>Pulveroboletus fragrans</i> , a new Boletaceae species from Northern Thailand, with a remarkable aromatic odor. Mycological Progress, 2016, 15, 1.	0.5	30
276	Diversity and Function of Appressoria. Pathogens, 2021, 10, 746.	1.2	30
277	Attachment studies in marine fungi. Biofouling, 1989, 1, 287-298.	0.8	29
278	Fungal diversity on fallen leaves of <i>Ficus</i> in northern Thailand. Journal of Zhejiang University: Science B, 2008, 9, 835-841.	1.3	29
279	Mycotoxin-producing fungi occurring in sorghum grains from Saudi Arabia. Fungal Diversity, 2010, 44, 45-52.	4.7	29
280	<i>Lactarius</i> subgenus <i>Russularia</i> (Basidiomycota, Russulales): novel Asian species, worldwide phylogeny and evolutionary relationships. Fungal Biology, 2016, 120, 1554-1581.	1.1	29
281	Phylogeny and morphology reveal two new species of <i>Diaporthe</i> from <i>Betula</i> spp. in China. Phytotaxa, 2016, 269, 90.	0.1	29
282	Taxonomy and phylogeny of operculate discomycetes: Pezizomycetes. Fungal Diversity, 2018, 90, 161-243.	4.7	29
283	Phylogeny and morphology of <i>Lasiodiplodia</i> species associated with <i>Magnolia</i> forest plants. Scientific Reports, 2019, 9, 14355.	1.6	29
284	<i>Spadicoides cordanoides</i> sp. nov., a new dematiaceous hyphomycete from submerged wood in Australia, with a taxonomic review of the genus. Mycologia, 1996, 88, 1022-1031.	0.8	28
285	<i>Proboscispora aquatica</i> gen. et sp. nov., from wood submerged in freshwater. Mycological Research, 1999, 103, 81-87.	2.5	28
286	Morphological and molecular characterization of <i>Aquaticheirospora</i> and phylogenetics of Massarinaceae (Pleosporales). Botanical Journal of the Linnean Society, 2007, 155, 283-296.	0.8	28
287	Culture collections, the new herbaria for fungal pathogens. Fungal Diversity, 2010, 45, 21-32.	4.7	28
288	Halojulellaceae a new family of the order Pleosporales. Phytotaxa, 2013, 130, 14.	0.1	28

#	ARTICLE	IF	CITATIONS
289	Agaricus section Brunneopicti: a phylogenetic reconstruction with descriptions of four new taxa. Phytotaxa, 2015, 192, 145.	0.1	28
290	Taxonomy and phylogeny of Laburnicola gen. nov. and Paramassariosphaeria gen. nov. (Didymosphaeriaceae, Massarinae, Pleosporales). Fungal Biology, 2016, 120, 1354-1373.	1.1	28
291	Species diversity of Basidiomycota. Fungal Diversity, 2022, 114, 281-325.	4.7	28
292	Aquatic fungi on rachides of Livistona in the Western Province of Papua New Guinea. Mycological Research, 1994, 98, 719-725.	2.5	27
293	Rousoella, an ascomycete genus of uncertain relationships with a Cytoplea anamorph. Mycological Research, 1996, 100, 1522-1528.	2.5	27
294	Berkleasium crunisia sp. nov. and its phylogenetic affinities to the Pleosporales based on 18S and 28S rDNA sequence analyses. Mycologia, 2007, 99, 378-384.	0.8	27
295	Biology of Colletotrichum horii, the causal agent of persimmon anthracnose. Mycology, 2010, 1, 242-253.	2.0	27
296	Polyporus umbellatus, an Edible-Medicinal Cultivated Mushroom with Multiple Developed Health-Care Products as Food, Medicine and Cosmetics: A Review. Cryptogamie, Mycologie, 2015, 36, 3-42.	0.2	27
297	Meliolales. Fungal Diversity, 2015, 74, 91-141.	4.7	27
298	Truncatones D, benzo[j]fluoranthenes from Annulohyphoxylon species (Xylariaceae, Ascomycota). Tetrahedron, 2016, 72, 6450-6454.	1.0	27
299	Phylogeny of new marine Dothideomycetes and Sordariomycetes from mangroves and deep-sea sediments. Botanica Marina, 2020, 63, 155-181.	0.6	27
300	Freshwater fungal numbers. Fungal Diversity, 2022, 114, 3-235.	4.7	27
301	The genus Massarina, with a description of M. eburnea and an annotated list of Massarina names. Mycological Research, 1995, 99, 291-296.	2.5	26
302	An Evaluation of the Monophyly of Massarina Based on Ribosomal DNA Sequences. Mycologia, 2002, 94, 803.	0.8	26
303	Two new species of nematode-trapping fungi: relationships inferred from morphology, rDNA and protein gene sequence analyses. Mycological Research, 2006, 110, 790-800.	2.5	26
304	Three new species of Lentinus from northern Thailand. Mycological Progress, 2011, 10, 389-398.	0.5	26
305	Dyrolomycetaceae, a new family in the Dothideomycetes, Ascomycota. Cryptogamie, Mycologie, 2013, 34, 223-232.	0.2	26
306	Diaporthe rostrata, a novel ascomycete from Juglans mandshurica associated with walnut dieback. Mycological Progress, 2015, 14, 1.	0.5	26

#	ARTICLE	IF	CITATIONS
307	Muyocoprionales, ord. nov., (Dothideomycetes, Ascomycota) and a reappraisal of Muyocopron species from northern Thailand. <i>Phytotaxa</i> , 2016, 265, 225.	0.1	26
308	Novel chaetosphaeriaceous hyphomycetes from aquatic habitats. <i>Mycological Progress</i> , 2016, 15, 1157-1167.	0.5	26
309	Study of three interesting <i>Amanita</i> species from Thailand: Morphology, multiple-gene phylogeny and toxin analysis. <i>PLoS ONE</i> , 2017, 12, e0182131.	1.1	26
310	A Mechanistic Review on Medicinal Mushrooms-Derived Bioactive Compounds: Potential Mycotherapy Candidates for Alleviating Neurological Disorders. <i>Planta Medica</i> , 2020, 86, 1161-1175.	0.7	26
311	Importance of Molecular Data to Identify Fungal Plant Pathogens and Guidelines for Pathogenicity Testing Based on Koch's Postulates. <i>Pathogens</i> , 2021, 10, 1096.	1.2	26
312	Fungal Biodiversity in Salt Marsh Ecosystems. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 648.	1.5	26
313	Spore attachment in marine fungi. <i>Mycological Research</i> , 1993, 97, 7-14.	2.5	25
314	New species or records of <i>Cacumisporium</i> , <i>Helicosporium</i> , <i>Monotosporella</i> and <i>Bahusutrabeeja</i> on submerged wood in Hong Kong streams. <i>Mycologia</i> , 2001, 93, 389-397.	0.8	25
315	Fungal communities on decaying palm fronds in Australia, Brunei, and Hong Kong. <i>Mycological Research</i> , 2001, 105, 1458-1471.	2.5	25
316	Succession of microfungal communities on decaying leaves of <i>Castanopsis fissa</i> . <i>Canadian Journal of Microbiology</i> , 2005, 51, 967-974.	0.8	25
317	Ribosomal DNA phylogenies of <i>Cyathus</i> : Is the current infrageneric classification appropriate?. <i>Mycologia</i> , 2007, 99, 385-395.	0.8	25
318	<i>Trematosphaeriaceae</i> fam. nov. (Dothideomycetes, Ascomycota). <i>Cryptogamie, Mycologie</i> , 2011, 32, 343-358.	0.2	25
319	<i>Poaceascoma helicoides</i> gen et sp. nov., a New Genus with Scolecospores in <i>Lentitheciaceae</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 225-236.	0.2	25
320	<i>Diatrypella tectonae</i> and <i>Peroneutypa mackenziei</i> spp. nov. (Diatrypaceae) from northern Thailand. <i>Mycological Progress</i> , 2017, 16, 463-476.	0.5	25
321	New species in <i>Dictyosporium</i> , new combinations in <i>Dictyocheirospora</i> and an updated backbone tree for <i>Dictyosporiaceae</i> . <i>MycoKeys</i> , 2018, 36, 83-105.	0.8	25
322	Phylogenetic Revision of <i>Savoryellaceae</i> and Evidence for Its Ranking as a Subclass. <i>Frontiers in Microbiology</i> , 2019, 10, 840.	1.5	25
323	Evolution of freshwater <i>Diaporthomycetidae</i> (Sordariomycetes) provides evidence for five new orders and six new families. <i>Fungal Diversity</i> , 2021, 107, 71-105.	4.7	25
324	Additions to Brown Spored Coelomycetous Taxa in <i>Massarinae</i> , <i>Pleosporales</i> : Introducing <i>Phragmocamarosporium</i> gen. nov. and <i>Suttonomyces</i> gen. nov.. <i>Cryptogamie, Mycologie</i> , 2015, 36, 213-224.	0.2	24

#	ARTICLE	IF	CITATIONS
325	Additions to Karst Fungi 1: Botryosphaeria minutispermata sp. nov., from Guizhou Province, China. Phytotaxa, 2016, 275, 35.	0.1	24
326	First successful domestication and determination of nutritional and antioxidant properties of the red ear mushroom Auricularia thailandica (Auriculariales, Basidiomycota). Mycological Progress, 2017, 16, 1029-1039.	0.5	24
327	Multi-gene phylogenetic analyses reveals Neohelicosporium gen. nov. and five new species of helicosporous hyphomycetes from aquatic habitats. Mycological Progress, 2018, 17, 631-646.	0.5	24
328	Endophytic Diaporthe Associated With Citrus grandis cv. Tomentosa in China. Frontiers in Microbiology, 2020, 11, 609387.	1.5	24
329	Tropical Australian Freshwater Fungi. XV. The ascomycete genus Jahnula, with five new species and one new combination. Nova Hedwigia, 1999, 68, 489-509.	0.2	24
330	Diaporthe species in south-western China. MycoKeys, 2019, 57, 113-127.	0.8	24
331	<i>Janetia curviapicis</i> , a new species, and an emended description of the genus. Mycologia, 1996, 88, 1014-1021.	0.8	23
332	Brunneosporella aquatica gen. et sp. nov., Aqualignicola hyalina gen. et sp. nov., Jobellisia viridifusca sp. nov. and Porosphaerellopsis bipolaris sp. nov. (ascomycetes) from submerged wood in freshwater habitats. Mycological Research, 2001, 105, 625-633.	2.5	23
333	Phylogenetic relationships of Chalara and allied species inferred from ribosomal DNA sequences. Mycological Progress, 2009, 8, 133-143.	0.5	23
334	Fungal diversity on submerged wood in a tropical stream and an artificial lake. Biodiversity and Conservation, 2010, 19, 3799-3808.	1.2	23
335	Shiraiaceae, new family of Pleosporales (Dothideomycetes, Ascomycota). Phytotaxa, 2013, 103, 51.	0.1	23
336	Towards a natural classification of Dothideomycetes: The genera Dermatodothella, Dothideopsella, Grandigallia, Hysteropeltella and Gloeodiscus (Dothideomycetes incertae sedis). Phytotaxa, 2013, 147, 35.	0.1	23
337	A re-assessment of Elsinoaceae (Myriangiales, Dothideomycetes). Phytotaxa, 2014, 176, 120.	0.1	23
338	Species diversity within the Helvella crispa group (Ascomycota: Helvellaceae) in China. Phytotaxa, 2015, 239, 130.	0.1	23
339	Four new species of Tubeufia (Tubeufiaceae, Tubeufiales) from Thailand. Mycological Progress, 2017, 16, 403-417.	0.5	23
340	Defining a species in fungal plant pathology: beyond the species level. Fungal Diversity, 2021, 109, 267-282.	4.7	23
341	Distoseptispora bambusae sp. nov. (Distoseptisporaceae) on bamboo from China and Thailand. Biodiversity Data Journal, 2020, 8, e53678.	0.4	23
342	Fuscosporellales, a New Order of Aquatic and Terrestrial Hypocreomycetidae (Sordariomycetes). Cryptogamie, Mycologie, 2016, 37, 449-475.	0.2	23

#	ARTICLE	IF	CITATIONS
343	Phylogenetic relationships of <i>Nemania plumbea</i> sp. nov. and related taxa based on ribosomal ITS and RPB2 sequences. <i>Mycological Research</i> , 2007, 111, 392-402.	2.5	22
344	Wood-inhabiting filamentous fungi in 12 high-altitude streams of the Western Ghats by damp incubation and bubble chamber incubation. <i>Mycoscience</i> , 2010, 51, 104-115.	0.3	22
345	A new species of <i>Colletotrichum</i> from <i>Cordyline</i> ; <i>fruticosa</i> and <i>Eugenia javanica</i> causing anthracnose disease. <i>Mycotaxon</i> , 2011, 114, 247-257.	0.1	22
346	Evidence for amphithallism and broad geographical hybridization potential among <i>Agaricus subrufescens</i> isolates from Brazil, France, and Thailand. <i>Fungal Biology</i> , 2014, 118, 1013-1023.	1.1	22
347	<i>Dematiopleospora mariae</i> gen. sp. nov., from <i>Ononis spinosa</i> in Italy. <i>Cryptogamie, Mycologie</i> , 2014, 35, 105-117.	0.2	22
348	Introducing <i>Chaetothyriotheceum</i> , a new genus of Microthyriales. <i>Phytotaxa</i> , 2014, 161, 157.	0.1	22
349	Edible species of <i>Agaricus</i> (Agaricaceae) from Xinjiang Province (Western China). <i>Phytotaxa</i> , 2015, 202, 185.	0.1	22
350	Additions to <i>Sporormiaceae</i> : Introducing Two Novel Genera, <i>Sparticola</i> and <i>Forliomyces</i> , from <i>Spartium</i> . <i>Cryptogamie, Mycologie</i> , 2016, 37, 75-97.	0.2	22
351	<i>Lamproconiaceae</i> fam. nov. to accommodate <i>Lamproconium desmazieri</i> . <i>Phytotaxa</i> , 2016, 270, 89.	0.1	22
352	Molecular taxonomy and morphological characterization reveal new species and new host records of <i>Torula</i> species (Torulaceae, Pleosporales). <i>Mycological Progress</i> , 2017, 16, 447-461.	0.5	22
353	Ultrastructural studies on the aquatic ascomycetes <i>Annulatascus velatisporus</i> and <i>A. triseptatus</i> sp. nov.. <i>Mycological Research</i> , 1999, 103, 561-571.	2.5	21
354	<i>Aquapeziza</i> : a new genus from freshwater and its morphological and phylogenetic relationships to Pezizaceae. <i>Mycologia</i> , 2012, 104, 540-546.	0.8	21
355	Phylogeny and morphology of <i>Phaeosphaeriopsis triseptata</i> sp. nov., and <i>Phaeosphaeriopsis glaucopunctata</i> . <i>Phytotaxa</i> , 2014, 176, 238.	0.1	21
356	<i>Muriphaeosphaeria galatellae</i> gen. et sp. nov. in Phaeosphaeriaceae (Pleosporales). <i>Phytotaxa</i> , 2015, 227, 55.	0.1	21
357	Additions to the Genus <i>Rhytidhysteron</i> in Hysteriaceae. <i>Cryptogamie, Mycologie</i> , 2016, 37, 99-116.	0.2	21
358	Taxonomic revision and phylogenetic analyses of rubber powdery mildew fungi. <i>Microbial Pathogenesis</i> , 2017, 105, 185-195.	1.3	21
359	Introducing the new Indian mangrove species, <i>Vaginatipora microarmatispora</i> (Lophiostomataceae) based on morphology and multigene phylogenetic analysis. <i>Phytotaxa</i> , 2017, 329, 139.	0.1	21
360	Modern Taxonomic Approaches to Identifying Diatrypaceous Fungi from Marine Habitats, with a Novel Genus <i>Halocryptovalsa</i> Dayarathne & K.D.Hyde, Gen. Nov.. <i>Cryptogamie, Mycologie</i> , 2020, 41, 21.	0.2	21

#	ARTICLE	IF	CITATIONS
361	Additions to the genus <i>Linocarpon</i> (Ascomycetes: Hyponectriaceae). <i>Botanical Journal of the Linnean Society</i> , 1997, 123, 109-131.	0.8	20
362	Distribution and occurrence of myxomycetes on agricultural ground litter and forest floor litter in Thailand. <i>Mycologia</i> , 2008, 100, 181-190.	0.8	20
363	(2233) Proposal to conserve the name <i>Bipolaris</i> against <i>Cochliobolus</i> ( <i>Ascomycota</i> : <i>Pleosporales</i> : <i>Pleosporaceae</i> ). <i>Taxon</i> , 2013, 62, 1331-1332.	0.4	20
364	Two new species of <i>Pestalotiopsis</i> from Southern China. <i>Phytotaxa</i> , 2013, 126, 22.	0.1	20
365	<i>Lactarius</i> subgenus <i>Russularia</i> (Russulaceae) in Southeast Asia: 1. Species with very distant gills. <i>Phytotaxa</i> , 2014, 158, 23.	0.1	20
366	<i>Lasiodiplodia pseudotheobromae</i> causes pedicel and peduncle discolouration of grapes in China. <i>Australasian Plant Disease Notes</i> , 2015, 10, 1.	0.4	20
367	A description of eleven new species of <i>Agaricus</i> sections <i>Xanthodermatei</i> and <i>Hondenses</i> collected from Tibet and the surrounding areas. <i>Phytotaxa</i> , 2016, 257, 99.	0.1	20
368	Species clarification of the culinary Bachu mushroom in western China. <i>Mycologia</i> , 2016, 108, 828-836.	0.8	20
369	Morphology and multigene phylogeny reveal new genus and species of <i>Torulaceae</i> from freshwater habitats in northwestern Yunnan, China. <i>Mycological Progress</i> , 2018, 17, 531-545.	0.5	20
370	A new section and a new species of <i>Alternaria</i> encountered from Oman. <i>Phytotaxa</i> , 2019, 405, 279.	0.1	20
371	Setting scientific names at all taxonomic ranks in italics facilitates their quick recognition in scientific papers. <i>IMA Fungus</i> , 2020, 11, 25.	1.7	20
372	Some Disease-Associated Microorganisms on Plants of Cape York Peninsula and Torres Strait Islands. <i>Australasian Plant Pathology</i> , 1993, 22, 73.	0.5	19
373	<i>Helicoon gigantisporum</i> sp. nov., and an amended key to the genus. <i>Mycological Research</i> , 1996, 100, 1485-1488.	2.5	19
374	<i>Catactispora</i> gen. nov. with three new freshwater lignicolous species. <i>Mycological Research</i> , 1999, 103, 1019-1031.	2.5	19
375	Anamorphic fungi from freshwater habitats in China: <i>Dictyosporium tetrasporum</i> and <i>Exserticlava yunnanensis</i> spp. nov., and two new records for <i>Pseudofuscophialis lignicola</i> and <i>Pseudobotrytis terrestris</i> . <i>Mycoscience</i> , 2007, 48, 290-296.	0.3	19
376	Novel palmicolous taxa within <i>Pleosporales</i> : multigene phylogeny and taxonomic circumscription. <i>Mycological Progress</i> , 2018, 17, 571-590.	0.5	19
377	<i>Neopestalotiopsis alpapicalis</i> sp. nov. a new endophyte from tropical mangrove trees in Krabi Province (Thailand). <i>Phytotaxa</i> , 2019, 393, 251.	0.1	19
378	A new section and species of <i>Agaricus</i> subgenus <i>Pseudochitonina</i> from Thailand. <i>MycKeys</i> , 2018, 40, 53-67.	0.8	19

#	ARTICLE	IF	CITATIONS
379	The Genus <i>Saccardoella</i> from Intertidal Mangrove Wood. <i>Mycologia</i> , 1992, 84, 803-810.	0.8	18
380	<i>Linocarpon angustatum</i> sp. nov., and <i>Neolinocarpon nypicola</i> sp. nov. from petioles of <i>Nypa fruticans</i> , and a list of fungi from aerial parts of this host. <i>Mycoscience</i> , 1999, 40, 145-149.	0.3	18
381	In vitro studies of endophytic fungi from <i>Tripterygium wilfordii</i> with anti-proliferative activity on human peripheral blood mononuclear cells. <i>Journal of Ethnopharmacology</i> , 2004, 94, 295-300.	2.0	18
382	The family Pleosporaceae: intergeneric relationships and phylogenetic perspectives based on sequence analyses of partial 28S rDNA. <i>Mycologia</i> , 2006, 98, 571-583.	0.8	18
383	Taxonomy and molecular phylogeny of <i>Arthrotrrys mangrovispora</i> , a new marine nematode-trapping fungal species. <i>Botanica Marina</i> , 2008, 51, 331-338.	0.6	18
384	Molecular diversity of myxomycetes associated with decaying wood and forest floor leaf litter. <i>Mycologia</i> , 2009, 101, 592-598.	0.8	18
385	<i>Achroceratosphaeria</i> , a new ascomycete genus in the Sordariomycetes, and re-evaluation of <i>Ceratosphaeria incolorata</i> . <i>Fungal Diversity</i> , 2010, 43, 75-84.	4.7	18
386	Checklist of Freshwater Fungi in Thailand. <i>Cryptogamie, Mycologie</i> , 2011, 32, 199-217.	0.2	18
387	Built structure identification in wildland fire decision support. <i>International Journal of Wildland Fire</i> , 2011, 20, 78.	1.0	18
388	A Destructive New Disease of <i>Citrus</i> in China Caused by <i>Cryptosporiopsis citricarpa</i> sp. nov.. <i>Plant Disease</i> , 2012, 96, 804-812.	0.7	18
389	Phylogeny and Morphology of <i>Leptosphaerulina saccharicola</i> sp. nov. and <i>Pleosphaerulina oryzae</i> and Relationships with <i>Pithomyces</i> . <i>Cryptogamie, Mycologie</i> , 2013, 34, 303-319.	0.2	18
390	The vacuoles containing multivesicular bodies: a new observation in interaction between <i>Ustilago esculenta</i> and <i>Zizania latifolia</i> . <i>European Journal of Plant Pathology</i> , 2014, 138, 79-91.	0.8	18
391	A reappraisal of Microthyriaceae. <i>Phytotaxa</i> , 2014, 176, 201.	0.1	18
392	Freshwater ascomycetes: <i>Lophiostoma vaginatispora</i> comb. nov. (Dothideomycetes, Pleosporales.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.1	18
393	Discovery of new mitorubrin derivatives from <i>Hypoxyton fulvo-sulphureum</i> sp. nov. (Ascomycota.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i>	0.5	18
394	A new species and four new records of <i>Amanita</i> (Amanitaceae; Basidiomycota) from Northern Thailand. <i>Phytotaxa</i> , 2016, 286, 211.	0.1	18
395	New species of <i>Sporoschisma</i> (Chaetosphaeriaceae) from aquatic habitats in Thailand. <i>Phytotaxa</i> , 2016, 289, 147.	0.1	18
396	Introducing <i>Aculeata aquatica</i> gen. et sp. nov., <i>Minimelanolocus thailandensis</i> sp. nov. and <i>Thysanorea aquatica</i> sp. nov. (Herpotrichiellaceae, Chaetothyriales) from freshwater in northern Thailand. <i>Mycological Progress</i> , 2018, 17, 617-629.	0.5	18

#	ARTICLE	IF	CITATIONS
397	Introducing <i>Arthrinium phyllostachium</i> sp. nov. (Apiosporaceae, Xylariales) on <i>Phyllostachys heteroclada</i> from Sichuan Province, China. <i>Phytotaxa</i> , 2019, 406, 91-110.	0.1	18
398	<strong>Endophytic pestalotioid taxa in <em>Dendrobium</em> orchids</strong>. <i>Phytotaxa</i> , 2019, 419, 268-286.	0.1	18
399	Five Novel Freshwater Ascomycetes Indicate High Undiscovered Diversity in Lotic Habitats in Thailand. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 117.	1.5	18
400	<i>Ganoderma</i> (Ganodermataceae, Basidiomycota) Species from the Greater Mekong Subregion. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 819.	1.5	18
401	Delimiting species in Basidiomycota: a review. <i>Fungal Diversity</i> , 2021, 109, 181-237.	4.7	18
402	Tropical Australian Freshwater Fungi. XII - <i>Rivulicoja incrustata</i> gen. et sp. nov. and notes on <i>Ceratosphaeria Jampadophora</i> . <i>Nova Hedwigia</i> , 1997, 64, 185-196.	0.2	18
403	Halotthiaceae fam. nov. (Pleosporales) accommodates the new genus <i>Phaeoseptum</i> and several other aquatic genera. <i>Mycologia</i> , 2013, 105, 603-609.	0.8	17
404	<i>Pestalotiopsis anacardiacearum</i> sp. nov. (<i>Amphisphaeriaceae</i>) has an intricate relationship with <i>Penicillaria jocosatrix</i> the mango tip borer. <i>Phytotaxa</i> , 2013, 99, 49.	0.1	17
405	Towards a natural classification of Dothideomycetes 2: The genera <i>Cucurbitodhis</i> , <i>Heterosphaeriopsis</i> , <i>Hyalosphaera</i> , <i>Navicella</i> and <i>Pleistomellina</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2014, 176, 7.	0.1	17
406	<i>Bambusicola loculata</i> sp. nov. (Bambusicolaceae) from bamboo. <i>Phytotaxa</i> , 2015, 213, 122.	0.1	17
407	<i>Sporoschisma</i> from submerged wood in Yunnan, China. <i>Mycological Progress</i> , 2016, 15, 1145-1155.	0.5	17
408	Successful cultivation of a valuable wild strain of <i>Lepista sordida</i> from Thailand. <i>Mycological Progress</i> , 2017, 16, 311-323.	0.5	17
409	Phylogenetic characterization of two novel <i>Kamalomyces</i> species in Tubeufiaceae (Tubeufiales). <i>Mycological Progress</i> , 2018, 17, 647-660.	0.5	17
410	Molecular phylogeny, morphology and pathogenicity of <i>Pseudopestalotiopsis</i> species on <i>Ixora</i> in Taiwan. <i>Mycological Progress</i> , 2018, 17, 941-952.	0.5	17
411	Taxonomy and the evolutionary history of Micropeltidaceae. <i>Fungal Diversity</i> , 2019, 97, 393-436.	4.7	17
412	<i>Neostagonosporella sichuanensis</i> gen. et sp. nov. (Phaeosphaeriaceae, Pleosporales) on <i>Phyllostachys heteroclada</i> (Poaceae) from Sichuan Province, China. <i>MycKeys</i> , 2019, 46, 119-150.	0.8	17
413	Taxonomic Rearrangement of <i>Anthostomella</i> (Xylariaceae) Based on a Multigene Phylogeny and Morphology. <i>Cryptogamie, Mycologie</i> , 2016, 37, 509-538.	0.2	17
414	Predicting global numbers of teleomorphic ascomycetes. <i>Fungal Diversity</i> , 2022, 114, 237-278.	4.7	17



#	ARTICLE	IF	CITATIONS
415	Studies on the Amphisphaeriales I. The Clypeosphaeriaceae. <i>Mycoscience</i> , 1999, 40, 151-164.	0.3	16
416	<i>Cheiromyces lignicola</i> , a new chirosporous anamorphic species from Hong Kong. <i>Mycologia</i> , 2000, 92, 582-588.	0.8	16
417	<i>Acrodictys liputii</i> sp. nov. and <i>Digitodesmium bambusicola</i> sp. nov. from bamboo submerged in the Liput River in the Philippines. <i>Nova Hedwigia</i> , 2002, 75, 525-532.	0.2	16
418	Two new species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , 2002, 94, 302-306.	0.8	16
419	<i>Acanthostigma</i> and <i>Tubeufia</i> species, including <i>T. claspisphaeria</i> sp. nov., from submerged wood in Hong Kong. <i>Mycologia</i> , 2004, 96, 667-674.	0.8	16
420	Fungi Associated with Pandanaceae. <i>Fungal Diversity Research Series</i> , 2012, , .	0.6	16
421	A Molecular and Morphological Reassessment of <i>Diademaceae</i> . <i>Scientific World Journal</i> , The, 2014, 2014, 1-11.	0.8	16
422	Systematic analyses of <i>Ophiocordyceps ramosissimum</i> sp. nov., a new species from a larvae of Hepialidae in China. <i>Phytotaxa</i> , 2014, 161, 227.	0.1	16
423	Multigene phylogeny and morphology reveal <i>Phaeobotryon rhois</i> sp. nov. (Botryosphaeriales). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>	0.1	16
424	<i>Auricularia thailandica</i> sp. nov. (Auriculariaceae, Auriculariales) a widely distributed species from Southeastern Asia. <i>Phytotaxa</i> , 2015, 208, 147.	0.1	16
425	Botryosphaeriaceae associated with <i>Tectona grandis</i> (teak) in Northern Thailand. <i>Phytotaxa</i> , 2015, 233, 1.	0.1	16
426	The Genus <i>Murispora</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 419-448.	0.2	16
427	<i>Helminthosporium velutinum</i> and <i>H. aquaticum</i> sp. nov. from aquatic habitats in Yunnan Province, China. <i>Phytotaxa</i> , 2016, 253, 179.	0.1	16
428	New saprobic marine fungi and a new combination. <i>Botanica Marina</i> , 2017, 60, .	0.6	16
429	Tropic origins, a dispersal model for saprotrophic mushrooms in <i>Agaricus</i> section <i>Minores</i> with descriptions of sixteen new species. <i>Scientific Reports</i> , 2017, 7, 5122.	1.6	16
430	Multiple gene genealogy reveals high genetic diversity and evidence for multiple origins of Chinese <i>Plasmopara viticola</i> population. <i>Scientific Reports</i> , 2017, 7, 17304.	1.6	16
431	<i>Helicosporium luteosporum</i> sp. nov. and <i>Acanthohelicospora aurea</i> (Tubeufiaceae, Tubeufiales) from terrestrial habitats. <i>Phytotaxa</i> , 2017, 319, 241.	0.1	16
432	<i>Curvularia microspora</i> sp. nov. associated with leaf diseases of <i>Hippeastrum striatum</i> in China. <i>MycKeys</i> , 2018, 29, 49-61.	0.8	16

#	ARTICLE	IF	CITATIONS
433	Two new entomopathogenic species of <i>Ophiocordyceps</i> in Thailand. <i>MycoKeys</i> , 2019, 47, 53-74.	0.8	16
434	<i>Acrogenospora</i> (Acrogenosporaceae, Minutisphaerales) Appears to Be a Very Diverse Genus. <i>Frontiers in Microbiology</i> , 2020, 11, 1606.	1.5	16
435	<i>Pseudobactrodesmium</i> (Dactylosporaceae, Eurotiomycetes, Fungi) a Novel Lignicolous Genus. <i>Frontiers in Microbiology</i> , 2020, 11, 456.	1.5	16
436	Diseases of <i>Cymbopogon citratus</i> (Poaceae) in China: <i>Curvularia nanningensis</i> sp. nov.. <i>MycoKeys</i> , 2020, 63, 49-67.	0.8	16
437	Taxonomy and Phylogeny of <i>Juncaceicola</i> gen. nov. (Phaeosphaeriaceae, Pleosporinae, Tj ETQq1 1 0.784314 rgBT /Overlock 0.2 16	0.2	16
438	Fungi from palms. XLIII. <i>Lophiostoma</i> and <i>Astrosphaeriella</i> species with slit-like ostioles. <i>Nova Hedwigia</i> , 2000, 70, 143-160.	0.2	16
439	Ascomycetes from Freshwater Habitats: <i>Ascolacicola aquatica</i> Gen. et sp. nov. and a New Species of <i>Ascotaiwania</i> from Wood Submerged in a Reservoir in Hong Kong. <i>Mycologia</i> , 1998, 90, 1055.	0.8	15
440	Studies on &lt;i&gt;Microthyriaceae&lt;/i&gt; some excluded genera. <i>Mycotaxon</i> , 2010, 113, 147-156.	0.1	15
441	Morphological studies in <i>Dothideomycetes</i> : <i>Elsinoe</i> ( <i>Elsinoaceae</i> ), <i>Butleria</i> , and three excluded genera. <i>Mycotaxon</i> , 2011, 115, 507-520.	0.1	15
442	<i>Agaricus megalosporus</i> : A New Species in Section <i>Minores</i> . <i>Cryptogamie, Mycologie</i> , 2012, 33, 145-155.	0.2	15
443	(2304) Proposal to conserve the name <i>Diaporthe eres</i> against twenty-one competing names ( <i>Ascomycota</i> : <i>Diaporthales</i> : <i>Diaporthaceae</i> ). <i>Taxon</i> , 2014, 63, 934-935.	0.4	15
444	<i>Camarosporium</i> sensu stricto in Pleosporinae, Pleosporales with two new species. <i>Phytotaxa</i> , 2014, 183, 16.	0.1	15
445	<i>Phyllosticta</i> species from banana ( <i>Musa</i> sp.) in Chongqing and Guizhou Provinces, China. <i>Phytotaxa</i> , 2014, 188, 135.	0.1	15
446	Morphology and phylogeny of <i>Pseudorobillarda eucalypti</i> sp. nov., from Thailand. <i>Phytotaxa</i> , 2014, 176, 251.	0.1	15
447	The sexual state of <i>Setophoma</i> . <i>Phytotaxa</i> , 2014, 176, 260.	0.1	15
448	Towards a natural classification of <i>Dothideomycetes</i> 6: The genera <i>Dolabra</i> , <i>Placostromella</i> , <i>Pleosphaerellula</i> , <i>Polysporidiella</i> and <i>Pseudotrichia</i> ( <i>Dothideomycetes</i> incertae sedis). <i>Phytotaxa</i> , 2014, 176, 55.	0.1	15
449	<i>Lactarius</i> subgenus <i>Russularia</i> ( <i>Russulaceae</i> ) in South-East Asia: 3. new diversity in Thailand and Vietnam. <i>Phytotaxa</i> , 2015, 207, 215.	0.1	15
450	<i>Zeloasperisporiales</i> ord. nov., and Two New Species of <i>Zeloasperisporium</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 301-317.	0.2	15

#	ARTICLE	IF	CITATIONS
451	Molecular data shows <i>Didymella aptrootii</i> is a new genus in Bambusicolaceae. <i>Phytotaxa</i> , 2016, 247, 99.	0.1	15
452	Studies on <i>Agaricus subtilipes</i> , a new cultivatable species from Thailand, incidentally reveal the presence of <i>Agaricus subrufescens</i> in Africa. <i>Mycoscience</i> , 2016, 57, 239-250.	0.3	15
453	Lentinulactam, a hirsutane sesquiterpene with an unprecedented lactam modification. <i>Tetrahedron Letters</i> , 2016, 57, 5911-5913.	0.7	15
454	<i>Calcarisporium xylariicola</i> sp. nov. and introduction of Calcarisporiaceae fam. nov. in Hypocreales. <i>Mycological Progress</i> , 2017, 16, 433-445.	0.5	15
455	Combined multi-gene backbone tree for the genus <i>Coniochaeta</i> with two new species from Uzbekistan. <i>Phytotaxa</i> , 2018, 336, 43.	0.1	15
456	A novel marine genus, <i>Halobyssothecium</i> (Lentitheciaceae) and epitypification of <i>Halobyssothecium obiones</i> comb. nov.. <i>Mycological Progress</i> , 2018, 17, 1161-1171.	0.5	15
457	Alpha-Glucosidase- and Lipase-Inhibitory Phenalenones from a New Species of <i>Pseudolophiostoma</i> Originating from Thailand. <i>Molecules</i> , 2020, 25, 965.	1.7	15
458	Where are the basal fungi? Current status on diversity, ecology, evolution, and taxonomy. <i>Biologia (Poland)</i> , 2021, 76, 421-440.	0.8	15
459	<i>Arthrimum bambusicola</i> (Fungi, Sordariomycetes), a new species from <i>Schizostachyum brachycladum</i> in northern Thailand. <i>Biodiversity Data Journal</i> , 2020, 8, e58755.	0.4	15
460	Striatiguttulaceae, a new pleosporalean family to accommodate <i>Longicorpus</i> and <i>Striatiguttula</i> gen. nov. from palms. <i>MycKeys</i> , 2019, 49, 99-129.	0.8	15
461	Multi-gene phylogenetic evidence suggests <i>Dictyoarthrinium</i> belongs in Didymosphaeriaceae (Pleosporales, Dothideomycetes) and <i>Dictyoarthrinium musae</i> sp. nov. on <i>Musa</i> from Thailand. <i>MycKeys</i> , 2020, 71, 101-118.	0.8	15
462	Novel Taxa within Nectriaceae: <i>Cosmosporella</i> gen. nov. and <i>Aquanectria</i> sp. nov. from Freshwater Habitats in China. <i>Cryptogamie, Mycologie</i> , 2018, 39, 169-192.	0.2	15
463	An evaluation of the monophyly of <i>Massarina</i> based on ribosomal DNA sequences. <i>Mycologia</i> , 2002, 94, 803-13.	0.8	15
464	Marine fungi from Seychelles. I. <i>Nimbospora effusa</i> and <i>Nimbospora bipolaris</i> sp. nov. from driftwood. <i>Canadian Journal of Botany</i> , 1985, 63, 611-615.	1.2	14
465	The Genus <i>Saccardoella</i> from Intertidal Mangrove Wood. <i>Mycologia</i> , 1992, 84, 803.	0.8	14
466	New <i>Oxydothis</i> species associated with palm leaf spots in north Queensland, Australia. <i>Mycological Research</i> , 1994, 98, 213-218.	2.5	14
467	<i>Spadicoides cordanoides</i> sp. nov., a New Dematiaceous Hyphomycete from Submerged Wood in Australia, with a Taxonomic Review of the Genus. <i>Mycologia</i> , 1996, 88, 1022.	0.8	14
468	The genus <i>Rousoëlla</i> , including two new species from palms in Cuyabeno, Ecuador. <i>Mycological Research</i> , 1997, 101, 609-616.	2.5	14

#	ARTICLE	IF	CITATIONS
469	<i>Verticicola caudatus</i> gen. et sp. nov., and a new species of <i>Rivulicola</i> from submerged wood in freshwater habitats. <i>Mycologia</i> , 2000, 92, 1019-1026.	0.8	14
470	Where are the Missing Fungi?. <i>Mycological Research</i> , 2001, 105, 1409-1410.	2.5	14
471	Fungi on submerged wood in the Koito River, Japan. <i>Mycoscience</i> , 2003, 44, 55-59.	0.3	14
472	Ribosomal DNA phylogenies of <i>Cyathus</i> : Is the current infrageneric classification appropriate?. <i>Mycologia</i> , 2007, 99, 385-395.	0.8	14
473	Morphological and molecular characterization of <i>Mariannaea aquaticola</i> sp. nov. collected from freshwater habitats. <i>Mycological Progress</i> , 2010, 9, 337-343.	0.5	14
474	Towards a Monograph of Dothideomycetes: Studies on Diademaceae. <i>Cryptogamie, Mycologie</i> , 2011, 32, 115-126.	0.2	14
475	<i>Lepiota</i> (Agaricales) in Northern Thailand-2 <i>Lepiota</i> Section <i>Lepiota</i> . <i>Cryptogamie, Mycologie</i> , 2012, 33, 25-42.	0.2	14
476	New species and notes of <i>Colletotrichum</i> on daylilies ( <i>Hemerocallis</i> spp.). <i>Tropical Plant Pathology</i> , 2012, 37, 165-174.	0.8	14
477	<i>Metacordyceps shibinensis</i> sp. nov. from larvae of Lepidoptera in Guizhou Province, southwest China. <i>Phytotaxa</i> , 2015, 226, 51.	0.1	14
478	Phylogeny and morphology of <i>Premilcurensis</i> gen. nov. (Pleosporales) from stems of <i>Senecio</i> in Italy. <i>Phytotaxa</i> , 2015, 236, 40.	0.1	14
479	A checklist of fungi in Oman. <i>Phytotaxa</i> , 2016, 273, 219.	0.1	14
480	<i>Poaceascoma aquaticum</i> sp. nov. (Lentitheciaceae), a new species from submerged bamboo in freshwater. <i>Phytotaxa</i> , 2016, 253, 71.	0.1	14
481	<i>Pyrenochaetopsis tabarestanensis</i> (Cucurbitariaceae, Pleosporales), a new species isolated from rice farms in north Iran. <i>Phytotaxa</i> , 2017, 297, 15.	0.1	14
482	Hidden mycota of pine needles: Molecular signatures from PCR-DGGE and Ribosomal DNA phylogenetic characterization of novel phylotypes. <i>Scientific Reports</i> , 2018, 8, 18053.	1.6	14
483	Molecular taxonomy of five species of microfungi on <i>Alnus</i> spp. from Italy. <i>Mycological Progress</i> , 2018, 17, 255-274.	0.5	14
484	Morpho-molecular characterization of <i>Peroneutypa</i> (Diatrypaceae, Xylariales) with two novel species from Thailand. <i>Phytotaxa</i> , 2018, 356, 1.	0.1	14
485	Sparticolins A-G, Biologically Active Oxidized Spirodioxynaphthalene Derivatives from the Ascomycete <i>Sparticola junci</i> . <i>Journal of Natural Products</i> , 2019, 82, 2878-2885.	1.5	14
486	A Survey of <i>Termitomyces</i> (Lyophyllaceae, Agaricales), Including a New Species, from a Subtropical Forest in Xishuangbanna, China. <i>Mycobiology</i> , 2019, 47, 391-400.	0.6	14

#	ARTICLE	IF	CITATIONS
487	<i>Melanocamarosporioides ugamica</i> gen. et sp. nov., a novel member of the family Melanommataceae from Uzbekistan. <i>Mycological Progress</i> , 2019, 18, 471-481.	0.5	14
488	<i>Nypaella frondicola</i> gen. et sp. nov., <i>Plectophomella nypae</i> sp. nov. and <i>Pleurophomopsis nypae</i> sp. nov. (Coelomycetes) from intertidal fronds of <i>Nypa fruticans</i> . <i>Mycological Research</i> , 1992, 96, 210-214.	2.5	13
489	Two new species of <i>Delitschia</i> from submerged wood. <i>Mycoscience</i> , 1996, 37, 99-102.	0.3	13
490	<i>Cryptophiale multiseptata</i> , sp. nov. from submerged wood in Australia, and keys to the genus. <i>Mycological Research</i> , 1996, 100, 999-1004.	2.5	13
491	<i>Paraniesslia tuberculata</i> gen. et sp. nov., and new records or species of <i>Clypeosphaeria</i> , <i>Leptosphaeria</i> and <i>Astrosphaeriella</i> in Hong Kong freshwater habitats. <i>Mycologia</i> , 2001, 93, 1002-1009.	0.8	13
492	Three new species of <i>Annulatascus</i> (Ascomycetes) from Hong Kong freshwater habitats. <i>Mycoscience</i> , 2002, 43, 383-389.	0.3	13
493	Occurrence and distribution of fungi in a mangrove forest on Siargao Island, Philippines. <i>Botanica Marina</i> , 2010, 53, .	0.6	13
494	<i>Amarenographium solium</i> sp. nov. from Yanbu Mangroves in the Kingdom of Saudi Arabia. <i>Cryptogamie, Mycologie</i> , 2012, 33, 285-294.	0.2	13
495	Novel <i>Pestalotiopsis</i> Species from Thailand Point to the Rich Undiscovered Diversity of this Chemically Creative Genus. <i>Cryptogamie, Mycologie</i> , 2014, 35, 139-149.	0.2	13
496	<i>Macrodiplodiopsis</i> in <i>Lophiostomataceae</i> , <i>Pleosporales</i> . <i>Phytotaxa</i> , 2014, 176, 192.	0.1	13
497	The status of <i>Myriangiaceae</i> (Dothideomycetes). <i>Phytotaxa</i> , 2014, 176, 219.	0.1	13
498	Towards a natural classification of Dothideomycetes 3: The genera <i>Muellerites</i> , <i>Trematosphaeriopsis</i> , <i>Vizellopsis</i> and <i>Yoshinagella</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2014, 176, 18.	0.1	13
499	<i>Lentithecium cangshanense</i> sp. nov. (Lentitheciaceae) from freshwater habitats in Yunnan Province, China. <i>Phytotaxa</i> , 2016, 267, 61.	0.1	13
500	Inter- and intra-specific diversity in <i>Agaricus endoxanthus</i> and allied species reveals a new taxon, <i>A. punjabensis</i> . <i>Phytotaxa</i> , 2016, 252, 1.	0.1	13
501	<i>Sporidesmioides thailandica</i> gen. et sp. nov. (Dothideomycetes) from northern Thailand. <i>Mycological Progress</i> , 2016, 15, 1169-1178.	0.5	13
502	Diversity of <i>Auricularia</i> (Auriculariaceae, Auriculariales) in Thailand. <i>Phytotaxa</i> , 2017, 292, 19.	0.1	13
503	Multigene phylogeny and morphology reveal that the Chinese medicinal mushroom <i>Cordyceps gunnii</i> ™ is <i>Metacordyceps neogunnii</i> sp. nov.. <i>Phytotaxa</i> , 2017, 302, 27.	0.1	13
504	Morphological characterization and DNA based taxonomy of <i>Fusicnidium</i> gen. nov. with two novel taxa within Melanommataceae (Pleosporales). <i>Phytotaxa</i> , 2017, 308, 206.	0.1	13

#	ARTICLE	IF	CITATIONS
505	<i>Lecanicillium subprimulinum</i> (Cordycipitaceae, Hypocreales), a novel species from Baoshan, Yunnan. <i>Phytotaxa</i> , 2018, 348, 99.	0.1	13
506	Two new species of <i>Amphisphaeria</i> (Amphisphaeriaceae) from northern Thailand. <i>Phytotaxa</i> , 2019, 391, 207.	0.1	13
507	Molecular Phylogeny and Morphology of <i>Amphisphaeria</i> (= <i>Lepteutypa</i> ) (Amphisphaeriaceae). <i>Journal of Fungi</i> (Basel, Switzerland), 2020, 6, 174.	1.5	13
508	<i>Paraeutypella guizhouensis</i> gen. et sp. nov. and <i>Diatrypella longiasca</i> sp. nov. (Diatrypaceae) from China. <i>Biodiversity Data Journal</i> , 2021, 9, e63864.	0.4	13
509	Climate-Fungal Pathogen Modeling Predicts Loss of Up to One-Third of Tea Growing Areas. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 610567.	1.8	13
510	Biodiversity of Lignicolous Freshwater Hyphomycetes from China and Thailand and Description of Sixteen Species. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 669.	1.5	13
511	<i>Ganoderma sichuanense</i> (Ganodermataceae, Polyporales) new to Thailand. <i>MycKeys</i> , 0, 22, 27-43.	0.8	13
512	A new record of <i>Ganoderma tropicum</i> (Basidiomycota, Polyporales) for Thailand and first assessment of optimum conditions for mycelia production. <i>MycKeys</i> , 2019, 51, 65-83.	0.8	13
513	<i>Maculatipalma fronsicola</i> gen. et sp. nov. causing leaf spots on palm species in north Queensland with descriptions of related genera: <i>Apioplagiostoma</i> and <i>Plagiostoma</i> . <i>Mycological Research</i> , 1995, 99, 727-734.	2.5	12
514	<i>Nawawia dendroidea</i> , a new synnematosus hyphomycete from submerged Phragmites in South Africa. <i>Mycological Research</i> , 1996, 100, 810-814.	2.5	12
515	<i>Boerlagiomyces grandisporus</i> sp. nov., a new tropical freshwater ascomycete from the Philippines. <i>Mycological Research</i> , 1997, 101, 635-640.	2.5	12
516	The genus <i>Brachydesmiella</i> from submerged wood in the tropics, including a new species and a new combination. <i>Mycoscience</i> , 1998, 39, 239-247.	0.3	12
517	<i>Digitodesmium recurvum</i> , a new species of chirosporous hyphomycete from Hong Kong. <i>Mycologia</i> , 1999, 91, 900-904.	0.8	12
518	Ascal Ultrastructural Study in <i>Annulatascus hongkongensis</i> sp. nov., a Freshwater Ascomycete. <i>Mycologia</i> , 1999, 91, 885.	0.8	12
519	<i>Torrentispora fibrosa</i> gen. sp. nov. (Annulatascaceae) from freshwater habitats. <i>Mycological Research</i> , 2000, 104, 1399-1403.	2.5	12
520	New Species or Records of <i>Cacumisporium</i> , <i>Helicosporium</i> , <i>Monotosporella</i> and <i>Bahusutrabeeja</i> on Submerged Wood in Hong Kong Streams. <i>Mycologia</i> , 2001, 93, 389.	0.8	12
521	<i>Paraniesslia tuberculata</i> gen. et sp. nov., and New Records or Species of <i>Clypeosphaeria</i> , <i>Leptosphaeria</i> and <i>Astrosphaeriella</i> in Hong Kong Freshwater Habitats. <i>Mycologia</i> , 2001, 93, 1002.	0.8	12
522	New saprobic fungi on fronds of palms from northern Queensland, Australia. <i>Australian Systematic Botany</i> , 2002, 15, 755.	0.3	12

#	ARTICLE	IF	CITATIONS
523	Aquatic fungi from peat swamp palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and its hyphomycete anamorph. <i>Mycologia</i> , 2004, 96, 1163-1170.	0.8	12
524	New species of <i>Clohiesia</i> and <i>Paraniesslia</i> collected from freshwater habitats in China. <i>Mycoscience</i> , 2007, 48, 182-186.	0.3	12
525	<i>Lentinus giganteus</i> revisited: new collections from Sri Lanka and Thailand. <i>Mycotaxon</i> , 2012, 118, 57-71.	0.1	12
526	Chocolate spot disease of Eucalyptus. <i>Mycological Progress</i> , 2012, 11, 61-69.	0.5	12
527	Epitypification of Two Bambusicolous Fungi from Thailand. <i>Cryptogamie, Mycologie</i> , 2014, 35, 239-256.	0.2	12
528	Introducing the Novel Species, <i>Dothiorella symphoricarposicola</i> , from Snowberry in Italy. <i>Cryptogamie, Mycologie</i> , 2014, 35, 257-270.	0.2	12
529	A new species of <i>Colletotrichum</i> from <i>Sonchus</i> sp. in Italy. <i>Phytotaxa</i> , 2017, 314, 55.	0.1	12
530	<i>Neocamarosporium jorjanensis</i> , <i>N. persepolis</i> , and <i>N. solicola</i> spp. nov. ( <i>Neocamarosporiaceae</i> ). <i>Mycological Progress</i> , 2018, 17, 661-679.	0.5	12
531	Native Forests Have a Higher Diversity of Macrofungi Than Comparable Plantation Forests in the Greater Mekong Subregion. <i>Forests</i> , 2018, 9, 402.	0.9	12
532	New species of <i>Camptophora</i> and <i>Cyphellophora</i> from China, and first report of sexual morphs for these genera. <i>Phytotaxa</i> , 2018, 343, 149.	0.1	12
533	<i>Rhytidhysterium mangrovei</i> ( <i>Hysteriaceae</i> ), a new species from mangroves in Phetchaburi Province, Thailand. <i>Phytotaxa</i> , 2019, 401, 166.	0.1	12
534	Taxonomic and phylogenetic characterizations reveal two new species and two new records of <i>Rousoella</i> ( <i>Rousoellaceae</i> , <i>Pleosporales</i> ) from Yunnan, China. <i>Mycological Progress</i> , 2019, 18, 577-591.	0.5	12
535	Evolution of non-lichenized, saprotrophic species of <i>Arthonia</i> ( <i>Ascomycota</i> , <i>Arthoniales</i> ) and resurrection of <i>Naevia</i> , with notes on <i>Mycoporum</i> . <i>Fungal Diversity</i> , 2020, 102, 205-224.	4.7	12
536	Polyketide-Derived Secondary Metabolites from a Dothideomycetes Fungus, <i>Pseudopalawania siamensis</i> gen. et sp. nov., ( <i>Muyocoprionales</i> ) with Antimicrobial and Cytotoxic Activities. <i>Biomolecules</i> , 2020, 10, 569.	1.8	12
537	The Evolution of Life Modes in <i>Stictidaceae</i> , with Three Novel Taxa. <i>Journal of Fungi (Basel)</i> 1 0.784314 12	1.5	12
538	Phylogenetic assessment and taxonomic revision of <i>Halobyssothecium</i> and <i>Lentithecium</i> ( <i>Lentitheciaceae</i> , <i>Pleosporales</i> ). <i>Mycological Progress</i> , 2021, 20, 701-720.	0.5	12
539	Appressorial interactions with host and their evolution. <i>Fungal Diversity</i> , 0, 1.	4.7	12
540	Beta-tubulin and Actin gene phylogeny supports <i>Phaeoacremonium ovale</i> as a new species from freshwater habitats in China. <i>MycoKeys</i> , 2018, 41, 1-15.	0.8	12

#	ARTICLE	IF	CITATIONS
541	Additions to the knowledge of <i>Ganoderma</i> in Thailand: <i>Ganoderma casuarinicola</i> , a new record; and <i>Ganoderma thailandicum</i> sp. nov.. <i>MycKeys</i> , 2019, 59, 47-65.	0.8	12
542	Taxonomy and phylogenetic appraisal of <i>Spegazzinia musae</i> sp. nov. and <i>S. deightonii</i> ( <i>Didymosphaeriaceae</i> , <i>Pleosporales</i> ) on <i>Musaceae</i> from Thailand. <i>MycKeys</i> , 2020, 70, 19-37.	0.8	12
543	Novel <i>Neoacanthostigma</i> Species from Aquatic Habitats. <i>Cryptogamie, Mycologie</i> , 2017, 38, 169-190.	0.2	12
544	<a href="https://botryosphaeriales.org/">https://botryosphaeriales.org/</a> , an online platform for up-to-date classification and account of taxa of <i>Botryosphaeriales</i> . Database: the Journal of Biological Databases and Curation, 2021, 2021, .	1.4	12
545	Taxonomic studies of some often over-looked <i>Diaporthomycetidae</i> and <i>Sordariomycetidae</i> . <i>Fungal Diversity</i> , 2021, 111, 443.	4.7	12
546	<i>Eutypa bathurstensis</i> sp. nov. from intertidal <i>Avicennia</i> . <i>Mycological Research</i> , 1993, 97, 861-864.	2.5	11
547	The genus <i>Savoryella</i> from freshwater habitats, including <i>S. grandispora</i> sp. nov.. <i>Mycoscience</i> , 1994, 35, 59-61.	0.3	11
548	Fungi from rachides of <i>Livistona</i> in the Western Province of Papua New Guinea. <i>Botanical Journal of the Linnean Society</i> , 1994, 116, 315-324.	0.8	11
549	<i>Astrosphaeriella fronsicola</i> sp. nov. associated with leaf spots of <i>Oraniopsis</i> and other palms. <i>Mycological Research</i> , 1995, 99, 453-456.	2.5	11
550	Fungi associated with leaf spots of palms in north Queensland, Australia. <i>Mycological Research</i> , 1997, 101, 721-732.	2.5	11
551	<i>Gloniella clavatispora</i> , sp. nov. from <i>Avicennia marina</i> in South Africa. <i>Mycoscience</i> , 1997, 38, 7-9.	0.3	11
552	Ascal ultrastructural study in <i>Annulatascus hongkongensis</i> sp. nov., a freshwater ascomycete. <i>Mycologia</i> , 1999, 91, 885-892.	0.8	11
553	<i>Ascominuta lignicola</i> , a new loculoascomycete from submerged wood in Hong Kong. <i>Mycoscience</i> , 2000, 41, 1-5.	0.3	11
554	A new species of <i>Canalisporium</i> from Australia. <i>Mycologia</i> , 2000, 92, 589-592.	0.8	11
555	Aquatic fungi from peat swamp palms: <i>Unisetosphaeria penguinoides</i> gen. et sp. nov., and three new <i>Dactylaria</i> species. <i>Mycoscience</i> , 2003, 44, 377-382.	0.3	11
556	Three New Species of <i>Pyricularia</i> Are Isolated as Zingiberaceous Endophytes from Thailand. <i>Mycologia</i> , 2003, 95, 519.	0.8	11
557	Studies on <i>Microthyriaceae</i> : Placement of <i>Actinomyxa</i> , <i>Asteritea</i> , <i>Cirsosina</i> , <i>Polystomellina</i> and <i>Stegothyrium</i> . <i>Cryptogamie, Mycologie</i> , 2011, 32, 3-12.	0.2	11
558	Epitypification, morphology, and phylogeny of <i>Tothia fuscella</i> . <i>Mycotaxon</i> , 2012, 118, 203-211.	0.1	11



#	ARTICLE	IF	CITATIONS
559	Two new freshwater species of <i>Annulatascaceae</i> from China. <i>Mycotaxon</i> , 2012, 120, 81-88.	0.1	11
560	Coelomycetes. <i>Cryptogamie, Mycologie</i> , 2012, 33, 215-244.	0.2	11
561	Comparison of DNA and RNA, and Cultivation Approaches for the Recovery of Terrestrial and Aquatic Fungi from Environmental Samples. <i>Current Microbiology</i> , 2013, 66, 185-191.	1.0	11
562	Multi-Gene Analyses Reveal Taxonomic Placement of <i>Scolicosporium minkeviciusi</i> in Phaeosphaeriaceae (Pleosporales). <i>Cryptogamie, Mycologie</i> , 2013, 34, 357-366.	0.2	11
563	Two species of <i>Agaricus</i> sect. <i>Xanthodermatei</i> from Thailand. <i>Mycotaxon</i> , 2013, 122, 187-195.	0.1	11
564	A new species of <i>Pestalotiopsis</i> from leaf spots of <i>Licuala grandis</i> from Hainan, China. <i>Phytotaxa</i> , 2013, 88, 49.	0.1	11
565	The Phylogenetic Placement of <i>Eriosporella bambusicola</i> sp. nov. in <i>Capnodiales</i> . <i>Cryptogamie, Mycologie</i> , 2014, 35, 41-49.	0.2	11
566	The genus <i>Leptoxyphium</i> (Capnodiaceae) from China. <i>Phytotaxa</i> , 2014, 176, 174.	0.1	11
567	A new species of <i>Microthyrium</i> from Yunnan, China. <i>Phytotaxa</i> , 2014, 176, 213.	0.1	11
568	<i>Calcarisporium cordycipiticola</i> sp. nov., an important fungal pathogen of <i>Cordyceps militaris</i> . <i>Phytotaxa</i> , 2016, 268, 135.	0.1	11
569	Melansporellaceae: a novel family of Diaporthales (Ascomycota). <i>Phytotaxa</i> , 2017, 305, 191.	0.1	11
570	Saprobic Dothideomycetes in Thailand: <i>Neoquastroma</i> gen. nov. (Parabambusicolaceae) introduced based on morphological and molecular data. <i>Phytotaxa</i> , 2017, 302, 133.	0.1	11
571	Two new species of <i>Dyrolomyces</i> (Dyrolomycetaceae). <i>Phytotaxa</i> , 2017, 302, 133.	0.1	11
572	Using standard keywords in publications to facilitate updates of new fungal taxonomic names. <i>IMA Fungus</i> , 2017, 8, A70-A73.	1.7	11
573	Morphological and molecular taxonomy of <i>Jahnula dianchia</i> sp. nov. (Jahnulales) from submerged wood in Dianchi Lake, Yunnan China. <i>Mycological Progress</i> , 2018, 17, 547-555.	0.5	11
574	Additions to the genus <i>Savoryella</i> (Savoryellaceae), with the asexual morphs <i>Savoryella nypae</i> comb. nov. and <i>S. sarushimana</i> sp. nov.. <i>Phytotaxa</i> , 2019, 408, 195-207.	0.1	11
575	Mushroom cultivation for soil amendment and bioremediation. <i>Circular Agricultural Systems</i> , 2021, 1, 1-14.	0.5	11
576	Fungal Pathogens in Grasslands. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 695087.	1.8	11

#	ARTICLE	IF	CITATIONS
577	<i>Keissleriella dactylidis</i> , sp. nov., from <i>Dactylis glomerata</i> and its phylogenetic placement. <i>ScienceAsia</i> , 2015, 41, 295.	0.2	11
578	<i>Rubroshiraia</i> gen. nov., a second hypocrellin-producing genus in Shiraiaceae (Pleosporales). <i>MycKeys</i> , 2019, 58, 1-26.	0.8	11
579	Additions to Phaeosphaeriaceae (Pleosporales): <i>Elongaticollum</i> gen. nov., <i>Ophiosphaerella taiwanensis</i> sp. nov., <i>Phaeosphaeriopsis beaucarneae</i> sp. nov. and a new host record of <i>Neosetophoma poaeicola</i> from Musaceae. <i>MycKeys</i> , 2020, 70, 59-88.	0.8	11
580	Morphological Variety in <i>Distoseptispora</i> and Introduction of Six Novel Species. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 945.	1.5	11
581	Comprehensive Review of Fungi on Coffee. <i>Pathogens</i> , 2022, 11, 411.	1.2	11
582	<i>Massarina velatospora</i> and a New Mangrove-Inhabiting Species, <i>M. ramunculicola</i> sp. nov.. <i>Mycologia</i> , 1991, 83, 839.	0.8	10
583	<i>Guignardia candeloflamma</i> sp. nov. causing leaf spots of <i>Pinanga</i> spp.. <i>Mycological Research</i> , 1995, 99, 110-112.	2.5	10
584	Studies on Amphisphaeriales: The Cainiaceae. <i>Mycological Research</i> , 1999, 103, 1621-1627.	2.5	10
585	<i>Halorosellinia</i> gen. nov. to accommodate <i>Hypoxylon oceanicum</i> , a common mangrove species. <i>Mycological Research</i> , 2000, 104, 368-374.	2.5	10
586	<i>Cheiromyces lignicola</i> , a New Chirosporous Anamorphic Species from Hong Kong. <i>Mycologia</i> , 2000, 92, 582.	0.8	10
587	Three new species of <i>Pyricularia</i> are isolated as zingiberaceous endophytes from Thailand. <i>Mycologia</i> , 2003, 95, 519-524.	0.8	10
588	<i>Berkleasmiium crunisia</i> sp. nov. and its phylogenetic affinities to the Pleosporales based on 18S and 28S rDNA sequence analyses. <i>Mycologia</i> , 2007, 99, 378-384.	0.8	10
589	Distribution and occurrence of myxomycetes on agricultural ground litter and forest floor litter in Thailand. <i>Mycologia</i> , 2008, 100, 181-190.	0.8	10
590	(117-119) Proposals to make the pre-publication deposit of key nomenclatural information in a recognized repository a requirement for valid publication of organisms treated as fungi under the Code. <i>Taxon</i> , 2010, 59, 660-662.	0.4	10
591	Patterns of occurrence of myxomycetes on lianas. <i>Fungal Ecology</i> , 2010, 3, 302-310.	0.7	10
592	<i>Psilocybe</i> s.s. in Thailand: four new species and a review of previously recorded species. <i>Mycotaxon</i> , 2012, 119, 65-81.	0.1	10
593	Anamorphic Fungi Associated with Pandanaceae. <i>Fungal Diversity Research Series</i> , 2012, , 125-353.	0.6	10
594	<i>Fusarium</i> spp. are Responsible for Shoot Canker of Kumquat in China. <i>Journal of Phytopathology</i> , 2013, 161, 59-62.	0.5	10

#	ARTICLE	IF	CITATIONS
595	A new <i>Alternaria</i> species from grapevine in China. <i>Mycological Progress</i> , 2014, 13, 1119.	0.5	10
596	<i>Lindgomyces griseosporus</i> , a new aquatic ascomycete from Europe including new records. <i>Mycoscience</i> , 2014, 55, 43-48.	0.3	10
597	Towards a natural classification of Dothideomycetes 4: The genera <i>Bryopelta</i> , <i>Bryorella</i> , <i>Bryosphaeria</i> , <i>Lophiosphaerella</i> and <i>Maireella</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2014, 176, 28.	0.1	10
598	New species of <i>Phallus</i> from a subtropical forest in Xishuangbanna, China. <i>Phytotaxa</i> , 2014, 163, 91.	0.1	10
599	<i>Clavatispora thailandica</i> gen. et sp. nov., a novel taxon of Venturiales (Dothideomycetes) from Thailand. <i>Phytotaxa</i> , 2014, 176, 92.	0.1	10
600	<i>Chaetothyria mangiferae</i> sp. nov., a new species of <i>Chaetothyria</i> . <i>Phytotaxa</i> , 2016, 255, 21.	0.1	10
601	Two new species of <i>Helicascus</i> (Morosphaeriaceae) from submerged wood in northern Thailand. <i>Phytotaxa</i> , 2016, 270, 182.	0.1	10
602	Additions to Karst Fungi 2: <i>Alpestrisphaeria jonesii</i> from Guizhou Province, China. <i>Phytotaxa</i> , 2016, 277, 255.	0.1	10
603	<i>Equiseticola</i> gen. nov. (Phaeosphaeriaceae), from <i>Equisetum</i> sp. in Italy. <i>Phytotaxa</i> , 2016, 284, 169.	0.1	10
604	<i>Laccaria rubroalba</i> sp. nov. (Hydnangiaceae, Agaricales) from Southwestern China. <i>Phytotaxa</i> , 2016, 284, 41.	0.1	10
605	Introducing <i>Ophiocordyceps thanathonensis</i> , a new species of entomogenous fungi on ants, and a reference specimen for <i>O. pseudolloydii</i> . <i>Phytotaxa</i> , 2017, 328, 115.	0.1	10
606	Simplified and efficient DNA extraction protocol for Meliolaceae specimens. <i>Mycological Progress</i> , 2018, 17, 403-415.	0.5	10
607	Substrate Preference Determines Macrofungal Biogeography in the Greater Mekong Sub-Region. <i>Forests</i> , 2019, 10, 824.	0.9	10
608	<i>Muyocopron heveae</i> sp. nov. and <i>M. dipterocarpi</i> appears to have host-jumped to rubber. <i>Mycological Progress</i> , 2019, 18, 741-752.	0.5	10
609	A new species of <i>Phyllachora</i> (Phyllachoraceae, Phyllachorales) on <i>Phyllostachys heteroclada</i> from Sichuan, China. <i>Phytotaxa</i> , 2019, 392, 186.	0.1	10
610	Characterization of <i>Neopestalotiopsis</i> Species Associated with Mango Grey Leaf Spot Disease in Sinaloa, Mexico. <i>Pathogens</i> , 2020, 9, 788.	1.2	10
611	Unravelling evolutionary relationships between epifoliar Meliolaceae and angiosperms. <i>Journal of Systematics and Evolution</i> , 2022, 60, 23-42.	1.6	10
612	Integrating Different Lines of Evidence to Establish a Novel Ascomycete Genus and Family ( <i>Anastomitrabeculia</i> , Anastomitrabeculiaceae) in Pleosporales. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 94.	1.5	10

#	ARTICLE	IF	CITATIONS
613	Multigene Phylogeny Reveals <i>Haploanthostomella elaeidis</i> gen. et sp. nov. and Familial Replacement of <i>Endocalyx</i> (Xylariales, Sordariomycetes, Ascomycota). <i>Life</i> , 2021, 11, 486.	1.1	10
614	The Current Understanding of Fungi Associated with Pandanaceae. <i>Fungal Diversity Research Series</i> , 2012, , 1-10.	0.6	10
615	<p class="ZootaxaTitle">Hurdles in fungal taxonomy: Effectiveness of recent methods in discriminating taxa. <i>Megataxa</i> , 2020, 1, .	1.5	10
616	The rise of mycology in Asia. <i>ScienceAsia</i> , 2020, 46S, 1.	0.2	10
617	Introducing <i>Melanoctona tectonae</i> gen. et sp. nov. and <i>Minimelanolocus yunnanensis</i> sp. nov. ( <i>Herpotrichiellaceae</i> , Chaetothyriales). <i>Cryptogamie, Mycologie</i> , 2016, 37, 477-492.	0.2	10
618	Succession and Natural Occurrence of Saprobic Fungi on Leaves of <i>Magnolia liliifera</i> in a Tropical Forest. <i>Cryptogamie, Mycologie</i> , 2017, 38, 213-225.	0.2	10
619	Multigene Phylogeny Coupled with Morphological Characterization Reveal Two New Species of <i>Holmiella</i> and Taxonomic Insights within Patellariaceae. <i>Cryptogamie, Mycologie</i> , 2018, 39, 193-209.	0.2	10
620	Lentimurisporaceae, a New Pleosporalean Family with Divergence Times Estimates. <i>Cryptogamie, Mycologie</i> , 2018, 39, 259-282.	0.2	10
621	<i>Eutypella naqsii</i> sp. nov. from intertidal <i>Avicennia</i> . <i>Mycological Research</i> , 1995, 99, 1462-1464.	2.5	9
622	<i>Brachydesmiella anthostomelloidea</i> , a new species of dematiaceous hyphomycete from Australia. <i>Mycological Research</i> , 1996, 100, 1364-1366.	2.5	9
623	<i>Janetia curviapicis</i> , a New Species, and an Emended Description of the Genus. <i>Mycologia</i> , 1996, 88, 1014.	0.8	9
624	A new species of <i>Clohiesia</i> from Hong Kong. <i>Mycoscience</i> , 1998, 39, 257-259.	0.3	9
625	Two new species of <i>Pseudohalonectria</i> from palms. <i>Mycologia</i> , 1999, 91, 520-524.	0.8	9
626	Two pantropical Ascomycetes: <i>Chaetosphaeria cylindrospora</i> sp. nov. and <i>Rimaconus</i> , a new genus for <i>Lasiosphaeria jamaicensis</i> . <i>Mycologia</i> , 2001, 93, 1072-1080.	0.8	9
627	Three new <i>Ophioceras</i> species (Ascomycetes) from the tropics. <i>Mycoscience</i> , 2001, 42, 321-326.	0.3	9
628	Three new species of <i>Craspedodidymum</i> from palm in Thailand. <i>Mycoscience</i> , 2004, 45, 177-180.	0.3	9
629	<i>Cataractispora receptaculorum</i> , a new freshwater ascomycete from Hong Kong. <i>Mycologia</i> , 2004, 96, 411-417.	0.8	9
630	Integrating fuel treatment into ecosystem management: a proposed project planning process. <i>International Journal of Wildland Fire</i> , 2010, 19, 725.	1.0	9

#	ARTICLE	IF	CITATIONS
631	Optimal conditions of mycelia growth of <i>Laetiporus sulphureus</i> sensu lato. <i>Mycology</i> , 2014, 5, 221-227.	2.0	9
632	<i>Psilocybe chuxiongensis</i> , a new bluing species from subtropical China. <i>Phytotaxa</i> , 2014, 156, 211.	0.1	9
633	Trichopeltinaceae (Dothideomycetes), an earlier name for Brefeldiaceae, with a new species of <i>Trichopeltina</i> . <i>Phytotaxa</i> , 2014, 176, 270.	0.1	9
634	A new species of <i>Collodiscula</i> (Xylariaceae) from China. <i>Phytotaxa</i> , 2015, 205, 187.	0.1	9
635	<i>Lepiota thailandica</i> (Agaricaceae), a new species from Thailand. <i>Phytotaxa</i> , 2016, 245, 262.	0.1	9
636	Multigene phylogeny and morphology reveal a new species, <i>Ophiocordyceps tettigonia</i> , from Guizhou Province, China. <i>Phytotaxa</i> , 2016, 280, 141.	0.1	9
637	A new species of genus <i>Anteaglonium</i> (Anteagloniaceae, Pleosporales) with its asexual morph. <i>Phytotaxa</i> , 2016, 263, 233.	0.1	9
638	<i>Seimatosporium quercina</i> sp. nov. (Discosiaceae) on <i>Quercus robur</i> from Germany. <i>Phytotaxa</i> , 2016, 255, 240.	0.1	9
639	<i>Ophiosimulans tanacetii</i> gen. et sp. nov. (Phaeosphaeriaceae) on <i>Tanacetum</i> sp. (Asteraceae) from Italy. <i>Mycological Progress</i> , 2016, 15, 1.	0.5	9
640	<i>Seifertia shangrilaensis</i> sp. nov. (Melanommataceae), a new species from Southwest China. <i>Phytotaxa</i> , 2016, 273, 34.	0.1	9
641	The holomorph of <i>Parasarcopodium</i> (Stachybotryaceae), introducing <i>P. pandanicola</i> sp. nov. on <i>Pandanus</i> sp.. <i>Phytotaxa</i> , 2016, 266, 250.	0.1	9
642	Phylogenetic taxonomy of <i>Dematiopleospora fusiformis</i> sp. nov. (Phaeosphaeriaceae) from Russia. <i>Phytotaxa</i> , 2017, 316, 239.	0.1	9
643	Novel microsatellite markers reveal multiple origins of <i>Botryosphaeria dothidea</i> causing the Chinese grapevine trunk disease. <i>Fungal Ecology</i> , 2018, 33, 134-142.	0.7	9
644	Morphological and phylogenetic evidence reveal <i>Fissuroma taiwanense</i> sp. nov. (Aigialaceae). <i>Phytotaxa</i> , 2018, 345, 1.	0.1	9
645	Two novel species of <i>Neoaquastroma</i> (Parabambusicolaceae, Pleosporales) with their phoma-like asexual morphs. <i>MycKeys</i> , 2018, 34, 47-62.	0.8	9
646	Studies on Parmulariaceae I. A phylogeny based on available sequence data; introducing Parmulariales ord. nov., and Hemigraphaceae, Melaspileellaceae and Stictographaceae fam. nov.. <i>Phytotaxa</i> , 2018, 369, 63.	0.1	9
647	<i>Marinophialophora garethjonesii</i> gen. et sp. nov.: a new hyphomycete associated with Halocyphina from marine habitats in Thailand. <i>Phytotaxa</i> , 2018, 345, 1.	0.1	9
648	The holomorph of <i>Neoroussoella alishanense</i> sp. nov. (Roussoellaceae, Pleosporales) on <i>Pennisetum purpureum</i> (Poaceae). <i>Phytotaxa</i> , 2019, 406, 218-236.	0.1	9

#	ARTICLE	IF	CITATIONS
649	Multi-gene phylogeny and morphotaxonomy of <i>Phaeosphaeria ampeli</i> sp. nov. from <i>Ficus ampelas</i> and a new record of <i>P. musae</i> from Roystonea regia. <i>Phytotaxa</i> , 2019, 406, 111-128.	0.1	9
650	Three new <i>Phylloporus</i> species from tropical China and Thailand. <i>Mycological Progress</i> , 2019, 18, 603-614.	0.5	9
651	Molecular data reveals a new holomorphic marine fungus, <i>Halobyssothecium estuariae</i> , and the asexual morph of <i>Keissleriella phragmiticola</i> . <i>Mycology</i> , 2020, 11, 167-183.	2.0	9
652	Taxonomy, Diversity and Cultivation of the Oudemansielloid/Xeruloid Taxa <i>Hymenopellis</i> , <i>Mucidula</i> , <i>Oudemansiella</i> , and <i>Xerula</i> with Respect to Their Bioactivities: A Review. <i>Journal of Fungi (Basel)</i> , 2021, 7, 1010-1020.	10.0	10
653	<i>Aquatisphaeria thailandica</i> gen. et sp. nov. (Tetraplosphaeriaceae, Pleosporales) from freshwater habitat in Thailand. <i>Phytotaxa</i> , 2021, 513, 118-128.	0.1	9
654	<i>Lonicericola fuyuanensis</i> (Parabambusicolaceae) a new terrestrial pleosporalean ascomycete from Yunnan Province, China. <i>Phytotaxa</i> , 2020, 446, 103-113.	0.1	9
655	<i>Delonicicola siamense</i> gen. & sp. nov. (Delonicicolaceae fam. nov., Delonicicolales) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 60 321-340.	0.2	9
656	Two novel species and two new records of <i>Distoseptispora</i> from freshwater habitats in China and Thailand. <i>MycKeys</i> , 2021, 84, 79-101.	0.8	9
657	The Status of Taxonomic Mycology in Australia in 1991.. <i>Australasian Plant Pathology</i> , 1993, 22, 42.	0.5	8
658	Some Disease-Associated Microorganisms on Plants in the Western Province of Papua New Guinea.. <i>Australasian Plant Pathology</i> , 1994, 23, 69.	0.5	8
659	The genus <i>Phyllachora</i> from Australia: observations on taxa from <i>Callistemon</i> species. <i>Mycological Research</i> , 1994, 98, 1393-1401.	2.5	8
660	<i>Delortia palmicola</i> and two new species from wood submerged in a freshwater stream in Australia. <i>Mycological Research</i> , 1997, 101, 42-46.	2.5	8
661	<i>Ascomauritiana lignicola</i> gen. et sp. nov., an ascomycete from submerged wood in Mauritius. <i>Mycological Research</i> , 1999, 103, 938-942.	2.5	8
662	<i>Digitodesmium recurvum</i> , a New Species of Chirosporous Hyphomycete from Hong Kong. <i>Mycologia</i> , 1999, 91, 900.	0.8	8
663	<i>Vertexicola caudatus</i> gen. et sp. nov., and a New Species of <i>Rivulicola</i> from Submerged Wood in Freshwater Habitats. <i>Mycologia</i> , 2000, 92, 1019.	0.8	8
664	Revision of the <i>Phyllachoraceae</i> (Ascomycota) on hosts in the angiosperm family, <i>Proteaceae</i> . <i>Australian Systematic Botany</i> , 2001, 14, 283.	0.3	8
665	The Future of Coelomycete Studies. <i>Cryptogamie, Mycologie</i> , 2012, 33, 381-391.	0.2	8
666	<i>Stachybotrys</i> from soil in China, identified by morphology and molecular phylogeny. <i>Mycological Progress</i> , 2013, 12, 693-698.	0.5	8

#	ARTICLE	IF	CITATIONS
667	A new <i>Myrmecridium</i> species from Guizhou, China. <i>Mycotaxon</i> , 2013, 124, 1-8.	0.1	8
668	Englerulaceae (Dothideomycetes). <i>Phytotaxa</i> , 2014, 176, 139.	0.1	8
669	Neotypification and phylogeny of <i>Kalmusia</i> . <i>Phytotaxa</i> , 2014, 176, 164.	0.1	8
670	Etypification of <i>Broomella vitalbae</i> and Introduction of a Novel Species of <i>Hyalotiella</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 93-108.	0.2	8
671	<i>Ligninsphaeria jonesii</i> gen. et. sp. nov., a remarkable bamboo inhabiting ascomycete. <i>Phytotaxa</i> , 2016, 247, 109.	0.1	8
672	Sexual morph of <i>Seimatosporium cornii</i> found on <i>Cornus sanguinea</i> in Italy. <i>Phytotaxa</i> , 2016, 257, 51.	0.1	8
673	<i>Phallus haitangensis</i> , a new species of stinkhorn from Yunnan Province, China. <i>Phytotaxa</i> , 2016, 280, 116.	0.1	8
674	<i>Subsessila turbinata</i> gen. et. sp. nov. (Beltraniaceae), a Beltrania-like fungus from Thailand. <i>Mycological Progress</i> , 2017, 16, 393-401.	0.5	8
675	Morphological and phylogenetic insights resolve <i>Plenodomus sinensis</i> (Leptosphaeriaceae) as a new species. <i>Phytotaxa</i> , 2017, 324, 73.	0.1	8
676	<i>Helminthosporium submersum</i> sp. nov. (Massarinaceae) from submerged wood in north-western Yunnan Province, China. <i>Phytotaxa</i> , 2018, 348, 269.	0.1	8
677	The importance of plot size and the number of sampling seasons on capturing macrofungal species richness. <i>Fungal Biology</i> , 2018, 122, 692-700.	1.1	8
678	Multigene phylogenetics of <i>Polycephalomyces</i> (Ophiocordycipitaceae, Hypocreales), with two new species from Thailand. <i>Scientific Reports</i> , 2018, 8, 18087.	1.6	8
679	<i>Acuminatispora palmarum</i> gen. et sp. nov. from mangrove habitats. <i>Mycological Progress</i> , 2018, 17, 1173-1188.	0.5	8
680	Morphology and phylogeny of <i>Tamhinispora srinivasanii</i> sp. nov. (Tubeufiaceae) from northern Western Ghats, India. <i>Phytotaxa</i> , 2018, 346, 113.	0.1	8
681	Multigene phylogenetic analyses to establish new <i>Valsaria</i> species and taxonomic significance of spore ornamentation. <i>PLoS ONE</i> , 2019, 14, e0217982.	1.1	8
682	<i>Murispora aquatica</i> sp. nov. and <i>Murispora fagicola</i> , a new record from freshwater habitat in China. <i>Phytotaxa</i> , 2019, 416, 1-13.	0.1	8
683	Morpho-molecular characterization of two novel amphisphaeriaceous species from Yunnan, China. <i>Phytotaxa</i> , 2020, 446, 144-158.	0.1	8
684	Ribosomal and Protein Gene Phylogeny Reveals Novel Saprobic Fungal Species From <i>Juglans regia</i> and <i>Urtica dioica</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 1303.	1.5	8

#	ARTICLE	IF	CITATIONS
685	<i>Kirschsteiniothelia thailandica</i> sp. nov. (Kirschsteinioteliaceae) from Thailand. <i>Phytotaxa</i> , 2021, 490, 172-182.	0.1	8
686	Novel saprobic <i>Hermatomyces</i> species (Hermatomycetaceae, Pleosporales) from China (Yunnan). <i>Tropical Plant Biology</i> , 2021, 10, 150-157.	0.8	8
687	A Taxonomic Appraisal of Bambusicolous Fungi in Occultibambusaceae (Pleosporales). <i>Tropical Plant Biology</i> , 2021, 10, 158-165.	1.1	8
688	Tropical Australian Freshwater Fungi XIII. A new species of <i>Anthostomella</i> and its sporodochial <i>Geniculosporium</i> anamorph. <i>Nova Hedwigia</i> , 1998, 67, 225-233.	0.2	8
689	Endophytic fungi from <i>Amomum siamense</i> . <i>Canadian Journal of Microbiology</i> , 2001, 47, 943-948.	0.8	8
690	Two new endophytic <i>Colletotrichum</i> species from <i>Nothapodytes pittosporoides</i> in China. <i>Mycology</i> , 2019, 49, 1-14.	0.8	8
691	A Stable Phylogeny for <i>Dactylosporaceae</i> . <i>Cryptogamie, Mycologie</i> , 2019, 40, 23.	0.2	8
692	Taxonomy and phylogeny of the novel rhytidhysterion-like collections in the Greater Mekong Subregion. <i>Mycology</i> , 2022, 86, 65-85.	0.8	8
693	Endophytic Fungi Associated with Coffee Leaves in China Exhibited In Vitro Antagonism against Fungal and Bacterial Pathogens. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 698.	1.5	8
694	Potential benefits and harms: a review of poisonous mushrooms in the world. <i>Fungal Biology Reviews</i> , 2022, 42, 56-68.	1.9	8
695	Identification and Characterization of <i>Calonectria</i> Species Associated with Plant Diseases in Southern China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 719.	1.5	8
696	<i>Tamsiniella labiosa</i> gen. et sp.nov., a new freshwater ascomycete from submerged wood. <i>Canadian Journal of Botany</i> , 1998, 76, 332-337.	1.2	7
697	New observations on <i>Monotosporella rhizoidea</i> . <i>Mycoscience</i> , 1999, 40, 377-382.	0.3	7
698	Two Pantropical Ascomycetes: <i>Chaetosphaeria cylindrospora</i> sp. nov. and <i>Rimaconus</i> , a New Genus for <i>Lasiochaeta jamaicensis</i> . <i>Mycologia</i> , 2001, 93, 1072.	0.8	7
699	Microfungi on the Pandanaceae : a revision of the hyphomycete genus <i>Balaniopsis</i> with two new species. <i>Mycoscience</i> , 2002, 43, 67-72.	0.3	7
700	New and rare lignicolous hyphomycetes from Zhejiang Province, China. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 797-801.	1.3	7
701	Advances in the phylogenesis of Agaricales and its higher ranks and strategies for establishing phylogenetic hypotheses. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 779-786.	1.3	7
702	<i>Misturatosphaeria mariae</i> sp. nov. from France, a first record of <i>Misturatosphaeria</i> in Europe. <i>Mycoscience</i> , 2013, 54, 106-109.	0.3	7



#	ARTICLE	IF	CITATIONS
703	Re-appraisal of <i>Scolecopeltidium</i> . Mycotaxon, 2013, 125, 1-10.	0.1	7
704	(2234) Proposal to conserve the name <i>Helminthosporium maydis</i> Y. Nisik. & C. Miyake ( <i>Bipolaris maydis</i> ) against <i>H. maydis</i> Brond. and <i>Ophiobolus heterostrophus</i> ( <i>Ascomycota</i> : <i>Pleosporales</i> : <i>Pleosporaceae</i> ). Taxon, 2013, 62, 1332-1333.	0.4	7
705	Towards a natural classification of Dothideomycetes 5: The genera <i>Ascostratum</i> , <i>Chaetoscutula</i> , <i>Ceratocarpia</i> , <i>Cystocoleus</i> , and <i>Colensoniella</i> (Dothideomycetes incertae sedis). Phytotaxa, 2014, 176, 42.	0.1	7
706	Morphology and phylogeny of <i>Chaetospermum</i> (asexual coelomycetous Basidiomycota). Phytotaxa, 2014, 175, 61.	0.1	7
707	New species and records of saddle fungi ( <i>Helvella</i> , <i>Helvellaceae</i> ) from Jiuzhaigou Natural Reserve, China. Mycoscience, 2016, 57, 422-430.	0.3	7
708	Morphology and phylogenetic position of <i>Wynnella subalpina</i> sp. nov. ( <i>Helvellaceae</i> ) from western China. Phytotaxa, 2016, 270, 41.	0.1	7
709	Global versus Chinese perspectives on the phylogeny of the <i>N-fixing</i> clade. Journal of Systematics and Evolution, 2016, 54, 392-399.	1.6	7
710	Influences of vegetation disturbance on hydrogeomorphic response following wildfire. Hydrological Processes, 2016, 30, 1131-1148.	1.1	7
711	<i>Camarosporium arezzoensis</i> on <i>Cytisus</i> sp., an addition to sexual state of <i>Camarosporium sensu stricto</i> . Saudi Journal of Biological Sciences, 2016, 23, 1-8.	1.8	7
712	<i>Rosellinia convexa</i> sp. nov. (Xylariales, Pezizomycotina) from China. Mycoscience, 2016, 57, 164-170.	0.3	7
713	<i>Monochaetia ilexae</i> sp. nov. (Pestalotiopsidaceae) from Yunnan Province in China. Phytotaxa, 2017, 291, 123.	0.1	7
714	Mycobiomes of sympatric <i>Amorphophallus albispathus</i> (Araceae) and <i>Camellia sinensis</i> (Theaceae) – a case study reveals clear tissue preferences and differences in diversity and composition. Mycological Progress, 2018, 17, 489-500.	0.5	7
715	<i>Thyrostroma ephedricola</i> sp. nov. (Dothidotthiaceae) and proposal for <i>Thyrostroma jaczewskii</i> comb. nov. Phytotaxa, 2019, 416, 243-256.	0.1	7
716	<i>Lasiodiplodia theobromae</i> and <i>L. pseudotheobromae</i> causing leaf necrosis on <i>Camellia sinensis</i> in Fujian Province, China. Canadian Journal of Plant Pathology, 2019, 41, 277-284.	0.8	7
717	<i>Ganoderma weixiensis</i> (Polyporaceae, Basidiomycota), a new member of the <i>G. lucidum</i> complex from Yunnan Province, China. Phytotaxa, 2019, 423, 75-86.	0.1	7
718	Taxonomic and phylogenetic characterizations reveal three new species of <i>Mendoglia</i> (Myriangiaceae, Tj ETQq0 0 Q,rgBT /Overlock 10 T	0.5	7
719	<i>Biscogniauxia dendrobii</i> sp. nov. and <i>B. petrensis</i> from <i>Dendrobium</i> orchids and the first report of cytotoxicity (towards A549 and K562) of <i>B. petrensis</i> (MFLUCC 14-0151) in vitro. South African Journal of Botany, 2020, 134, 382-393.	1.2	7
720	Novel species of <i>Pestalotiopsis</i> fungi on <i>Dracaena</i> from Thailand. Mycology, 2020, 11, 306-315.	2.0	7

#	ARTICLE	IF	CITATIONS
721	<p><strong>Contributions to species of Xylariales in China-3. <em>Collodiscula tubulosa </em>(Xylariaceae)</strong></p>. Phytotaxa, 2020, 428, 122-130.	0.1	7
722	Fungi from palms. XXXIII. The genus Massarina, with a new species. Nova Hedwigia, 1997, 64, 491-504.	0.2	7
723	Tropical Australian Freshwater Fungi. XVI. Some new melanommataceous fungi from woody substrata and a key to genera of lignicolous loculoascomycetes in freshwater. Nova Hedwigia, 1999, 68, 251-272.	0.2	7
724	Sulcispora supratumida sp. nov. (Phaeosphaeriaceae, Pleosporales) on Anthoxanthum odoratum from Italy. MycoKeys, 2018, 38, 35-46.	0.8	7
725	Coryneum heveanum sp. nov. (Coryneaceae, Diaporthales) on twigs of Para rubber in Thailand. MycoKeys, 2018, 43, 75-90.	0.8	7
726	Discovery of Three Novel Cytospora Species in Thailand and Their Antagonistic Potential. Diversity, 2021, 13, 488.	0.7	7
727	Paraceratocladium malaysianum sp. nov. from submerged wood in Malaysia. Nova Hedwigia, 2000, 71, 95-100.	0.2	7
728	Fungi from palms. XLII. Didymosphaeria and similar ascomycetes from palms. Nova Hedwigia, 1999, 69, 449-471.	0.2	7
729	Taxonomic and phylogenic appraisal of a novel species and a new record of Stictidaceae from coffee in Yunnan Province, China. Phytotaxa, 2021, 528, 111-124.	0.1	7
730	<i>Massarina Velatospora</i> and a New Mangrove-Inhabiting Species, <i>M. Ramunculicola Sp. Nov</i>.. Mycologia, 1991, 83, 839-845.	0.8	6
731	The genus Ophiodothella from Australia. Mycological Research, 1993, 97, 1272-1276.	2.5	6
732	A new species of Nectria on Mauritia flexuosa (Arecaceae) in Ecuador and a key to Nectria and allied genera on palms. Mycoscience, 1996, 37, 277-282.	0.3	6
733	<i>Pterosporidium</i> gen.nov. to accommodate two species of <i>Anthostomella</i> from mangrove leaves. Canadian Journal of Botany, 1996, 74, 1826-1829.	1.2	6
734	Lepteutypa hexagonalis sp. nov. from Pinanga sp. in Ecuador. Mycological Research, 1997, 101, 85-88.	2.5	6
735	Two New Species of Pseudohalonectria from Palms. Mycologia, 1999, 91, 520.	0.8	6
736	Eight new species of Anthostomella from South Africa. Mycological Research, 2000, 104, 742-754.	2.5	6
737	Microfungi on the Pandanaceae: Polytretophora macrospora sp. nov.. Mycoscience, 2001, 42, 555-558.	0.3	6
738	Splanchnonema-like species in Pleosporales: introducing Pseudosplanchnonema gen. nov. in Massarinaceae. Phytotaxa, 2015, 231, 133.	0.1	6

#	ARTICLE	IF	CITATIONS
739	<i>Infundibulicybe rufa</i> sp. nov. (Tricholomataceae), a reddish brown species from southwestern China. <i>Phytotaxa</i> , 2016, 266, 134.	0.1	6
740	<i>Ceramothyrium longivolcaniforme</i> sp. nov., a new species of Chaetothyriaceae from northern Thailand. <i>Phytotaxa</i> , 2016, 267, 51.	0.1	6
741	The genus <i>Fusariella</i> . <i>Mycological Progress</i> , 2016, 15, 1313-1326.	0.5	6
742	Taxonomy of <i>Paragavialidium</i> (Orthoptera: Tetrigidae: Scelimeninae) with Description of One New Species and Notes on Ecology and Habits. <i>Entomological News</i> , 2016, 126, 43-51.	0.1	6
743	Diversity of <i>Penicillium</i> species isolated from heavy metal polluted soil in Guizhou Province, China. <i>Phytotaxa</i> , 2016, 273, 167.	0.1	6
744	<i>Acrocordiella omanensis</i> sp. nov. (Requienellaceae, Xylariales) from the Sultanate of Oman. <i>Phytotaxa</i> , 2018, 338, 294.	0.1	6
745	<i>Translucidithyrium thailandicum</i> gen. et sp. nov.: a new genus in Phaeothecoidiaceae. <i>Mycological Progress</i> , 2018, 17, 1087-1096.	0.5	6
746	Pharmaceutical Potential of Marine Fungal Endophytes. <i>Reference Series in Phytochemistry</i> , 2019, , 1-23.	0.2	6
747	<i>Neoastrisphaeriella aquatica</i> sp. nov. (Aigialaceae), a new species from freshwater habitat in southern Thailand. <i>Phytotaxa</i> , 2019, 391, 197.	0.1	6
748	<i>Acremonium arthrinii</i> sp. nov., a mycopathogenic fungus on <i>Arthrinium yunnanum</i> . <i>Phytotaxa</i> , 2019, 420, 283-299.	0.1	6
749	Taxonomic and phylogenetic characterizations of <i>Keissleriella bambusicola</i> sp. nov. (Lentitheciaceae, Pleosporales) from Yunnan, China. <i>Phytotaxa</i> , 2019, 423, 129-144.	0.1	6
750	<i>Roussoella guttulata</i> (Roussoellaceae, Pleosporales), a novel bambusicolous ascomycete from Thailand. <i>Phytotaxa</i> , 2020, 471, 221-233.	0.1	6
751	The taxonomy and phylogeny of <i>Austropleospora ochracea</i> sp. nov. (Didymosphaeriaceae) from Guizhou, China. <i>Phytotaxa</i> , 2021, 491, 217-229.	0.1	6
752	Morphological and phylogenetic resolution of <i>Arthrinium</i> from medicinal plants in Yunnan, including <i>A. cordyline</i> and <i>A. pseudomarii</i> spp. nov.. <i>Mycotaxon</i> , 2021, 136, 183-199.	0.1	6
753	Mucoralean Fungi in Thailand: Novel Species of <i>Absidia</i> from Tropical Forest Soil. <i>Cryptogamie, Mycologie</i> , 2021, 42, .	0.2	6
754	Introducing a new pleosporalean family Sublophiosptomataceae fam. nov. to accommodate <i>Sublophiosstoma</i> gen. nov.. <i>Scientific Reports</i> , 2021, 11, 9496.	1.6	6
755	Five Novel Taxa from Freshwater Habitats and New Taxonomic Insights of Pleurotheciales and Savoryellomycetidae. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 711.	1.5	6
756	Morphological and phylogenetic appraisal of <i>Ophioceras</i> (Ophioceraceae, Magnaporthales). <i>PLoS ONE</i> , 2021, 16, e0253853.	1.1	6

#	ARTICLE	IF	CITATIONS
757	Insight into the Systematics of Novel Entomopathogenic Fungi Associated with Armored Scale Insect, <i>Kuwanaspis howardi</i> (Hemiptera: Diaspididae) in China. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 628.	1.5	6
758	Additions to Chaetothyriaceae (Chaetothyriales): <i>Longihyalospora</i> gen. nov. and <i>Ceramothyrium longivolcaniforme</i> , a new host record from decaying leaves of <i>Ficus ampelas</i> . <i>MycKeys</i> , 2019, 61, 91-109.	0.8	6
759	A new species and a revised key of the genus <i>Thoradonta</i> (Orthoptera, Tetrigidae). <i>ZooKeys</i> , 2016, 607, 69-79.	0.5	6
760	Taxonomic and Phylogenetic Placement of <i>Phaeodimeriella</i> ( <i>Pseudoperisporiaceae</i> ) Tj ETQq0 0 0 rgBT/Overlock <sub>10 Tf 50 6</sub>	0.2	6
761	<i>Beltrania</i> -Like Taxa from Thailand. <i>Cryptogamie, Mycologie</i> , 2017, 38, 301-319.	0.2	6
762	Taxonomic Position of <i>Melomastia italica</i> sp. nov. and Phylogenetic Reappraisal of Dyfrolomycetales. <i>Cryptogamie, Mycologie</i> , 2017, 38, 507-525.	0.2	6
763	<i>Phomopsis mangrovei</i> , from intertidal prop roots of <i>Rhizophora</i> spp.. <i>Mycological Research</i> , 1991, 95, 1149-1151.	2.5	5
764	<i>Annelolacinia pandanicola</i> sp. nov. with notes on <i>A. dinemasporioides</i> from pineapple. <i>Mycological Research</i> , 1993, 97, 1433-1436.	2.5	5
765	Fungi associated with leaf spots of palms. <i>Maculatifrondis aequatoriensis</i> gen. et sp. nov., with a <i>Cyclodorus</i> anamorph, and <i>Myelosperma parasitica</i> sp. nov.. <i>Mycological Research</i> , 1996, 100, 1509-1514.	2.5	5
766	<i>Phaeosphaeria capensis</i> sp. nov. from <i>Avicennia marina</i> in South Africa. <i>Mycoscience</i> , 1997, 38, 101-103.	0.3	5
767	<i>Annulatascus fusiformis</i> sp. nov., a new freshwater ascomycete from the Philippines. <i>Mycologia</i> , 2000, 92, 553-557.	0.8	5
768	<i>Annulatascus fusiformis</i> sp. nov., a New Freshwater Ascomycete from the Philippines. <i>Mycologia</i> , 2000, 92, 553.	0.8	5
769	Two New Species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , 2002, 94, 302.	0.8	5
770	Can ascospore ultrastructure differentiate between the genera <i>Linocarpon</i> and <i>Neolinocarpon</i> and species therein?. <i>Mycological Research</i> , 2003, 107, 1305-1313.	2.5	5
771	<i>Arecomyces</i> New to Brazil, Including <i>A. attaleae</i> sp. nov.. <i>Cryptogamie, Mycologie</i> , 2011, 32, 103-108.	0.2	5
772	Antimicrobial activity of crude extracts of <i>Phyllosticta</i> spp.. <i>Mycology</i> , 2013, 4, 112-117.	2.0	5
773	3. The molecular phylogeny of freshwater Sordariomycetes and discomycetes. , 2014, , 47-72.		5
774	17. Tropical peat swamp fungi with special reference to palms. , 2014, , 371-388.		5

#	ARTICLE	IF	CITATIONS
775	A multiple gene genealogy reveals the phylogenetic placement of <i>Iodosphaeria tongrenensis</i> sp. nov. in Iodosphaeriaceae (Xylariales). <i>Phytotaxa</i> , 2015, 234, 121.	0.1	5
776	Molecular phylogenetic analysis reveals two new species of <i>Discosia</i> from Italy. <i>Phytotaxa</i> , 2015, 203, 37.	0.1	5
777	Two new <i>Rosellinia</i> species from Southwest China. <i>Mycotaxon</i> , 2015, 130, 563-567.	0.1	5
778	Correct names of two cultivated mushrooms from the genus <i>Pleurotus</i> in China. <i>Phytotaxa</i> , 2016, 260, 36.	0.1	5
779	<i>Cryptosporella platyphylla</i> , a new species associated with <i>Betula platyphylla</i> in China. <i>Phytotaxa</i> , 2016, 253, 285.	0.1	5
780	Species of <i>Psilocybe</i> (Hymenogastraceae) from Yunnan, southwest China. <i>Phytotaxa</i> , 2016, 284, 181.	0.1	5
781	<i>Neolinocarpon phayaoense</i> sp. nov. (Linocarpaceae) from Thailand. <i>Phytotaxa</i> , 2018, 362, 77.	0.1	5
782	An appendage-bearing coelomycete <i>Pseudotruncatella arezzoensis</i> gen. and sp. nov. (Amphisphaeriales) <i>Tj ETQq0 0,0 rgBT /Overlock 10</i>	0.1	5
783	<i>Conioscypha tenebrosa</i> sp. nov. (Conioscyphaceae) from China and notes on <i>Conioscypha</i> species. <i>Phytotaxa</i> , 2019, 413, 159-171.	0.1	5
784	<i>Mycoenterolobium aquadictyosporium</i> sp. nov. (Pleosporomycetidae, Dothideomycetes) from a freshwater habitat in Thailand. <i>Mycological Progress</i> , 2020, 19, 1031-1042.	0.5	5
785	Three Novel Entomopathogenic Fungi From China and Thailand. <i>Frontiers in Microbiology</i> , 2020, 11, 608991.	1.5	5
786	Outline of Ascomycota. , 2021, , 246-254.		5
787	Multi-Gene Phylogeny and Morphology Reveal <i>Haplohelminthosporium</i> gen. nov. and <i>Helminthosporiella</i> gen. nov. Associated with Palms in Thailand and A Checklist for <i>Helminthosporium</i> Reported Worldwide. <i>Life</i> , 2021, 11, 454.	1.1	5
788	<i>Fomitiporia punicata</i> and <i>Phaeoacremonium minimum</i> associated with Esca complex of grapevine in China. <i>Phytopathology Research</i> , 2021, 3, .	0.9	5
789	<i>Phlebopus</i> (Boletales, Boletellaceae), a peculiar bolete genus with widely consumed edible species and potential for economic development in tropical countries. <i>Food Bioscience</i> , 2021, 41, 100962.	2.0	5
790	Catechol-Bearing Polyketide Derivatives from <i>Sparticola junci</i> . <i>Journal of Natural Products</i> , 2021, 84, 2053-2058.	1.5	5
791	Freshwater Sordariomycetes: new species and new records in Pleurotheciaceae, Pleurotheciales. <i>Phytotaxa</i> , 2021, 518, 143-166.	0.1	5
792	<i>Leptosillia cordylinea</i> sp. nov. from China. <i>Phytotaxa</i> , 2020, 435, 213-226.	0.1	5

#	ARTICLE	IF	CITATIONS
793	Morphology, Phylogeny and Culture Characteristics of <i>Ganoderma gibbosum</i> Collected from Kunming, Yunnan Province, China. <i>Phyton</i> , 2020, 89, 743-764.	0.4	5
794	Morphology and Phylogeny Reveal <i>Vamsapriyaceae</i> fam. nov. (Xylariales, Sordariomycetes) with Two Novel <i>Vamsapriya</i> Species. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 891.	1.5	5
795	<i>Tamsiniella labiosa</i> gen. et sp. nov., a new freshwater ascomycete from submerged wood. <i>Canadian Journal of Botany</i> , 1998, 76, 332-337.	1.2	5
796	A survey of marine fungi on wood in South Australia. <i>Botanica Marina</i> , 2020, 63, 469-478.	0.6	5
797	Novel <i>Mucor</i> species (Mucoromycetes, Mucoraceae) from northern Thailand. <i>MycKeys</i> , 2021, 84, 57-78.	0.8	5
798	The genus <i>Phyllachora</i> from Australia: <i>P. queenslandica</i> and notes on <i>P. apiculata</i> from Neolitsea. <i>Mycological Research</i> , 1993, 97, 1328-1332.	2.5	4
799	The genus <i>Phyllachora</i> from Australia: two new taxa, <i>P. velatispora</i> var. <i>velatispora</i> and <i>P. velatispora</i> var. <i>hilliana</i> , on <i>Grevillea</i> and notes on <i>P. grevilleae</i> . <i>Mycological Research</i> , 1994, 98, 1402-1408.	2.5	4
800	Ultrastructural studies on the <i>Myelospermaceae</i> fam. nov., with a new species of <i>Myelosperma</i> . <i>Mycological Research</i> , 1999, 103, 347-352.	2.5	4
801	Non-lichenised Australian ascomycetes. <i>Australian Systematic Botany</i> , 2001, 14, 357.	0.3	4
802	<i>Lasiosphaeria</i> and a similar new genus from palms. <i>Mycoscience</i> , 2001, 42, 369-377.	0.3	4
803	<i>Cylindrosyndonium cryptocaryae</i> sp. nov. (anamorphic fungi), with keys to the described species and to similar genera. <i>Australian Systematic Botany</i> , 2003, 16, 577.	0.3	4
804	Reflections on the genus <i>Vanakripa</i> , and a description of <i>V. ellipsoidea</i> sp. nov. <i>Mycologia</i> , 2003, 95, 124-127.	0.8	4
805	<i>Acanthostigma</i> and <i>Tubeufia</i> Species, Including <i>T. claspisphaeria</i> sp. nov., from Submerged Wood in Hong Kong. <i>Mycologia</i> , 2004, 96, 667.	0.8	4
806	Aquatic Fungi from Peat Swamp Palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and Its Hyphomycete Anamorph. <i>Mycologia</i> , 2004, 96, 1163.	0.8	4
807	<i>Oxydothis bambusicola</i> , a new ascomycete with a huge subapical ascus ring found on bamboo in Hong Kong. <i>Nova Hedwigia</i> , 2005, 80, 511-518.	0.2	4
808	Transfer of <i>Pseudoparodia pseudopeziza</i> to <i>Patellariaceae</i> (Patellariales). <i>Nova Hedwigia</i> , 2009, 88, 211-215.	0.2	4
809	HKU(M) moves to IFRDC Kunming. <i>Mycotaxon</i> , 2010, 113, 137-145.	0.1	4
810	Revisiting the taxonomy of <i>Daruvedia bacillata</i> . <i>Mycotaxon</i> , 2011, 114, 135-144.	0.1	4

#	ARTICLE	IF	CITATIONS
811	<i>Brunneiapiospora brasiliensis</i> sp. nov. (Clypeosphaeriaceae) on palms from Brazil. <i>Nova Hedwigia</i> , 2012, 94, 245-250.	0.2	4
812	Molecular and morphological data reveal two new species of <i>Scolecobasidium</i> . <i>Mycoscience</i> , 2013, 54, 420-425.	0.3	4
813	<i>Greeneria saprophytica</i> sp. nov. on dead leaves of <i>Syzygium cumini</i> from Chiang Rai, Thailand. <i>Phytotaxa</i> , 2014, 184, 275.	0.1	4
814	<i>Homortomyces tamaricis</i> sp. nov. and convergent evolution of <i>Homortomyces</i> and <i>Stilbospora</i> . <i>Phytotaxa</i> , 2014, 176, 156.	0.1	4
815	Taxonomy and phylogeny of <i>Dothideomycetes</i> . <i>Phytotaxa</i> , 2014, 176, 5.	0.1	4
816	<i>Micropsalliota pseudoglobocystis</i> , a new species from China. <i>Mycotaxon</i> , 2015, 130, 555-561.	0.1	4
817	<i>Seiridium venetum</i> redescribed, and <i>S. camelliae</i> , a new species from <i>Camellia reticulata</i> in China. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	4
818	Two new <i>Pseudohalonectria</i> species on beech cupules ( <i>Fagus sylvatica</i> ) and a new genus to accommodate <i>P. suthepensis</i> . <i>Phytotaxa</i> , 2016, 278, 115.	0.1	4
819	Towards a natural classification of <i>Dothideomycetes</i> : 8. The genera <i>Cocconia</i> , <i>Dianesea</i> , <i>Endococcus</i> and <i>Lineostroma</i> . <i>Phytotaxa</i> , 2016, 255, 66.	0.1	4
820	Two novel <i>Acervus</i> species extend their distribution within Yunnan, China. <i>Phytotaxa</i> , 2016, 283, 74.	0.1	4
821	Additions to Karst Fungi 3: <i>Prosthemia sinense</i> sp nov., from Guizhou Province, China. <i>Phytotaxa</i> , 2016, 284, 281.	0.1	4
822	<i>Novomicrothelia pandanicola</i> sp. nov., a non-lichenized <i>Trypetheliaceae</i> species from Pandanus. <i>Phytotaxa</i> , 2017, 321, 254.	0.1	4
823	The genus <i>Phillipsia</i> from China and Thailand. <i>Phytotaxa</i> , 2017, 316, 138.	0.1	4
824	A new species of <i>Monilochaetes</i> from <i>Nothapodytes pittosporoides</i> . <i>Phytotaxa</i> , 2017, 326, 129.	0.1	4
825	A new species of <i>Trichoglossum</i> ( <i>Geoglossales</i> , <i>Ascomycota</i> ) from Thailand. <i>Phytotaxa</i> , 2017, 316, 161.	0.1	4
826	Special issue on freshwater ascomycetes and other aquatic fungi. <i>Mycological Progress</i> , 2018, 17, 509-510.	0.5	4
827	Description of <i>Dermea persica</i> ( <i>Dermateaceae</i> , <i>Helotiales</i> ), a new asexual <i>Ascomycete</i> from Iran, and an updated key to <i>Dermea</i> species. <i>Phytotaxa</i> , 2018, 367, 25.	0.1	4
828	<i>Triadelphia fusiformis</i> sp. nov. from a freshwater habitat in Thailand. <i>Phytotaxa</i> , 2018, 374, 231.	0.1	4

#	ARTICLE	IF	CITATIONS
829	<i>Monochaetia sinensis</i> sp. nov. from Yunnan Province in China. <i>Phytotaxa</i> , 2018, 375, 59.	0.1	4
830	<i>Pseudodactylaria brevis</i> sp. nov. from Thailand confirms the status of Pseudodactylariaceae. <i>Phytotaxa</i> , 2018, 369, 241.	0.1	4
831	Additions to the genus <i>Massariothea</i> in Diaporthaceae. <i>Mycological Progress</i> , 2018, 17, 1139-1147.	0.5	4
832	<i>Wicklowia submersa</i> sp. nov. (Wicklowiaceae, Pleosporales), a second species in a monotypic family. <i>Phytotaxa</i> , 2019, 411, 73-83.	0.1	4
833	<i>Morphology and phylogeny reveal</i> <i>Stemphylium dianthi</i> sp. nov. and new host records for the sexual morphs of <i>S. beticola</i> , <i>S. gracilariae</i> , <i>S. simmonsii</i> and <i>S. vesicarium</i> . <i>Phytotaxa</i> , 2019, 411, 243-263.	0.1	4
834	Pharmaceutical Potential of Marine Fungal Endophytes. <i>Reference Series in Phytochemistry</i> , 2019, , 283-305.	0.2	4
835	Two new species of <i>Termitomyces</i> (Agaricales, Lyophyllaceae) from China and Thailand. <i>Phytotaxa</i> , 2020, 439, .	0.1	4
836	Morpho-molecular characterization of <i>Discosia ravennica</i> sp. nov. and a new host record for <i>Sporocadus rosigena</i> . <i>MycKeys</i> , 2021, 79, 173-192.	0.8	4
837	The Plant Family Asteraceae Is a Cache for Novel Fungal Diversity: Novel Species and Genera With Remarkable Ascospores in Leptosphaeriaceae. <i>Frontiers in Microbiology</i> , 2021, 12, 660261.	1.5	4
838	<i>Wicklowia phuketensis</i> (Wicklowiaceae), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (Pleocarpales). <i>Phytotaxa</i> , 2021, 474, 55-64.	0.1	4
839	<i>Pseudocercospora dypsidis</i> sp. nov. (Mycosphaerellaceae) on <i>Dypsis lutescens</i> leaves in Thailand. <i>Phytotaxa</i> , 2020, 474, 218-234.	0.1	4
840	Domestication of <i>Ganoderma leucocontextum</i> , <i>G. resinaceum</i> , and <i>G. gibbosum</i> Collected from Yunnan Province, China. <i>Biosciences, Biotechnology Research Asia</i> , 2020, 17, 07-26.	0.2	4
841	<i>Hypomyces pseudolactifluorum</i> sp. nov. (Hypocreales: Hypocreaceae) on <i>Russula</i> sp. from Yunnan, PR China. <i>Biodiversity Data Journal</i> , 2020, 8, e53490.	0.4	4
842	<i>Acanthostigma</i> and <i>Tubeufia</i> species, including <i>T. claspisphaeria</i> sp. nov., from submerged wood in Hong Kong. <i>Mycologia</i> , 2004, 96, 667-74.	0.8	4
843	Synopsis of Leptosphaeriaceae and Introduction of Three New Taxa and One New Record from China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 416.	1.5	4
844	The genus <i>Phyllachora</i> from Australia. Observations on <i>P. bella</i> from <i>Syzygium paniculatum</i> and <i>P. melaspilea</i> from <i>Scolopia braunii</i> . <i>Mycological Research</i> , 1993, 97, 1437-1440.	2.5	3
845	<i>Cocoicola livistoncola</i> , sp. nov., and notes on <i>Cocoicola cylindrospora</i> from palms. <i>Mycoscience</i> , 1997, 38, 255-258.	0.3	3
846	Ultrastructure of germination and mucilage production in <i>Halosphaeria appendiculata</i> (Halosphaeriaceae). <i>Mycoscience</i> , 1997, 38, 45-53.	0.3	3



#	ARTICLE	IF	CITATIONS
847	Fungal Endophytes. , 2008, , 281-292.		3
848	List of Fungi Associated with Pandanaceae. Fungal Diversity Research Series, 2012, , 355-428.	0.6	3
849	<i>Tortulomyces thailandicus</i> gen. et sp. nov. and <i>Nitschkia siamensis</i> sp. nov. (Coronophorales), Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2	0.5	3
850	Synonymy of two species of <i>Bipolaris</i> from aquatic crops of <i>Poaceae</i> . Mycotaxon, 2015, 130, 131-143.	0.1	3
851	The Genus <i>Bolivaritettix</i> in Thailand (Orthoptera: Tetrigidae: Metrodorinae), with Three New Species and One New Record. Entomological News, 2015, 125, 136-146.	0.1	3
852	A novel <i>Pestalotiopsis</i> species isolated from <i>Bulbophyllum thouars</i> in Guangxi Province, China. Phytotaxa, 2017, 306, 96.	0.1	3
853	<i>Didymella eriobotryae</i> sp. nov. (Didymellaceae) and <i>Arthrinium arundinis</i> (Apiosporaceae) from fruit of <i>Eriobotrya japonica</i> (loquat) in China. Phytotaxa, 2018, 382, 136.	0.1	3
854	The holomorph of <i>Fusarium celtidicola</i> sp. nov. from <i>Celtis australis</i> . Phytotaxa, 2018, 361, 251.	0.1	3
855	Fruiting patterns of macrofungi in tropical and temperate land use types in Yunnan Province, China. Acta Oecologica, 2018, 91, 7-15.	0.5	3
856	<i>Helicascus alatus</i> (Morosphaeriaceae), a new freshwater species from southwestern China. Phytotaxa, 2018, 351, 210.	0.1	3
857	<i>Aquimonospora tratensis</i> gen. et sp. nov. (Diaporthomycetidae, Sordariomycetes), a new lineage from a freshwater habitat in Thailand. Phytotaxa, 2019, 397, 146.	0.1	3
858	<i>Tubeufia sahyadriensis</i> (<em>Tubeufiaceae</em>), <em>a new dictyosporous</em> <em>anamorph</em> from the Western Ghats, India</strong>. Phytotaxa, 2019, 423, 171-181.	0.1	3
859	Morpho-molecular analysis reveals <em>Appendiculella</em> <em>viticis</em> sp. nov. (<em>Meliolaceae</em>)</strong>. Phytotaxa, 2020, 454, 45-54.	0.1	3
860	<i>Bimuria omanensis</i> sp. nov. (Didymosphaeriaceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	0.1	3
861	<i>Acrocordiella yunnanensis</i> sp. nov.</em> (Requienellaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2	0.1	3
862	<i>Alloleptosphaeria shangrilana</i> sp. nov. and first report of the genus (Leptosphaeriaceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (D	0.1	3
863	Teleomorphic Microfungi Associated with Pandanaceae. Fungal Diversity Research Series, 2012, , 23-124.	0.6	3
864	A new freshwater species of <i>Herpotrichia</i> from the tropics. Nova Hedwigia, 1998, 66, 247-249.	0.2	3

#	ARTICLE	IF	CITATIONS
865	<p>&lt;p&gt;&lt;strong&gt;Multi-locus phylogeny reveals &lt;em&gt;Phaeodothis mori&lt;/em&gt; sp. nov. (Didymosphaeriaceae,) Tj ETQq1 1 0.784314 rgBT / Dv</p> <p>241-254.</p>	0.1	3
866	Identification of endophytic fungi from leaves of Pandanaceae based on their morphotypes and DNA sequence data from southern Thailand. MycoKeys, 0, 33, 25-67.	0.8	3
867	The genus <i>Castanediella</i> . MycoKeys, 2019, 51, 1-14.	0.8	3
868	A New Hysteriform Dothideomycete (Gloniaceae, Pleosporomycetidaelncertae sedis), <i>Purpurepithecium murisporum</i> gen. et sp. nov. on Pine Cone Scales. Cryptogamie, Mycologie, 2017, 38, 241-251.	0.2	3
869	Morphological and Phylogenetic Appraisal of Novel and Extant Taxa of Stictidaceae from Northern Thailand. Journal of Fungi (Basel, Switzerland), 2021, 7, 880.	1.5	3
870	Records of Hedotettix and Tereodus in Thailand with the description of three new species (Orthoptera, Tetrigidae). ZooKeys, 2016, 556, 83-95.	0.5	3
871	<strong>&lt;em>Hyaloterminalis</em>, a novel genus of Coryneaceae in order Diaporthales&lt;/strong>. Phytotaxa, 2020, 474, 132-144.	0.1	3
872	<i>Campylocarpon fasciculare</i> (Nectriaceae, Sordariomycetes); Novel Emergence of Black-Foot Causing Pathogen on Young Grapevines in China. Pathogens, 2021, 10, 1555.	1.2	3
873	<i>Cataractispora receptaculorum</i> , a new freshwater ascomycete from Hong Kong. Mycologia, 2004, 96, 411-7.	0.8	3
874	Aquatic fungi from peat swamp palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and its hyphomycete anamorph. Mycologia, 2004, 96, 1163-70.	0.8	3
875	Observations on the genus <i>Aristastoma</i> . Mycological Research, 1991, 95, 1151-1152.	2.5	2
876	<i>Phyllachora</i> from Australia. Observations on <i>P. grevilleae</i> and two new species: <i>P. victoriensis</i> and <i>P. hakeicola</i> from <i>Hakea</i> . Mycological Research, 1995, 99, 1261-1267.	2.5	2
877	<i>Phyllachora</i> from Australia. <i>Phyllachora sageretiae</i> sp. nov. from <i>Sageretia hamosa</i> . Mycological Research, 1995, 99, 554-556.	2.5	2
878	<i>Podosordaria australiensis</i> sp. nov., a new xylariaceous ascomycete on wallaby dung from northern Australia. Mycological Research, 1996, 100, 1505-1508.	2.5	2
879	<i>Cryptophiale sphaerospora</i> sp. nov. occurring on <i>Janetia synnematos</i> . Mycoscience, 1999, 40, 189-191.	0.3	2
880	A member of the <i>Phyllachora shiraiana</i> complex (Ascomycota) on <i>Bambusa arnhemica</i> : a new record for Australia. Australasian Plant Pathology, 2000, 29, 205.	0.5	2
881	sp. nov. and note on other species on monocots from Hong Kong. Cryptogamie, Mycologie, 2000, 21, 207-214.	0.2	2
882	Reflections on the Genus <i>Vanakripa</i> , and a Description of <i>V. ellipsoidea</i> sp. nov.. Mycologia, 2003, 95, 124.	0.8	2

#	ARTICLE	IF	CITATIONS
883	Prenylhydroquinone-Derived Secondary Metabolites from Cultures of the Basidiomycete <i>Lentinus Similis</i> BCC 52578. <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.2	2
884	Some stromatic pyrenomycetous fungi from northern Thailand 2. <i>Annulohyphoxylon</i> and <i>Ustulina</i> . <i>Mycotaxon</i> , 2016, 131, 61-85.	0.1	2
885	The genus <i>Thoradontain</i> Thailand (Orthoptera: Tetrigidae: Scelimeninae) with description of two new species. <i>Journal of Natural History</i> , 2016, 50, 833-845.	0.2	2
886	Morphology and phylogeny of <i>Atrocalyx acervatus</i> sp. nov. (Lophiotremataceae) from <i>Acer</i> species. <i>Phytotaxa</i> , 2018, 333, 199.	0.1	2
887	<i>Arachnophora longa</i> sp. nov., a freshwater hyphomycete from far north Queensland, Australia. <i>Mycotaxon</i> , 2018, 133, 9-13.	0.1	2
888	<i>Misturatosphaeria viridibrunnea</i> sp. nov. (Teichosporaceae, Pleosporales) from Thailand. <i>Phytotaxa</i> , 2019, 388, 123.	0.1	2
889	A morpho-molecular re-appraisal of <i>Polystigma fulvum</i> and <i>P. rubrum</i> ( <i>Polystigma</i> , Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf.50 497 1d ( <i>Polystigma</i>		
890	A checklist of marine fungi from Australia. <i>Mycotaxon</i> , 2020, 135, 465-465.	0.1	2
891	<i>Lepiota condylospora</i> , a new species with nodulose spores in section <i>Lilaceae</i> from northern Thailand. <i>Phytotaxa</i> , 2020, 455, 61-69.	0.1	2
892	First sexual morph record of <i>Sarcopodium vanillae</i> . <i>Mycotaxon</i> , 2020, 134, 707-717.	0.1	2
893	Patellariopsidaceae Fam. Nov. With Sexual-Asexual Connection and a New Host Record for <i>Cheirospora botryospora</i> (Vibrisseaceae, Ascomycota). <i>Frontiers in Microbiology</i> , 2020, 11, 906.	1.5	2
894	Genome Wide Identification of the MLO Gene Family Associated with Powdery Mildew Resistance in Rubber Trees ( <i>Hevea brasiliensis</i> ). <i>Tropical Plant Biology</i> , 2020, 13, 331-342.	1.0	2
895	<i>Xepicula yifeii</i> sp. nov. caused a leaf blight of <i>Lasia spinosa</i> (Araceae) in South China karst. <i>European Journal of Plant Pathology</i> , 2020, 158, 121-134.	0.8	2
896	Macrofungi as Food. , 2021, , 405-417.		2
897	Zeloasperisporiales ord. nov., and Two New Species of <i>Zeloasperisporium</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 301-317.	0.2	2
898	Biphasic taxonomic approaches for generic relatedness and phylogenetic relationships of Teichosporaceae. <i>Fungal Diversity</i> , 2021, 110, 199-241.	4.7	2
899	<i>Pezicula endophytica</i> sp. nov., endophytic in <i>Dendrobium</i> in Thailand. <i>Mycotaxon</i> , 2021, 136, 563-577.	0.1	2
900	<a href="https://invertebratefungi.org/">https://invertebratefungi.org/</a> : an expert-curated web-based platform for the identification and classification of invertebrate-associated fungi and fungus-like organisms. <i>Database: the Journal of Biological Databases and Curation</i> , 2022, 2022, .	1.4	2

#	ARTICLE	IF	CITATIONS
901	Co-infection of <i>Fusarium aglaonematis</i> sp. nov. and <i>Fusarium elaeidis</i> Causing Stem Rot in <i>Aglaonema modestum</i> in China. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	2
902	5. Taxonomy of filamentous asexual fungi from freshwater habitats, links to sexual morphs and their phylogeny. , 2014, , 109-132.		1
903	<i>Phyllachora barringtoniicola</i> nom. nov. and <i>Phyllachora naqsii</i> sp. nov. causing leaf spots on <i>Barringtonia</i> spp.. <i>Mycological Research</i> , 1993, 97, 1324-1327.	2.5	1
904	<i>Lanceispora phyllophila</i> sp. nov. on petioles of unknown dicotyledonous leaves in Singapore. <i>Mycoscience</i> , 2001, 42, 97-99.	0.3	1
905	<i>Endosporoideus</i> gen. nov., a mitosporic fungus on <i>Phoenix hanceana</i> . <i>Mycologia</i> , 2005, 97, 238-245.	0.8	1
906	2 Phylogeny of the Dothideomycetes and other classes of marine Ascomycota. , 2012, , 17-34.		1
907	Familial status of Lophiotremataceae and its related families in Pleosporales. <i>Phytotaxa</i> , 2018, 383, 93.	0.1	1
908	Introducing <i>Massarioramusclicola</i> , a novel genus in Massariaceae. <i>Phytotaxa</i> , 2018, 371, 17.	0.1	1
909	<i>Verruconis heveae</i> , a novel species from <i>Hevea brasiliensis</i> in Thailand. <i>Phytotaxa</i> , 2019, 403, 47.	0.1	1
910	Sexual morph of <i>Phaeoacremonium aureum</i> from <i>Rhizophora mucronata</i> collected in southern Thailand. <i>Phytotaxa</i> , 2019, 387, 21.	0.1	1
911	&lt;p&gt;&lt;strong&gt;Studies on &lt;em&gt;Parmulariaceae&lt;/em&gt; II. Re-examination of &lt;em&gt;Hysterostomella&lt;/em&gt;, &lt;em&gt;Mintera&lt;/em&gt;, &lt;em&gt;Rhipidocarpon&lt;/em&gt; and &lt;em&gt;Viegasella&lt;/em&gt;&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 458, 231-241.	0.1	1
912	Additions to Italian Pleosporinae, including <i>Italica heraclei</i> sp. nov.. <i>Biodiversity Data Journal</i> , 2021, 9, e59648.	0.4	1
913	<i>Yuxiensis granularis</i> gen. et sp. nov., a Novel Quellung-Reagent-Bearing Fungal Taxon Added to Scortechiniaceae and Inclusion of Parasymphodiellaceae in Coronophorales Based on Phylogenetic Evidence. <i>Life</i> , 2021, 11, 1011.	1.1	1
914	<i>Lembosia mimusopis</i> sp. nov. from Thailand. <i>Mycotaxon</i> , 2021, 136, 635-644.	0.1	1
915	ï¿Pleocatenata chiangraiensis gen. et. sp. nov. (Pleosporales, Dothideomycetes) from medicinal plants in northern Thailand. <i>MycoKeys</i> , 2022, 87, 77-98.	0.8	1
916	Two new species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , 2002, 94, 302-6.	0.8	1
917	Morpho-molecular characterization of <i>Brunneofissuraceae</i> fam. nov., <i>Cirsosia mangiferae</i> sp. nov., and <i>Asterina neomangiferae</i> nom. nov. <i>Mycological Progress</i> , 2022, 21, 279-295.	0.5	1
918	Ultrastructure of the dimorphic ascospores in <i>Mamillisphaeria dimorphospora</i> . <i>Mycological Research</i> , 1999, 103, 1284-1288.	2.5	0

#	ARTICLE	IF	CITATIONS
919	22. Eplilogue. , 2014, , 481-488.		0
920	Alfaria avenellae sp. nov. from Italy. Phytotaxa, 2017, 332, 67.	0.1	0
921	<p><strong><em>Cunninghamella binariae</em></strong>, <em>Mucor ardhlaengiktus</em>, <em>Mucor gigasporus</em> and <em>Umbelopsis changbaiensis</em>, newly recorded species from amphibian feces and soil in Korea</p> . Phytotaxa, 2019, 425, 19-34.	0.1	0
922	The Genus Acervus from Southwestern China and Northern Thailand. Mycobiology, 2020, 48, 464-475.	0.6	0
923	Structure and Development of Ascomata. , 2021, , 255-262.		0