

# Kevin D Hyde

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11937822/publications.pdf>

Version: 2024-02-01

923  
papers

35,771  
citations

3515  
90  
h-index

8835  
145  
g-index

943  
all docs

943  
docs citations

943  
times ranked

13619  
citing authors

#	ARTICLE	IF	CITATIONS
1	Unravelling evolutionary relationships between epifoliar Meliolaceae and angiosperms. <i>Journal of Systematics and Evolution</i> , 2022, 60, 23-42.	1.6	10
2	Species diversity of Basidiomycota. <i>Fungal Diversity</i> , 2022, 114, 281-325.	4.7	28
3	Taxonomy and phylogeny of the novel rhytidhysteron-like collections in the Greater Mekong Subregion. <i>MycoKeys</i> , 2022, 86, 65-85.	0.8	8
4	Taxonomy, phylogeny, molecular dating and ancestral state reconstruction of Xylariomycetidae (Sordariomycetes). <i>Fungal Diversity</i> , 2022, 112, 1-88.	4.7	35
5	Pleocatenata chiangraiensis gen. et. sp. nov. (Pleosporales, Dothideomycetes) from medicinal plants in northern Thailand. <i>MycoKeys</i> , 2022, 87, 77-98.	0.8	1
6	<a href="https://invertebratefungi.org/">https://invertebratefungi.org/</a> : an expert-curated web-based platform for the identification and classification of invertebrate-associated fungi and fungus-like organisms. <i>Database: the Journal of Biological Databases and Curation</i> , 2022, 2022, .	1.4	2
7	Morpho-molecular characterization of Brunneofissuraceae fam. nov., Cirrosia mangiferae sp. nov., and Asterina neomangiferae nom. nov. <i>Mycological Progress</i> , 2022, 21, 279-295.	0.5	1
8	Predicting global numbers of teleomorphic ascomycetes. <i>Fungal Diversity</i> , 2022, 114, 237-278.	4.7	17
9	The numbers of fungi: are the most speciose genera truly diverse?. <i>Fungal Diversity</i> , 2022, 114, 387-462.	4.7	52
10	Comprehensive Review of Fungi on Coffee. <i>Pathogens</i> , 2022, 11, 411.	1.2	11
11	Synopsis of Leptosphaeriaceae and Introduction of Three New Taxa and One New Record from China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 416.	1.5	4
12	The numbers of fungi: contributions from traditional taxonomic studies and challenges of metabarcoding. <i>Fungal Diversity</i> , 2022, 114, 327-386.	4.7	53
13	Freshwater fungal numbers. <i>Fungal Diversity</i> , 2022, 114, 3-235.	4.7	27
14	Endophytic Fungi Associated with Coffee Leaves in China Exhibited In Vitro Antagonism against Fungal and Bacterial Pathogens. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 698.	1.5	8
15	Potential benefits and harms: a review of poisonous mushrooms in the world. <i>Fungal Biology Reviews</i> , 2022, 42, 56-68.	1.9	8
16	Identification and Characterization of Calonectria Species Associated with Plant Diseases in Southern China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 719.	1.5	8
17	Where are the basal fungi? Current status on diversity, ecology, evolution, and taxonomy. <i>Biologia (Poland)</i> , 2021, 76, 421-440.	0.8	15
18	Taxonomy, Diversity and Cultivation of the Oudemansielloid/Xeruloid Taxa Hymenopellis, Mucidula, Oudemansiella, and Xerula with Respect to Their Bioactivities: A Review. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 150.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Additions to Italian Pleosporinae, including <i>Italica heraclei</i> sp. nov.. <i>Biodiversity Data Journal</i> , 2021, 9, e59648.	0.4	1
20	Integrating Different Lines of Evidence to Establish a Novel Ascomycete Genus and Family ( <i>Anastomitrabeculia</i> , <i>Anastomitrabeculiaceae</i> ) in Pleosporales. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 94.	1.5	10
21	Structure and Development of Ascomata. , 2021, , 255-262.		0
22	Mushroom cultivation for soil amendment and bioremediation. <i>Circular Agricultural Systems</i> , 2021, 1, 1-14.	0.5	11
23	Outline of Ascomycota. , 2021, , 246-254.		5
24	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Acrocordiella yunnanensis sp. nov.&lt;/em&gt; (Requienellaceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 0.1 g		
25	The Evolution of Life Modes in Stictidaceae, with Three Novel Taxa. <i>Journal of Fungi (Basel,)</i> Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 0.5 12		
26	Evolution of freshwater Diaporthomycetidae (Sordariomycetes) provides evidence for five new orders and six new families. <i>Fungal Diversity</i> , 2021, 107, 71-105.	4.7	25
27	Five Novel Freshwater Ascomycetes Indicate High Undiscovered Diversity in Lotic Habitats in Thailand. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 117.	1.5	18
28	Reviewing the world's edible mushroom species: A new evidence-based classification system. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 1982-2014.	5.9	89
29	<p><strong>The taxonomy and phylogeny of <em>Austroleospora ochracea</em> sp. nov. (Didymosphaeriaceae) from Guizhou, China</strong></p>. <i>Phytotaxa</i> , 2021, 491, 217-229.	0.1	6
30	&lt;strong&gt;&lt;em&gt;Kirschsteiniothelia thailandica sp. nov.&lt;/em&gt; (Kirschsteiniotheliaceae) from Thailand&lt;/strong&gt;. <i>Phytotaxa</i> , 2021, 490, 172-182.	0.1	8
31	Paraeutypella guizhouensis gen. et sp. nov. and Diatrypella longiasca sp. nov. (Diatrypaceae) from China. <i>Biodiversity Data Journal</i> , 2021, 9, e63864.	0.4	13
32	Investigating species boundaries in <i>Colletotrichum</i> . <i>Fungal Diversity</i> , 2021, 107, 107-127.	4.7	71
33	Alloleptosphaeria shangrilana sp. nov. and first report of the genus (Leptosphaeriaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 0.1 3		
34	Morpho-molecular characterization of <i>Discosia ravennica</i> sp. nov. and a new host record for <i>Sporocadus rosigena</i> . <i>MycoKeys</i> , 2021, 79, 173-192.	0.8	4
35	Climate-Fungal Pathogen Modeling Predicts Loss of Up to One-Third of Tea Growing Areas. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 610567.	1.8	13
36	Morphological and phylogenetic resolution of <i>Arthrinium</i> from medicinal plants in Yunnan, including <i>A. cordylines</i> and <i>A. pseudomarii</i> spp. nov.. <i>Mycotaxon</i> , 2021, 136, 183-199.	0.1	6

#	ARTICLE	IF	CITATIONS
37	Fungal taxonomy and sequence-based nomenclature. <i>Nature Microbiology</i> , 2021, 6, 540-548.	5.9	101
38	Mucoralean Fungi in Thailand: Novel Species of Absidia from Tropical Forest Soil. <i>Cryptogamie, Mycologie</i> , 2021, 42, .	0.2	6
39	Multigene Phylogeny Reveals Haploanthostomella elaeidis gen. et sp. nov. and Familial Replacement of Endocalyx (Xylariales, Sordariomycetes, Ascomycota). <i>Life</i> , 2021, 11, 486.	1.1	10
40	How to publish a new fungal species, or name, version 3.0. <i>IMA Fungus</i> , 2021, 12, 11.	1.7	76
41	Introducing a new pleosporalean family Sublophiotomataceae fam. nov. to accommodate Sublophiotoma gen. nov.. <i>Scientific Reports</i> , 2021, 11, 9496.	1.6	6
42	Multi-Gene Phylogeny and Morphology Reveal Haplohelminthosporium gen. nov. and Helminthosporiella gen. nov. Associated with Palms in Thailand and A Checklist for Helminthosporium Reported Worldwide. <i>Life</i> , 2021, 11, 454.	1.1	5
43	Taxonomic and phylogenetic contributions to Celtis formosana, Ficus ampelas, F. septica, Macaranga tanarius and Morus australis leaf litter inhabiting microfungi. <i>Fungal Diversity</i> , 2021, 108, 1-215.	4.7	48
44	Macrofungi as a Nutraceutical Source: Promising Bioactive Compounds and Market Value. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 397.	1.5	60
45	Phylogenetic assessment and taxonomic revision of Halobyssothecium and Lentithecium (Lentitheciaceae, Pleosporales). <i>Mycological Progress</i> , 2021, 20, 701-720.	0.5	12
46	The Plant Family Asteraceae Is a Cache for Novel Fungal Diversity: Novel Species and Genera With Remarkable Ascospores in Leptosphaeriaceae. <i>Frontiers in Microbiology</i> , 2021, 12, 660261.	1.5	4
47	Fomitiporia punicata and Phaeoacremonium minimum associated with Esca complex of grapevine in China. <i>Phytopathology Research</i> , 2021, 3, .	0.9	5
48	Phlebopus (Boletales, Boletinellaceae), a peculiar bolete genus with widely consumed edible species and potential for economic development in tropical countries. <i>Food Bioscience</i> , 2021, 41, 100962.	2.0	5
49	Diversity and Function of Appressoria. <i>Pathogens</i> , 2021, 10, 746.	1.2	30
50	Catechol-Bearing Polyketide Derivatives from <i>&lt; i&gt;Sparticola junci&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2021, 84, 2053-2058.	1.5	5
51	Importance of Molecular Data to Identify Fungal Plant Pathogens and Guidelines for Pathogenicity Testing Based on Kochâ€™s Postulates. <i>Pathogens</i> , 2021, 10, 1096.	1.2	26
52	Defining a species in fungal plant pathology: beyond the species level. <i>Fungal Diversity</i> , 2021, 109, 267-282.	4.7	23
53	Five Novel Taxa from Freshwater Habitats and New Taxonomic Insights of Pleurotheciales and Savoryllyomycetidae. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 711.	1.5	6
54	Novel saprobic <i>Hermatomyces</i> species (Hermatomycetaceae, Pleosporales) from China (Yunnan) Tj ETQq0 0 0 rgBT <sub>0.8</sub> /Overlock <sub>10</sub> Tf 50 6		

#	ARTICLE	IF	CITATIONS
55	Fungal Biodiversity in Salt Marsh Ecosystems. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 648.	1.5	26
56	What are fungal species and how to delineate them?. <i>Fungal Diversity</i> , 2021, 109, 1-25.	4.7	80
57	Integrative approaches for species delimitation in Ascomycota. <i>Fungal Diversity</i> , 2021, 109, 155-179.	4.7	55
58	Biodiversity of Lignicolous Freshwater Hyphomycetes from China and Thailand and Description of Sixteen Species. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 669.	1.5	13
59	Fungal Pathogens in Grasslands. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 695087.	1.8	11
60	Morphological and phylogenetic appraisal of Ophioceras (Ophioceraceae, Magnaportheales). <i>PLoS ONE</i> , 2021, 16, e0253853.	1.1	6
61	What is a species in fungal plant pathogens?. <i>Fungal Diversity</i> , 2021, 109, 239-266.	4.7	42
62	Aquatisphaeria thailandica gen. et sp. nov. (Tetraplosphaeriaceae, Pleosporales) from freshwater habitat in Thailand. <i>Phytotaxa</i> , 2021, 513, 118-128.	0.1	9
63	Insight into the Systematics of Novel Entomopathogenic Fungi Associated with Armored Scale Insect, Kuwanaspis howardi (Hemiptera: Diaspididae) in China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 628.	1.5	6
64	A Taxonomic Appraisal of Bambusicolous Fungi in Occultibambusaceae (Pleosporales,) Tj ETQq0 0 0 rgBT /Overlock 1.1 10 Tf 50 382 Td (Do		
65	Freshwater Sordariomycetes: new species and new records in Pleurotheciaceae, Pleurotheciales. <i>Phytotaxa</i> , 2021, 518, 143-166.	0.1	5
66	Ganoderma (Ganodermataceae, Basidiomycota) Species from the Greater Mekong Subregion. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 819.	1.5	18
67	Yuxiensis granularis gen. et sp. nov., a Novel QuellkÄ¶rper-Bearing Fungal Taxon Added to Scortechinaceae and Inclusion of Parasympodiellaceae in Coronophorales Based on Phylogenetic Evidence. <i>Life</i> , 2021, 11, 1011.	1.1	1
68	Delimiting species in Basidiomycota: a review. <i>Fungal Diversity</i> , 2021, 109, 181-237.	4.7	18
69	Early-diverging fungal phyla: taxonomy, species concept, ecology, distribution, anthropogenic impact, and novel phylogenetic proposals. <i>Fungal Diversity</i> , 2021, 109, 59-98.	4.7	35
70	Macrofungi as Food. , 2021, , 405-417.		2
71	Morphological and Phylogenetic Appraisal of Novel and Extant Taxa of Stictidaceae from Northern Thailand. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 880.	1.5	3
72	Discovery of Three Novel Cytospora Species in Thailand and Their Antagonistic Potential. <i>Diversity</i> , 2021, 13, 488.	0.7	7

#	ARTICLE	IF	CITATIONS
73	Morphology and Phylogeny Reveal Vamsapriyaceae fam. nov. (Xylariales, Sordariomycetes) with Two Novel Vamsapriya Species. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 891.	1.5	5
74	Biphasic taxonomic approaches for generic relatedness and phylogenetic relationships of Teichosporaceae. <i>Fungal Diversity</i> , 2021, 110, 199-241.	4.7	2
75	<a href="https://botryosphaerales.org/">https://botryosphaerales.org/</a> , an online platform for up-to-date classification and account of taxa of Botryosphaerales. <i>Database: the Journal of Biological Databases and Curation</i> , 2021, 2021,..	1.4	12
76	Novel Mucor species (Mucromycetes, Mucoraceae) from northern Thailand. <i>MycoKeys</i> , 2021, 84, 57-78.	0.8	5
77	<i>Pezicula endophytica</i> sp. nov., endophytic in <i>Dendrobium</i> in Thailand. <i>Mycotaxon</i> , 2021, 136, 563-577.	0.1	2
78	< i>Lembosia mimusopis</i> sp. nov. from Thailand. <i>Mycotaxon</i> , 2021, 136, 635-644.	0.1	1
79	Two novel species and two new records of Distoseptispora from freshwater habitats in China and Thailand. <i>MycoKeys</i> , 2021, 84, 79-101.	0.8	9
80	Morphological Variety in Distoseptispora and Introduction of Six Novel Species. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 945.	1.5	11
81	<i>Campylocarpon fasciculare</i> (Nectriaceae, Sordariomycetes); Novel Emergence of Black-Foot Causing Pathogen on Young Grapevines in China. <i>Pathogens</i> , 2021, 10, 1555.	1.2	3
82	Taxonomic studies of some often over-looked Diaporthomycetidae and Sordariomycetidae. <i>Fungal Diversity</i> , 2021, 111, 443.	4.7	12
83	The Global Soil Mycobiome consortium dataset for boosting fungal diversity research. <i>Fungal Diversity</i> , 2021, 111, 573-588.	4.7	42
84	Fungal diversity notes 1387–1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2021, 111, 1-335.	4.7	88
85	Taxonomic and phylogenetic appraisal of a novel species and a new record of Stictidaceae from coffee in Yunnan Province, China. <i>Phytotaxa</i> , 2021, 528, 111-124.	0.1	7
86	Phylogeny of new marine Dothideomycetes and Sordariomycetes from mangroves and deep-sea sediments. <i>Botanica Marina</i> , 2020, 63, 155-181.	0.6	27
87	Taxonomic and phylogenetic characterizations reveal three new species of Mendogia (Myriangiaceae). Tj ETQq1 1 0.784314 rgBT /Overline{0.5}		
88	Molecular data reveals a new holomorphic marine fungus, < i>Halobyssothecium estuariae</i>, and the asexual morph of < i>Keissleriella phragmiticola</i>. <i>Mycology</i> , 2020, 11, 167-183.	2.0	9
89	Characterization of Neopestalotiopsis Species Associated with Mango Grey Leaf Spot Disease in Sinaloa, Mexico. <i>Pathogens</i> , 2020, 9, 788.	1.2	10
90	Mycoenterolobium aquadictyosporium sp. nov. (Pleosporomycetidae, Dothideomycetes) from a freshwater habitat in Thailand. <i>Mycological Progress</i> , 2020, 19, 1031-1042.	0.5	5

#	ARTICLE	IF	CITATIONS
91	One stop shop IV: taxonomic update with molecular phylogeny for important phytopathogenic genera: 76–100 (2020). <i>Fungal Diversity</i> , 2020, 103, 87-218.	4.7	47
92	A checklist of marine fungi from Australia. <i>Mycotaxon</i> , 2020, 135, 465-465.	0.1	2
93	A Mechanistic Review on Medicinal Mushrooms-Derived Bioactive Compounds: Potential Mycotherapy Candidates for Alleviating Neurological Disorders. <i>Planta Medica</i> , 2020, 86, 1161-1175.	0.7	26
94	Unambiguous identification of fungi: where do we stand and how accurate and precise is fungal DNA barcoding?. <i>IMA Fungus</i> , 2020, 11, 14.	1.7	232
95	Setting scientific names at all taxonomic ranks in italics facilitates their quick recognition in scientific papers. <i>IMA Fungus</i> , 2020, 11, 25.	1.7	20
96	Biscogniauxia dendrobii sp. nov. and B. petrensis from <i>Dendrobium</i> orchids and the first report of cytotoxicity (towards A549 and K562) of B. petrensis (MFLUCC 14-0151) in vitro. <i>South African Journal of Botany</i> , 2020, 134, 382-393.	1.2	7
97	Acrogenospora (Acrogenosporaceae, Minutisphaerales) Appears to Be a Very Diverse Genus. <i>Frontiers in Microbiology</i> , 2020, 11, 1606.	1.5	16
98	&lt;p&gt;&lt;strong&gt;Morpho-molecular analysis reveals &lt;em&gt;Appendiculella&lt;/em&gt; &lt;em&gt;viticis&lt;/em&gt; sp. nov. (&lt;em&gt;Meliolaceae&lt;/em&gt;)&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 454, 45-54.	0.1	3
99	Fungal diversity notes 1277–1386: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2020, 104, 1-266.	4.7	60
100	A re-evaluation of the Chaetothyriales using criteria of comparative biology. <i>Fungal Diversity</i> , 2020, 103, 47-85.	4.7	43
101	Novel species of <i>Pestalotiopsis</i> fungi on <i>Dracaena</i> from Thailand. <i>Mycology</i> , 2020, 11, 306-315.	2.0	7
102	The numbers of fungi: is the descriptive curve flattening?. <i>Fungal Diversity</i> , 2020, 103, 219-271.	4.7	128
103	&lt;p&gt;&lt;strong&gt;Studies on &lt;em&gt;Parmulariaceae&lt;/em&gt; II. Re-examination of &lt;em&gt;Hysterostomella&lt;/em&gt;, &lt;em&gt;Mintera&lt;/em&gt;, &lt;em&gt;Rhipidocarpon&lt;/em&gt; and &lt;em&gt;Viegasella&lt;/em&gt;&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 458, 231-241.	0.1	1
104	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Roussella guttulata&lt;/em&gt;&lt;/strong&gt;&lt;strong&gt; (Rousoellaceae, Pleosporales), a novel bambusicolous ascomycete from Thailand&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 471, 221-233.	0.1	6
105	The Genus <i>Acervus</i> from Southwestern China and Northern Thailand. <i>Mycobiology</i> , 2020, 48, 464-475.	0.6	0
106	<p><strong><em>Lepiota condylospora</em>, a new species with nodulose spores in section <em>Lilaceae </em>from northern Thailand</strong></p>. <i>Phytotaxa</i> , 2020, 455, 61-69.	0.1	2
107	Molecular Phylogeny and Morphology of <i>Amphisphaeria</i> (= <i>Lepteutypa</i> ) ( <i>Amphisphaeriaceae</i> ). <i>Journal of Fungi</i> (Basel, Switzerland), 2020, 6, 174.	1.5	13
108	Two new species of <i>Termitomyces</i> (Agaricales, Lyophyllaceae) from China and Thailand. <i>Phytotaxa</i> , 2020, 439, .	0.1	4

#	ARTICLE	IF	CITATIONS
109	&lt;p&gt;&lt;strong&gt;Morpho-molecular characterization of two novel amphisphaeriaceous species from Yunnan, China&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 446, 144-158.	0.1	8
110	First sexual morph record of <i>Sarcopodium vanillae</i> . <i>Mycotaxon</i> , 2020, 134, 707-717.	0.1	2
111	Patellariopsidaceae Fam. Nov. With Sexual-Asexual Connection and a New Host Record for <i>Cheirospora botryospora</i> (Vibrissaceae, Ascomycota). <i>Frontiers in Microbiology</i> , 2020, 11, 906.	1.5	2
112	Fungal diversity notes 1151â€“1276: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2020, 100, 5-277.	4.7	156
113	Elucidation of the life cycle of the endophytic genus <i>Muscodor</i> and its transfer to <i>Induratia</i> in Induratiaceae fam. nov., based on a polyphasic taxonomic approach. <i>Fungal Diversity</i> , 2020, 101, 177-210.	4.7	32
114	Taxonomy and phylogeny of hyaline-spored coelomycetes. <i>Fungal Diversity</i> , 2020, 100, 279-801.	4.7	58
115	Alpha-Glucosidase- and Lipase-Inhibitory Phenalenones from a New Species of <i>Pseudolophiostoma</i> Originating from Thailand. <i>Molecules</i> , 2020, 25, 965.	1.7	15
116	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Bimuria omanensis&lt;/em&gt; sp. nov. (Didymosphaeriaceae,) Tj ETQq0 0 0 rgBT_0.1 /Overlock 10 Tf 50 4		
117	Genome Wide Identification of the MLO Gene Family Associated with Powdery Mildew Resistance in Rubber Trees ( <i>Hevea brasiliensis</i> ). <i>Tropical Plant Biology</i> , 2020, 13, 331-342.	1.0	2
118	Ribosomal and Protein Gene Phylogeny Reveals Novel Saprobiic Fungal Species From <i>Juglans regia</i> and <i>Urtica dioica</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 1303.	1.5	8
119	Microfungi associated with Clematis (Ranunculaceae) with an integrated approach to delimiting species boundaries. <i>Fungal Diversity</i> , 2020, 102, 1-203.	4.7	93
120	<i>Xepicula yifeii</i> sp. nov. caused a leaf blight of <i>Lasia spinosa</i> (Araceae) in South China karst. <i>European Journal of Plant Pathology</i> , 2020, 158, 121-134.	0.8	2
121	Evolution of non-lichenized, saprotrophic species of <i>Arthonia</i> (Ascomycota, Arthoniales) and resurrection of <i>Naevia</i> , with notes on <i>Mycoporum</i> . <i>Fungal Diversity</i> , 2020, 102, 205-224.	4.7	12
122	<i>Nigrospora</i> Species Associated with Various Hosts from Shandong Peninsula, China. <i>Mycobiology</i> , 2020, 48, 169-183.	0.6	31
123	&lt;p&gt;&lt;strong&gt;Contributions to species of Xylariales in China-3. &lt;em&gt;Collodiscula tubulosa &lt;/em&gt;(Xylariaceae)&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 428, 122-130.	0.1	7
124	Polyketide-Derived Secondary Metabolites from a Dothideomycetes Fungus, <i>Pseudopalawania siamensis</i> gen. et sp. nov., (Muyocopronales) with Antimicrobial and Cytotoxic Activities. <i>Biomolecules</i> , 2020, 10, 569.	1.8	12
125	Taxonomic and phylogenetic contributions to fungi associated with the invasive weed <i>Chromolaena odorata</i> (Siam weed). <i>Fungal Diversity</i> , 2020, 101, 1-175.	4.7	82
126	Pseudobactrodosmium (Dactylosporaceae, Eurotiomycetes, Fungi) a Novel Lignicolous Genus. <i>Frontiers in Microbiology</i> , 2020, 11, 456.	1.5	16

#	ARTICLE	IF	CITATIONS
127	Three Novel Entomopathogenic Fungi From China and Thailand. <i>Frontiers in Microbiology</i> , 2020, 11, 608991.	1.5	5
128	Endophytic Diaporthe Associated With <i>Citrus grandis</i> cv. <i>Tomentosa</i> in China. <i>Frontiers in Microbiology</i> , 2020, 11, 609387.	1.5	24
129	A polyphasic approach to delineate species in <i>Bipolaris</i> . <i>Fungal Diversity</i> , 2020, 102, 225-256.	4.7	31
130	Refined families of Dothideomycetes: orders and families incertae sedis in Dothideomycetes. <i>Fungal Diversity</i> , 2020, 105, 17-318.	4.7	70
131	Freshwater Dothideomycetes. <i>Fungal Diversity</i> , 2020, 105, 319-575.	4.7	73
132	<p class="ZootaxaTitle">Hurdles in fungal taxonomy: Effectiveness of recent methods in discriminating taxa. <i>Megataxa</i> , 2020, 1, .	1.5	10
133	<p><strong>Multi-locus phylogeny reveals <em>Phaeodothis mori</em> sp. nov. (Didymosphaeriaceae,) Tj ETQq1 1 0.784314 rgBT /Ov 0.1 3 241-254.	0.1	3
134	<p><strong>Taxonomy and phylogeny of <em>Leptosillia cordylinea </em>sp. nov. from China</strong></p>. <i>Phytotaxa</i> , 2020, 435, 213-226.	0.1	5
135	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Lonicericola fuyuanensis&lt;/em&gt;&lt;/strong&gt;&lt;strong&gt; (Parabambusicolaceae) a new terrestrial pleosporalean ascomycete from Yunnan Province, China&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 446, 103-113.	0.1	9
136	<p><strong><em>Wicklowia phuketensis </em></strong><strong>(Wicklowiaceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (Ple 0.1 4 55-64.	0.1	4
137	The rise of mycology in Asia. <i>ScienceAsia</i> , 2020, 46S, 1.	0.2	10
138	Morphology, Phylogeny and Culture Characteristics of <i>Ganoderma gibbosum</i> Collected from Kunming, Yunnan Province, China. <i>Phyton</i> , 2020, 89, 743-764.	0.4	5
139	Distoseptispora bambusae sp. nov. (Distoseptisporaceae) on bamboo from China and Thailand. <i>Biodiversity Data Journal</i> , 2020, 8, e53678.	0.4	23
140	Arthrinium bambusicola (Fungi, Sordariomycetes), a new species from <i>Schizostachyum brachycladum</i> in northern Thailand. <i>Biodiversity Data Journal</i> , 2020, 8, e58755.	0.4	15
141	Diseases of <i>Cymbopogon citratus</i> (Poaceae) in China: <i>Curvularia nanningensis</i> sp. nov.. <i>MycoKeys</i> , 2020, 63, 49-67.	0.8	16
142	Taxonomy and phylogenetic appraisal of <i>Spegazzinia musae</i> sp. nov. and <i>S. deightonii</i> (Didymosphaeriaceae, Pleosporales) on Musaceae from Thailand. <i>MycoKeys</i> , 2020, 70, 19-37.	0.8	12
143	Multi-gene phylogenetic evidence suggests <i>Dictyoarthrinium</i> belongs in Didymosphaeriaceae (Pleosporales, Dothideomycetes) and <i>Dictyoarthrinium musae</i> sp. nov. on <i>Musa</i> from Thailand. <i>MycoKeys</i> , 2020, 71, 101-118.	0.8	15
144	Modern Taxonomic Approaches to Identifying Diatrypaceous Fungi from Marine Habitats, with a Novel Genus <i>Halocryptovalsa</i> Dayarathne & K.D.Hyde, Gen. Nov.. <i>Cryptogamie, Mycologie</i> , 2020, 41, 21.	0.2	21

#	ARTICLE	IF	CITATIONS
145	A survey of marine fungi on wood in South Australia. <i>Botanica Marina</i> , 2020, 63, 469-478.	0.6	5
146	&lt;strong&gt;&lt;em&gt;Hyaloterminalis&lt;/em&gt;, a novel genus of Coryneaceae in order Diaporthales&lt;/strong&gt;. <i>Phytotaxa</i> , 2020, 474, 132-144.	0.1	3
147	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Pseudocercospora dyspidis sp. nov.&lt;/em&gt; (Mycosphaerellaceae) on &lt;em&gt; <i>Dypsis lutescens</i> &lt;/em&gt; leaves in Thailand&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 474, 218-234.	0.1	4
148	Domestication of <i>Ganoderma leucocontextum</i> , <i>G. resinaceum</i> , and <i>G. gibbosum</i> Collected from Yunnan Province, China. <i>Biosciences, Biotechnology Research Asia</i> , 2020, 17, 07-26.	0.2	4
149	Additions to Phaeosphaeriaceae (Pleosporales): <i>Elongaticollum</i> gen. nov., <i>Ophiosphaerella taiwanensis</i> sp. nov., <i>Phaeosphaeriopsis beaucarneae</i> sp. nov. and a new host record of <i>Neosetophoma poaceicola</i> from Musaceae. <i>MycoKeys</i> , 2020, 70, 59-88.	0.8	11
150	<i>Hypomyces pseudolactifluorum</i> sp. nov. (Hypocreales: Hypocreaceae) on <i>Russula</i> sp. from Yunnan, PR China. <i>Biodiversity Data Journal</i> , 2020, 8, e53490.	0.4	4
151	High Genetic Diversity and Species Complexity of Diaporthe Associated With Grapevine Dieback in China. <i>Frontiers in Microbiology</i> , 2019, 10, 1936.	1.5	66
152	<i>Conioscypha tenebrosa</i> sp. nov. (Conioscyphaceae) from China and notes on Conioscypha species. <i>Phytotaxa</i> , 2019, 413, 159-171.	0.1	5
153	Multigene phylogenetic analyses to establish new <i>Valsaria</i> species and taxonomic significance of spore ornamentation. <i>PLoS ONE</i> , 2019, 14, e0217982.	1.1	8
154	The amazing potential of fungi: 50 ways we can exploit fungi industrially. <i>Fungal Diversity</i> , 2019, 97, 1-136.	4.7	459
155	Culturable plant pathogenic fungi associated with sugarcane in southern China. <i>Fungal Diversity</i> , 2019, 99, 1-104.	4.7	62
156	Sparticolins A-G, Biologically Active Oxidized Spirodioxynaphthalene Derivatives from the Ascomycete <i>&lt;i&gt;Sparticola junci&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2019, 82, 2878-2885.	1.5	14
157	Freshwater Sordariomycetes. <i>Fungal Diversity</i> , 2019, 99, 451-660.	4.7	119
158	A Survey of <i>Termitomyces</i> (Lyophyllaceae, Agaricales), Including a New Species, from a Subtropical Forest in Xishuangbanna, China. <i>Mycobiology</i> , 2019, 47, 391-400.	0.6	14
159	Substrate Preference Determines Macrofungal Biogeography in the Greater Mekong Sub-Region. <i>Forests</i> , 2019, 10, 824.	0.9	10
160	<i>Verruconis heveae</i> , a novel species from <i>Hevea brasiliensis</i> in Thailand. <i>Phytotaxa</i> , 2019, 403, 47.	0.1	1
161	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Murispora aquatica sp. nov.&lt;/em&gt; and &lt;em&gt;Murispora fagicola&lt;/em&gt;;&lt;em&gt; &lt;/em&gt;a new record from freshwater habitat in China&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2019, 416, 1-13.	0.1	8
162	<i>Rhytidhysteron mangrovei</i> (Hysteriaceae), a new species from mangroves in Phetchaburi Province, Thailand. <i>Phytotaxa</i> , 2019, 401, 166.	0.1	12

#	ARTICLE	IF	CITATIONS
163	The holomorph of <i>Neoroussella alishanense</i> sp. nov. (Roussellaceae, Pleosporales) on <i>Pennisetum purpureum</i> (Poaceae). <i>Phytotaxa</i> , 2019, 406, 218-236.	0.1	9
164	Additions to the genus <i>Savoryella</i> (Savoryellaceae), with the asexual morphs <i>Savoryella nypae</i> comb. nov. and <i>S. sarushimana</i> sp. nov.. <i>Phytotaxa</i> , 2019, 408, 195-207.	0.1	11
165	<i>Wicklowia submersa</i> sp. nov. (Wicklowiaceae, Pleosporales), a second species in a monotypic family. <i>Phytotaxa</i> , 2019, 411, 73-83. <span class="fontstyle0">Morphology and phylogeny reveal </span><span class="fontstyle2"> <i>Stemphylium dianthi</i> </span><span class="fontstyle0">sp. nov. and new host records for the sexual morphs of </span><span class="fontstyle2"> <i>S. beticola</i> </span><span class="fontstyle0">, </span><span class="fontstyle2"> <i>S. gracilariae</i> </span><span class="fontstyle0">, </span><span class="fontstyle2"> <i>S. simmonsii</i> </span><span class="fontstyle0">and </span><span class="fontstyle2"> <i>S. vesicarium</i> </span><span class="fontstyle0">fr. <i>Phytotaxa</i> , 2019, 411, 243-263.	0.1	4
166	A new section and a new species of <i>Alternaria</i> encountered from Oman. <i>Phytotaxa</i> , 2019, 405, 279.	0.1	20
167	Introducing <i>Arthrinium phyllostachium</i> sp. nov. (Apiosporaceae, Xylariales) on <i>Phyllostachys heteroclada</i> from Sichuan Province, China. <i>Phytotaxa</i> , 2019, 406, 91-110.	0.1	18
168	Multi-gene phylogeny and morphotaxonomy of <i>Phaeosphaeria ampeli</i> sp. nov. from <i>Ficus ampelas</i> and a new record of <i>P. musae</i> from <i>Roystonea regia</i> . <i>Phytotaxa</i> , 2019, 406, 111-128.	0.1	9
169	&lt;p&gt;&lt;strong&gt;Taxonomy and molecular phylogeny of &lt;em&gt; <i>Thyrostroma ephedricola</i> &lt;/em&gt; sp. nov. (Dothidotthiaceae) and proposal for &lt;em&gt; <i>Thyrostroma jaczewskii</i> &lt;/em&gt; comb. nov.&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2019, 416, 243-256.	0.1	7
170	Phylogeny and morphology of <i>Lasiodiplodia</i> species associated with Magnolia forest plants. <i>Scientific Reports</i> , 2019, 9, 14355.	1.6	29
171	&lt;strong&gt;Endophytic pestalotioid taxa in &lt;em&gt; <i>Dendrobium</i> &lt;/em&gt; orchids&lt;/strong&gt;. <i>Phytotaxa</i> , 2019, 419, 268-286.	0.1	18
172	Use of endophytes as biocontrol agents. <i>Fungal Biology Reviews</i> , 2019, 33, 133-148.	1.9	196
173	<i>Lasiodiplodia theobromae</i> and <i>L. pseudotheobromae</i> causing leaf necrosis on <i>Camellia sinensis</i> in Fujian Province, China. <i>Canadian Journal of Plant Pathology</i> , 2019, 41, 277-284.	0.8	7
174	Pharmaceutical Potential of Marine Fungal Endophytes. <i>Reference Series in Phytochemistry</i> , 2019, , 283-305.	0.2	4
175	Taxonomy and the evolutionary history of Micropeltidaceae. <i>Fungal Diversity</i> , 2019, 97, 393-436.	4.7	17
176	Fungal diversity notes 1036â€“1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2019, 96, 1-242.	4.7	148
177	An online resource for marine fungi. <i>Fungal Diversity</i> , 2019, 96, 347-433.	4.7	133
178	Divergence time calibrations for ancient lineages of Ascomycota classification based on a modern review of estimations. <i>Fungal Diversity</i> , 2019, 96, 285-346.	4.7	36
179	Fungal diversity notes 929â€“1035: taxonomic and phylogenetic contributions on genera and species of fungi. <i>Fungal Diversity</i> , 2019, 95, 1-273.	4.7	203

#	ARTICLE	IF	CITATIONS
181	Muyocopron heveae sp. nov. and M. dipterocarpi appears to have host-jumped to rubber. <i>Mycological Progress</i> , 2019, 18, 741-752.	0.5	10
182	Pharmaceutical Potential of Marine Fungal Endophytes. <i>Reference Series in Phytochemistry</i> , 2019, , 1-23.	0.2	6
183	Misturatosphaeria viridibrunnea sp. nov. (Teichosporaceae, Pleosporales) from Thailand. <i>Phytotaxa</i> , 2019, 388, 123.	0.1	2
184	Neoastrosphaeriella aquatica sp. nov. (Aigialaceae), a new species from freshwater habitat in southern Thailand. <i>Phytotaxa</i> , 2019, 391, 197.	0.1	6
185	Two new species of Amphisphaeria (Amphisphaeriaceae) from northern Thailand. <i>Phytotaxa</i> , 2019, 391, 207.	0.1	13
186	A new species of Phyllachora (Phyllachoraceae, Phyllachorales) on Phyllostachys heteroclada from Sichuan, China. <i>Phytotaxa</i> , 2019, 392, 186.	0.1	10
187	Neopestalotiopsis alpapicalis sp. nov. a new endophyte from tropical mangrove trees in Krabi Province (Thailand). <i>Phytotaxa</i> , 2019, 393, 251.	0.1	19
188	Aquimonospora tratensis gen. et sp. nov. (Diaporthomycetidae, Sordariomycetes), a new lineage from a freshwater habitat in Thailand. <i>Phytotaxa</i> , 2019, 397, 146.	0.1	3
189	Taxonomic and phylogenetic characterizations reveal two new species and two new records of Roussoella (Roussoellaceae, Pleosporales) from Yunnan, China. <i>Mycological Progress</i> , 2019, 18, 577-591.	0.5	12
190	Melanocamarosporioides ugamica gen. et sp. nov., a novel member of the family Melanommataceae from Uzbekistan. <i>Mycological Progress</i> , 2019, 18, 471-481.	0.5	14
191	Phylogenetic Revision of Savoryellaceae and Evidence for Its Ranking as a Subclass. <i>Frontiers in Microbiology</i> , 2019, 10, 840.	1.5	25
192	Two new entomopathogenic species of Ophiocordyceps in Thailand. <i>MycoKeys</i> , 2019, 47, 53-74.	0.8	16
193	Three new Phylloporus species from tropical China and Thailand. <i>Mycological Progress</i> , 2019, 18, 603-614.	0.5	9
194	Fungicolous fungi: terminology, diversity, distribution, evolution, and species checklist. <i>Fungal Diversity</i> , 2019, 95, 337-430.	4.7	69
195	One stop shop II: taxonomic update with molecular phylogeny for important phytopathogenic genera: 26â€“50 (2019). <i>Fungal Diversity</i> , 2019, 94, 41-129.	4.7	69
196	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Acremonium arthrinii&lt;/em&gt;&lt;/strong&gt;&lt;strong&gt; sp. nov., a mycopathogenic fungus on &lt;em&gt;Arthrinium yunnanum&lt;/em&gt;&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2019, 420, 283-299.	0.1	6
197	Notes, outline and divergence times of Basidiomycota. <i>Fungal Diversity</i> , 2019, 99, 105-367.	4.7	256
198	&lt;p&gt;&lt;strong&gt;A morpho-molecular re-appraisal of &lt;em&gt;Polystigma fulvum&lt;/em&gt; and &lt;em&gt;P. rubrum &lt;/em&gt;(&lt;em&gt;Polystigma&lt;/em&gt;;) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 57 Td(Polystigmataceae)		

#	ARTICLE	IF	CITATIONS
199	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Tubeufia sahyadriensis &lt;/em&gt;&lt;/strong&gt;&lt;strong&gt;(&lt;em&gt;Tubeufiaceae&lt;/em&gt;),&lt;em&gt; a new dictyosporous&lt;em&gt; &lt;/em&gt;anamorph&lt;em&gt; &lt;/em&gt;from the Western Ghats, India&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2019, 423, 171-181.	0.1	3
200	&lt;p&gt;&lt;strong&gt;Taxonomic and phylogenetic characterizations of &lt;em&gt;Keissleriella bambusicola&lt;/em&gt; sp. nov. (Lentitheciaeae, Pleosporales) from Yunnan, China&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2019, 423, 129-144.	0.1	6
201	<p><strong><em>Ganoderma weixiensis</em></strong><strong> (Polyporaceae, Basidiomycota), a new member of the <em>G. lucidum</em> complex from Yunnan Province, China</strong></p>.	0.1	7
202	<p><strong><em>Cunninghamella binariae</em></strong>, <em>Mucor ardhlaengiktus</em>, <em>Mucor gigasporus</em> and <em>Umbelopsis changbaiensis</em>, newly recorded species from amphibian feces and soil in Korea</strong></p>.	0.1	0
203	Families in Botryosphaerales: a phylogenetic, morphological and evolutionary perspective. <i>Fungal Diversity</i> , 2019, 94, 1-22.	4.7	63
204	Sexual morph of <i>Phaeoacremonium aureum</i> from <i>Rhizophora mucronata</i> collected in southern Thailand. <i>Phytotaxa</i> , 2019, 387, 21.	0.1	1
205	One stop shop III: taxonomic update with molecular phylogeny for important phytopathogenic genera: 51â€“75 (2019). <i>Fungal Diversity</i> , 2019, 98, 77-160.	4.7	35
206	<i>Neostagonosporella sichuanensis</i> gen. et sp. nov. (Phaeosphaeriaceae, Pleosporales) on <i>Phyllostachys heteroclada</i> (Poaceae) from Sichuan Province, China. <i>MycoKeys</i> , 2019, 46, 119-150.	0.8	17
207	Striatiguttulaceae, a new pleosporalean family to accommodate <i>Longicorus</i> and <i>Striatiguttula</i> gen. nov. from palms. <i>MycoKeys</i> , 2019, 49, 99-129.	0.8	15
208	Two new endophytic <i>Colletotrichum</i> species from <i>Nothapodytes pittosporoides</i> in China. <i>MycoKeys</i> , 2019, 49, 1-14.	0.8	8
209	The genus <i>Castanediella</i> . <i>MycoKeys</i> , 2019, 51, 1-14.	0.8	3
210	A new record of <i>Ganoderma tropicum</i> (Basidiomycota, Polyporales) for Thailand and first assessment of optimum conditions for mycelia production. <i>MycoKeys</i> , 2019, 51, 65-83.	0.8	13
211	<i>Diaporthe</i> species in south-western China. <i>MycoKeys</i> , 2019, 57, 113-127.	0.8	24
212	<i>Rubroshiraia</i> gen. nov., a second hypocrellin-producing genus in Shiraiaceae (Pleosporales). <i>MycoKeys</i> , 2019, 58, 1-26.	0.8	11
213	Additions to the knowledge of <i>Ganoderma</i> in Thailand: <i>Ganoderma casuarinicola</i> , a new record; and <i>Ganoderma thailandicum</i> sp. nov.. <i>MycoKeys</i> , 2019, 59, 47-65.	0.8	12
214	The genus <i>Simplicillium</i> . <i>MycoKeys</i> , 2019, 60, 69-92.	0.8	34
215	Additions to Chaetothyriaceae (Chaetothyriales): <i>Longihyalospora</i> gen. nov. and <i>Ceramothyrium longivolcaniforme</i> , a new host record from decaying leaves of <i>Ficus ampelas</i> . <i>MycoKeys</i> , 2019, 61, 91-109.	0.8	6
216	A Stable Phylogeny for Dactylosporaceae. <i>Cryptogamie, Mycologie</i> , 2019, 40, 23.	0.2	8

#	ARTICLE	IF	CITATIONS
217	A phylogenetic census of global diversity of gut anaerobic fungi and a new taxonomic framework. <i>Fungal Diversity</i> , 2018, 89, 253-266.	4.7	43
218	Special issue on freshwater ascomycetes and other aquatic fungi. <i>Mycological Progress</i> , 2018, 17, 509-510.	0.5	4
219	Novel microsatellite markers reveal multiple origins of <i>Botryosphaeria dothidea</i> causing the Chinese grapevine trunk disease. <i>Fungal Ecology</i> , 2018, 33, 134-142.	0.7	9
220	Morphological and molecular taxonomy of <i>Jahnula dianchia</i> sp. nov. ( <i>Jahnulales</i> ) from submerged wood in Dianchi Lake, Yunnan China. <i>Mycological Progress</i> , 2018, 17, 547-555.	0.5	11
221	Direct comparison of culture-dependent and culture-independent molecular approaches reveal the diversity of fungal endophytic communities in stems of grapevine ( <i>Vitis vinifera</i> ). <i>Fungal Diversity</i> , 2018, 90, 85-107.	4.7	143
222	Outline of Ascomycota: 2017. <i>Fungal Diversity</i> , 2018, 88, 167-263.	4.7	232
223	Morphology and phylogeny of <i>Atrocalyx acervatus</i> sp. nov. (Lophiotremataceae) from Acer species. <i>Phytotaxa</i> , 2018, 333, 199.	0.1	2
224	Morphological and molecular taxonomy of novel species Pleurotheciaceae from freshwater habitats in Yunnan, China. <i>Mycological Progress</i> , 2018, 17, 511-530.	0.5	33
225	Mycobiomes of sympatric <i>Amorphophallus albispatus</i> (Araceae) and <i>Camellia sinensis</i> (Theaceae) – a case study reveals clear tissue preferences and differences in diversity and composition. <i>Mycological Progress</i> , 2018, 17, 489-500.	0.5	7
226	Multi-gene phylogenetic analyses reveals <i>Neohelicosporium</i> gen. nov. and five new species of helicosporous hyphomycetes from aquatic habitats. <i>Mycological Progress</i> , 2018, 17, 631-646.	0.5	24
227	Towards a natural classification and backbone tree for Graphostromataceae, Hypoxylaceae, Lopadostomataceae and Xylariaceae. <i>Fungal Diversity</i> , 2018, 88, 1-165.	4.7	77
228	Comparative genome and transcriptome analyses reveal adaptations to opportunistic infections in woody plant degrading pathogens of Botryosphaeriaceae. <i>DNA Research</i> , 2018, 25, 87-102.	1.5	60
229	<i>Helminthosporium submersum</i> sp. nov. (Massarinaceae) from submerged wood in north-western Yunnan Province, China. <i>Phytotaxa</i> , 2018, 348, 269.	0.1	8
230	Morphological and phylogenetic evidence reveal <i>Fissuroma taiwanense</i> sp. nov. (Aigialaceae). Tj ETQq0 0 0 rgBT /Overlock 10 <sub>9</sub> Tf 50 222	0.1	
231	<i>Acrocordiella omanensis</i> sp. nov. (Requienellaceae, Xylariales) from the Sultanate of Oman. <i>Phytotaxa</i> , 2018, 338, 294.	0.1	6
232	The importance of plot size and the number of sampling seasons on capturing macrofungal species richness. <i>Fungal Biology</i> , 2018, 122, 692-700.	1.1	8
233	<i>Thyridariella</i> , a novel marine fungal genus from India: morphological characterization and phylogeny inferred from multigene DNA sequence analyses. <i>Mycological Progress</i> , 2018, 17, 791-804.	0.5	31
234	Biodiversity of fungi on <i>Vitis vinifera</i> L. revealed by traditional and high-resolution culture-independent approaches. <i>Fungal Diversity</i> , 2018, 90, 1-84.	4.7	101

#	ARTICLE	IF	CITATIONS
235	Morphology and multigene phylogeny reveal new genus and species of Torulaceae from freshwater habitats in northwestern Yunnan, China. <i>Mycological Progress</i> , 2018, 17, 531-545.	0.5	20
236	Introducing <i>Aculeata aquatica</i> gen. et sp. nov., <i>Minimelanolocus thailandensis</i> sp. nov. and <i>Thysanorea aquatica</i> sp. nov. ( <i>Herpotrichiellaceae</i> , <i>Chaetothyriales</i> ) from freshwater in northern Thailand. <i>Mycological Progress</i> , 2018, 17, 617-629.	0.5	18
237	<i>Pseudostanjeuhughesia aquitropica</i> gen. et sp. nov. and <i>Sporidesmium sensu lato</i> species from freshwater habitats. <i>Mycological Progress</i> , 2018, 17, 591-616.	0.5	41
238	<i>Neocamarosporium jordanensis</i> , <i>N. persepolisi</i> , and <i>N. solicola</i> spp. nov. ( <i>Neocamarosporiaceae</i> ), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 genus. <i>Mycological Progress</i> , 2018, 17, 661-679.	0.5	12
239	Phylogenetic characterization of two novel <i>Kamalomyces</i> species in <i>Tubeufiaceae</i> ( <i>Tubeufiales</i> ). <i>Mycological Progress</i> , 2018, 17, 647-660.	0.5	17
240	Simplified and efficient DNA extraction protocol for <i>Meliolaceae</i> specimens. <i>Mycological Progress</i> , 2018, 17, 403-415.	0.5	10
241	Identification of endophytic fungi from leaves of <i>Pandanaceae</i> based on their morphotypes and DNA sequence data from southern Thailand. <i>MycoKeys</i> , 2018, 33, 25-67.	0.8	65
242	Two novel species of <i>Neoaquastroma</i> ( <i>Parabambusicolaceae</i> , <i>Pleosporales</i> ) with their phoma-like asexual morphs. <i>MycoKeys</i> , 2018, 34, 47-62.	0.8	9
243	New species in <i>Dictyosporium</i> , new combinations in <i>Dictyocheirospora</i> and an updated backbone tree for <i>Dictyosporiaceae</i> . <i>MycoKeys</i> , 2018, 36, 83-105.	0.8	25
244	The worldâ€™s ten most feared fungi. <i>Fungal Diversity</i> , 2018, 93, 161-194.	4.7	85
245	<i>Curvularia microspora</i> sp. nov. associated with leaf diseases of <i>Hippeastrum striatum</i> in China. <i>MycoKeys</i> , 2018, 29, 49-61.	0.8	16
246	Thailandâ€™s amazing diversity: up to 96% of fungi in northern Thailand may be novel. <i>Fungal Diversity</i> , 2018, 93, 215-239.	4.7	139
247	Fungal diversity notes 840â€“928: micro-fungi associated with <i>Pandanaceae</i> . <i>Fungal Diversity</i> , 2018, 93, 1-160.	4.7	125
248	Taxonomic circumscription of <i>Diaporthales</i> based on multigene phylogeny and morphology. <i>Fungal Diversity</i> , 2018, 93, 241-443.	4.7	61
249	<i>Didymella eriobotryae</i> sp. nov. ( <i>Didymellaceae</i> ) and <i>Arthrinium arundinis</i> ( <i>Apiosporaceae</i> ) from fruit of <i>Eriobotrya japonica</i> (loquat) in China. <i>Phytotaxa</i> , 2018, 382, 136.	0.1	3
250	Familial status of <i>Lophiotremataceae</i> and its related families in <i>Pleosporales</i> . <i>Phytotaxa</i> , 2018, 383, 93.	0.1	1
251	Description of <i>Dermea persica</i> (Dermateaceae, Helotiales), a new asexual Ascomycete from Iran, and an updated key to <i>Dermea</i> species. <i>Phytotaxa</i> , 2018, 367, 25.	0.1	4
252	Introducing <i>Massarioramuscicula</i> , a novel genus in <i>Massariaceae</i> . <i>Phytotaxa</i> , 2018, 371, 17.	0.1	1

#	ARTICLE	IF	CITATIONS
253	Triadelphia fusiformis sp. nov. from a freshwater habitat in Thailand. <i>Phytotaxa</i> , 2018, 374, 231.	0.1	4
254	Monochaetia sinensis sp. nov. from Yunnan Province in China. <i>Phytotaxa</i> , 2018, 375, 59.	0.1	4
255	Multigene phylogenetics of Polycephalomyces (Ophiocordycipitaceae, Hypocreales), with two new species from Thailand. <i>Scientific Reports</i> , 2018, 8, 18087.	1.6	8
256	A taxonomic reassessment of Tubeufiales based on multi-locus phylogeny and morphology. <i>Fungal Diversity</i> , 2018, 92, 131-344.	4.7	49
257	Taxonomy and phylogeny of operculate discomycetes: Pezizomycetes. <i>Fungal Diversity</i> , 2018, 90, 161-243.	4.7	29
258	Hidden mycota of pine needles: Molecular signatures from PCR-DGGE and Ribosomal DNA phylogenetic characterization of novel phylotypes. <i>Scientific Reports</i> , 2018, 8, 18053.	1.6	14
259	Studies on Parmulariaceae I. A phylogeny based on available sequence data; introducing Parmulariales ord. nov., and Hemigraphaceae, Melaspilellaceae and Stictographaceae fam. nov.. <i>Phytotaxa</i> , 2018, 369, 63.	0.1	9
260	Pseudodactylaria brevis sp. nov. from Thailand confirms the status of Pseudodactylariaceae. <i>Phytotaxa</i> , 2018, 369, 241.	0.1	4
261	Notes for genera: basal clades of Fungi (including Aphelidiomycota, Basidiobolomycota,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 4	4.7	87
262	<i>&lt; i&gt;Arachnophora longa&lt;/i&gt;</i> sp. nov., a freshwater hyphomycete from far north Queensland, Australia. <i>Mycotaxon</i> , 2018, 133, 9-13.	0.1	2
263	Acuminatispora palmarum gen. et sp. nov. from mangrove habitats. <i>Mycological Progress</i> , 2018, 17, 1173-1188.	0.5	8
264	Molecular phylogeny, morphology and pathogenicity of Pseudopestalotiopsis species on Ixora in Taiwan. <i>Mycological Progress</i> , 2018, 17, 941-952.	0.5	17
265	Translucidithyrium thailandicum gen. et sp. nov.: a new genus in Phaeothecoidiellaceae. <i>Mycological Progress</i> , 2018, 17, 1087-1096.	0.5	6
266	Novel palmicolous taxa within Pleosporales: multigene phylogeny and taxonomic circumscription. <i>Mycological Progress</i> , 2018, 17, 571-590.	0.5	19
267	Fungal diversity notes 709–839: taxonomic and phylogenetic contributions to fungal taxa with an emphasis on fungi on Rosaceae. <i>Fungal Diversity</i> , 2018, 89, 1-236.	4.7	169
268	Additions to the genus Massariothea in Diaporthaceae. <i>Mycological Progress</i> , 2018, 17, 1139-1147.	0.5	4
269	Native Forests Have a Higher Diversity of Macrofungi Than Comparable Plantation Forests in the Greater Mekong Subregion. <i>Forests</i> , 2018, 9, 402.	0.9	12
270	The holomorph of <i>Fusarium celtidicola</i> sp. nov. from <i>Celtis australis</i> . <i>Phytotaxa</i> , 2018, 361, 251.	0.1	3

#	ARTICLE	IF	CITATIONS
271	Neolinocarpon phayaoense sp. nov. (Linocarpaceae) from Thailand. <i>Phytotaxa</i> , 2018, 362, 77.	0.1	5
272	Morpho-Molecular Characterization of Two Ampelomyces spp. (Pleosporales) Strains Mycoparasites of Powdery Mildew of <i>Hevea brasiliensis</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 12.	1.5	42
273	Ten reasons why a sequence-based nomenclature is not useful for fungi anytime soon. <i>IMA Fungus</i> , 2018, 9, 177-183.	1.7	40
274	Can we use environmental DNA as holotypes?. <i>Fungal Diversity</i> , 2018, 92, 1-30.	4.7	54
275	Combined multi-gene backbone tree for the genus <i>Coniochaeta</i> with two new species from Uzbekistan. <i>Phytotaxa</i> , 2018, 336, 43.	0.1	15
276	A novel marine genus, <i>Halobyssothecium</i> (Lentitheciaceae) and epitypification of <i>Halobyssothecium obiones</i> comb. nov.. <i>Mycological Progress</i> , 2018, 17, 1161-1171.	0.5	15
277	Molecular taxonomy of five species of microfungi on <i>Alnus</i> spp. from Italy. <i>Mycological Progress</i> , 2018, 17, 255-274.	0.5	14
278	Morpho-molecular characterization of <i>Peroneutypa</i> (Diatrypaceae, Xylariales) with two novel species from Thailand. <i>Phytotaxa</i> , 2018, 356, 1.	0.1	14
279	Fruiting patterns of macrofungi in tropical and temperate land use types in Yunnan Province, China. <i>Acta Oecologica</i> , 2018, 91, 7-15.	0.5	3
280	An appendage-bearing coelomycete <i>Pseudotruncatella arezzoensis</i> gen. and sp. nov. (Amphisphaerales) Tj ETQq0 0.0 rgBT /Overlock 10	0.1	10
281	New species of <i>Camptophora</i> and <i>Cyphellophora</i> from China, and first report of sexual morphs for these genera. <i>Phytotaxa</i> , 2018, 343, 149.	0.1	12
282	<i>Marinophialophora garethjonesii</i> gen. et sp. nov.: a new hyphomycete associated with Halocyphina from marine habitats in Thailand. <i>Phytotaxa</i> , 2018, 345, 1.	0.1	9
283	Morphology and phylogeny of <i>Tamhinispora srinivasanii</i> sp. nov. (Tubeufiaceae) from northern Western Ghats, India. <i>Phytotaxa</i> , 2018, 346, 113.	0.1	8
284	<i>Lecanicillium subprimulinum</i> (Cordycipitaceae, Hypocreales), a novel species from Baoshan, Yunnan. <i>Phytotaxa</i> , 2018, 348, 99.	0.1	13
285	<i>Helicascus alatus</i> (Morosphaeriaceae), a new freshwater species from southwestern China. <i>Phytotaxa</i> , 2018, 351, 210.	0.1	3
286	<i>Sulcispora supratumida</i> sp. nov. (Phaeosphaeriaceae, Pleosporales) on <i>Anthoxanthum odoratum</i> from Italy. <i>MycoKeys</i> , 2018, 38, 35-46.	0.8	7
287	Morphological and phylogenetic characterisation of novel <i>Cytospora</i> species associated with mangroves. <i>MycoKeys</i> , 2018, 38, 93-120.	0.8	35
288	A new section and species of <i>Agaricus</i> subgenus <i>Pseudochitonia</i> from Thailand. <i>MycoKeys</i> , 2018, 40, 53-67.	0.8	19

#	ARTICLE	IF	CITATIONS
289	Beta-tubulin and Actin gene phylogeny supports <i>Phaeoacremonium ovale</i> as a new species from freshwater habitats in China. <i>MycoKeys</i> , 2018, 41, 1-15.	0.8	12
290	<i>Coryneum heveanum</i> sp. nov. (Coryneaceae, Diaporthales) on twigs of Para rubber in Thailand. <i>MycoKeys</i> , 2018, 43, 75-90.	0.8	7
291	Novel Taxa within Nectriaceae: <i>Cosmosporella</i>gen. nov. and <i>Aquanectria</i>sp. nov. from Freshwater Habitats in China. <i>Cryptogamie, Mycologie</i> , 2018, 39, 169-192.	0.2	15
292	Multigene Phylogeny Coupled with Morphological Characterization Reveal Two New Species of <i>Holmiella</i> and Taxonomic Insights within Patellariaceae. <i>Cryptogamie, Mycologie</i> , 2018, 39, 193-209.	0.2	10
293	Lentimurisporaceae, a New Pleosporalean Family with Divergence Times Estimates. <i>Cryptogamie, Mycologie</i> , 2018, 39, 259-282.	0.2	10
294	Microfungi on <i>Tectona grandis</i> (teak) in Northern Thailand. <i>Fungal Diversity</i> , 2017, 82, 107-182.	4.7	107
295	Bambusicolous fungi. <i>Fungal Diversity</i> , 2017, 82, 1-105.	4.7	158
296	Diversity of Auricularia (Auriculariaceae, Auriculariales) in Thailand. <i>Phytotaxa</i> , 2017, 292, 19.	0.1	13
297	Successful cultivation of a valuable wild strain of <i>Lepista sordida</i> from Thailand. <i>Mycological Progress</i> , 2017, 16, 311-323.	0.5	17
298	<i>Monochaetia ilexae</i> sp. nov. (Pestalotiopsidaceae) from Yunnan Province in China. <i>Phytotaxa</i> , 2017, 291, 123.	0.1	7
299	<i>Pyrenophaetopsis tabarestanensis</i> (Cucurbitariaceae, Pleosporales), a new species isolated from rice farms in north Iran. <i>Phytotaxa</i> , 2017, 297, 15.	0.1	14
300	<i>Subsessila turbinata</i> gen. et. sp. nov. (Beltraniaceae), a Beltrania-like fungus from Thailand. <i>Mycological Progress</i> , 2017, 16, 393-401.	0.5	8
301	Taxonomic revision and phylogenetic analyses of rubber powdery mildew fungi. <i>Microbial Pathogenesis</i> , 2017, 105, 185-195.	1.3	21
302	Four new species of <i>Tubeufia</i> (Tubeufiaceae, Tubeufiales) from Thailand. <i>Mycological Progress</i> , 2017, 16, 403-417.	0.5	23
303	A novel Pestalotiopsis species isolated from <i>Bulbophyllum thouars</i> in Guangxi Province, China. <i>Phytotaxa</i> , 2017, 306, 96.	0.1	3
304	Fungal diversity notes 491–602: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2017, 83, 1-261.	4.7	180
305	Melansporellaceae: a novel family of Diaporthales (Ascomycota). <i>Phytotaxa</i> , 2017, 305, 191.	0.1	11
306	The ranking of fungi: a tribute to David L. Hawksworth on his 70th birthday. <i>Fungal Diversity</i> , 2017, 84, 1-23.	4.7	84

#	ARTICLE	IF	CITATIONS
307	A six-gene phylogenetic overview of Basidiomycota and allied phyla with estimated divergence times of higher taxa and a phyloproteomics perspective. <i>Fungal Diversity</i> , 2017, 84, 43-74.	4.7	124
308	Ranking higher taxa using divergence times: a case study in Dothideomycetes. <i>Fungal Diversity</i> , 2017, 84, 75-99.	4.7	138
309	An updated phylogeny of Sordariomycetes based on phylogenetic and molecular clock evidence. <i>Fungal Diversity</i> , 2017, 84, 25-41.	4.7	142
310	New saprobic marine fungi and a new combination. <i>Botanica Marina</i> , 2017, 60, .	0.6	16
311	<i>Diatrypella tectonae</i> and <i>Peroneutypa mackenziei</i> spp. nov. (Diatrypaceae) from northern Thailand. <i>Mycological Progress</i> , 2017, 16, 463-476.	0.5	25
312	<i>Calcarisporium xylariicola</i> sp. nov. and introduction of Calcarisporiaceae fam. nov. in Hypocreales. <i>Mycological Progress</i> , 2017, 16, 433-445.	0.5	15
313	Multigene phylogeny and morphology reveal that the Chinese medicinal mushroom "Cordyceps gunnii" is <i>Metacordyceps neogunnii</i> sp. nov.. <i>Phytotaxa</i> , 2017, 302, 27.	0.1	13
314	Molecular taxonomy and morphological characterization reveal new species and new host records of <i>Torula</i> species (Torulaceae, Pleosporales). <i>Mycological Progress</i> , 2017, 16, 447-461.	0.5	22
315	Saprobic Dothideomycetes in Thailand: <i>Neoaquastroma</i> gen. nov. (Parabambusicolaceae) introduced based on morphological and molecular data. <i>Phytotaxa</i> , 2017, 302, 133.	0.1	11
316	Phylogenetic and chemotaxonomic resolution of the genus <i>Annulohypoxylon</i> (Xylariaceae) including four new species. <i>Fungal Diversity</i> , 2017, 85, 1-43.	4.7	65
317	Notes for genera: Ascomycota. <i>Fungal Diversity</i> , 2017, 86, 1-594.	4.7	213
318	Towards a natural classification of Annulatasccaceae-like taxa: introducing Atractosporales ord. nov. and six new families. <i>Fungal Diversity</i> , 2017, 85, 75-110.	4.7	41
319	Towards a natural classification of Ophiobolus and ophiobolus-like taxa; introducing three novel genera <i>Ophiobolopsis</i> , <i>Paraophiobolus</i> and <i>Pseudoophiobolus</i> in Phaeosphaeriaceae (Pleosporales). <i>Fungal Diversity</i> , 2017, 87, 299-339.	4.7	35
320	First successful domestication and determination of nutritional and antioxidant properties of the red ear mushroom <i>Auricularia thailandica</i> (Auriculariales, Basidiomycota). <i>Mycological Progress</i> , 2017, 16, 1029-1039.	0.5	24
321	Life styles of <i>Colletotrichum</i> species and implications for plant biosecurity. <i>Fungal Biology Reviews</i> , 2017, 31, 155-168.	1.9	198
322	Tropic origins, a dispersal model for saprotrophic mushrooms in Agaricus section Minores with descriptions of sixteen new species. <i>Scientific Reports</i> , 2017, 7, 5122.	1.6	16
323	Microfungi on Tamarix. <i>Fungal Diversity</i> , 2017, 82, 239-306.	4.7	44
324	Morphological and phylogenetic insights resolve <i>Plenodomus sinensis</i> (Leptosphaeriaceae) as a new species. <i>Phytotaxa</i> , 2017, 324, 73.	0.1	8

#	ARTICLE	IF	CITATIONS
325	Introducing the new Indian mangrove species, <i>Vaginatispora microarmatispora</i> (Lophiostomataceae) based on morphology and multigene phylogenetic analysis. <i>Phytotaxa</i> , 2017, 329, 139.	0.1	21
326	Phylogenetic taxonomy of <i>Dematiopleospora fusiformis</i> sp. nov. (Phaeosphaeriaceae) from Russia. <i>Phytotaxa</i> , 2017, 316, 239.	0.1	9
327	Fungal diversity notes 603â€“708: taxonomic and phylogenetic notes on genera and species. <i>Fungal Diversity</i> , 2017, 87, 1-235.	4.7	165
328	Multiple gene genealogy reveals high genetic diversity and evidence for multiple origins of Chinese <i>Plasmopara viticola</i> population. <i>Scientific Reports</i> , 2017, 7, 17304.	1.6	16
329	<i>Novomicrothelia pandanicola</i> sp. nov., a non-lichenized Trypetheliaceae species from Pandanus. <i>Phytotaxa</i> , 2017, 321, 254.	0.1	4
330	A new species of <i>Colletotrichum</i> from <i>Sonchus</i> sp. in Italy. <i>Phytotaxa</i> , 2017, 314, 55.	0.1	12
331	<span style="font-size: 10px;">Two new species of <i>Dyfrolomyces</i> (Dyfrolomycetaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 50 313, 267.	0.1	11
332	The genus <i>Phillipsia</i> from China and Thailand. <i>Phytotaxa</i> , 2017, 316, 138.	0.1	4
333	<i>Helicosporium luteosporum</i> sp. nov. and <i>Acanthohelicospora aurea</i> (Tubeufiaceae, Tubeufiales) from terrestrial habitats. <i>Phytotaxa</i> , 2017, 319, 241.	0.1	16
334	Using standard keywords in publications to facilitate updates of new fungal taxonomic names. <i>IMA Fungus</i> , 2017, 8, A70-A73.	1.7	11
335	Study of three interesting <i>Amanita</i> species from Thailand: Morphology, multiple-gene phylogeny and toxin analysis. <i>PLoS ONE</i> , 2017, 12, e0182131.	1.1	26
336	A new species of <i>Monilochaetes</i> from <i>Nothapodytes pittosporoides</i> . <i>Phytotaxa</i> , 2017, 326, 129.	0.1	4
337	Introducing <i>Ophiocordyceps thanathonensis</i> , a new species of entomogenous fungi on ants, and a reference specimen for <i>O. pseudolloydii</i> . <i>Phytotaxa</i> , 2017, 328, 115.	0.1	10
338	<i>Alfaria avenellae</i> sp. nov. from Italy. <i>Phytotaxa</i> , 2017, 332, 67.	0.1	0
339	A new species of <i>Trichoglossum</i> (Geoglossales, Ascomycota) from Thailand. <i>Phytotaxa</i> , 2017, 316, 161.	0.1	4
340	Morphological characterization and DNA based taxonomy of <i>Fusiconidium</i> gen. nov. with two novel taxa within Melanommataceae (Pleosporales). <i>Phytotaxa</i> , 2017, 308, 206.	0.1	13
341	Fungal Biodiversity Profiles 21â€“30. <i>Cryptogamie, Mycologie</i> , 2017, 38, 101-146.	0.2	31
342	Molecular Phylogeny and Morphological Characterization of Asexual Fungi (Tubeufiaceae) from Freshwater Habitats in Yunnan, China. <i>Cryptogamie, Mycologie</i> , 2017, 38, 27-53.	0.2	46

#	ARTICLE	IF	CITATIONS
343	Novel <i>Neoacanthostigma</i> Species from Aquatic Habitats. <i>Cryptogamie, Mycologie</i> , 2017, 38, 169-190.	0.2	12
344	Succession and Natural Occurrence of Saprobiic Fungi on Leaves of <i>Magnolia liliifera</i> in a Tropical Forest. <i>Cryptogamie, Mycologie</i> , 2017, 38, 213-225.	0.2	10
345	A New Hysteriform Dothideomycete (Gloniaceae, Pleosporomycetidae incertae sedis), <i>Purpurepithecium murisporum</i> gen. et sp. nov. on Pine Cone Scales. <i>Cryptogamie, Mycologie</i> , 2017, 38, 241-251.	0.2	3
346	Beltrania-Like Taxa from Thailand. <i>Cryptogamie, Mycologie</i> , 2017, 38, 301-319.	0.2	6
347	<i>Delonicicola siamense</i> gen. & sp. nov. (<i>Delonicolaceae</i> fam. nov., Delonicolales) Tj ETQq1 1 0.784314 rgBT /Overlooked 321-340.	0.2	9
348	Taxonomic Position of <i>Melomastia italica</i> sp. nov. and Phylogenetic Reappraisal of Dyfrolomycetales. <i>Cryptogamie, Mycologie</i> , 2017, 38, 507-525.	0.2	6
349	Overlooked competing asexual and sexually typified generic names of Ascomycota with recommendations for their use or protection. <i>IMA Fungus</i> , 2016, 7, 289-308.	1.7	38
350	Morphology and Phylogeny of <i>Neoscystalidium orchidacearum</i> sp. nov. (Botryosphaeriaceae). <i>Mycobiology</i> , 2016, 44, 79-84.	0.6	30
351	Genetic Analyses of the Internal Transcribed Spacer Sequences Suggest Introgression and Duplication in the Medicinal Mushroom <i>Agaricus subrugosus</i> . <i>PLoS ONE</i> , 2016, 11, e0156250.	1.1	32
352	Recommendations for competing sexual-asexually typified generic names in Sordariomycetes (except) Tj ETQq0 0 0 rgBT /Overlooked 10 T	1.7	84
353	Additions to <i>Sporangiaceae</i>: Introducing Two Novel Genera, <i>Sparticola</i> and <i>Forliomyces</i>, from <i>Spartium</i>. <i>Cryptogamie, Mycologie</i> , 2016, 37, 75-97.	0.2	22
354	A new species and four new records of Amanita (Amanitaceae; Basidiomycota) from Northern Thailand. <i>Phytotaxa</i> , 2016, 286, 211.	0.1	18
355	<i>Neopestalotiopsis vitis</i> sp. nov. causing grapevine leaf spot in China. <i>Phytotaxa</i> , 2016, 258, 63.	0.1	37
356	<i>Lepiota thailandica</i> (Agaricaceae), a new species from Thailand&lt;br /&gt;. <i>Phytotaxa</i> , 2016, 245, 262.	0.1	9
357	Multigene phylogeny and morphology reveal a new species, <i>Ophiocordyceps tettigonia</i> , from Guizhou Province, China. <i>Phytotaxa</i> , 2016, 280, 141.	0.1	9
358	<i>Chaetothyrina mangiferae</i> sp. nov., a new species of Chaetothyrina. <i>Phytotaxa</i> , 2016, 255, 21.	0.1	10
359	Correct names of two cultivated mushrooms from the genus <i>Pleurotus</i> in China. <i>Phytotaxa</i> , 2016, 260, 36.	0.1	5
360	A new species of genus <i>Anteaglonium</i> (Anteagloniaceae, Pleosporales) with its asexual morph. <i>Phytotaxa</i> , 2016, 263, 233.	0.1	9

#	ARTICLE	IF	CITATIONS
361	Muyocopronales, ord. nov., (Dothideomycetes, Ascomycota) and a reappraisal of Muyocopron species from northern Thailand. <i>Phytotaxa</i> , 2016, 265, 225.	0.1	26
362	Infundibulicybe rufa sp. nov. (Tricholomataceae), a reddish brown species from southwestern China. <i>Phytotaxa</i> , 2016, 266, 134.	0.1	6
363	Lentithecium cangshanense sp. nov. (Lentitheciaceae) from freshwater habitats in Yunnan Province, China. <i>Phytotaxa</i> , 2016, 267, 61.	0.1	13
364	Calcarisporium cordycipiticola sp. nov., an important fungal pathogen of <i>Cordyceps militaris</i> . <i>Phytotaxa</i> , 2016, 268, 135.	0.1	11
365	Two new species of Helicascus (Morosphaeriaceae) from submerged wood in northern Thailand. <i>Phytotaxa</i> , 2016, 270, 182.	0.1	10
366	Additions to Karst Fungi 1: Botryosphaeria minutispermatia sp. nov., from Guizhou Province, China. <i>Phytotaxa</i> , 2016, 275, 35.	0.1	24
367	Inter- and intra-specific diversity in <i>Agaricus endoxanthus</i> and allied species reveals a new taxon, <i>A. punjabensis</i> . <i>Phytotaxa</i> , 2016, 252, 1.	0.1	13
368	A checklist of fungi in Oman. <i>Phytotaxa</i> , 2016, 273, 219.	0.1	14
369	Molecular data shows <i>Didymella aptrootii</i> is a new genus in Bambusicolaceae. <i>Phytotaxa</i> , 2016, 247, 99.	0.1	15
370	New species of Sporoschisma (Chaetosphaeriaceae) from aquatic habitats in Thailand. <i>Phytotaxa</i> , 2016, 289, 147.	0.1	18
371	<i>Ceramothyrium longivolcaniforme</i> sp. nov., a new species of Chaetothyriaceae from northern Thailand. <i>Phytotaxa</i> , 2016, 267, 51.	0.1	6
372	Additions to Karst Fungi 2: <i>Alpestrisphaeria jonesii</i> from Guizhou Province, China. <i>Phytotaxa</i> , 2016, 277, 255.	0.1	10
373	Two new <i>Pseudohalonectria</i> species on beech cupules ( <i>Fagus sylvatica</i> ) and a new genus to accommodate <i>P. suthepensis</i> . <i>Phytotaxa</i> , 2016, 278, 115.	0.1	4
374	<i>Helminthosporium velutinum</i> and <i>H. aquaticum</i> sp. nov. from aquatic habitats in Yunnan Province, China. <i>Phytotaxa</i> , 2016, 253, 179.	0.1	16
375	Studies on <i>Agaricus subtilipes</i> , a new cultivatable species from Thailand, incidentally reveal the presence of <i>Agaricus subrufescens</i> in Africa. <i>Mycoscience</i> , 2016, 57, 239-250.	0.3	15
376	Pyristriatins A and B: Pyridino-Cyathane Antibiotics from the Basidiomycete <i>&lt; i&gt; Cyathus &lt;/i&gt; cf&lt; i&gt; striatus &lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2016, 79, 1684-1688.	1.5	46
377	Antagonistic interaction between <i>Trichoderma asperellum</i> and <i>Phytophthora capsici</i> in vitro. <i>Journal of Zhejiang University: Science B</i> , 2016, 17, 271-281.	1.3	30
378	Fungal diversity notes 253â€“366: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 78, 1-237.	4.7	239

#	ARTICLE	IF	CITATIONS
379	Ligninsphaeria jonesii gen. et. sp. nov., a remarkable bamboo inhabiting ascomycete. <i>Phytotaxa</i> , 2016, 247, 109.	0.1	8
380	The families Distoseptisporaceae fam. nov., Kirschsteiniotheliaceae, Sporormiaceae and Torulaceae, with new species from freshwater in Yunnan Province, China. <i>Fungal Diversity</i> , 2016, 80, 375-409.	4.7	75
381	Poaceascoma aquaticum sp. nov. (Lentitheciaceae), a new species from submerged bamboo in freshwater. <i>Phytotaxa</i> , 2016, 253, 71.	0.1	14
382	Cryptosporella platyphylla, a new species associated with <i>Betula platyphylla</i> in China. <i>Phytotaxa</i> , 2016, 253, 285.	0.1	5
383	Seimatosporium quercina sp. nov. (Discosiaeae) on <i>Quercus robur</i> from Germany. <i>Phytotaxa</i> , 2016, 255, 240.	0.1	9
384	Sexual morph of <i>Seimatosporium cornii</i> found on <i>Cornus sanguinea</i> in Italy. <i>Phytotaxa</i> , 2016, 257, 51.	0.1	8
385	A description of eleven new species of <i>Agaricus</i> sections <i>Xanthodermatei</i> and <i>Hondenses</i> collected from Tibet and the surrounding areas. <i>Phytotaxa</i> , 2016, 257, 99.	0.1	20
386	Dictyosporiaceae fam. nov.. <i>Fungal Diversity</i> , 2016, 80, 457-482.	4.7	44
387	Taxonomy and phylogeny of dematiaceous coelomycetes. <i>Fungal Diversity</i> , 2016, 77, 1-316.	4.7	134
388	Ophiosimulans tanaceti gen. et sp. nov. (Phaeosphaeriaceae) on <i>Tanacetum</i> sp. (Asteraceae) from Italy. <i>Mycological Progress</i> , 2016, 15, 1.	0.5	9
389	New species and records of saddle fungi ( <i>Helvella</i> , <i>Helvellaceae</i> ) from Jiuzhaigou Natural Reserve, China. <i>Mycoscience</i> , 2016, 57, 422-430.	0.3	7
390	Seifertia shangriensis sp. nov. (Melanommataceae), a new species from Southwest China. <i>Phytotaxa</i> , 2016, 273, 34.	0.1	9
391	Fungal diversity notes 367–490: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 80, 1-270.	4.7	314
392	Sporoschisma from submerged wood in Yunnan, China. <i>Mycological Progress</i> , 2016, 15, 1145-1155.	0.5	17
393	Morphology and phylogenetic position of <i>Wynnella subalpina</i> sp. nov. ( <i>Helvellaceae</i> ) from western China. <i>Phytotaxa</i> , 2016, 270, 41.	0.1	7
394	Global versus Chinese perspectives on the phylogeny of the N-fixing clade. <i>Journal of Systematics and Evolution</i> , 2016, 54, 392-399.	1.6	7
395	Lactarius subgenus Russularia (Basidiomycota, Russulales): novel Asian species, worldwide phylogeny and evolutionary relationships. <i>Fungal Biology</i> , 2016, 120, 1554-1581.	1.1	29
396	Lamproconiaceae fam. nov. to accommodate <i>Lamproconium desmazieri</i> . <i>Phytotaxa</i> , 2016, 270, 89.	0.1	22

#	ARTICLE	IF	CITATIONS
397	Towards a natural classification of Dothideomycetes: 8. The genera <i>Cocconia</i> , <i>Dianesea</i> , <i>Endococcus</i> and <i>Lineostroma</i> . <i>Phytotaxa</i> , 2016, 255, 66.	0.1	4
398	Truncatones A–D, benzo[j]fluoranthenes from Annulohypoxylon species (Xylariaceae, Ascomycota). <i>Tetrahedron</i> , 2016, 72, 6450-6454.	1.0	27
399	Phylogeny and morphology reveal two new species of <i>Diaporthe</i> from <i>Betula</i> spp. in China. <i>Phytotaxa</i> , 2016, 269, 90.	0.1	29
400	The genus <i>Fusariella</i> . <i>Mycological Progress</i> , 2016, 15, 1313-1326.	0.5	6
401	Lentinulactam, a hirsutane sesquiterpene with an unprecedented lactam modification. <i>Tetrahedron Letters</i> , 2016, 57, 5911-5913.	0.7	15
402	A new species of <i>Trichoderma hypoxylon</i> harbours abundant secondary metabolites. <i>Scientific Reports</i> , 2016, 6, 37369.	1.6	33
403	Two novel <i>Acervus</i> species extend their distribution within Yunnan, China. <i>Phytotaxa</i> , 2016, 283, 74.	0.1	4
404	Taxonomy of <i>Paragavia</i> (Dermatectidae: Scleimeninae) with Description of One New Species and Notes on Ecology and Habits. <i>Entomological News</i> , 2016, 126, 43-51.	0.1	6
405	Generic names in Magnaporthales. <i>IMA Fungus</i> , 2016, 7, 155-159.	1.7	98
406	<i>Equiseticola</i> gen. nov. (Phaeosphaeriaceae), from <i>Equisetum</i> sp. in Italy. <i>Phytotaxa</i> , 2016, 284, 169.	0.1	10
407	Species of <i>Psilocybe</i> (Hymenogastraceae) from Yunnan, southwest China. <i>Phytotaxa</i> , 2016, 284, 181.	0.1	5
408	Additions to Karst Fungi 3: <i>Prosthemium sinense</i> sp nov., from Guizhou Province, China. <i>Phytotaxa</i> , 2016, 284, 281.	0.1	4
409	Diversity of <i>Penicillium</i> species isolated from heavy metal polluted soil in Guizhou Province, China. <i>Phytotaxa</i> , 2016, 273, 167.	0.1	6
410	<i>Laccaria rubroalba</i> sp. nov. (Hydnangiaceae, Agaricales) from Southwestern China. <i>Phytotaxa</i> , 2016, 284, 41.	0.1	10
411	Novel chaetosphaeriaceous hyphomycetes from aquatic habitats. <i>Mycological Progress</i> , 2016, 15, 1157-1167.	0.5	26
412	<i>Phallus haitangensis</i> , a new species of stinkhorn from Yunnan Province, China. <i>Phytotaxa</i> , 2016, 280, 116.	0.1	8
413	<i>Sporidesmioides thailandica</i> gen. et sp. nov. (Dothideomycetes) from northern Thailand. <i>Mycological Progress</i> , 2016, 15, 1169-1178.	0.5	13
414	Additions to the Genus <i>Rhytidhysteron</i> in Hysteriaceae. <i>Cryptogamie, Mycologie</i> , 2016, 37, 99-116.	0.2	21

#	ARTICLE	IF	CITATIONS
415	Influences of vegetation disturbance on hydrogeomorphic response following wildfire. <i>Hydrological Processes</i> , 2016, 30, 1131-1148.	1.1	7
416	Species clarification of the culinary Bachu mushroom in western China. <i>Mycologia</i> , 2016, 108, 828-836.	0.8	20
417	Some stromatic pyrenomycetous fungi from northern Thailand – 2. <i>&lt; i&gt;Annulohypoxylon&lt;/i&gt;</i> and <i>&lt; i&gt;Ustulina&lt;/i&gt;</i> . <i>Mycotaxon</i> , 2016, 131, 61-85.	0.1	2
418	Taxonomy and phylogeny of <i>Laburnicola</i> gen. nov. and <i>Paramassariosphaeria</i> gen. nov. (Didymosphaeriaceae, Massarineae, Pleosporales). <i>Fungal Biology</i> , 2016, 120, 1354-1373.	1.1	28
419	Families of Sordariomycetes. <i>Fungal Diversity</i> , 2016, 79, 1-317.	4.7	256
420	The holomorph of <i>Parasarcopodium</i> (Stachybotryaceae), introducing <i>P. pandanicola</i> sp. nov. on <i>Pandanus</i> sp.. <i>Phytotaxa</i> , 2016, 266, 250.	0.1	9
421	<i>Camarosporium arezzoensis</i> on <i>Cytisus</i> sp., an addition to sexual state of <i>Camarosporium</i> sensu stricto. <i>Saudi Journal of Biological Sciences</i> , 2016, 23, 1-8.	1.8	7
422	The genus <i>Thoradonta</i> in Thailand (Orthoptera: Tetrigidae: Scelimeninae) with description of two new species. <i>Journal of Natural History</i> , 2016, 50, 833-845.	0.2	2
423	Towards standardizing taxonomic ranks using divergence times – a case study for reconstruction of the <i>Agaricus</i> taxonomic system. <i>Fungal Diversity</i> , 2016, 78, 239-292.	4.7	74
424	<i>Pseudopestalotiopsis ignota</i> and <i>Ps. camelliae</i> spp. nov. associated with grey blight disease of tea in China. <i>Mycological Progress</i> , 2016, 15, 1.	0.5	31
425	<i>Rosellinia convexa</i> sp. nov. (Xylariales, Pezizomycotina) from China. <i>Mycoscience</i> , 2016, 57, 164-170.	0.3	7
426	<i>Pulveroboletus fragrans</i> , a new Boletaceae species from Northern Thailand, with a remarkable aromatic odor. <i>Mycological Progress</i> , 2016, 15, 1.	0.5	30
427	Lignicolous freshwater fungi along a north-south latitudinal gradient in the Asian/Australian region; can we predict the impact of global warming on biodiversity and function?. <i>Fungal Ecology</i> , 2016, 19, 190-200.	0.7	97
428	A new species and a revised key of the genus <i>Thoradonta</i> (Orthoptera, Tetrigidae). <i>ZooKeys</i> , 2016, 607, 69-79.	0.5	6
429	Taxonomy and Phylogeny of <i>&lt; i&gt;Juncaceicola&lt;/i&gt;</i> gen. nov. ( <i>&lt; i&gt;Phaeosphaeriaceae</i> , <i>Pleosporinae</i> ). Tj ETQq1 1 0.784314 rgBT /Overlock 10		
430	Taxonomic and Phylogenetic Placement of <i>&lt; i&gt;Phaeodimeriella&lt;/i&gt;</i> ( <i>&lt; i&gt;Pseudoperisporiaceae&lt;/i&gt;</i> ,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1		
431	<i>Fuscosporellales</i> , a New Order of Aquatic and Terrestrial Hypocreomycetidae (Sordariomycetes). <i>Cryptogamie, Mycologie</i> , 2016, 37, 449-475.	0.2	23
432	Introducing <i>&lt; i&gt;Melanoctona tectonae&lt;/i&gt;</i> gen. et sp. nov. and <i>&lt; i&gt;Minimelanolocus yunnanensis&lt;/i&gt;</i> sp. nov. ( <i>&lt; i&gt;Herpotrichiellaceae&lt;/i&gt;</i> , <i>Chaetothyriales</i> ). <i>Cryptogamie, Mycologie</i> , 2016, 37, 477-492.	0.2	10

#	ARTICLE	IF	CITATIONS
433	Taxonomic Rearrangement of <i>&lt; i&gt;Anthostomella&lt;/i&gt;</i> (Xylariaceae) Based on a Multigene Phylogeny and Morphology. <i>Cryptogamie, Mycologie</i> , 2016, 37, 509-538.	0.2	17
434	Records of <i>Hedotettix</i> and <i>Teredorus</i> in Thailand with the description of three new species (Orthoptera, Tetrigidae). <i>ZooKeys</i> , 2016, 556, 83-95.	0.5	3
435	Splanchnonema-like species in Pleosporales: introducing <i>Pseudosplanchnonema</i> gen. nov. in Massarinaceae. <i>Phytotaxa</i> , 2015, 231, 133.	0.1	6
436	Agaricus section Brunneopicti: a phylogenetic reconstruction with descriptions of four new taxa. <i>Phytotaxa</i> , 2015, 192, 145.	0.1	28
437	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Cytospora&lt;/em&gt; species associated with canker disease of three anti-desertification plants in northwestern China&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2015, 197, 227-244.	0.1	40
438	A new species of <i>Collodiscula</i> (Xylariaceae) from China. <i>Phytotaxa</i> , 2015, 205, 187.	0.1	9
439	<i>Metacordyceps shibinensis</i> sp. nov. from larvae of Lepidoptera in Guizhou Province, southwest China. <i>Phytotaxa</i> , 2015, 226, 51.	0.1	14
440	A multiple gene genealogy reveals the phylogenetic placement of <i>Iodosphaeria tongrenensis</i> sp. nov. in Iodosphaeriaceae (Xylariales). <i>Phytotaxa</i> , 2015, 234, 121.	0.1	5
441	Phylogeny and morphology of <i>Premilcurensis</i> gen. nov. (Pleosporales) from stems of <i>Senecio</i> in Italy. <i>Phytotaxa</i> , 2015, 236, 40.	0.1	14
442	Multigene phylogeny and morphology reveal <i>Phaeobotryon rhois</i> sp. nov. (Botryosphaerales) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3822 0.1	16	
443	<i>Auricularia thailandica</i> sp. nov. (Auriculariaceae, Auriculariales) a widely distributed species from Southeastern Asia. <i>Phytotaxa</i> , 2015, 208, 147.	0.1	16
444	<i>Muriphaeosphaeria galatellae</i> gen. et sp. nov. in Phaeosphaeriaceae (Pleosporales). <i>Phytotaxa</i> , 2015, 227, 55.	0.1	21
445	<i>Bambusicola loculata</i> sp. nov. (Bambusicolaceae) from bamboo. <i>Phytotaxa</i> , 2015, 213, 122.	0.1	17
446	Species diversity within the <i>Helvella crispa</i> group (Ascomycota: Helvellaceae) in China. <i>Phytotaxa</i> , 2015, 239, 130.	0.1	23
447	Large-scale phylogenetic analyses reveal multiple gains of actinorhizal nitrogen-fixing symbioses in angiosperms associated with climate change. <i>Scientific Reports</i> , 2015, 5, 14023.	1.6	89
448	Botryosphaeriaceae associated with <i>Tectona grandis</i> (teak) in Northern Thailand. <i>Phytotaxa</i> , 2015, 233, 1.	0.1	16
449	Edible species of <i>Agaricus</i> (Agaricaceae) from Xinjiang Province (Western China). <i>Phytotaxa</i> , 2015, 202, 185.	0.1	22
450	Molecular phylogenetic analysis reveals two new species of <i>Discosia</i> from Italy. <i>Phytotaxa</i> , 2015, 203, 37.	0.1	5

#	ARTICLE	IF	CITATIONS
451	Lactarius subgenus Russularia (Russulaceae) in South-East Asia: 3. new diversity in Thailand and Vietnam. <i>Phytotaxa</i> , 2015, 207, 215.	0.1	15
452	Lasiodiplodia pseudotheobromae causes pedicel and peduncle discolouration of grapes in China. <i>Australasian Plant Disease Notes</i> , 2015, 10, 1.	0.4	20
453	Synonymy of two species of <i>&lt; i&gt; Bipolaris &lt;/i&gt;</i> from aquatic crops of <i>&lt; i&gt; Poaceae &lt;/i&gt;</i> . <i>Mycotaxon</i> , 2015, 130, 131-143.	0.1	3
454	Recommended names for pleomorphic genera in Dothideomycetes. <i>IMA Fungus</i> , 2015, 6, 507-523.	1.7	99
455	Poaceascoma helicoidesgen et sp. nov., a New Genus with Scolecospores in Lentitheciaceae. <i>Cryptogamie, Mycologie</i> , 2015, 36, 225-236.	0.2	25
456	Fungal Biodiversity Profiles 11â€“20. <i>Cryptogamie, Mycologie</i> , 2015, 36, 355-380.	0.2	51
457	Additions to Brown Spored Coelomycetous Taxa in Massarinae, Pleosporales: Introducing <i>Phragmocamarosporium</i> gen. nov. and <i>Suttonomyces</i> gen. nov.. <i>Cryptogamie, Mycologie</i> , 2015, 36, 213-224.	0.2	24
458	The Genus <i>&lt; i&gt; Murispora &lt;/i&gt;</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 419-448.	0.2	16
459	Fungal Biodiversity Profiles 1â€“10. <i>Cryptogamie, Mycologie</i> , 2015, 36, 121-166.	0.2	40
460	Zeloasperisporiales ord. nov., and Two New Species of <i>&lt; i&gt; Zeloasperisporium &lt;/i&gt;</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 301-317.	0.2	15
461	Prenylhydroquinone-Derived Secondary Metabolites from Cultures of the Basidiomycete <i>Lentinus Similis</i> BCC 52578. <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.2	2
462	Morphological and molecular characterisation of Diaporthe species associated with grapevine trunk disease in China. <i>Fungal Biology</i> , 2015, 119, 283-294.	1.1	62
463	<i>&lt; i&gt; Micropsalliota pseudoglobocystis &lt;/i&gt;</i> , a new species from China. <i>Mycotaxon</i> , 2015, 130, 555-561.	0.1	4
464	Two new <i>Rosellinia</i> species from Southwest China. <i>Mycotaxon</i> , 2015, 130, 563-567.	0.1	5
465	Towards a natural classification and backbone tree for Lophiostomataceae, Floricolaceae, and Amorosiaceae fam. nov.. <i>Fungal Diversity</i> , 2015, 74, 199-266.	4.7	83
466	Identification and characterization of Pestalotiopsis-like fungi related to grapevine diseases in China. <i>Fungal Biology</i> , 2015, 119, 348-361.	1.1	43
467	Lenormandins Aâ€“G, new azaphilones from <i>Hypoxylon lenormandii</i> and <i>Hypoxylon jaklitschii</i> sp. nov., recognised by chemotaxonomic data. <i>Fungal Diversity</i> , 2015, 71, 165-184.	4.7	46
468	The Diaporthe sojae species complex: Phylogenetic re-assessment of pathogens associated with soybean, cucurbits and other field crops. <i>Fungal Biology</i> , 2015, 119, 383-407.	1.1	146

#	ARTICLE	IF	CITATIONS
469	Towards a natural classification and backbone tree for Pleosporaceae. <i>Fungal Diversity</i> , 2015, 71, 85-139.	4.7	93
470	Overview of <i>Stachybotrys</i> ( <i>Memnoniella</i> ) and current species status. <i>Fungal Diversity</i> , 2015, 71, 17-83.	4.7	43
471	Endophytic Diaporthe associated with Citrus: A phylogenetic reassessment with seven new species from China. <i>Fungal Biology</i> , 2015, 119, 331-347.	1.1	91
472	Cytospora species associated with walnut canker disease in China, with description of a new species <i>C. gigalocus</i> . <i>Fungal Biology</i> , 2015, 119, 310-319.	1.1	56
473	Towards unraveling relationships in Xylariomycetidae (Sordariomycetes). <i>Fungal Diversity</i> , 2015, 73, 73-144.	4.7	164
474	Dynamics of the worldwide number of fungi with emphasis on fungal diversity in China. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	47
475	Epitypification of <i>Broomella vitalbae</i> and Introduction of a Novel Species of <i>Hyalotiella</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 93-108.	0.2	8
476	Deconins A-E: Cuparenic and Mevalonic or Propionic Acid Conjugates from the Basidiomycete Deconica sp. 471. <i>Journal of Natural Products</i> , 2015, 78, 934-938.	1.5	43
477	Discovery of new mitorubrin derivatives from <i>Hypoxylon fulvo-sulphureum</i> sp. nov. (Ascomycota) Tj ETQq1 1 0.784314 rgBT <sub>0.5</sub> /Overlock <sub>18</sub>		
478	Towards a natural classification and backbone tree for Sordariomycetes. <i>Fungal Diversity</i> , 2015, 72, 199-301.	4.7	273
479	< i>Polyporus umbellatus</i>, an Edible-Medicinal Cultivated Mushroom with Multiple Developed Health-Care Products as Food, Medicine and Cosmetics: A Review. <i>Cryptogamie, Mycologie</i> , 2015, 36, 3-42.	0.2	27
480	Fungal diversity notes 1-10: taxonomic and phylogenetic contributions to fungal species. <i>Fungal Diversity</i> , 2015, 72, 1-197.	4.7	304
481	<i>Anthostomella</i> is polyphyletic comprising several genera in Xylariaceae. <i>Fungal Diversity</i> , 2015, 73, 203-238.	4.7	72
482	Diverse species of <i>Colletotrichum</i> associated with grapevine anthracnose in China. <i>Fungal Diversity</i> , 2015, 71, 233-246.	4.7	64
483	Global diversity and taxonomy of the <i>Auricularia auricula-judae</i> complex (Auriculariales) Tj ETQq1 1 0.784314 rgBT <sub>0.5</sub> /Overlock <sub>34</sub> Tf 501		
484	The Faces of Fungi database: fungal names linked with morphology, phylogeny and human impacts. <i>Fungal Diversity</i> , 2015, 74, 3-18.	4.7	471
485	Phylogenetic relationships and morphological reappraisal of Melanommataceae (Pleosporales). <i>Fungal Diversity</i> , 2015, 74, 267-324.	4.7	41
486	Fungal diversity notes 111-252: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2015, 75, 27-274.	4.7	375

#	ARTICLE	IF	CITATIONS
487	Backbone tree for Chaetothyriales with four new species of <i>Minimelanolocus</i> from aquatic habitats. <i>Fungal Biology</i> , 2015, 119, 1046-1062.	1.1	36
488	Revision and phylogeny of Leptosphaeriaceae. <i>Fungal Diversity</i> , 2015, 74, 19-51.	4.7	50
489	<i>Hericium erinaceus</i> , an amazing medicinal mushroom. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	119
490	<i>Meliolales</i> . <i>Fungal Diversity</i> , 2015, 74, 91-141.	4.7	27
491	The Genus <i>Bolivaritettix</i> in Thailand (Orthoptera: Tetrigidae: Metrodorinae), with Three New Species and One New Record. <i>Entomological News</i> , 2015, 125, 136-146.	0.1	3
492	<i>Diaporthe rostrata</i> , a novel ascomycete from <i>Juglans mandshurica</i> associated with walnut dieback. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	26
493	<i>Seiridium venetum</i> redescribed, and <i>S. camelliae</i> , a new species from <i>Camellia reticulata</i> in China. <i>Mycological Progress</i> , 2015, 14, 1.	0.5	4
494	Towards a natural classification of <i>Astrosphaeriella</i> -like species; introducing <i>Astrosphaeriellaceae</i> and <i>Pseudoastrospaeiellaceae</i> fam. nov. and <i>Astrosphaeriellopsis</i> , gen. nov.. <i>Fungal Diversity</i> , 2015, 74, 143-197.	4.7	60
495	<i>Keissleriella dactylidis</i> , sp. nov., from <i>Dactylis glomerata</i> and its phylogenetic placement. <i>ScienceAsia</i> , 2015, 41, 295.	0.2	11
496	<i>Zeloasperisporiales</i> ord. nov., and Two New Species of <i>Zeloasperisporium</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 301-317.	0.2	2
497	5. Taxonomy of filamentous asexual fungi from freshwater habitats, links to sexual morphs and their phylogeny. , 2014, , 109-132.	1	
498	3. The molecular phylogeny of freshwater Sordariomycetes and discomycetes. , 2014, , 47-72.	5	
499	Optimization of Large-Scale Culture Conditions for the Production of <i>Cordycepin</i> with <i>Cordyceps militaris</i> by Liquid Static Culture. <i>Scientific World Journal</i> , The, 2014, 2014, 1-15.	0.8	37
500	A Molecular and Morphological Reassessment of <i>Diademaceae</i> . <i>Scientific World Journal</i> , The, 2014, 2014, 1-11.	0.8	16
501	22. Epilogue. , 2014, , 481-488.	0	
502	17. Tropical peat swamp fungi with special reference to palms. , 2014, , 371-388.	5	
503	(2304) Proposal to conserve the name <i>Diaporthe eres</i> against twentyâ€œone competing names ( <i>Ascomycota: Diaporthales: Diaporthaceae</i> ). <i>Taxon</i> , 2014, 63, 934-935.	0.4	15
504	Camarosporium-Like Species are Polyphyletic in Pleosporales; Introducing <i>Paracamarosporium</i> and <i>Pseudocamarosporium</i> gen. nov. in Montagnulaceae. <i>Cryptogamie, Mycologie</i> , 2014, 35, 177-198.	0.2	34

#	ARTICLE	IF	CITATIONS
505	Evidence for amphithallism and broad geographical hybridization potential among <i>Agaricus subrufescens</i> isolates from Brazil, France, and Thailand. <i>Fungal Biology</i> , 2014, 118, 1013-1023.	1.1	22
506	Revision of genera in Asterinales. <i>Fungal Diversity</i> , 2014, 68, 1-68.	4.7	46
507	Naming and outline of Dothideomycetes“2014 including proposals for the protection or suppression of generic names. <i>Fungal Diversity</i> , 2014, 69, 1-55.	4.7	216
508	Dothideales. <i>Fungal Diversity</i> , 2014, 68, 105-158.	4.7	49
509	Epitypification and neotypification: guidelines with appropriate and inappropriate examples. <i>Fungal Diversity</i> , 2014, 69, 57-91.	4.7	125
510	Tubeufiales, ord. nov., integrating sexual and asexual generic names. <i>Fungal Diversity</i> , 2014, 68, 239-298.	4.7	86
511	Optimal conditions of mycelia growth of <i>Laetiporus sulphureus</i> sensu lato. <i>Mycology</i> , 2014, 5, 221-227.	2.0	9
512	The vacuoles containing multivesicular bodies: a new observation in interaction between <i>Ustilago esculenta</i> and <i>Zizania latifolia</i> . <i>European Journal of Plant Pathology</i> , 2014, 138, 79-91.	0.8	18
513	The sooty moulds. <i>Fungal Diversity</i> , 2014, 66, 1-36.	4.7	417
514	Improving the backbone tree for the genus Pestalotiopsis; addition of <i>P. steyaertii</i> and <i>P. magna</i> sp. nov.. <i>Mycological Progress</i> , 2014, 13, 617-624.	0.5	37
515	Improving ITS sequence data for identification of plant pathogenic fungi. <i>Fungal Diversity</i> , 2014, 67, 11-19.	4.7	123
516	Revision of Phaeosphaeriaceae. <i>Fungal Diversity</i> , 2014, 68, 159-238.	4.7	127
517	Insights into the genus Diaporthe: phylogenetic species delimitation in the <i>D. eres</i> species complex. <i>Fungal Diversity</i> , 2014, 67, 203-229.	4.7	221
518	A molecular phylogenetic reappraisal of the Didymosphaeriaceae (= Montagnulaceae). <i>Fungal Diversity</i> , 2014, 68, 69-104.	4.7	106
519	Sporothriolide derivatives as chemotaxonomic markers for <i>Hypoxylon monticulosum</i> . <i>Mycology</i> , 2014, 5, 110-119.	2.0	42
520	Epitypification of Two Bambusicolous Fungi from Thailand. <i>Cryptogamie, Mycologie</i> , 2014, 35, 239-256.	0.2	12
521	Introducing the Novel Species, <i>Dothiorella symphoricarposicola</i> , from Snowberry in Italy. <i>Cryptogamie, Mycologie</i> , 2014, 35, 257-270.	0.2	12
522	One stop shop: backbones trees for important phytopathogenic genera: I (2014). <i>Fungal Diversity</i> , 2014, 67, 21-125.	4.7	241

#	ARTICLE	IF	CITATIONS
523	A new <i>Alternaria</i> species from grapevine in China. <i>Mycological Progress</i> , 2014, 13, 1119.	0.5	10
524	< i>Dematiopleospora mariae</i>gen. sp. nov., from Ononis<i>Spinosa</i>in Italy. <i>Cryptogamie, Mycologie</i> , 2014, 35, 105-117.	0.2	22
525	Morphological and molecular characterization of three<i>Agaricus</i>species from tropical Asia (Pakistan, Thailand) reveals a new group in section<i>Xanthodermatei</i>. <i>Mycologia</i> , 2014, 106, 1220-1232.	0.8	43
526	Novel<i>Pestalotiopsis</i>Species from Thailand Point to the Rich Undiscovered Diversity of this Chemically Creative Genus. <i>Cryptogamie, Mycologie</i> , 2014, 35, 139-149.	0.2	13
527	Endophytic species of <i>Colletotrichum</i> associated with mango in northeastern Brazil. <i>Fungal Diversity</i> , 2014, 67, 181-202.	4.7	110
528	Effects of vegetation disturbance by fire on channel initiation thresholds. <i>Geomorphology</i> , 2014, 214, 84-96.	1.1	43
529	<i>Lindgomyces griseosporus</i> , a new aquatic ascomycete from Europe including new records. <i>Mycoscience</i> , 2014, 55, 43-48.	0.3	10
530	< i>Pustulomyces</i>gen. nov. Accommodated in<i>Diaporthaceae, Diaporthales</i>, as Revealed by Morphology and Molecular Analyses. <i>Cryptogamie, Mycologie</i> , 2014, 35, 63-72.	0.2	32
531	The Phylogenetic Placement of<i>Eriosporella bambusicola</i>sp. nov. in<i>Capnodiales</i>. <i>Cryptogamie, Mycologie</i> , 2014, 35, 41-49.	0.2	11
532	<i>Psilocybe chuxiongensis</i> , a new bluing species from subtropical China. <i>Phytotaxa</i> , 2014, 156, 211.	0.1	9
533	<i>Lactarius</i> subgenus <i>Russularia</i> ( <i>Russulaceae</i> ) in Southeast Asia: 1. Species with very distant gills. <i>Phytotaxa</i> , 2014, 158, 23.	0.1	20
534	Introducing <i>Chaetothyriothecium</i> , a new genus of <i>Microthyriales</i> . <i>Phytotaxa</i> , 2014, 161, 157.	0.1	22
535	Systematic analyses of <i>Ophiocordyceps ramosissimum</i> sp. nov., a new species from a larvae of Hepialidae in China. <i>Phytotaxa</i> , 2014, 161, 227.	0.1	16
536	<i>Roussoellaceae</i> , a new pleosporalean family to accommodate the genera <i>Neoroussella</i> gen. nov., <i>Roussoella</i> and <i>Roussoellopsis</i> . <i>Phytotaxa</i> , 2014, 181, 1.	0.1	69
537	<i>Camarosporium</i> sensu stricto in <i>Pleosporinae, Pleosporales</i> with two new species. <i>Phytotaxa</i> , 2014, 183, 16.	0.1	15
538	<i>Greeneria saprophytica</i> sp. nov. on dead leaves of <i>Syzygium cumini</i> from Chiang Rai, Thailand. <i>Phytotaxa</i> , 2014, 184, 275.	0.1	4
539	<i>Phyllosticta</i> species from banana ( <i>Musa</i> sp.) in Chongqing and Guizhou Provinces, China. <i>Phytotaxa</i> , 2014, 188, 135.	0.1	15
540	<i>Trichopeltinaceae</i> (Dothideomycetes), an earlier name for <i>Brefeldiellaceae</i> , with a new species of <i>Trichopeltina</i> . <i>Phytotaxa</i> , 2014, 176, 270.	0.1	9

#	ARTICLE	IF	CITATIONS
541	Englerulaceae (Dothideomycetes). <i>Phytotaxa</i> , 2014, 176, 139.	0.1	8
542	Towards a natural classification of Dothideomycetes 5: The genera Ascostratum, Chaetoscutula, Ceratocarpia, Cystocoleus, and Colensonella (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2014, 176, 42.	0.1	7
543	Towards a natural classification of Dothideomycetes 2: The genera Cucurbitodthis, Heterosphaeriopsis, Hyalosphaera, Navicella and Pleiostomellina (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2014, 176, 7.	0.1	17
544	A reappraisal of Microthyriaceae. <i>Phytotaxa</i> , 2014, 176, 201.	0.1	18
545	Confusion surrounding Didymosphaeria—phylogenetic and morphological evidence suggest Didymosphaeriaceae is not a distinct family. <i>Phytotaxa</i> , 2014, 176, 102.	0.1	40
546	A re-assessment of Elsinoaceae (Myriangiales, Dothideomycetes). <i>Phytotaxa</i> , 2014, 176, 120.	0.1	23
547	Homortomyces tamaricis sp. nov. and convergent evolution of Homortomyces and Stilbospora. <i>Phytotaxa</i> , 2014, 176, 156.	0.1	4
548	Neotypification and phylogeny of Kalmusia. <i>Phytotaxa</i> , 2014, 176, 164.	0.1	8
549	The genus Leptoxiphium (Capnodiaceae) from China. <i>Phytotaxa</i> , 2014, 176, 174.	0.1	11
550	Freshwater ascomycetes: Lophiostoma vaginatispora comb. nov. (Dothideomycetes, Pleosporales,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0.1 18		
551	Macrodiplodiopsis in Lophiostomataceae, Pleosporales. <i>Phytotaxa</i> , 2014, 176, 192.	0.1	13
552	< p class="p0">A new species of Microthyrium from Yunnan, China. <i>Phytotaxa</i> , 2014, 176, 213.	0.1	11
553	The status of Myriangiaceae (Dothideomycetes). <i>Phytotaxa</i> , 2014, 176, 219.	0.1	13
554	Morphology and phylogeny of Pseudorobillarda eucalypti sp. nov., from Thailand. <i>Phytotaxa</i> , 2014, 176, 251.	0.1	15
555	The sexual state of Setophoma. <i>Phytotaxa</i> , 2014, 176, 260.	0.1	15
556	Taxonomy and phylogeny of Dothideomycetes. <i>Phytotaxa</i> , 2014, 176, 5.	0.1	4
557	Towards a natural classification of Dothideomycetes 4: The genera Bryopelta, Bryorella, Bryosphaeria, Lophiosphaerella and Maireella (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2014, 176, 28.	0.1	10
558	Towards a natural classification of Dothideomycetes 6: The genera Dolabra, Placostromella, Pleosphaerellula, Polysporidiella and Pseudotrichia (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2014, 176, 55.	0.1	15

#	ARTICLE	IF	CITATIONS
559	New species of Phallus from a subtropical forest in Xishuangbanna, China. <i>Phytotaxa</i> , 2014, 163, 91.	0.1	10
560	Morphology and phylogeny of <i>Chaetospermum</i> (asexual coelomycetous Basidiomycota). <i>Phytotaxa</i> , 2014, 175, 61.	0.1	7
561	Phylogeny and morphology of <i>Phaeosphaeriopsis triseptata</i> sp. nov., and <i>Phaeosphaeriopsis glaucopunctata</i> . <i>Phytotaxa</i> , 2014, 176, 238.	0.1	21
562	Towards a natural classification of Dothideomycetes 3: The genera <i>Muellerites</i> , <i>Trematosphaeriopsis</i> , <i>Vizellopsis</i> and <i>Yoshinagella</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2014, 176, 18.	0.1	13
563	<i>Clavatispora thailandica</i> gen. et sp. nov., a novel taxon of Venturiales (Dothideomycetes) from Thailand. <i>Phytotaxa</i> , 2014, 176, 92.	0.1	10
564	Finding needles in haystacks: linking scientific names, reference specimens and molecular data for Fungi. <i>Database: the Journal of Biological Databases and Curation</i> , 2014, 2014, bau061-bau061.	1.4	272
565	A novel <i>Trichoderma</i> species isolated from soil in Guizhou, <i>T. guizhouense</i> . <i>Mycological Progress</i> , 2013, 12, 167-172.	0.5	32
566	Molecular and morphological evidence support four new species in the genus <i>Muscodor</i> from northern Thailand. <i>Annals of Microbiology</i> , 2013, 63, 1341-1351.	1.1	46
567	What are the common anthracnose pathogens of tropical fruits?. <i>Fungal Diversity</i> , 2013, 61, 165-179.	4.7	99
568	Endophytic <i>Colletotrichum</i> from tropical grasses with a new species <i>C. endophytica</i> . <i>Fungal Diversity</i> , 2013, 61, 107-115.	4.7	61
569	The ApMat marker can resolve <i>Colletotrichum</i> species: a case study with <i>Mangifera indica</i> . <i>Fungal Diversity</i> , 2013, 61, 117-138.	4.7	103
570	<i>Diaporthe</i> species occurring on citrus in China. <i>Fungal Diversity</i> , 2013, 61, 237-250.	4.7	73
571	Five <i>Colletotrichum</i> species are responsible for mango anthracnose in northeastern Brazil. <i>Fungal Diversity</i> , 2013, 61, 75-88.	4.7	139
572	Species of <i>Botryosphaeriaceae</i> involved in grapevine dieback in China. <i>Fungal Diversity</i> , 2013, 61, 221-236.	4.7	95
573	Comparison of DNA and RNA, and Cultivation Approaches for the Recovery of Terrestrial and Aquatic Fungi from Environmental Samples. <i>Current Microbiology</i> , 2013, 66, 185-191.	1.0	11
574	Antimicrobial activity of crude extracts of <i>&lt; i&gt;Phyllosticta&lt;/i&gt;spp..</i> <i>Mycology</i> , 2013, 4, 112-117.	2.0	5
575	Dyfrolomycetaceae, a new family in the Dothideomycetes, Ascomycota. <i>Cryptogamie, Mycologie</i> , 2013, 34, 223-232.	0.2	26
576	Families of Dothideomycetes. <i>Fungal Diversity</i> , 2013, 63, 1-313.	4.7	509

#	ARTICLE	IF	CITATIONS
577	Gymnopalynes A and B, Chloropropynyl-isocoumarin Antibiotics from Cultures of the Basidiomycete <i>Gymnopus</i> sp.. <i>Journal of Natural Products</i> , 2013, 76, 2141-2144.	1.5	36
578	Bioactive metabolites from macrofungi: ethnopharmacology, biological activities and chemistry. <i>Fungal Diversity</i> , 2013, 62, 1-40.	4.7	182
579	Phylogeny and Morphology of <i>Leptosphaerulina saccharicola</i> sp. nov. and <i>Pleosphaerulina oryzae</i> and Relationships with <i>Pithomyces</i> . <i>Cryptogamie, Mycologie</i> , 2013, 34, 303-319.	0.2	18
580	Multi-Gene Analyses Reveal Taxonomic Placement of <i>Scolicosporium minkeviciusii</i> in Phaeosphaeriaceae (Pleosporales). <i>Cryptogamie, Mycologie</i> , 2013, 34, 357-366.	0.2	11
581	Tortulomyces thailandicus gen. et sp. nov. and <i>Nitschkia siamensis</i> sp. nov. (Coronophorales) Tj ETQq1 1 0.784314 rgBT /Overlock 10T	0.3	10
582	<i>Fusarium</i> spp. are Responsible for Shoot Canker of Kumquat in China. <i>Journal of Phytopathology</i> , 2013, 161, 59-62.	0.5	10
583	<i>Misturatosphaeria mariae</i> sp. nov. from France, a first record of <i>Misturatosphaeria</i> in Europe. <i>Mycoscience</i> , 2013, 54, 106-109.	0.3	7
584	Molecular and morphological data reveal two new species of <i>Scolecobasidium</i> . <i>Mycoscience</i> , 2013, 54, 420-425.	0.3	4
585	<i>Colletotrichum</i> species on grape in Guizhou and Yunnan provinces, China. <i>Mycoscience</i> , 2013, 54, 29-41.	0.3	58
586	Stachybotrys from soil in China, identified by morphology and molecular phylogeny. <i>Mycological Progress</i> , 2013, 12, 693-698.	0.5	8
587	<i>Phyllosticta capitalensis</i> , a widespread endophyte of plants. <i>Fungal Diversity</i> , 2013, 60, 91-105.	4.7	88
588	Halothiaceae fam. nov. (Pleosporales) accommodates the new genus <i>Phaeoseptum</i> and several other aquatic genera. <i>Mycologia</i> , 2013, 105, 603-609.	0.8	17
589	Frequency-magnitude distribution of debris flows compiled from global data, and comparison with post-fire debris flows in the western U.S.. <i>Geomorphology</i> , 2013, 191, 118-128.	1.1	41
590	Plant growth and photosynthetic performance of <i>Zizania latifolia</i> are altered by endophytic <i>Ustilago esculenta</i> infection. <i>Physiological and Molecular Plant Pathology</i> , 2013, 83, 75-83.	1.3	44
591	Two species of &lt; i &gt; Agaricus &lt; /i &gt; sect. &lt; i &gt; Xanthodermatei &lt; /i &gt; from Thailand. <i>Mycotaxon</i> , 2013, 122, 187-195.	0.1	11
592	Re-appraisal of <i>Scolecopeltidium</i> . <i>Mycotaxon</i> , 2013, 125, 1-10.	0.1	7
593	(2234) Proposal to conserve the name <i>Helminthosporium maydis</i> Y. Nisik. & Miyake ( <i>Bipolaris maydis</i> ) against <i>H. maydis</i> Brond. and <i>Ophiobolus heterostrophus</i> ( <i>Ascomycota</i> : <i>Pleosporales</i> : <i>Pleosporaceae</i> ). <i>Taxon</i> , 2013, 62, 1332-1333.	0.4	7
594	A new <i>Myrmecridium</i> species from Guizhou, China. <i>Mycotaxon</i> , 2013, 124, 1-8.	0.1	8

#	ARTICLE	IF	CITATIONS
595	A without-prejudice list of generic names of fungi for protection under the International Code of Nomenclature for algae, fungi, and plants. <i>IMA Fungus</i> , 2013, 4, 381-443.	1.7	97
596	&lt;i&gt;Deniquelata barringtoniae gen. et sp. nov.&lt;/i&gt;, associated with leaf spots of &lt;i&gt;Barringtonia asiatica&lt;/i&gt;. <i>Phytotaxa</i> , 2013, 105, 11.	0.1	34
597	(2233) Proposal to conserve the name <i>Bipolaris</i> against <i>Cochliobolus</i> (<i>Ascomycota</i>: <i>Pleosporales</i>: <i>Pleosporaceae</i>). <i>Taxon</i> , 2013, 62, 1331-1332.	0.4	20
598	Ophiocordyceps xuefengensis sp. nov. from larvae of Phassus nodus (Hepialidae) in Hunan Province, southern China. <i>Phytotaxa</i> , 2013, 123, 41.	0.1	36
599	<i>Pestalotiopsis</i> species associated with <i>Camellia sinensis</i> (tea). <i>Mycotaxon</i> , 2013, 123, 47-61.	0.1	52
600	Two new species of Pestalotiopsis from Southern China. <i>Phytotaxa</i> , 2013, 126, 22.	0.1	20
601	Shiraiaceae, new family of Pleosporales (Dothideomycetes, Ascomycota). <i>Phytotaxa</i> , 2013, 103, 51.	0.1	23
602	Towards a natural classification of Dothideomycetes: The genera Dermatodothella, Dothideopsella, Grandigallia, Hysteropeltella and Gloeodiscus (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , 2013, 147, 35.	0.1	23
603	A new species of <i>Pestalotiopsis</i> from leaf spots of <i>Licuala grandis</i> from Hainan, China. <i>Phytotaxa</i> , 2013, 88, 49.	0.1	11
604	<i>Pestalotiopsis anacardiacearum</i> sp. nov. (<i>Amphisphaeriaceae</i>) has an intricate relationship with <i>Penicillaria jocosatrix</i> the mango tip borer. <i>Phytotaxa</i> , 2013, 99, 49.	0.1	17
605	Halojulellaceae a new family of the order Pleosporales. <i>Phytotaxa</i> , 2013, 130, 14.	0.1	28
606	A destructive new disease of <i>Syzygium samarangense</i> in Thailand caused by the new species Pestalotiopsis samarangensis. <i>Tropical Plant Pathology</i> , 2013, 38, 227-235.	0.8	50
607	Brunneiapiospora brasiliensis sp. nov. (Clypeosphaeriaceae) on palms from Brazil. <i>Nova Hedwigia</i> , 2012, 94, 245-250.	0.2	4
608	A Destructive New Disease of <i>Citrus</i> in China Caused by <i>Cryptosporiopsis citricarpa</i> sp. nov.. <i>Plant Disease</i> , 2012, 96, 804-812.	0.7	18
609	<i>Lentinus giganteus</i> revisited: new collections from Sri Lanka and Thailand. <i>Mycotaxon</i> , 2012, 118, 57-71.	0.1	12
610	<i>Psilocybe</i> s.s. in Thailand: four new species and a review of previously recorded species. <i>Mycotaxon</i> , 2012, 119, 65-81.	0.1	10
611	Epitypification, morphology, and phylogeny of <i>Tothia fuscella</i>. <i>Mycotaxon</i> , 2012, 118, 203-211.	0.1	11
612	Two new freshwater species of <i>Annulatasaceae</i> from China. <i>Mycotaxon</i> , 2012, 120, 81-88.	0.1	11

#	ARTICLE	IF	CITATIONS
613	2 Phylogeny of the Dothideomycetes and other classes of marine Ascomycota. , 2012, , 17-34.	1	
614	Two new <i>Kirschsteiniotheli</i> species with <i>Dendryphiopsis</i> anamorphs cluster in <i>Kirschsteiniotheliaceae</i> fam. nov.. Mycologia, 2012, 104, 698-714.	0.8	69
615	List of Fungi Associated with Pandanaceae. Fungal Diversity Research Series, 2012, , 355-428.	0.6	3
616	Anamorphic Fungi Associated with Pandanaceae. Fungal Diversity Research Series, 2012, , 125-353.	0.6	10
617	A multi-locus phylogenetic evaluation of Diaporthe (Phomopsis). Fungal Diversity, 2012, 56, 157-171.	4.7	189
618	Medicinal mushrooms in prevention and control of diabetes mellitus. Fungal Diversity, 2012, 56, 1-29.	4.7	181
619	Prized edible Asian mushrooms: ecology, conservation and sustainability. Fungal Diversity, 2012, 56, 31-47.	4.7	80
620	A multi-locus backbone tree for Pestalotiopsis, with a polyphasic characterization of 14 new species. Fungal Diversity, 2012, 56, 95-129.	4.7	211
621	Phylogeny of Chaetothyriaceae in northern Thailand including three new species. Mycologia, 2012, 104, 382-395.	0.8	44
622	<i>Aquapeziza</i> : a new genus from freshwater and its morphological and phylogenetic relationships to Pezizaceae. Mycologia, 2012, 104, 540-546.	0.8	21
623	Three new ascomycetes from freshwater in China. Mycologia, 2012, 104, 1478-1489.	0.8	33
624	The Future of Coelomycete Studies. Cryptogamie, Mycologie, 2012, 33, 381-391.	0.2	8
625	A phylogenetic and taxonomic re-evaluation of the Bipolaris - Cochliobolus - Curvularia Complex. Fungal Diversity, 2012, 56, 131-144.	4.7	216
626	Fungi Associated with Pandanaceae. Fungal Diversity Research Series, 2012, , .	0.6	16
627	<i>Amarenographium solium</i> sp. nov. from Yanbu Mangroves in the Kingdom of Saudi Arabia. Cryptogamie, Mycologie, 2012, 33, 285-294.	0.2	13
628	Multi-locus Phylogeny Reveals Three new Species of Diaporthe from Thailand. Cryptogamie, Mycologie, 2012, 33, 295-309.	0.2	48
629	A Novel Species of Pestalotiopsis Causing Leaf Spots of <i>Trachycarpus Fortunei</i> . Cryptogamie, Mycologie, 2012, 33, 311-318.	0.2	45
630	<i>Agaricus megalosporus</i> : A New Species in Section <i>Minores</i> . Cryptogamie, Mycologie, 2012, 33, 145-155.	0.2	15

#	ARTICLE	IF	CITATIONS
631	<i>Lepiota</i>(Agaricales) in Northern Thailand-2<i>Lepiota</i>Section<i>Lepiota</i>. Cryptogamie, Mycologie, 2012, 33, 25-42.	0.2	14
632	Coelomycetes. Cryptogamie, Mycologie, 2012, 33, 215-244.	0.2	11
633	Sequence Data Reveals Phylogenetic Affinities of <i>Acrocalymma aquaticasp. nov.</i> , <i>Aquasubmersa mircensisigen. et sp. nov.</i> and <i>Clohesyomyces aquaticus</i> (Freshwater Coelomycetes). Cryptogamie, Mycologie, 2012, 33, 333-346.	0.2	37
634	<i>Bambusicola,</i>a New Genus from Bamboo with Asexual and Sexual Morphs. Cryptogamie, Mycologie, 2012, 33, 363-379.	0.2	45
635	Novel Species of <i>Colletotrichum</i> Revealed by Morphology and Molecular Analysis. Cryptogamie, Mycologie, 2012, 33, 347-362.	0.2	46
636	Towards a natural classification of Botryosphaeraiales. Fungal Diversity, 2012, 57, 149-210.	4.7	198
637	Trichomeriaceae, a new sooty mould family of Chaetothyriales. Fungal Diversity, 2012, 56, 63-76.	4.7	58
638	New species and notes of <i>Colletotrichum</i> on daylilies ( <i>Hemerocallis spp.</i> ). Tropical Plant Pathology, 2012, 37, 165-174.	0.8	14
639	Climate change effects fruiting of the prize matsutake mushroom in China. Fungal Diversity, 2012, 56, 189-198.	4.7	36
640	Medicinal mushrooms in supportive cancer therapies: an approach to anti-cancer effects and putative mechanisms of action. Fungal Diversity, 2012, 55, 1-35.	4.7	173
641	Cytology and ultrastructure of interactions between <i>Ustilago esculenta</i> and <i>Zizania latifolia</i> . Mycological Progress, 2012, 11, 499-508.	0.5	58
642	<i>Agaricus flocculosipes</i> sp. nov., a new potentially cultivatable species from the palaeotropics. Mycoscience, 2012, 53, 300-311.	0.3	30
643	<i>Agaricus subrufescens</i> : A review. Saudi Journal of Biological Sciences, 2012, 19, 131-146.	1.8	77
644	Chocolate spot disease of Eucalyptus. Mycological Progress, 2012, 11, 61-69.	0.5	12
645	Pleosporales. Fungal Diversity, 2012, 53, 1-221.	4.7	282
646	Phyllosticta species associated with citrus diseases in China. Fungal Diversity, 2012, 52, 209-224.	4.7	80
647	Low-diversity fungal assemblage in an Antarctic Dry Valleys soil. Polar Biology, 2012, 35, 567-574.	0.5	65
648	The Current Understanding of Fungi Associated with Pandanaceae. Fungal Diversity Research Series, 2012, , 1-10.	0.6	10

#	ARTICLE	IF	CITATIONS
649	Teleomorphic Microfungi Associated with Pandanaceae. Fungal Diversity Research Series, 2012, , 23-124.	0.6	3
650	Studies on <i>Microthyriaceae</i> : Placement of <i>Actinomyxa</i> , <i>Asteritea</i> , <i>Cirsosina</i> , <i>Polystomellina</i> and <i>Stegothyrium</i> . Cryptogamie, Mycologie, 2011, 32, 3-12.	0.2	11
651	Towards a Monograph of Dothideomycetes: Studies on Diademaceae. Cryptogamie, Mycologie, 2011, 32, 115-126.	0.2	14
652	<i>Arecomyces</i> New to Brazil, Including <i>A. attaleae</i> sp. nov.. Cryptogamie, Mycologie, 2011, 32, 103-108.	0.2	5
653	The family Agaricaceae: phylogenies and two new white-spored genera. Mycologia, 2011, 103, 494-509.	0.8	59
654	<i>Colletotrichum</i> Species on <i>Orchidaceae</i> in Southwest China. Cryptogamie, Mycologie, 2011, 32, 229-253.	0.2	88
655	Checklist of Freshwater Fungi in Thailand. Cryptogamie, Mycologie, 2011, 32, 199-217.	0.2	18
656	Built structure identification in wildland fire decision support. International Journal of Wildland Fire, 2011, 20, 78.	1.0	18
657	The need to carry out re-inventory of plant pathogenic fungi. Tropical Plant Pathology, 2011, 36, 205-213.	0.8	37
658	Morphology: still essential in a molecular world. Mycotaxon, 2011, 114, 439-451.	0.1	52
659	Morphological studies in Dothideomycetes: <i>Elsinoe</i> ( <i>Elsinoaceae</i> ), <i>Butleria</i> , and three excluded genera. Mycotaxon, 2011, 115, 507-520.	0.1	15
660	Revisiting the taxonomy of <i>Daruvedia bacillata</i> . Mycotaxon, 2011, 114, 135-144.	0.1	4
661	<i>Muscodor cinnamomi</i> , a new endophytic species from <i>Cinnamomum bejolghota</i> . Mycotaxon, 2011, 114, 15-23.	0.1	34
662	Epitypification of <i>Colletotrichum musae</i> , the causative agent of banana anthracnose. Mycoscience, 2011, 52, 376-382.	0.3	50
663	<i>Colletotrichum</i> species from Jasmine ( <i>Jasminum sambac</i> ). Fungal Diversity, 2011, 46, 171-182.	4.7	90
664	Effects of fungal endophytes on grass and non-grass litter decomposition rates. Fungal Diversity, 2011, 47, 1-7.	4.7	138
665	Pestalotiopsis morphology, phylogeny, biochemistry and diversity. Fungal Diversity, 2011, 50, 167-187.	4.7	198
666	The genus <i>Phomopsis</i> : biology, applications, species concepts and names of common phytopathogens. Fungal Diversity, 2011, 50, 189-225.	4.7	331

#	ARTICLE	IF	CITATIONS
667	From morphology to molecular biology: can we use sequence data to identify fungal endophytes?. <i>Fungal Diversity</i> , 2011, 50, 113-120.	4.7	114
668	Major clades in tropical Agaricus. <i>Fungal Diversity</i> , 2011, 51, 279-296.	4.7	105
669	Cochliobolus: an overview and current status of species. <i>Fungal Diversity</i> , 2011, 51, 3-42.	4.7	139
670	A molecular, morphological and ecological re-appraisal of Venturiales—a new order of Dothideomycetes. <i>Fungal Diversity</i> , 2011, 51, 249-277.	4.7	96
671	Astrosphaeriella is polyphyletic, with species in Fissuroma gen. nov., and Neoastrosphaeriella gen. nov.. <i>Fungal Diversity</i> , 2011, 51, 135-154.	4.7	81
672	A reappraisal of Microthyriaceae. <i>Fungal Diversity</i> , 2011, 51, 189-248.	4.7	95
673	Capnodiaceae. <i>Fungal Diversity</i> , 2011, 51, 103-134.	4.7	108
674	Phyllosticta—an overview of current status of species recognition. <i>Fungal Diversity</i> , 2011, 51, 43-61.	4.7	89
675	Revision of lignicolous Tubeufiaceae based on morphological reexamination and phylogenetic analysis. <i>Fungal Diversity</i> , 2011, 51, 63-102.	4.7	95
676	Three new species of Lentinus from northern Thailand. <i>Mycological Progress</i> , 2011, 10, 389-398.	0.5	26
677	Trematosphaeriaceae fam. nov. (Dothideomycetes, Ascomycota). <i>Cryptogamie, Mycologie</i> , 2011, 32, 343-358.	0.2	25
678	A new species of < i>Colletotrichum</i> from < i>Cordyline</i> and < i>fruticosa</i> causing anthracnose disease. <i>Mycotaxon</i> , 2011, 114, 247-257.	0.1	22
679	The Amsterdam Declaration on Fungal Nomenclature. <i>IMA Fungus</i> , 2011, 2, 105-111.	1.7	320
680	HKU(M) moves to IFRDC Kunming. <i>Mycotaxon</i> , 2010, 113, 137-145.	0.1	4
681	Studies on < i>Microthyriaceae</i>: some excluded genera. <i>Mycotaxon</i> , 2010, 113, 147-156.	0.1	15
682	Wood-inhabiting filamentous fungi in 12 high-altitude streams of the Western Ghats by damp incubation and bubble chamber incubation. <i>Mycoscience</i> , 2010, 51, 104-115.	0.3	22
683	Can leaf degrading enzymes provide evidence that endophytic fungi becoming saprobes?. <i>Fungal Diversity</i> , 2010, 41, 89-99.	4.7	147
684	The new genus Rostrohypoxylon and two new Annulohypoxylon species from Northern Thailand. <i>Fungal Diversity</i> , 2010, 40, 23-36.	4.7	32

#	ARTICLE	IF	CITATIONS
685	Occurrence and diversity of basidiomycetous endophytes from the oil palm, <i>Elaeis guineensis</i> in Thailand. <i>Fungal Diversity</i> , 2010, 41, 71-88.	4.7	66
686	Achroceratosphaeria, a new ascomycete genus in the Sordariomycetes, and re-evaluation of <i>Ceratosphaeria incolorata</i> . <i>Fungal Diversity</i> , 2010, 43, 75-84.	4.7	18
687	Response of endophytic fungi of <i>Stipa grandis</i> to experimental plant function group removal in Inner Mongolia steppe, China. <i>Fungal Diversity</i> , 2010, 43, 93-101.	4.7	73
688	<i>Colletotrichum gloeosporioides</i> is not a common pathogen on tropical fruits. <i>Fungal Diversity</i> , 2010, 44, 33-43.	4.7	225
689	A monograph of <i>Micropsalliota</i> in Northern Thailand based on morphological and molecular data. <i>Fungal Diversity</i> , 2010, 45, 33-79.	4.7	32
690	Mycotoxin-producing fungi occurring in sorghum grains from Saudi Arabia. <i>Fungal Diversity</i> , 2010, 44, 45-52.	4.7	29
691	Sequence data reveals phylogenetic affinities of fungal anamorphs <i>Bahusutrabeeja</i> , <i>Diplococcum</i> , <i>Natarajania</i> , <i>Paliphora</i> , <i>Polyschema</i> , <i>Rattania</i> and <i>Spadicoides</i> . <i>Fungal Diversity</i> , 2010, 44, 161-169.	4.7	59
692	Culture collections, the new herbaria for fungal pathogens. <i>Fungal Diversity</i> , 2010, 45, 21-32.	4.7	28
693	Morphological and molecular characterization of <i>Mariannaea aquaticola</i> sp. nov. collected from freshwater habitats. <i>Mycological Progress</i> , 2010, 9, 337-343.	0.5	14
694	Mushroom diversity in sustainable shade tea forest and the effect of fire damage. <i>Biodiversity and Conservation</i> , 2010, 19, 1401-1415.	1.2	33
695	Diversity and ecological distribution of macrofungi in the Laojun Mountain region, southwestern China. <i>Biodiversity and Conservation</i> , 2010, 19, 3545-3563.	1.2	31
696	Fungal diversity on submerged wood in a tropical stream and an artificial lake. <i>Biodiversity and Conservation</i> , 2010, 19, 3799-3808.	1.2	23
697	(117–119) Proposals to make the pre-publication deposit of key nomenclatural information in a recognized repository a requirement for valid publication of organisms treated as fungi under the <i>Code</i>. <i>Taxon</i> , 2010, 59, 660-662.	0.4	10
698	Occurrence and distribution of fungi in a mangrove forest on Siargao Island, Philippines. <i>Botanica Marina</i> , 2010, 53, .	0.6	13
699	Integrating fuel treatment into ecosystem management: a proposed project planning process. <i>International Journal of Wildland Fire</i> , 2010, 19, 725.	1.0	9
700	Patterns of occurrence of myxomycetes on lianas. <i>Fungal Ecology</i> , 2010, 3, 302-310.	0.7	10
701	Biology of <i>Colletotrichum horii</i>, the causal agent of persimmon anthracnose. <i>Mycology</i> , 2010, 1, 242-253.	2.0	27
702	Transfer of <i>Pseudoparodia pseudopeziza</i> to Patellariaceae (Patellariales). <i>Nova Hedwigia</i> , 2009, 88, 211-215.	0.2	4

#	ARTICLE	IF	CITATIONS
703	Molecular diversity of myxomycetes associated with decaying wood and forest floor leaf litter. <i>Mycologia</i> , 2009, 101, 592-598.	0.8	18
704	Diversity and abundance of nematode-trapping fungi from decaying litter in terrestrial, freshwater and mangrove habitats. <i>Biodiversity and Conservation</i> , 2009, 18, 1695-1714.	1.2	45
705	Phylogenetic relationships of Chalara and allied species inferred from ribosomal DNA sequences. <i>Mycological Progress</i> , 2009, 8, 133-143.	0.5	23
706	Epitypification: should we epitypify?. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 842-846.	1.3	65
707	Fungal diversity on fallen leaves of Ficus in northern Thailand. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 835-841.	1.3	29
708	Chilli anthracnose disease caused by <i>Colletotrichum</i> species. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 764-778.	1.3	150
709	New and rare lignicolous hyphomycetes from Zhejiang Province, China. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 797-801.	1.3	7
710	Advances in the phylogenesis of Agaricales and its higher ranks and strategies for establishing phylogenetic hypotheses. <i>Journal of Zhejiang University: Science B</i> , 2008, 9, 779-786.	1.3	7
711	Multi-gene phylogeny and morphotaxonomy of <i>Amniculicola lignicola</i> : a novel freshwater fungus from France and its relationships to the Pleosporales. <i>Mycological Research</i> , 2008, 112, 1186-1194.	2.5	48
712	Fungal Endophytes. , 2008, , 281-292.		3
713	Taxonomy and molecular phylogeny of <i>Arthrobotrys mangrovispora</i>, a new marine nematode-trapping fungal species. <i>Botanica Marina</i> , 2008, 51, 331-338.	0.6	18
714	Distribution and occurrence of myxomycetes on agricultural ground litter and forest floor litter in Thailand. <i>Mycologia</i> , 2008, 100, 181-190.	0.8	10
715	Distribution and occurrence of myxomycetes on agricultural ground litter and forest floor litter in Thailand. <i>Mycologia</i> , 2008, 100, 181-190.	0.8	20
716	Ribosomal DNA phylogenies of Cyathus: Is the current infrageneric classification appropriate?. <i>Mycologia</i> , 2007, 99, 385-395.	0.8	14
717	Berkleasmium crunisia sp. nov. and its phylogenetic affinities to the Pleosporales based on 18S and 28S rDNA sequence analyses. <i>Mycologia</i> , 2007, 99, 378-384.	0.8	10
718	Ribosomal DNA phylogenies of Cyathus: Is the current infrageneric classification appropriate?. <i>Mycologia</i> , 2007, 99, 385-395.	0.8	25
719	Berkleasmium crunisia sp. nov. and its phylogenetic affinities to the Pleosporales based on 18S and 28S rDNA sequence analyses. <i>Mycologia</i> , 2007, 99, 378-384.	0.8	27
720	Morphological and molecular characterization of Aquaticheirospora and phylogenetics of Massarinaceae (Pleosporales). <i>Botanical Journal of the Linnean Society</i> , 2007, 155, 283-296.	0.8	28

#	ARTICLE	IF	CITATIONS
721	Phylogenetic relationships of <i>Nemania plumbea</i> sp. nov. and related taxa based on ribosomal ITS and RPB2 sequences. <i>Mycological Research</i> , 2007, 111, 392-402.	2.5	22
722	A higher-level phylogenetic classification of the Fungi. <i>Mycological Research</i> , 2007, 111, 509-547.	2.5	1,994
723	The polyphyletic nature of Pleosporales: an example from <i>Massariosphaeria</i> based on rDNA and RBP2 gene phylogenies. <i>Mycological Research</i> , 2007, 111, 1268-1276.	2.5	43
724	Diversity of saprobic microfungi. <i>Biodiversity and Conservation</i> , 2007, 16, 7-35.	1.2	89
725	Endophytic fungi from <i>Nerium oleander</i> L (Apocynaceae): main constituents and antioxidant activity. <i>World Journal of Microbiology and Biotechnology</i> , 2007, 23, 1253-1263.	1.7	111
726	New species of <i>Clochesia</i> and <i>Paraniesslia</i> collected from freshwater habitats in China. <i>Mycoscience</i> , 2007, 48, 182-186.	0.3	12
727	Anamorphic fungi from freshwater habitats in China: <i>Dictyosporium tetrasporum</i> and <i>Exserticlava yunnanensis</i> spp. nov., and two new records for <i>Pseudofuscophaeia lignicola</i> and <i>Pseudobotrytis terrestris</i> . <i>Mycoscience</i> , 2007, 48, 290-296.	0.3	19
728	Phylogenetic utility of protein (RPB2, $\beta$ -tubulin) and ribosomal (LSU, SSU) gene sequences in the systematics of Sordariomycetes (Ascomycota, Fungi). <i>Antonie Van Leeuwenhoek</i> , 2007, 91, 327-349.	0.7	70
729	Calonectria species and their Cylindrocladium anamorphs: species with clavate vesicles. <i>Studies in Mycology</i> , 2006, 55, 213-226.	4.5	156
730	The family Pleosporaceae: intergeneric relationships and phylogenetic perspectives based on sequence analyses of partial 28S rDNA. <i>Mycologia</i> , 2006, 98, 571-583.	0.8	18
731	Variation between freshwater and terrestrial fungal communities on decaying bamboo culms. <i>Antonie Van Leeuwenhoek</i> , 2006, 89, 293-301.	0.7	70
732	Phylogenetic investigations of Sordariaceae based on multiple gene sequences and morphology. <i>Mycological Research</i> , 2006, 110, 137-150.	2.5	152
733	Molecular Systematics of Zopfiella and allied genera: evidence from multi-gene sequence analyses. <i>Mycological Research</i> , 2006, 110, 359-368.	2.5	40
734	Two new species of nematode-trapping fungi: relationships inferred from morphology, rDNA and protein gene sequence analyses. <i>Mycological Research</i> , 2006, 110, 790-800.	2.5	26
735	Ribosomal and RPB2 DNA sequence analyses suggest that <i>Sporidesmium</i> and morphologically similar genera are polyphyletic. <i>Mycological Research</i> , 2006, 110, 916-928.	2.5	119
736	Diversity and distribution of saprobic microfungi in leaf litter of an Australian tropical rainforest. <i>Mycological Research</i> , 2006, 110, 1441-1454.	2.5	52
737	The family Pleosporaceae: intergeneric relationships and phylogenetic perspectives based on sequence analyses of partial 28S rDNA. <i>Mycologia</i> , 2006, 98, 571-583.	0.8	59
738	<i>Endosporoideus</i> gen. nov., a mitosporic fungus on <i>Phoenix hanceana</i> . <i>Mycologia</i> , 2005, 97, 238-245.	0.8	1

#	ARTICLE	IF	CITATIONS
739	Phylogenetics and evolution of nematode-trapping fungi (Oribiliales) estimated from nuclear and protein coding genes. <i>Mycologia</i> , 2005, 97, 1034-1046.	0.8	60
740	Screening of basidiomycetes and xylariaceous fungi for lignin peroxidase and laccase gene-specific sequences. <i>Mycological Research</i> , 2005, 109, 115-124.	2.5	69
741	Phylogenetics and evolution of nematode-trapping fungi (Oribiliales) estimated from nuclear and protein coding genes. <i>Mycologia</i> , 2005, 97, 1034-1046.	0.8	105
742	Oxydothis bambusicola, a new ascomycete with a huge subapical ascal ring found on bamboo in Hong Kong. <i>Nova Hedwigia</i> , 2005, 80, 511-518.	0.2	4
743	Succession of microfungal communities on decaying leaves of <i>Castanopsis fissa</i> . <i>Canadian Journal of Microbiology</i> , 2005, 51, 967-974.	0.8	25
744	Immunomodulatory compounds from <i>Pestalotiopsis leucothrix</i> , an endophytic fungus from <i>Tripterygium wilfordii</i> . <i>Life Sciences</i> , 2005, 78, 147-156.	2.0	32
745	<i>Acanthostigma</i> and <i>Tubeufia</i> Species, Including <i>T. claspisphaeria</i> sp. nov., from Submerged Wood in Hong Kong. <i>Mycologia</i> , 2004, 96, 667.	0.8	4
746	Aquatic Fungi from Peat Swamp Palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and Its Hyphomycete Anamorph. <i>Mycologia</i> , 2004, 96, 1163.	0.8	4
747	Three new species of <i>Craspedodidymum</i> from palm in Thailand. <i>Mycoscience</i> , 2004, 45, 177-180.	0.3	9
748	In vitro studies of endophytic fungi from <i>Tripterygium wilfordii</i> with anti-proliferative activity on human peripheral blood mononuclear cells. <i>Journal of Ethnopharmacology</i> , 2004, 94, 295-300.	2.0	18
749	Aquatic fungi from peat swamp palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and its hyphomycete anamorph. <i>Mycologia</i> , 2004, 96, 1163-1170.	0.8	12
750	<i>Acanthostigma</i> and <i>Tubeufia</i> species, including <i>T. claspisphaeria</i> sp. nov., from submerged wood in Hong Kong. <i>Mycologia</i> , 2004, 96, 667-674.	0.8	16
751	<i>Cataractispora receptaculorum</i> , a new freshwater ascomycete from Hong Kong. <i>Mycologia</i> , 2004, 96, 411-417.	0.8	9
752	<i>Cataractispora receptaculorum</i> , a new freshwater ascomycete from Hong Kong. <i>Mycologia</i> , 2004, 96, 411-7.	0.8	3
753	<i>Acanthostigma</i> and <i>Tubeufia</i> species, including <i>T. claspisphaeria</i> sp. nov., from submerged wood in Hong Kong. <i>Mycologia</i> , 2004, 96, 667-74.	0.8	4
754	Aquatic fungi from peat swamp palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and its hyphomycete anamorph. <i>Mycologia</i> , 2004, 96, 1163-70.	0.8	3
755	Fungi on submerged wood in the Koito River, Japan. <i>Mycoscience</i> , 2003, 44, 55-59.	0.3	14
756	Aquatic fungi from peat swamp palms: <i>Unisetosphaeria penguinoides</i> gen. et sp. nov., and three new <i>Dactylaria</i> species. <i>Mycoscience</i> , 2003, 44, 377-382.	0.3	11

#	ARTICLE	IF	CITATIONS
757	Production of wood-decay enzymes, mass loss and lignin solubilization in wood by tropical Xylariaceae. <i>Mycological Research</i> , 2003, 107, 231-235.	2.5	71
758	Molecular identification of white morphotype strains of endophytic fungi from <i>Pinus tabulaeformis</i> . <i>Mycological Research</i> , 2003, 107, 680-688.	2.5	113
759	Estimation of microfungal diversity in tropical rainforest leaf litter using particle filtration: the effects of leaf storage and surface treatment. <i>Mycological Research</i> , 2003, 107, 748-756.	2.5	40
760	Can ascospore ultrastructure differentiate between the genera <i>Linocarpon</i> and <i>Neolinocarpon</i> and species therein?. <i>Mycological Research</i> , 2003, 107, 1305-1313.	2.5	5
761	Phylogenetic significance of morphological characters in the taxonomy of <i>Pestalotiopsis</i> species. <i>Molecular Phylogenetics and Evolution</i> , 2003, 27, 372-383.	1.2	154
762	Molecular systematics of the Amphisphaeriaceae based on cladistic analyses of partial LSU rDNA gene sequences. <i>Mycological Research</i> , 2003, 107, 1392-1402.	2.5	44
763	Three New Species of <i>Pyricularia</i> Are Isolated as Zingiberaceous Endophytes from Thailand. <i>Mycologia</i> , 2003, 95, 519.	0.8	11
764	Reflections on the Genus <i>Vanakripa</i> , and a Description of <i>V. ellipsoidea</i> sp. nov.. <i>Mycologia</i> , 2003, 95, 124.	0.8	2
765	Three new species of <i>Pyricularia</i> are isolated as zingiberaceous endophytes from Thailand. <i>Mycologia</i> , 2003, 95, 519-524.	0.8	10
766	<i>Cylindrosympodium cryptocaryae</i> sp. nov. (anamorphic fungi), with keys to the described species and to similar genera. <i>Australian Systematic Botany</i> , 2003, 16, 577.	0.3	4
767	Reflections on the genus <i>Vanakripa</i> , and a description of <i>V. ellipsoidea</i> sp. nov. <i>Mycologia</i> , 2003, 95, 124-127.	0.8	4
768	Enzymatic activity of endophytic fungi of six native seedling species from Doi Suthep-Pui National Park, Thailand. <i>Canadian Journal of Microbiology</i> , 2002, 48, 1109-1112.	0.8	38
769	An Evaluation of the Monophyly of <i>Massarina</i> Based on Ribosomal DNA Sequences. <i>Mycologia</i> , 2002, 94, 803.	0.8	26
770	<i>Acrodictys liputii</i> sp. nov. and <i>Digitodesmium bambusicola</i> sp. nov. from bamboo submerged in the Liput River in the Philippines. <i>Nova Hedwigia</i> , 2002, 75, 525-532.	0.2	16
771	Two New Species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , 2002, 94, 302.	0.8	5
772	Two new species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , 2002, 94, 302-306.	0.8	16
773	An evaluation of the monophyly of <i>Massarina</i> based on ribosomal DNA sequences. <i>Mycologia</i> , 2002, 94, 803-813.	0.8	45
774	New saprobic fungi on fronds of palms from northern Queensland, Australia. <i>Australian Systematic Botany</i> , 2002, 15, 755.	0.3	12

#	ARTICLE	IF	CITATIONS
775	Molecular evidence for teleomorph-anamorph connections in <i>Cordyceps</i> based on ITS-5.8S rDNA sequences. <i>Mycological Research</i> , 2002, 106, 1100-1108.	2.5	74
776	Microfungi on the Pandanaceae : a revision of the hyphomycete genus <i>Balaniopsis</i> with two new species. <i>Mycoscience</i> , 2002, 43, 67-72.	0.3	7
777	Three new species of <i>Annulatascus</i> (Ascomycetes) from Hong Kong freshwater habitats. <i>Mycoscience</i> , 2002, 43, 383-389.	0.3	13
778	Phylogenetic relationships of <i>Pestalotiopsis</i> and allied genera inferred from ribosomal DNA sequences and morphological characters. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 378-392.	1.2	156
779	Diversity of fungi on rainforest litter in North Queensland, Australia. <i>Biodiversity and Conservation</i> , 2002, 11, 1185-1194.	1.2	33
780	Two new species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , 2002, 94, 302-6.	0.8	1
781	An evaluation of the monophyly of <i>Massarina</i> based on ribosomal DNA sequences. <i>Mycologia</i> , 2002, 94, 803-13.	0.8	15
782	<i>Brunneosporella aquatica</i> gen. et sp. nov., <i>Aqualignicola hyalina</i> gen. et sp. nov., <i>Jobellisia viridifusca</i> sp. nov. and <i>Porosphaerellopsis bipolaris</i> sp. nov. (ascomycetes) from submerged wood in freshwater habitats. <i>Mycological Research</i> , 2001, 105, 625-633.	2.5	23
783	Host-specificity, host-exclusivity, and host-recurrence in saprobic fungi. <i>Mycological Research</i> , 2001, 105, 1449-1457.	2.5	148
784	New Species or Records of <i>Cacumisporium</i> , <i>Helicosporium</i> , <i>Monotosporella</i> and <i>Bahusutrabeeja</i> on Submerged Wood in Hong Kong Streams. <i>Mycologia</i> , 2001, 93, 389.	0.8	12
785	Revision of the Phyllachoraceae (Ascomycota) on hosts in the angiosperm family, Proteaceae. <i>Australian Systematic Botany</i> , 2001, 14, 283.	0.3	8
786	Endophytic fungi from <i>Amomum siamense</i>. <i>Canadian Journal of Microbiology</i> , 2001, 47, 943-948.	0.8	46
787	Non-lichenised Australian ascomycetes. <i>Australian Systematic Botany</i> , 2001, 14, 357.	0.3	4
788	New species or records of <i>Cacumisporium</i>, <i>Helicosporium</i> , <i>Monotosporella</i> </i> and <i>Bahusutrabeeja</i> on submerged wood in Hong Kong streams. <i>Mycologia</i> , 2001, 93, 389-397.	0.8	25
789	Two pantropical Ascomycetes: <i>Chaetosphaeria cylindrospora</i> sp. nov. and <i>Rimaconus</i>, a new genus for <i>Lasiosphaeria jamaicensis</i>. <i>Mycologia</i> , 2001, 93, 1072-1080.	0.8	9
790	<i>Paraniesslia tuberculata</i> gen. et sp. nov., and new records or species of <i>Clypeosphaeria</i> , <i>Leptosphaeria</i> and <i>Astrosphaeriella</i> in Hong Kong freshwater habitats. <i>Mycologia</i> , 2001, 93, 1002-1009.	0.8	13
791	<i>Paraniesslia tuberculata</i> gen. et sp. nov., and New Records or Species of <i>Clypeosphaeria</i> , <i>Leptosphaeria</i> and <i>Astrosphaeriella</i> in Hong Kong Freshwater Habitats. <i>Mycologia</i> , 2001, 93, 1002.	0.8	12
792	Microfungi on the Pandanaceae: <i>Polytretophora macrospora</i> sp. nov.. <i>Mycoscience</i> , 2001, 42, 555-558.	0.3	6

#	ARTICLE	IF	CITATIONS
793	Three new Ophioceras species (Ascomycetes) from the tropics. <i>Mycoscience</i> , 2001, 42, 321-326.	0.3	9
794	Lasiosphaeria and a similar new genus from palms. <i>Mycoscience</i> , 2001, 42, 369-377.	0.3	4
795	Lanceispora phyllophila sp. nov. on petioles of unknown dicotyledonous leaves in Singapore. <i>Mycoscience</i> , 2001, 42, 97-99.	0.3	1
796	Detection and Taxonomic Placement of Endophytic Fungi within Frond Tissues of <i>Livistona chinensis</i> Based on rDNA Sequences. <i>Molecular Phylogenetics and Evolution</i> , 2001, 20, 1-13.	1.2	121
797	Longitudinal and temporal distribution of freshwater ascomycetes and dematiaceous hyphomycetes on submerged wood in the Lam Tsuen River, Hong Kong. <i>Journal of the North American Benthological Society</i> , 2001, 20, 533-549.	3.0	36
798	Diversity of fungi on six species of Gramineae and one species of Cyperaceae in Hong Kong. <i>Mycological Research</i> , 2001, 105, 1485-1491.	2.5	56
799	Where are the missing fungi? Does Hong Kong have any answers?. <i>Mycological Research</i> , 2001, 105, 1514-1518.	2.5	46
800	Endophytic fungi of wild banana ( <i>Musa acuminata</i> ) at Doi Suthep Pui National Park, Thailand. <i>Mycological Research</i> , 2001, 105, 1508-1513.	2.5	137
801	Fungal communities on submerged wood from streams in Brunei, Hong Kong, and Malaysia. <i>Mycological Research</i> , 2001, 105, 1492-1501.	2.5	87
802	Fungal communities on decaying palm fronds in Australia, Brunei, and Hong Kong. <i>Mycological Research</i> , 2001, 105, 1458-1471.	2.5	25
803	Where are the Missing Fungi?. <i>Mycological Research</i> , 2001, 105, 1409-1410.	2.5	14
804	Two Pantropical Ascomycetes: <i>Chaetosphaeria cylindrospora</i> sp. nov. and <i>Rimaconus</i> , a New Genus for <i>Lasiosphaeria jamaicensis</i> . <i>Mycologia</i> , 2001, 93, 1072.	0.8	7
805	Endophytic fungi from <i>Amomum siamense</i>. <i>Canadian Journal of Microbiology</i> , 2001, 47, 943-948.	0.8	8
806	Phylogenetic Significance of the Pseudoparaphyses in Loculoascomycete Taxonomy. <i>Molecular Phylogenetics and Evolution</i> , 2000, 16, 392-402.	1.2	94
807	Endophytic fungi associated with palms. <i>Mycological Research</i> , 2000, 104, 1202-1212.	2.5	197
808	Halorosellinia gen. nov. to accommodate <i>Hypoxylon oceanicum</i> , a common mangrove species. <i>Mycological Research</i> , 2000, 104, 368-374.	2.5	10
809	Eight new species of <i>Anthostomella</i> from South Africa. <i>Mycological Research</i> , 2000, 104, 742-754.	2.5	6
810	A member of the <i>Phyllachora shiraiana</i> complex (Ascomycota) on <i>Bambusa arnhemica</i> : a new record for Australia. <i>Australasian Plant Pathology</i> , 2000, 29, 205.	0.5	2

#	ARTICLE	IF	CITATIONS
811	sp. nov. and note on other species on monocots from Hong Kong. <i>Cryptogamie, Mycologie</i> , 2000, 21, 207-214.	0.2	2
812	Biodiversity and distribution of fungi associated with decomposing <i>Nypa fruticans</i> . <i>Biodiversity and Conservation</i> , 2000, 9, 393-402.	1.2	40
813	<i>Ascominuta lignicola</i> , a new loculoascomycete from submerged wood in Hong Kong. <i>Mycoscience</i> , 2000, 41, 1-5.	0.3	11
814	<i>Annulatasca fusiformis</i> sp. nov., a new freshwater ascomycete from the Philippines. <i>Mycologia</i> , 2000, 92, 553-557.	0.8	5
815	A new species of <i>Canalisporium</i> from Australia. <i>Mycologia</i> , 2000, 92, 589-592.	0.8	11
816	<i>Cheiromyces lignicola</i> , a new chirosporous anamorphic species from Hong Kong. <i>Mycologia</i> , 2000, 92, 582-588.	0.8	16
817	< i>Verticicola caudatus</i> gen. et sp. nov., and a new species of < i>Rivulicola</i> from submerged wood in freshwater habitats. <i>Mycologia</i> , 2000, 92, 1019-1026.	0.8	14
818	<i>Verticicola caudatus</i> gen. et sp. nov., and a New Species of <i>Rivulicola</i> from Submerged Wood in Freshwater Habitats. <i>Mycologia</i> , 2000, 92, 1019.	0.8	8
819	<i>Cheiromyces lignicola</i> , a New Chirosporous Anamorphic Species from Hong Kong. <i>Mycologia</i> , 2000, 92, 582.	0.8	10
820	<i>Annulatasca fusiformis</i> sp. nov., a New Freshwater Ascomycete from the Philippines. <i>Mycologia</i> , 2000, 92, 553.	0.8	5
821	<i>Torrentispora fibrosa</i> gen. sp. nov. (Annulatasaceae) from freshwater habitats. <i>Mycological Research</i> , 2000, 104, 1399-1403.	2.5	12
822	Fungi from palms. XLIII. <i>Lophiostoma</i> and <i>Astrosphaeriella</i> species with slit-like ostioles. <i>Nova Hedwigia</i> , 2000, 70, 143-160.	0.2	16
823	<i>Paraceratocladium malaysianum</i> sp. nov. from submerged wood in Malaysia. <i>Nova Hedwigia</i> , 2000, 71, 95-100.	0.2	7
824	Two new species of <i>Pseudohalonectria</i> from palms. <i>Mycologia</i> , 1999, 91, 520-524.	0.8	9
825	Ascal ultrastructural study in <i>Annulatasca hongkongensis</i> sp. nov., a freshwater ascomycete. <i>Mycologia</i> , 1999, 91, 885-892.	0.8	11
826	<i>Digitodesmium recurvum</i> , a new species of chirosporous hyphomycete from Hong Kong. <i>Mycologia</i> , 1999, 91, 900-904.	0.8	12
827	Two New Species of <i>Pseudohalonectria</i> from Palms. <i>Mycologia</i> , 1999, 91, 520.	0.8	6
828	Biodiversity of palm fungi in the tropics: are global fungal diversity estimates realistic?. <i>Biodiversity and Conservation</i> , 1999, 8, 977-1004.	1.2	156

#	ARTICLE	IF	CITATIONS
829	New observations on <i>Monotosporella rhizoidea</i> . <i>Mycoscience</i> , 1999, 40, 377-382.	0.3	7
830	<i>Linocarpon angustatum</i> sp. nov., and <i>Neolinocarpon nypicola</i> sp. nov. from petioles of <i>Nypa fruticans</i> , and a list of fungi from aerial parts of this host. <i>Mycoscience</i> , 1999, 40, 145-149.	0.3	18
831	Studies on the Amphisphaerales I. The Clypeosphaeriaceae. <i>Mycoscience</i> , 1999, 40, 151-164.	0.3	16
832	The genera <i>Aniptodera</i> , <i>Halosarpheia</i> , <i>Nais</i> and <i>Phaeonectriella</i> from freshwater habitats. <i>Mycoscience</i> , 1999, 40, 165-183.	0.3	34
833	<i>Cryptophiale sphaerospora</i> sp. nov. occurring on <i>Janetia synnematos</i> a. <i>Mycoscience</i> , 1999, 40, 189-191.	0.3	2
834	Studies on Amphisphaerales: The Amphisphaeriaceae ( <i>sensu stricto</i> ). <i>Mycological Research</i> , 1999, 103, 53-64.	2.5	47
835	<i>Proboscispora aquatica</i> gen. et sp. nov., from wood submerged in freshwater. <i>Mycological Research</i> , 1999, 103, 81-87.	2.5	28
836	Ultrastructural studies on the Myelospermaceae fam. nov., with a new species of <i>Myelosperma</i> . <i>Mycological Research</i> , 1999, 103, 347-352.	2.5	4
837	Ultrastructural studies on the aquatic ascomycetes <i>Annulatascus velatisporus</i> and <i>A. triseptatus</i> sp. nov.. <i>Mycological Research</i> , 1999, 103, 561-571.	2.5	21
838	<i>Cataractispora</i> gen. nov. with three new freshwater lignicolous species. <i>Mycological Research</i> , 1999, 103, 1019-1031.	2.5	19
839	<i>Ascomauritiana lignicola</i> gen. et sp. nov., an ascomycete from submerged wood in Mauritius. <i>Mycological Research</i> , 1999, 103, 938-942.	2.5	8
840	Ultrastructure of the dimorphic ascospores in <i>Mamillisphaeria dimorphospora</i> . <i>Mycological Research</i> , 1999, 103, 1284-1288.	2.5	0
841	Studies on Amphisphaerales: The Cainiaceae. <i>Mycological Research</i> , 1999, 103, 1621-1627.	2.5	10
842	Fungi on submerged wood from the River Coln, England. <i>Mycological Research</i> , 1999, 103, 1561-1574.	2.5	47
843	Ascal Ultrastructural Study in <i>Annulatascus hongkongensis</i> sp. nov., a Freshwater Ascomycete. <i>Mycologia</i> , 1999, 91, 885.	0.8	12
844	<i>Digitodesmium recurvum</i> , a New Species of Chirosporous Hyphomycete from Hong Kong. <i>Mycologia</i> , 1999, 91, 900.	0.8	8
845	Tropical Australian Freshwater Fungi. XVI. Some new melanommataceous fungi from woody substrata and a key to genera of lignicolous loculoascomycetes in freshwater. <i>Nova Hedwigia</i> , 1999, 68, 251-272.	0.2	7
846	Tropical Australian Freshwater Fungi. XV. The ascomycete genus <i>Jahnula</i> , with five new species and one new combination. <i>Nova Hedwigia</i> , 1999, 68, 489-509.	0.2	24

#	ARTICLE	IF	CITATIONS
847	Fungi from palms. XLII. Didymosphaeria and similar ascomycetes from palms. <i>Nova Hedwigia</i> , 1999, 69, 449-471.	0.2	7
848	Role of fungi in marine ecosystems. <i>Biodiversity and Conservation</i> , 1998, 7, 1147-1161.	1.2	246
849	Role of fungi in freshwater ecosystems. <i>Biodiversity and Conservation</i> , 1998, 7, 1187-1206.	1.2	180
850	The genus <i>Brachydesmiella</i> from submerged wood in the tropics, including a new species and a new combination. <i>Mycoscience</i> , 1998, 39, 239-247.	0.3	12
851	A new species of <i>Clohiesia</i> from Hong Kong. <i>Mycoscience</i> , 1998, 39, 257-259.	0.3	9
852	<i>Tamsiniella labiosa</i> gen. et sp.nov., a new freshwater ascomycete from submerged wood. <i>Canadian Journal of Botany</i> , 1998, 76, 332-337.	1.2	7
853	Fungi on submerged wood in the Riviere St Marie-Louis, The Seychelles. <i>South African Journal of Botany</i> , 1998, 64, 330-336.	1.2	37
854	Ascomycetes from Freshwater Habitats: <i>Ascolacicola aquatica</i> Gen. et sp. nov. and a New Species of <i>Ascotaiwania</i> from Wood Submerged in a Reservoir in Hong Kong. <i>Mycologia</i> , 1998, 90, 1055.	0.8	15
855	Ascomycetes from freshwater habitats: <i>&lt; i&gt;Ascolacicola aquatica&lt;/i&gt;</i> gen. et sp. nov. and a new species of <i>&lt; i&gt;Ascotaiwania&lt;/i&gt;</i> from wood submerged in a reservoir in Hong Kong. <i>Mycologia</i> , 1998, 90, 1055-1062.	0.8	31
856	A new freshwater species of <i>Herpotrichia</i> from the tropics. <i>Nova Hedwigia</i> , 1998, 66, 247-249.	0.2	3
857	Tropical Australian Freshwater Fungi XIII. A new species of <i>Anthostomella</i> and its sporodochial <i>Geniculosporium</i> anamorph. <i>Nova Hedwigia</i> , 1998, 67, 225-233.	0.2	8
858	<i>&lt; i&gt;Tamsiniella labiosa&lt;/i&gt;</i> gen. et sp.nov., a new freshwater ascomycete from submerged wood. <i>Canadian Journal of Botany</i> , 1998, 76, 332-337.	1.2	5
859	Additions to the genus <i>Linocarpon</i> (Ascomycetes: Hypocreaceae). <i>Botanical Journal of the Linnean Society</i> , 1997, 123, 109-131.	0.8	20
860	<i>Lepteutypa hexagonalis</i> sp. nov. from <i>Pinanga</i> sp. in Ecuador. <i>Mycological Research</i> , 1997, 101, 85-88.	2.5	6
861	<i>Delortia palmicola</i> and two new species from wood submerged in a freshwater stream in Australia. <i>Mycological Research</i> , 1997, 101, 42-46.	2.5	8
862	The genus <i>Roussoa</i> , including two new species from palms in Cuyabeno, Ecuador. <i>Mycological Research</i> , 1997, 101, 609-616.	2.5	14
863	<i>Boerlagiomyces grandisporus</i> sp. nov., a new tropical freshwater ascomycete from the Philippines. <i>Mycological Research</i> , 1997, 101, 635-640.	2.5	12
864	Fungi associated with leaf spots of palms in north Queensland, Australia. <i>Mycological Research</i> , 1997, 101, 721-732.	2.5	11

#	ARTICLE	IF	CITATIONS
865	Phaeosphaeria capensis sp. nov. from Avicennia marina in South Africa. Mycoscience, 1997, 38, 101-103.	0.3	5
866	Cocoicola livistonicola, sp. nov., and notes on Cocoicola cylindrospora from palms. Mycoscience, 1997, 38, 255-258.	0.3	3
867	Gloniella clavatispora, sp. nov. from Avicennia marina in South Africa. Mycoscience, 1997, 38, 7-9.	0.3	11
868	Ultrastructure of germination and mucilage production in Halosphaeria appendiculata (Halosphaeriaceae). Mycoscience, 1997, 38, 45-53.	0.3	3
869	Tropical Australian Freshwater Fungi. XII - Rivulicola incrustata gen. et sp. nov. and notes on Ceratosphaeria Jampadophora. Nova Hedwigia, 1997, 64, 185-196.	0.2	18
870	Fungi from palms. XXXIII. The genus Massarina, with a new species. Nova Hedwigia, 1997, 64, 491-504.	0.2	7
871	< i>Spadicoides cordanoides</i> sp. nov., a new dematiaceous hyphomycete from submerged wood in Australia, with a taxonomic review of the genus. Mycologia, 1996, 88, 1022-1031.	0.8	28
872	< i>Janetia curviapicis</i>, a new species, and an emended description of the genus. Mycologia, 1996, 88, 1014-1021.	0.8	23
873	A new species of Nectria on Mauritia flexuosa (Arecaceae) in Ecuador and a key to Nectria and allied genera on palms. Mycoscience, 1996, 37, 277-282.	0.3	6
874	Two new species of Delitschia from submerged wood. Mycoscience, 1996, 37, 99-102.	0.3	13
875	Nawawia dendroidea, a new synnematous hyphomycete from submerged Phragmites in South Africa. Mycological Research, 1996, 100, 810-814.	2.5	12
876	Cryptophiale multisepata, sp. nov. from submerged wood in Australia, and keys to the genus. Mycological Research, 1996, 100, 999-1004.	2.5	13
877	Brachydesmiella anthostomelloidea, a new species of dematiaceous hyphomycete from Australia. Mycological Research, 1996, 100, 1364-1366.	2.5	9
878	Helicoon gigantisporum sp. nov., and an amended key to the genus. Mycological Research, 1996, 100, 1485-1488.	2.5	19
879	Podosordaria australiensis sp. nov., a new xylariaceous ascomycete on wallaby dung from northern Australia. Mycological Research, 1996, 100, 1505-1508.	2.5	2
880	Fungi associated with leaf spots of palms. Maculatirondis aequatoriensis gen. et sp. nov., with a Cyclodomus anamorph, and Myelosperma parasitica sp. nov.. Mycological Research, 1996, 100, 1509-1514.	2.5	5
881	Roussoailla, an ascomycete genus of uncertain relationships with a Cyptolea anamorph. Mycological Research, 1996, 100, 1522-1528.	2.5	27
882	< i>Pterosporidium</i> gen.nov. to accommodate two species of < i>Anthostomella</i> from mangrove leaves. Canadian Journal of Botany, 1996, 74, 1826-1829.	1.2	6

#	ARTICLE	IF	CITATIONS
883	Janetia curviapicis, a New Species, and an Emended Description of the Genus. <i>Mycologia</i> , 1996, 88, 1014.	0.8	9
884	Spadicoides cordanoides sp. nov., a New Dematiaceous Hyphomycete from Submerged Wood in Australia, with a Taxonomic Review of the Genus. <i>Mycologia</i> , 1996, 88, 1022.	0.8	14
885	Phyllachora from Australia. Observations on <i>P. grevilleae</i> and two new species: <i>P. victoriensis</i> and <i>P. hakeicola</i> from Hakea. <i>Mycological Research</i> , 1995, 99, 1261-1267.	2.5	2
886	Guignardia candeloflamma sp. nov. causing leaf spots of <i>Pinanga</i> spp.. <i>Mycological Research</i> , 1995, 99, 110-112.	2.5	10
887	Maculatipalma fronsicola gen. et sp. nov. causing leaf spots on palm species in north Queensland with descriptions of related genera: <i>Apioplagiostoma</i> and <i>Plagiostoma</i> . <i>Mycological Research</i> , 1995, 99, 727-734.	2.5	12
888	Astrosphaeriella fronsicola sp. nov. associated with leaf spots of <i>Oraniopsis</i> and other palms. <i>Mycological Research</i> , 1995, 99, 453-456.	2.5	11
889	Phyllachora from Australia. <i>Phyllachora sageretiae</i> sp. nov. from <i>Sageretia hamosa</i> . <i>Mycological Research</i> , 1995, 99, 554-556.	2.5	2
890	Eutypella naqsi sp. nov. from intertidal <i>Avicennia</i> . <i>Mycological Research</i> , 1995, 99, 1462-1464.	2.5	9
891	The genus Massarina, with a description of <i>M. eburnea</i> and an annotated list of Massarina names. <i>Mycological Research</i> , 1995, 99, 291-296.	2.5	26
892	The genus Savoryella from freshwater habitats, including <i>S. grandispora</i> sp. nov.. <i>Mycoscience</i> , 1994, 35, 59-61.	0.3	11
893	Fungi from rachides of <i>Livistona</i> in the Western Province of Papua New Guinea. <i>Botanical Journal of the Linnean Society</i> , 1994, 116, 315-324.	0.8	11
894	Some Disease-Associated Microorganisms on Plants in the Western Province of Papua New Guinea.. <i>Australasian Plant Pathology</i> , 1994, 23, 69.	0.5	8
895	Aquatic fungi on rachides of <i>Livistona</i> in the Western Province of Papua New Guinea. <i>Mycological Research</i> , 1994, 98, 719-725.	2.5	27
896	The genus Phyllachora from Australia: two new taxa, <i>P. velatispora</i> var. <i>velatispora</i> and <i>P. velatispora</i> var. <i>hilliana</i> , on <i>Grevillea</i> and notes on <i>P. grevilleae</i> . <i>Mycological Research</i> , 1994, 98, 1402-1408.	2.5	4
897	The genus Phyllachora from Australia: observations on taxa from <i>Callistemon</i> species. <i>Mycological Research</i> , 1994, 98, 1393-1401.	2.5	8
898	New Oxydothis species associated with palm leaf spots in north Queensland, Australia. <i>Mycological Research</i> , 1994, 98, 213-218.	2.5	14
899	The Status of Taxonomic Mycology in Australia in 1991.. <i>Australasian Plant Pathology</i> , 1993, 22, 42.	0.5	8
900	Some Disease-Associated Microorganisms on Plants of Cape York Peninsula and Torres Strait Islands.. <i>Australasian Plant Pathology</i> , 1993, 22, 73.	0.5	19

#	ARTICLE	IF	CITATIONS
901	The genus Phyllachora from Australia: <i>P. queenslandica</i> and notes on <i>P. apiculata</i> from Neolitsea. Mycological Research, 1993, 97, 1328-1332.	2.5	4
902	Phyllachora barringtoniicola nom. nov. and Phyllachora naqsi sp. nov. causing leaf spots on Barringtonia spp.. Mycological Research, 1993, 97, 1324-1327.	2.5	1
903	Eutypa bathurstensis sp. nov. from intertidal Avicennia. Mycological Research, 1993, 97, 861-864.	2.5	11
904	The genus Phyllachora from Australia. Observations on <i>P. bella</i> from <i>Syzygium paniculatum</i> and <i>P. melaspilea</i> from <i>Scolopia braunii</i> . Mycological Research, 1993, 97, 1437-1440.	2.5	3
905	The genus Ophiodothella from Australia. Mycological Research, 1993, 97, 1272-1276.	2.5	6
906	Annelloacinia pandanicola sp. nov. with notes on <i>A. dinemasporioides</i> from pineapple. Mycological Research, 1993, 97, 1433-1436.	2.5	5
907	Spore attachment in marine fungi. Mycological Research, 1993, 97, 7-14.	2.5	25
908	The Genus Saccardoella from Intertidal Mangrove Wood. Mycologia, 1992, 84, 803.	0.8	14
909	<i>Nypaella frondicola</i> gen. et sp. nov., <i>Plectophomella nypae</i> sp. nov. and <i>Pleurophomopsis nypae</i> sp. nov. (Coelomycetes) from intertidal fronds of <i>Nypa fruticans</i> . Mycological Research, 1992, 96, 210-214.	2.5	13
910	The Genus <i>Saccardoella</i> from Intertidal Mangrove Wood. Mycologia, 1992, 84, 803-810.	0.8	18
911	Fungi from decaying intertidal fronds of <i>Nypa fruticans</i> , including three new genera and four new species. Botanical Journal of the Linnean Society, 1992, 110, 95-110.	0.8	50
912	Observations on the genus Aristastoma. Mycological Research, 1991, 95, 1151-1152.	2.5	2
913	<i>Phomopsis mangrovei</i> , from intertidal prop roots of <i>Rhizophora</i> spp.. Mycological Research, 1991, 95, 1149-1151.	2.5	5
914	<i>&lt; i&gt;Massarina Velatospora&lt;/i&gt;</i> and a New Mangrove-Inhabiting Species, <i>&lt; i&gt;M. Ramunculicola Sp. Nov&lt;/i&gt;</i> .. Mycologia, 1991, 83, 839-845.	0.8	6
915	<i>Massarina velatospora</i> and a New Mangrove-Inhabiting Species, <i>M. ramunculicola</i> sp. nov.. Mycologia, 1991, 83, 839.	0.8	10
916	A study of the vertical zonation of intertidal fungi on <i>Rhizophora apiculata</i> at Kampong Kapok mangrove, Brunei. Aquatic Botany, 1990, 36, 255-262.	0.8	50
917	Attachment studies in marine fungi. Biofouling, 1989, 1, 287-298.	0.8	29
918	Intertidal mangrove fungi from north Sumatra. Canadian Journal of Botany, 1989, 67, 3078-3082.	1.2	37

#	ARTICLE	IF	CITATIONS
919	Marine fungi from Seychelles. I. <i>Nimbospora effusa</i> and <i>Nimbospora bipolaris</i> sp. no v. from driftwood. Canadian Journal of Botany, 1985, 63, 611-615.	1.2	14
920	Appressorial interactions with host and their evolution. Fungal Diversity, 0, , 1.	4.7	12
921	Ganoderma sichuanense (Ganodermataceae, Polyporales) new to Thailand. MycoKeys, 0, 22, 27-43.	0.8	13
922	Identification of endophytic fungi from leaves of Pandanaceae based on their morphotypes and DNA sequence data from southern Thailand. MycoKeys, 0, 33, 25-67.	0.8	3
923	Co-infection of Fusarium aglaonematis sp. nov. and Fusarium elaeidis Causing Stem Rot in Aglaonema modestum in China. Frontiers in Microbiology, 0, 13, .	1.5	2