

E Isenring

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11938021/publications.pdf>

Version: 2024-02-01

25
papers

1,542
citations

430874

18
h-index

580821

25
g-index

25
all docs

25
docs citations

25
times ranked

2126
citing authors

#	ARTICLE	IF	CITATIONS
1	Community-Living Older Adults' Perceptions of Body Weight, Signs of Malnutrition and Sources of Information: a Descriptive Analysis of Survey Data. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 393-399.	3.3	16
2	Could habits hold the key to weight loss maintenance? A narrative review. <i>Journal of Human Nutrition and Dietetics</i> , 2017, 30, 655-664.	2.5	30
3	The nutrition and food-related roles, experiences and support needs of female family carers of malnourished older rehabilitation patients. <i>Journal of Human Nutrition and Dietetics</i> , 2017, 30, 16-26.	2.5	10
4	Patient-Generated Subjective Global Assessment Short Form (PG-SGA SF) is a valid screening tool in chemotherapy outpatients. <i>Supportive Care in Cancer</i> , 2016, 24, 3883-3887.	2.2	105
5	Emergency department malnutrition screening and support model improves outcomes in a pilot randomised controlled trial. <i>Emergency Medicine Journal</i> , 2015, 32, 180-183.	1.0	23
6	Dosimetric factors associated with weight loss during (chemo)radiotherapy treatment for lung cancer. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 1309-1314.	2.9	11
7	The consequences of malnutrition following discharge from rehabilitation to the community: a systematic review of current evidence in older adults. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 133-141.	2.5	119
8	Patient satisfaction with nutrition services amongst cancer patients treated with autologous stem cell transplantation: a comparison of usual and extended care. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 333-338.	2.5	5
9	A novel, automated nutrition screening system as a predictor of nutritional risk in an oncology day treatment unit (ODTU). <i>Supportive Care in Cancer</i> , 2014, 22, 2107-2112.	2.2	26
10	Are informal carers and community care workers effective in managing malnutrition in the older adult community? A systematic review of current evidence. <i>Journal of Nutrition, Health and Aging</i> , 2013, 17, 645-651.	3.3	35
11	Malnutrition and falls risk in community-dwelling older adults. <i>Journal of Nutrition, Health and Aging</i> , 2013, 17, 277-279.	3.3	21
12	Malnutrition in the elderly: A narrative review. <i>Maturitas</i> , 2013, 76, 296-302.	2.4	378
13	The effectiveness of a specialised oral nutrition supplement on outcomes in patients with chronic wounds: a pragmatic randomised study. <i>Journal of Human Nutrition and Dietetics</i> , 2013, 26, 452-458.	2.5	29
14	Using a wiki platform to promote guidelines internationally and maintain their currency: evidence-based guidelines for the nutritional management of adult patients with head and neck cancer. <i>Journal of Human Nutrition and Dietetics</i> , 2013, 26, 182-190.	2.5	33
15	Comparing measures of fat-free mass in overweight older adults using three different bioelectrical impedance devices and three prediction equations. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 26-30.	3.3	7
16	Consensus-Based Nutritional Recommendations for Patients with Head-And-Neck Cancer. <i>Current Oncology</i> , 2011, 18, 165-166.	2.2	2
17	The prevalence of nutrition impact symptoms and their relationship to quality of life and clinical outcomes in medical oncology patients. <i>Supportive Care in Cancer</i> , 2009, 17, 83-90.	2.2	141
18	Estimation of total body water from bioelectrical impedance spectroscopy in oncology outpatients receiving radiotherapy and agreement with three prediction equations. <i>Journal of Human Nutrition and Dietetics</i> , 2009, 22, 50-54.	2.5	2

#	ARTICLE	IF	CITATIONS
19	Nutritional status and length of stay in patients admitted to an Acute Assessment Unit. <i>Journal of Human Nutrition and Dietetics</i> , 2007, 20, 320-328.	2.5	52
20	Nutritional status of patients who have fallen in an acute care setting. <i>Journal of Human Nutrition and Dietetics</i> , 2007, 20, 558-564.	2.5	39
21	Malnutrition determined by the patient-generated subjective global assessment is associated with poor outcomes in acute stroke patients. <i>Clinical Nutrition</i> , 2005, 24, 1073-1077.	5.0	157
22	Patient satisfaction is rated higher by radiation oncology outpatients receiving nutrition intervention compared with usual care. <i>Journal of Human Nutrition and Dietetics</i> , 2004, 17, 145-152.	2.5	45
23	Evaluation of foot-to-foot bioelectrical impedance analysis for the prediction of total body water in oncology outpatients receiving radiotherapy. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 46-51.	2.9	23
24	The impact of nutrition support on body composition in cancer outpatients receiving radiotherapy. <i>Acta Diabetologica</i> , 2003, 40, s162-s164.	2.5	30
25	The scored Patient-generated Subjective Global Assessment (PG-SGA) and its association with quality of life in ambulatory patients receiving radiotherapy. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 305-309.	2.9	203