

# E John Wherry

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11939549/publications.pdf>

Version: 2024-02-01

173  
papers

67,248  
citations

1994

101  
h-index

4645

170  
g-index

186  
all docs

186  
docs citations

186  
times ranked

56481  
citing authors

#	ARTICLE	IF	CITATIONS
1	Human epigenetic and transcriptional T <sup>h</sup> cell differentiation atlas for identifying functional T <sup>h</sup> cell-specific enhancers. <i>Immunity</i> , 2022, 55, 557-574.e7.	14.3	47
2	T-cell exhaustion and residency dynamics inform clinical outcomes in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2022, 77, 397-409.	3.7	59
3	NFAT-dependent and -independent exhaustion circuits program maternal CD8 T cell hypofunction in pregnancy. <i>Journal of Experimental Medicine</i> , 2022, 219, .	8.5	13
4	MicroRNA-29a attenuates CD8 T cell exhaustion and induces memory-like CD8 T cells during chronic infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2106083119.	7.1	7
5	Autoreactive CD8 <sup>+</sup> T cells are restrained by an exhaustion-like program that is maintained by LAG3. <i>Nature Immunology</i> , 2022, 23, 868-877.	14.5	32
6	Inhibitory signaling sustains a distinct early memory CD8 <sup>+</sup> T cell precursor that is resistant to DNA damage. <i>Science Immunology</i> , 2021, 6, .	11.9	52
7	Memory T-Cell Heterogeneity and Terminology. <i>Cold Spring Harbor Perspectives in Biology</i> , 2021, 13, a037929.	5.5	26
8	In vivo CD8 <sup>+</sup> T <sup>h</sup> cell CRISPR screening reveals control by Fli1 in infection and cancer. <i>Cell</i> , 2021, 184, 1262-1280.e22.	28.9	107
9	Deep immune profiling of MIS-C demonstrates marked but transient immune activation compared with adult and pediatric COVID-19. <i>Science Immunology</i> , 2021, 6, .	11.9	152
10	Role of nuclear localization in the regulation and function of T-bet and Eomes in exhausted CD8 T <sup>h</sup> cells. <i>Cell Reports</i> , 2021, 35, 109120.	6.4	60
11	Epigenetic scarring of exhausted T cells hinders memory differentiation upon eliminating chronic antigenic stimulation. <i>Nature Immunology</i> , 2021, 22, 1008-1019.	14.5	116
12	A Cre-driven allele-conditioning line to interrogate CD4 <sup>+</sup> conventional T <sup>h</sup> cells. <i>Immunity</i> , 2021, 54, 2209-2217.e6.	14.3	8
13	Rapid induction of antigen-specific CD4 <sup>+</sup> T <sup>h</sup> cells is associated with coordinated humoral and cellular immunity to SARS-CoV-2 mRNA vaccination. <i>Immunity</i> , 2021, 54, 2133-2142.e3.	14.3	367
14	mRNA vaccines induce durable immune memory to SARS-CoV-2 and variants of concern. <i>Science</i> , 2021, 374, abm0829.	12.6	609
15	The PD-1 Pathway Regulates Development and Function of Memory CD8 <sup>+</sup> T Cells following Respiratory Viral Infection. <i>Cell Reports</i> , 2020, 31, 107827.	6.4	72
16	Neuropilin-1 is a T cell memory checkpoint limiting long-term antitumor immunity. <i>Nature Immunology</i> , 2020, 21, 1010-1021.	14.5	85
17	Deep immune profiling of COVID-19 patients reveals distinct immunotypes with therapeutic implications. <i>Science</i> , 2020, 369, .	12.6	1,280
18	Trib1 regulates T cell differentiation during chronic infection by restraining the effector program. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	15

#	ARTICLE	IF	CITATIONS
19	Combining Radiation with Immunotherapy: The University of Pennsylvania Experience. <i>Seminars in Radiation Oncology</i> , 2020, 30, 173-180.	2.2	6
20	Developmental Relationships of Four Exhausted CD8+ T Cell Subsets Reveals Underlying Transcriptional and Epigenetic Landscape Control Mechanisms. <i>Immunity</i> , 2020, 52, 825-841.e8.	14.3	497
21	Opposing Functions of Interferon Coordinate Adaptive and Innate Immune Responses to Cancer Immune Checkpoint Blockade. <i>Cell</i> , 2019, 178, 933-948.e14.	28.9	301
22	TOX transcriptionally and epigenetically programs CD8+ T cell exhaustion. <i>Nature</i> , 2019, 571, 211-218.	27.8	934
23	TCF-1-Centered Transcriptional Network Drives an Effector versus Exhausted CD8+ T Cell-Fate Decision. <i>Immunity</i> , 2019, 51, 840-855.e5.	14.3	409
24	Defining T cell exhaustion™. <i>Nature Reviews Immunology</i> , 2019, 19, 665-674.	22.7	879
25	CD8 T Cell Exhaustion During Chronic Viral Infection and Cancer. <i>Annual Review of Immunology</i> , 2019, 37, 457-495.	21.8	1,143
26	Single-cell RNA-seq reveals TOX as a key regulator of CD8+ T cell persistence in chronic infection. <i>Nature Immunology</i> , 2019, 20, 890-901.	14.5	361
27	The long noncoding RNA <i>Morbid</i> regulates CD8 T cells in response to viral infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 11916-11925.	7.1	45
28	A single dose of neoadjuvant PD-1 blockade predicts clinical outcomes in resectable melanoma. <i>Nature Medicine</i> , 2019, 25, 454-461.	30.7	466
29	Determinants of response and resistance to CD19 chimeric antigen receptor (CAR) T cell therapy of chronic lymphocytic leukemia. <i>Nature Medicine</i> , 2018, 24, 563-571.	30.7	1,150
30	The Loss of TET2 Promotes CD8+ T Cell Memory Differentiation. <i>Journal of Immunology</i> , 2018, 200, 82-91.	0.8	112
31	Long-term outcomes of a phase I study of agonist CD40 antibody and CTLA-4 blockade in patients with metastatic melanoma. <i>Oncotarget</i> , 2018, 7, e1468956.	4.6	88
32	A phase I trial of pembrolizumab with hypofractionated radiotherapy in patients with metastatic solid tumours. <i>British Journal of Cancer</i> , 2018, 119, 1200-1207.	6.4	83
33	Long-Term Persistence of Exhausted CD8+ T Cells in Chronic Infection Is Regulated by MicroRNA-155. <i>Cell Reports</i> , 2018, 23, 2142-2156.	6.4	84
34	Epigenomic-Guided Mass Cytometry Profiling Reveals Disease-Specific Features of Exhausted CD8+ T Cells. <i>Immunity</i> , 2018, 48, 1029-1045.e5.	14.3	250
35	Exosomal PD-L1 contributes to immunosuppression and is associated with anti-PD-1 response. <i>Nature</i> , 2018, 560, 382-386.	27.8	1,836
36	Non-conventional Inhibitory CD4+Foxp3+PD-1hi T Cells as a Biomarker of Immune Checkpoint Blockade Activity. <i>Cancer Cell</i> , 2018, 33, 1017-1032.e7.	16.8	112

#	ARTICLE	IF	CITATIONS
37	T-cell invigoration to tumour burden ratio associated with anti-PD-1 response. <i>Nature</i> , 2017, 545, 60-65.	27.8	1,280
38	Differentiation and Protective Capacity of Virus-Specific CD8+ T Cells Suggest Murine Norovirus Persistence in an Immune-Privileged Enteric Niche. <i>Immunity</i> , 2017, 47, 723-738.e5.	14.3	49
39	Optimized retroviral transduction of mouse T cells for in vivo assessment of gene function. <i>Nature Protocols</i> , 2017, 12, 1980-1998.	12.0	47
40	miR-150 Regulates Memory CD8+ T Cell Differentiation via c-Myb. <i>Cell Reports</i> , 2017, 20, 2584-2597.	6.4	70
41	CD4+ T Cell Differentiation in Chronic Viral Infections: The Tfh Perspective. <i>Trends in Molecular Medicine</i> , 2017, 23, 1072-1087.	6.7	50
42	Pregnancy promotes tolerance to future offspring by programming selective dysfunction in long-lived maternal T cells. <i>Journal of Leukocyte Biology</i> , 2017, 101, 975-987.	3.3	39
43	Adaptive Immunity. , 2016, , 57-69.		9
44	Tumor Interferon Signaling Regulates a Multigenic Resistance Program to Immune Checkpoint Blockade. <i>Cell</i> , 2016, 167, 1540-1554.e12.	28.9	830
45	De-Risking Immunotherapy: Report of a Consensus Workshop of the Cancer Immunotherapy Consortium of the Cancer Research Institute. <i>Cancer Immunology Research</i> , 2016, 4, 279-288.	3.4	29
46	Costimulatory and Coinhibitory Receptor Pathways in Infectious Disease. <i>Immunity</i> , 2016, 44, 1052-1068.	14.3	213
47	Combination Cancer Therapies with Immune Checkpoint Blockade: Convergence on Interferon Signaling. <i>Cell</i> , 2016, 165, 272-275.	28.9	224
48	Bioenergetic Insufficiencies Due to Metabolic Alterations Regulated by the Inhibitory Receptor PD-1 Are an Early Driver of CD8 + T Cell Exhaustion. <i>Immunity</i> , 2016, 45, 358-373.	14.3	560
49	Cutting Edge: B Cell-Intrinsic T-bet Expression Is Required To Control Chronic Viral Infection. <i>Journal of Immunology</i> , 2016, 197, 1017-1022.	0.8	143
50	The epigenetic landscape of T cell exhaustion. <i>Science</i> , 2016, 354, 1165-1169.	12.6	694
51	Epigenetic stability of exhausted T cells limits durability of reinvigoration by PD-1 blockade. <i>Science</i> , 2016, 354, 1160-1165.	12.6	939
52	Type I Interferon Receptor Deficiency in Dendritic Cells Facilitates Systemic Murine Norovirus Persistence Despite Enhanced Adaptive Immunity. <i>PLoS Pathogens</i> , 2016, 12, e1005684.	4.7	56
53	Genetic absence of PD-1 promotes accumulation of terminally differentiated exhausted CD8+ T cells. <i>Journal of Experimental Medicine</i> , 2015, 212, 1125-1137.	8.5	368
54	T cell exhaustion during persistent viral infections. <i>Virology</i> , 2015, 479-480, 180-193.	2.4	251

#	ARTICLE	IF	CITATIONS
55	Vaccine-elicited CD4 T cells induce immunopathology after chronic LCMV infection. <i>Science</i> , 2015, 347, 278-282.	12.6	71
56	Molecular and cellular insights into T cell exhaustion. <i>Nature Reviews Immunology</i> , 2015, 15, 486-499.	22.7	3,159
57	Elevated Expression of CD160 and 2B4 Defines a Cytolytic HIV-Specific CD8 <sup>+</sup> T-Cell Population in Elite Controllers. <i>Journal of Infectious Diseases</i> , 2015, 212, 1376-1386.	4.0	47
58	Induction of T-cell Immunity Overcomes Complete Resistance to PD-1 and CTLA-4 Blockade and Improves Survival in Pancreatic Carcinoma. <i>Cancer Immunology Research</i> , 2015, 3, 399-411.	3.4	387
59	Overcoming T cell exhaustion in infection and cancer. <i>Trends in Immunology</i> , 2015, 36, 265-276.	6.8	856
60	Awakening the immune system with radiation: Optimal dose and fractionation. <i>Cancer Letters</i> , 2015, 368, 185-190.	7.2	91
61	Radiation and dual checkpoint blockade activate non-redundant immune mechanisms in cancer. <i>Nature</i> , 2015, 520, 373-377.	27.8	1,955
62	SnapShot: T Cell Exhaustion. <i>Cell</i> , 2015, 163, 1038-1038.e1.	28.9	88
63	CD39 Expression Identifies Terminally Exhausted CD8 <sup>+</sup> T Cells. <i>PLoS Pathogens</i> , 2015, 11, e1005177.	4.7	296
64	Engagement of NKG2D on Bystander Memory CD8 T Cells Promotes Increased Immunopathology following <i>Leishmania major</i> Infection. <i>PLoS Pathogens</i> , 2014, 10, e1003970.	4.7	79
65	AAV8 Induces Tolerance in Murine Muscle as a Result of Poor APC Transduction, T Cell Exhaustion, and Minimal MHC I Upregulation on Target Cells. <i>Molecular Therapy</i> , 2014, 22, 28-41.	8.2	50
66	Dysfunctional HIV-Specific CD8 <sup>+</sup> T Cell Proliferation Is Associated with Increased Caspase-8 Activity and Mediated by Necroptosis. <i>Immunity</i> , 2014, 41, 1001-1012.	14.3	60
67	Liver Environment and HCV Replication Affect Human T-Cell Phenotype and Expression of Inhibitory Receptors. <i>Gastroenterology</i> , 2014, 146, 550-561.	1.3	82
68	The transcription factor BATF operates as an essential differentiation checkpoint in early effector CD8 <sup>+</sup> T cells. <i>Nature Immunology</i> , 2014, 15, 373-383.	14.5	289
69	Molecular regulation of effector and memory T cell differentiation. <i>Nature Immunology</i> , 2014, 15, 1104-1115.	14.5	462
70	Cutting Edge: CXCR4 Is Critical for CD8 <sup>+</sup> Memory T Cell Homeostatic Self-Renewal but Not Rechallenge Self-Renewal. <i>Journal of Immunology</i> , 2014, 193, 1013-1016.	0.8	53
71	Molecular and Transcriptional Basis of CD4 <sup>+</sup> T Cell Dysfunction during Chronic Infection. <i>Immunity</i> , 2014, 40, 289-302.	14.3	418
72	Multifactorial T-cell Hypofunction That Is Reversible Can Limit the Efficacy of Chimeric Antigen Receptor-Transduced Human T cells in Solid Tumors. <i>Clinical Cancer Research</i> , 2014, 20, 4262-4273.	7.0	339

#	ARTICLE	IF	CITATIONS
73	Bystander Chronic Infection Negatively Impacts Development of CD8+ T Cell Memory. <i>Immunity</i> , 2014, 40, 801-813.	14.3	78
74	B Cell Antigen Presentation in the Initiation of Follicular Helper T Cell and Germinal Center Differentiation. <i>Journal of Immunology</i> , 2014, 192, 3607-3617.	0.8	96
75	Regulator of Fatty Acid Metabolism, Acetyl Coenzyme A Carboxylase 1, Controls T Cell Immunity. <i>Journal of Immunology</i> , 2014, 192, 3190-3199.	0.8	152
76	An Interferon Paradox. <i>Science</i> , 2013, 340, 155-156.	12.6	55
77	CD8 <sup>+</sup> T Cell Exhaustion During Persistent Viral Infection is Regulated Independently of the Virus-Specific T Cell Receptor. <i>Immunological Investigations</i> , 2013, 42, 204-220.	2.0	10
78	Increased T-bet is associated with senescence of influenza virus-specific CD8 T cells in aged humans. <i>Journal of Leukocyte Biology</i> , 2013, 93, 825-836.	3.3	66
79	The microRNA miR-155 controls CD8+ T cell responses by regulating interferon signaling. <i>Nature Immunology</i> , 2013, 14, 593-602.	14.5	249
80	Innate lymphoid cells regulate CD4+ T-cell responses to intestinal commensal bacteria. <i>Nature</i> , 2013, 498, 113-117.	27.8	639
81	Cooperativity Between CD8+ T Cells, Non-Neutralizing Antibodies, and Alveolar Macrophages Is Important for Heterosubtypic Influenza Virus Immunity. <i>PLoS Pathogens</i> , 2013, 9, e1003207.	4.7	134
82	IL-25 simultaneously elicits distinct populations of innate lymphoid cells and multipotent progenitor type 2 (MPPtype2) cells. <i>Journal of Experimental Medicine</i> , 2013, 210, 1823-1837.	8.5	127
83	Persistent Enteric Murine Norovirus Infection Is Associated with Functionally Suboptimal Virus-Specific CD8 T Cell Responses. <i>Journal of Virology</i> , 2013, 87, 7015-7031.	3.4	79
84	Technical Advance: Fluorescent reporter reveals insights into eomesodermin biology in cytotoxic lymphocytes. <i>Journal of Leukocyte Biology</i> , 2013, 93, 307-315.	3.3	28
85	Enhanced T Cell Function in a Mouse Model of Human Glycosylation. <i>Journal of Immunology</i> , 2013, 191, 228-237.	0.8	20
86	Differential Localization of T-bet and Eomes in CD8 T Cell Memory Populations. <i>Journal of Immunology</i> , 2013, 190, 3207-3215.	0.8	108
87	Acquired transcriptional programming in functional and exhausted virus-specific CD8 T cells. <i>Current Opinion in HIV and AIDS</i> , 2012, 7, 50-57.	3.8	57
88	Progressive Loss of Memory T Cell Potential and Commitment to Exhaustion during Chronic Viral Infection. <i>Journal of Virology</i> , 2012, 86, 8161-8170.	3.4	233
89	Protein Energy Malnutrition Impairs Homeostatic Proliferation of Memory CD8 T Cells. <i>Journal of Immunology</i> , 2012, 188, 77-84.	0.8	67
90	Antigen-Independent Differentiation and Maintenance of Effector-like Resident Memory T Cells in Tissues. <i>Journal of Immunology</i> , 2012, 188, 4866-4875.	0.8	537

#	ARTICLE	IF	CITATIONS
91	Defective CD8 T Cell Responses in Aged Mice Are Due to Quantitative and Qualitative Changes in Virus-Specific Precursors. <i>Journal of Immunology</i> , 2012, 188, 1933-1941.	0.8	126
92	Inhibitory Receptors on Lymphocytes: Insights from Infections. <i>Journal of Immunology</i> , 2012, 188, 2957-2965.	0.8	145
93	Network Analysis Reveals Centrally Connected Genes and Pathways Involved in CD8+ T Cell Exhaustion versus Memory. <i>Immunity</i> , 2012, 37, 1130-1144.	14.3	480
94	Progenitor and Terminal Subsets of CD8 <sup>+</sup> T Cells Cooperate to Contain Chronic Viral Infection. <i>Science</i> , 2012, 338, 1220-1225.	12.6	760
95	Toll-like Receptor 7 Is Required for Effective Adaptive Immune Responses that Prevent Persistent Virus Infection. <i>Cell Host and Microbe</i> , 2012, 11, 643-653.	11.0	68
96	Commensal Bacteria Calibrate the Activation Threshold of Innate Antiviral Immunity. <i>Immunity</i> , 2012, 37, 158-170.	14.3	817
97	The contribution of epigenetic memory to immunologic memory. <i>Current Opinion in Genetics and Development</i> , 2011, 21, 154-159.	3.3	39
98	T cell exhaustion. <i>Nature Immunology</i> , 2011, 12, 492-499.	14.5	3,178
99	Transcription factor T-bet represses expression of the inhibitory receptor PD-1 and sustains virus-specific CD8+ T cell responses during chronic infection. <i>Nature Immunology</i> , 2011, 12, 663-671.	14.5	402
100	Cutting Edge: Persistently Open Chromatin at Effector Gene Loci in Resting Memory CD8+ T Cells Independent of Transcriptional Status. <i>Journal of Immunology</i> , 2011, 186, 2705-2709.	0.8	74
101	A Role for the Chemokine RANTES in Regulating CD8 T Cell Responses during Chronic Viral Infection. <i>PLoS Pathogens</i> , 2011, 7, e1002098.	4.7	151
102	Innate lymphoid cells promote lung-tissue homeostasis after infection with influenza virus. <i>Nature Immunology</i> , 2011, 12, 1045-54.	14.5	875
103	Loss of tonic T-cell receptor signals alters the generation but not the persistence of CD8+ memory T cells. <i>Blood</i> , 2010, 116, 5560-5570.	1.4	19
104	T-cell receptor signals direct the composition and function of the memory CD8+ T-cell pool. <i>Blood</i> , 2010, 116, 5548-5559.	1.4	57
105	Integrating Genomic Signatures for Immunologic Discovery. <i>Immunity</i> , 2010, 32, 152-161.	14.3	52
106	Role of PD-1 in regulating acute infections. <i>Current Opinion in Immunology</i> , 2010, 22, 397-401.	5.5	125
107	TCF-1 Flips the Switch on Eomes. <i>Immunity</i> , 2010, 33, 145-147.	14.3	13
108	Transcription factor regulation of CD8 <sup>+</sup> T cell memory and exhaustion. <i>Immunological Reviews</i> , 2010, 236, 167-175.	6.0	51

#	ARTICLE	IF	CITATIONS
109	Transcriptional analysis of HIV-specific CD8+ T cells shows that PD-1 inhibits T cell function by upregulating BATF. <i>Nature Medicine</i> , 2010, 16, 1147-1151.	30.7	448
110	Tissue-Specific Differences in PD-1 and PD-L1 Expression during Chronic Viral Infection: Implications for CD8 T-Cell Exhaustion. <i>Journal of Virology</i> , 2010, 84, 2078-2089.	3.4	111
111	Cutting Edge: The Transcription Factor Eomesodermin Enables CD8+ T Cells To Compete for the Memory Cell Niche. <i>Journal of Immunology</i> , 2010, 185, 4988-4992.	0.8	339
112	Cell-Intrinsic Defects in the Proliferative Response of Antiviral Memory CD8 T Cells in Aged Mice upon Secondary Infection. <i>Journal of Immunology</i> , 2010, 184, 5151-5159.	0.8	64
113	Increased Programmed Death-1 Expression on CD4+ T Cells in Cutaneous T-Cell Lymphoma. <i>Archives of Dermatology</i> , 2010, 146, 1382.	1.4	124
114	Perforin and IL-2 Upregulation Define Qualitative Differences among Highly Functional Virus-Specific Human CD8+ T Cells. <i>PLoS Pathogens</i> , 2010, 6, e1000798.	4.7	111
115	Editorial: Therapeutic potential of targeting BTLA. <i>Journal of Leukocyte Biology</i> , 2009, 86, 5-8.	3.3	20
116	Synergistic Reversal of Intrahepatic HCV-Specific CD8 T Cell Exhaustion by Combined PD-1/CTLA-4 Blockade. <i>PLoS Pathogens</i> , 2009, 5, e1000313.	4.7	322
117	Impact of Epitope Escape on PD-1 Expression and CD8 T-Cell Exhaustion during Chronic Infection. <i>Journal of Virology</i> , 2009, 83, 4386-4394.	3.4	125
118	Coregulation of CD8+ T cell exhaustion by multiple inhibitory receptors during chronic viral infection. <i>Nature Immunology</i> , 2009, 10, 29-37.	14.5	1,754
119	The diversity of costimulatory and inhibitory receptor pathways and the regulation of antiviral T cell responses. <i>Current Opinion in Immunology</i> , 2009, 21, 179-186.	5.5	122
120	Behavior of Parasite-Specific Effector CD8+ T Cells in the Brain and Visualization of a Kinesis-Associated System of Reticular Fibers. <i>Immunity</i> , 2009, 30, 300-311.	14.3	184
121	A Role for the Transcriptional Repressor Blimp-1 in CD8+ T Cell Exhaustion during Chronic Viral Infection. <i>Immunity</i> , 2009, 31, 309-320.	14.3	410
122	Redefining Chronic Viral Infection. <i>Cell</i> , 2009, 138, 30-50.	28.9	876
123	Dynamic decrease in PD-1 expression correlates with HBV-specific memory CD8 T-cell development in acute self-limited hepatitis B patients. <i>Journal of Hepatology</i> , 2009, 50, 1163-1173.	3.7	44
124	Targeting of antigen to the herpesvirus entry mediator augments primary adaptive immune responses. <i>Nature Medicine</i> , 2008, 14, 205-212.	30.7	60
125	Anomalous Type 17 Response to Viral Infection by CD8 <sup>+</sup> T Cells Lacking T-bet and Eomesodermin. <i>Science</i> , 2008, 321, 408-411.	12.6	339
126	Functional Restoration of HCV-Specific CD8 T Cells by PD-1 Blockade Is Defined by PD-1 Expression and Compartmentalization. <i>Gastroenterology</i> , 2008, 134, 1927-1937.e2.	1.3	263



#	ARTICLE	IF	CITATIONS
127	Dynamic Programmed Death 1 Expression by Virus-Specific CD8 T Cells Correlates With the Outcome of Acute Hepatitis B. <i>Gastroenterology</i> , 2008, 134, 1938-1949.e3.	1.3	152
128	MyD88 Plays a Critical T Cell-Intrinsic Role in Supporting CD8 T Cell Expansion during Acute Lymphocytic Choriomeningitis Virus Infection. <i>Journal of Immunology</i> , 2008, 181, 3804-3810.	0.8	69
129	Selective expansion of a subset of exhausted CD8 T cells by $\hat{I}$ PD-L1 blockade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 15016-15021.	7.1	462
130	Identification of an Evolutionarily Conserved Transcriptional Signature of CD8 Memory Differentiation That Is Shared by T and B Cells. <i>Journal of Immunology</i> , 2008, 181, 1859-1868.	0.8	65
131	Enhancing therapeutic vaccination by blocking PD-1-mediated inhibitory signals during chronic infection. <i>Journal of Experimental Medicine</i> , 2008, 205, 543-555.	8.5	201
132	Diminished Primary CD8 T Cell Response to Viral Infection during Protein Energy Malnutrition in Mice Is Due to Changes in Microenvironment and Low Numbers of Viral-Specific CD8 T Cell Precursors <sup>3</sup> . <i>Journal of Nutrition</i> , 2008, 138, 806-812.	2.9	27
133	Examining age-related function and phenotype of influenza-specific CD8+ T cells in humans. <i>FASEB Journal</i> , 2008, 22, 857.15.	0.5	0
134	Strength of Stimulus and Clonal Competition Impact the Rate of Memory CD8 T Cell Differentiation. <i>Journal of Immunology</i> , 2007, 179, 6704-6714.	0.8	115
135	Liver-Infiltrating Lymphocytes in Chronic Human Hepatitis C Virus Infection Display an Exhausted Phenotype with High Levels of PD-1 and Low Levels of CD127 Expression. <i>Journal of Virology</i> , 2007, 81, 2545-2553.	3.4	431
136	Viral antigen and extensive division maintain virus-specific CD8 T cells during chronic infection. <i>Journal of Experimental Medicine</i> , 2007, 204, 941-949.	8.5	231
137	Requirement for T-bet in the aberrant differentiation of unhelped memory CD8+ T cells. <i>Journal of Experimental Medicine</i> , 2007, 204, 2015-2021.	8.5	244
138	Adenoviral vectors persist in vivo and maintain activated CD8+ T cells: implications for their use as vaccines. <i>Blood</i> , 2007, 110, 1916-1923.	1.4	190
139	IL-10, T cell exhaustion and viral persistence. <i>Trends in Microbiology</i> , 2007, 15, 143-146.	7.7	202
140	Heterogeneity and Cell-Fate Decisions in Effector and Memory CD8+ T Cell Differentiation during Viral Infection. <i>Immunity</i> , 2007, 27, 393-405.	14.3	502
141	Molecular Signature of CD8+ T Cell Exhaustion during Chronic Viral Infection. <i>Immunity</i> , 2007, 27, 670-684.	14.3	1,695
142	A brief history of CD8 T cells. <i>European Journal of Immunology</i> , 2007, 37, S103-S110.	2.9	42
143	CD8 T cell dysfunction during chronic viral infection. <i>Current Opinion in Immunology</i> , 2007, 19, 408-415.	5.5	297
144	Inhibitory receptors: whose side are they on?. <i>Nature Immunology</i> , 2007, 8, 1201-1203.	14.5	6

#	ARTICLE	IF	CITATIONS
145	The function of programmed cell death 1 and its ligands in regulating autoimmunity and infection. <i>Nature Immunology</i> , 2007, 8, 239-245.	14.5	1,286
146	Turning on the off switch: Regulation of anti-viral T cell responses in the liver by the PD-1/PD-L1 pathway. <i>Journal of Hepatology</i> , 2006, 45, 468-472.	3.7	46
147	Hypogammaglobulinemia and exacerbated CD8 T-cell-mediated immunopathology in SAP-deficient mice with chronic LCMV infection mimics human XLP disease. <i>Blood</i> , 2006, 108, 3085-3093.	1.4	45
148	Not so great expectations: re-assessing the essence of T-cell memory. <i>Immunological Reviews</i> , 2006, 211, 203-213.	6.0	24
149	Restoring function in exhausted CD8 T cells during chronic viral infection. <i>Nature</i> , 2006, 439, 682-687.	27.8	3,471
150	PD-1 expression on HIV-specific T cells is associated with T-cell exhaustion and disease progression. <i>Nature</i> , 2006, 443, 350-354.	27.8	2,380
151	HIV-specific CD8 T cells express low levels of IL-7R $\alpha$ : Implications for HIV-specific T cell memory. <i>Virology</i> , 2006, 353, 366-373.	2.4	43
152	Reinvigorating exhausted HIV-specific T cells via PD-1/PD-1 ligand blockade. <i>Journal of Experimental Medicine</i> , 2006, 203, 2223-2227.	8.5	374
153	Cutting Edge: IL-12 Inversely Regulates T-bet and Eomesodermin Expression during Pathogen-Induced CD8 $^{+}$ T Cell Differentiation. <i>Journal of Immunology</i> , 2006, 177, 7515-7519.	0.8	291
154	Cutting Edge: Gut Microenvironment Promotes Differentiation of a Unique Memory CD8 T Cell Population. <i>Journal of Immunology</i> , 2006, 176, 2079-2083.	0.8	318
155	Effector and memory CD8 $^{+}$ T cell fate coupled by T-bet and eomesodermin. <i>Nature Immunology</i> , 2005, 6, 1236-1244.	14.5	1,055
156	Low CD8 T-Cell Proliferative Potential and High Viral Load Limit the Effectiveness of Therapeutic Vaccination. <i>Journal of Virology</i> , 2005, 79, 8960-8968.	3.4	106
157	Bone Marrow Is a Preferred Site for Homeostatic Proliferation of Memory CD8 T Cells. <i>Journal of Immunology</i> , 2005, 174, 1269-1273.	0.8	248
158	Antigen-independent memory CD8 T cells do not develop during chronic viral infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 16004-16009.	7.1	444
159	The role of programming in memory T-cell development. <i>Current Opinion in Immunology</i> , 2004, 16, 217-225.	5.5	173
160	Generation and maintenance of immunological memory. <i>Seminars in Immunology</i> , 2004, 16, 323-333.	5.6	212
161	Memory CD8 T-Cell Differentiation during Viral Infection. <i>Journal of Virology</i> , 2004, 78, 5535-5545.	3.4	767
162	Changing immunodominance patterns in antiviral CD8 T-cell responses after loss of epitope presentation or chronic antigenic stimulation. <i>Virology</i> , 2003, 315, 93-102.	2.4	97

#	ARTICLE	IF	CITATIONS
163	Selective expression of the interleukin 7 receptor identifies effector CD8 T cells that give rise to long-lived memory cells. <i>Nature Immunology</i> , 2003, 4, 1191-1198.	14.5	1,605
164	Lineage relationship and protective immunity of memory CD8 T cell subsets. <i>Nature Immunology</i> , 2003, 4, 225-234.	14.5	1,621
165	Therapeutic use of IL-2 to enhance antiviral T-cell responses in vivo. <i>Nature Medicine</i> , 2003, 9, 540-547.	30.7	352
166	Cutting Edge: Rapid In Vivo Killing by Memory CD8 T Cells. <i>Journal of Immunology</i> , 2003, 171, 27-31.	0.8	398
167	Viral Persistence Alters CD8 T-Cell Immunodominance and Tissue Distribution and Results in Distinct Stages of Functional Impairment. <i>Journal of Virology</i> , 2003, 77, 4911-4927.	3.4	1,340
168	TCR Signal Transduction in Antigen-Specific Memory CD8 T Cells. <i>Journal of Immunology</i> , 2003, 170, 5455-5463.	0.8	101
169	Heterologous immunity provides a potent barrier to transplantation tolerance. <i>Journal of Clinical Investigation</i> , 2003, 111, 1887-1895.	8.2	283
170	Heterologous immunity provides a potent barrier to transplantation tolerance. <i>Journal of Clinical Investigation</i> , 2003, 111, 1887-1895.	8.2	535
171	Interleukin 15 Is Required for Proliferative Renewal of Virus-specific Memory CD8 T Cells. <i>Journal of Experimental Medicine</i> , 2002, 195, 1541-1548.	8.5	598
172	Effector and memory T-cell differentiation: implications for vaccine development. <i>Nature Reviews Immunology</i> , 2002, 2, 251-262.	22.7	1,524
173	Immune Responses to Persistent Viruses. , 0, , 255-267.		0