

Roger Graham Shivas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1194528/publications.pdf>

Version: 2024-02-01

68
papers

2,383
citations

304743
22
h-index

214800
47
g-index

70
all docs

70
docs citations

70
times ranked

2882
citing authors

#	ARTICLE	IF	CITATIONS
1	Fungal Pathogens of Navua sedge (<i>Cyperus aromaticus</i>) in equatorial Africa as prospective weed biological control agents. <i>Biocontrol Science and Technology</i> , 2022, 32, 114-120.	1.3	1
2	Australia: A Continent Without Native Powdery Mildews? The First Comprehensive Catalog Indicates Recent Introductions and Multiple Host Range Expansion Events, and Leads to the Re-discovery of <i>Salmonomyces</i> as a New Lineage of the Erysiphales. <i>Frontiers in Microbiology</i> , 2020, 11, 1571.	3.5	26
3	< i>Commelinaceomyces</i>, gen. nov., for four clavicipitaceous species misplaced in < i>Ustilago</i> that infect Commelinaceae. <i>Mycologia</i> , 2020, 112, 649-660.	1.9	5
4	Phomopsis husk rot of macadamia in Australia and South Africa caused by novel < i>Diaporthe</i> species. <i>Plant Pathology</i> , 2020, 69, 911-921.	2.4	16
5	Red root rot of <i>Vicia sativa</i> caused by <i>Atractiella rhizophila</i> . <i>European Journal of Plant Pathology</i> , 2020, 157, 293-297.	1.7	0
6	Current status of the Botryosphaeriaceae in Australia. <i>Australasian Plant Pathology</i> , 2019, 48, 35-44.	1.0	55
7	Australian cultures of Botryosphaeriaceae held in Queensland and Victoria plant pathology herbaria revisited. <i>Australasian Plant Pathology</i> , 2019, 48, 25-34.	1.0	12
8	The origin and diversification of the Entorrhizales: deep evolutionary roots but recent speciation with a phylogenetic and phenotypic split between associates of the Cyperaceae and Juncaceae. <i>Organisms Diversity and Evolution</i> , 2019, 19, 13-30.	1.6	9
9	Introduction to special issue on Botryosphaerales. <i>Australasian Plant Pathology</i> , 2019, 48, 1-2.	1.0	2
10	Diversity of Moesziomyces (Ustilaginales, Ustilaginomycotina) on <i>Echinochloa</i> and <i>Leersia</i> (Poaceae). <i>MycoKeys</i> , 2019, 52, 1-16.	1.9	8
11	Biodiscovery and the Queensland Plant Pathology Herbarium. <i>Microbiology Australia</i> , 2019, 40, 134.	0.4	0
12	Cryptic species of Curvularia in the culture collection of the Queensland Plant Pathology Herbarium. <i>MycoKeys</i> , 2018, 35, 1-25.	1.9	32
13	Deciphering the biology of Cryptophyllachora eurasiatica gen. et sp. nov., an often cryptic pathogen of an allergenic weed, <i>Ambrosia artemisiifolia</i> . <i>Scientific Reports</i> , 2018, 8, 10806.	3.3	3
14	The first smut fungus, <i>Thecaphora anthemidis</i> sp. nov. (Glomosporiaceae), described from <i>Anthemis</i> (Asteraceae). <i>MycoKeys</i> , 2018, 41, 39-50.	1.9	6
15	Ten new species of Macalpinomyces on Eriachne in northern Australia. <i>Mycologia</i> , 2017, 109, 408-421.	1.9	5
16	Dry Flower Disease of < i>Macadamia</i> in Australia Caused by < i>Neopestalotiopsis macadamiae</i> sp. nov. and < i>Pestalotiopsis macadamiae</i> sp. nov.. <i>Plant Disease</i> , 2017, 101, 45-53.	1.4	38
17	Novel species of Gliocladiopsis (Nectriaceae, Hypocreales, Ascomycota) from avocado roots (Persea). Tj ETQq1 1 0.784314 rgBT /Overloo	0.8	6
18	Notes for genera: Ascomycota. <i>Fungal Diversity</i> , 2017, 86, 1-594.	12.3	213

#	ARTICLE	IF	CITATIONS
19	Pathogenicity of Nectriaceous Fungi on Avocado in Australia. <i>Phytopathology</i> , 2017, 107, 1479-1485.	2.2	23
20	Cryptic diversity in <i>Tranzscheliella</i> spp. (Ustilaginales) is driven by host switches. <i>Scientific Reports</i> , 2017, 7, 43549.	3.3	16
21	Mycosarcoma (Ustilaginaceae), a resurrected generic name for corn smut (<i>Ustilago maydis</i>) and its close relatives with hypertrophied, tubular sori. <i>IMA Fungus</i> , 2016, 7, 309-315.	3.8	28
22	Host jumps shaped the diversity of extant rust fungi (Pucciniales). <i>New Phytologist</i> , 2016, 209, 1149-1158.	7.3	73
23	Confirmation of <i>Paracercospora egenula</i> causing leaf spot of eggplant in Hawaii. <i>Australasian Plant Disease Notes</i> , 2016, 11, 1.	0.7	2
24	Fungi associated with foliar diseases of wild and cultivated rice (<i>Oryza</i> spp.) in northern Queensland. <i>Australasian Plant Pathology</i> , 2016, 45, 297-308.	1.0	16
25	<i>Colletotrichum</i> species in Australia. <i>Australasian Plant Pathology</i> , 2016, 45, 447-464.	1.0	48
26	Identification of rust fungi (Pucciniales) on species of Allium in Australia. <i>Australasian Plant Pathology</i> , 2016, 45, 581-592.	1.0	22
27	First report of <i>Didymella americana</i> on baby lima bean (<i>Phaseolus lunatus</i>). <i>Canadian Journal of Plant Pathology</i> , 2016, 38, 389-394.	1.4	11
28	Eight novel <i>Bipolaris</i> species identified from John L. Alcornâ€™s collections at the Queensland Plant Pathology Herbarium (BRIP). <i>Mycological Progress</i> , 2016, 15, 1203-1214.	1.4	25
29	<i>Wongia</i> gen. nov. (Papulosaceae, Sordariomycetes), a new generic name for two root-infecting fungi from Australia. <i>IMA Fungus</i> , 2016, 7, 247-252.	3.8	7
30	Baobabopsis, a new genus of graminicolous downy mildews from tropical Australia, with an updated key to the genera of downy mildews. <i>IMA Fungus</i> , 2015, 6, 483-491.	3.8	20
31	<i>Plasmopara sphagneticola</i> sp. nov. (Peronosporales) on <i>Sphagneticola</i> (Asteraceae) in Australia. <i>Australasian Plant Pathology</i> , 2015, 44, 81-85.	1.0	9
32	Towards a universal barcode of oomycetes â€“ a comparison of the <i>cox1</i> and <i>cox2</i> loci. <i>Molecular Ecology Resources</i> , 2015, 15, 1275-1288.	4.8	141
33	Novel species of <i>Cercospora</i> and <i>Pseudocercospora</i> (Capnodiales, Mycosphaerellaceae) from Australia. <i>Fungal Biology</i> , 2015, 119, 362-369.	2.5	8
34	Polyphasic characterization of four new plant pathogenic <i>Phyllosticta</i> species from China, Japan, and the United States. <i>Fungal Biology</i> , 2015, 119, 433-446.	2.5	14
35	Novel Pathotypes of <i>Elsinoë australis</i> Associated with <i>Citrus australasica</i> and <i>Simmondsia chinensis</i> in Australia. <i>Tropical Plant Pathology</i> , 2015, 40, 26-34.	1.5	10
36	Carpogenic germination of sclerotia of <i>Sclerotinia minor</i> and ascosporic infection of pyrethrum flowers. <i>Canadian Journal of Plant Pathology</i> , 2015, 37, 179-187.	1.4	1

#	ARTICLE	IF	CITATIONS
37	Synopsis of <i>Phyllosticta</i> in China. <i>Mycology</i> , 2015, 6, 50-75.	4.4	13
38	<i>Curvularia tsudae</i> comb. nov. et nom. nov., formerly <i>Pseudocochliobolus australiensis</i> , and a revised synonymy for <i>Curvularia australiensis</i> . <i>Mycoscience</i> , 2015, 56, 24-28.	0.8	8
39	<i>Uromycladium falcatorium</i> sp. nov., the cause of gall rust on <i>Paraserianthes falcataria</i> in south-east Asia. <i>Australasian Plant Pathology</i> , 2015, 44, 25-30.	1.0	23
40	<i>Johnalcornia</i> gen. et. comb. nov., and nine new combinations in <i>Curvularia</i> based on molecular phylogenetic analysis. <i>Australasian Plant Pathology</i> , 2014, 43, 589-603.	1.0	40
41	Online identification guides for Australian smut fungi (<i>Ustilaginomycotina</i>) and rust fungi (<i>Pucciniales</i>). <i>IMA Fungus</i> , 2014, 5, 195-202.	3.8	30
42	Epitypification and neotypification: guidelines with appropriate and inappropriate examples. <i>Fungal Diversity</i> , 2014, 69, 57-91.	12.3	125
43	Three new species of <i>Tilletia</i> on <i>Eriachne</i> from north-western Australia. <i>Mycoscience</i> , 2014, 55, 361-366.	0.8	11
44	One stop shop: backbones trees for important phytopathogenic genera: I (2014). <i>Fungal Diversity</i> , 2014, 67, 21-125.	12.3	241
45	The rusts on Goodeniaceae and Stylidiaceae. <i>Mycological Progress</i> , 2014, 13, 1017.	1.4	13
46	Survey and prioritisation of potential biological control agents for prickly acacia (<i>Acacia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td 646-664.	1.3	9
47	Genome Sequences of <i>Pseudomonas</i> spp. Isolated from Cereal Crops. <i>Genome Announcements</i> , 2013, 1, .	0.8	12
48	Powdery mildews on <i>Clitoria</i> in Australia. <i>Australasian Plant Disease Notes</i> , 2012, 7, 111-114.	0.7	1
49	First record of <i>Prospodium appendiculatum</i> on <i>Tecoma stans</i> in Thailand. <i>Australasian Plant Disease Notes</i> , 2012, 7, 123-124.	0.7	1
50	A new host genus and species (<i>Afzelia xylocarpa</i>) for <i>Phakopsora pachyrhizi</i> found in Thailand. <i>Australasian Plant Disease Notes</i> , 2012, 7, 125-126.	0.7	2
51	A phylogenetic and taxonomic re-evaluation of the Bipolaris - Cochliobolus - Curvularia Complex. <i>Fungal Diversity</i> , 2012, 56, 131-144.	12.3	216
52	Molecular phylogenetic analysis of <i>Peronosclerospora</i> (Oomycetes) reveals cryptic species and genetically distinct species parasitic to maize. <i>European Journal of Plant Pathology</i> , 2011, 130, 521-528.	1.7	32
53	The evolution of species concepts and species recognition criteria in plant pathogenic fungi. <i>Fungal Diversity</i> , 2011, 50, 121-133.	12.3	148
54	Elucidation of the taxonomy and pathological status of <i>Pyricularia</i> associated with banana blast in Australia. <i>Australasian Plant Disease Notes</i> , 2011, 6, 22-25.	0.7	0

#	ARTICLE	IF	CITATIONS
55	Sporisorium warambiense sp. nov., a fourth smut fungus on <i>Xerochloa</i> in Australia. <i>Mycological Progress</i> , 2011, 10, 57-60.	1.4	4
56	The Amsterdam Declaration on Fungal Nomenclature. <i>IMA Fungus</i> , 2011, 2, 105-111.	3.8	320
57	Pestalactams A-C: novel caprolactams from the endophytic fungus <i>Pestalotiopsis</i> sp.. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 1785.	2.8	48
58	A one-tube fluorescent assay for the quarantine detection and identification of <i>Tilletia indica</i> and other grass bunts in wheat. <i>Australasian Plant Pathology</i> , 2009, 38, 101.	1.0	29
59	First record of <i>Passalora calotropidis</i> in Australia and its generic position. <i>Australasian Plant Pathology</i> , 2005, 34, 95.	1.0	7
60	First record of <i>Nematospora coryli</i> in Australia and its association with dry rot of Citrus. <i>Australasian Plant Pathology</i> , 2005, 34, 99.	1.0	6
61	Phomoxins B and C: Polyketides from an endophytic fungus of the genus <i>Eupenicillium</i> . <i>Phytochemistry</i> , 2005, 66, 2771-2775.	2.9	35
62	(1655) Proposal to conserve the name <i>Ustilago scitaminea</i> against <i>Ustilago amadelpha</i> (Fungi.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	0.7	
63	Xanthones from a microfungus of the genus <i>Xylaria</i> . <i>Phytochemistry</i> , 2004, 65, 2373-2378.	2.9	72
64	Three new graminicolous species of <i>Curvularia</i> (anamorphic fungi) from Queensland, Australia. <i>Australian Systematic Botany</i> , 2003, 16, 275.	0.9	4
65	Studies on <i>Mycosphaerella</i> species in Queensland, Australia. <i>Mycological Research</i> , 2002, 106, 355-364.	2.5	8
66	Impact of insects and fungi on doublegee (<i>Emex australis</i>) in the Western Australian wheatbelt. <i>Australian Journal of Agricultural Research</i> , 1998, 49, 767.	1.5	8
67	Phyllachora from Australia. <i>Phyllachora sageretiae</i> sp. nov. from <i>Sageretia hamosa</i> . <i>Mycological Research</i> , 1995, 99, 554-556.	2.5	2
68	A dynamic, web-based resource to identify rust fungi (Pucciniales) in southern Africa. <i>MycoKeys</i> , 0, 26, 77-83.	1.9	3