

Pi-Jung Hsiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11948/publications.pdf>

Version: 2024-02-01

52
papers

1,415
citations

304743

22
h-index

345221

36
g-index

53
all docs

53
docs citations

53
times ranked

2274
citing authors

#	ARTICLE	IF	CITATIONS
1	Therapeutic Strategies Targeting Tumor Suppressor Genes in Pancreatic Cancer. <i>Cancers</i> , 2021, 13, 3920.	3.7	8
2	Low Dose of Lenvatinib Treatment for Patients of Radioiodine-Refractory Differentiated Thyroid Carcinoma – A Real-World Experience. <i>Cancer Management and Research</i> , 2021, Volume 13, 7139-7148.	1.9	7
3	Electronegative low-density lipoprotein of patients with metabolic syndrome induces pathogenesis of aorta through disruption of the stimulated by retinoic acid Δ 6 cascade. <i>Journal of Diabetes Investigation</i> , 2020, 11, 535-544.	2.4	3
4	Clinical application of the ultrasound-guided fine needle aspiration for thyroglobulin measurement to diagnose lymph node metastasis from differentiated thyroid carcinoma – literature review. <i>Kaohsiung Journal of Medical Sciences</i> , 2020, 36, 236-243.	1.9	25
5	Stemness regulation of the adrenal mixed corticomedullary tumorigenesis-a case-control study. <i>Neoplasia</i> , 2020, 22, 263-271.	5.3	4
6	Successful management of type IV hypersensitivity reactions to human insulin analogue with injecting mixtures of biphasic insulin aspart and dexamethasone. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 843-848.	1.7	3
7	Lenvatinib complementary with radioiodine therapy for patients with advanced differentiated thyroid carcinoma: case reports and literature review. <i>World Journal of Surgical Oncology</i> , 2019, 17, 84.	1.9	14
8	Greater Low-Density Lipoprotein Cholesterol Variability Increases the Risk of Cardiovascular Events in Patients with Type 2 Diabetes Mellitus. <i>Endocrine Practice</i> , 2019, 25, 918-925.	2.1	12
9	Dulaglutide Modulates the Development of Tissue-Infiltrating Th1/Th17 Cells and the Pathogenicity of Encephalitogenic Th1 Cells in the Central Nervous System. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1584.	4.1	18
10	O-GlcNAcylation disrupts STRA6-retinol signals in kidneys of diabetes. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 1059-1069.	2.4	9
11	A subanalysis of Taiwanese patients from ODYSSEY South Korea and Taiwan study evaluating the efficacy and safety of alirocumab. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 265-271.	1.4	2
12	Basal insulin therapy: Unmet medical needs in Asia and the new insulin glargine in diabetes treatment. <i>Journal of Diabetes Investigation</i> , 2019, 10, 560-570.	2.4	11
13	Reliable sonographic features for nodal thyroglobulin to diagnose recurrent lymph node metastasis from papillary thyroid carcinoma. <i>Clinical Otolaryngology</i> , 2018, 43, 1065-1072.	1.2	7
14	Abnormally Low or High Ankle-Brachial Index Is Associated With the Development of Diabetic Retinopathy in Type 2 Diabetes Mellitus. <i>Scientific Reports</i> , 2018, 8, 441.	3.3	8
15	Association Between Metabolic Syndrome and Microvascular and Macrovascular Disease in Type 2 Diabetic Mellitus. <i>American Journal of the Medical Sciences</i> , 2018, 355, 342-349.	1.1	15
16	A randomized trial evaluating the efficacy and safety of alirocumab in South Korea and Taiwan (ODYSSEY KT). <i>Journal of Clinical Lipidology</i> , 2018, 12, 162-172.e6.	1.5	42
17	Associations Between Triglyceride/High-Density Lipoprotein Cholesterol Ratio and Micro- and Macroangiopathies in Type 2 Diabetes Mellitus. <i>Endocrine Practice</i> , 2018, 24, 615-621.	2.1	13
18	Effect of metformin on kidney function in patients with type 2 diabetes mellitus and moderate chronic kidney disease. <i>Oncotarget</i> , 2018, 9, 5416-5423.	1.8	36

#	ARTICLE	IF	CITATIONS
19	Pioglitazone Enhances Cytosolic Lipolysis, β -oxidation and Autophagy to Ameliorate Hepatic Steatosis. <i>Scientific Reports</i> , 2017, 7, 9030.	3.3	45
20	Manifestation of hyperaldosteronism related hypokalemia in a case of anorexia nervosa. <i>Kaohsiung Journal of Medical Sciences</i> , 2017, 33, 533-534.	1.9	3
21	Greater HbA1c variability is associated with increased cardiovascular events in type 2 diabetes patients with preserved renal function, but not in moderate to advanced chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0178319.	2.5	17
22	Association of Serum Uric Acid Concentration with Diabetic Retinopathy and Albuminuria in Taiwanese Patients with Type 2 Diabetes Mellitus. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1248.	4.1	38
23	A cohort study on 10-year survival of sporadic medullary thyroid carcinoma with somatic RET mutation. <i>Kaohsiung Journal of Medical Sciences</i> , 2016, 32, 545-551.	1.9	4
24	Pancreatic Tumor Progression Associated With CD133 Overexpression. <i>Pancreas</i> , 2016, 45, 443-457.	1.1	19
25	Electronegative low density lipoprotein induces renal apoptosis and fibrosis: STRA6 signaling involved. <i>Journal of Lipid Research</i> , 2016, 57, 1435-1446.	4.2	15
26	Patient assessment of diabetes care in a pay-for-performance program. <i>International Journal for Quality in Health Care</i> , 2016, 28, 183-190.	1.8	13
27	MTP-297H polymorphism reduced serum cholesterol but increased risk of non-alcoholic fatty liver disease-a cross-sectional study. <i>BMC Medical Genetics</i> , 2015, 16, 93.	2.1	34
28	Abnormally Low or High Ankle-Brachial Index Is Associated with Proliferative Diabetic Retinopathy in Type 2 Diabetic Mellitus Patients. <i>PLoS ONE</i> , 2015, 10, e0134718.	2.5	18
29	Hyperuricemia Inversely Correlates with Disease Severity in Taiwanese Nonalcoholic Steatohepatitis Patients. <i>PLoS ONE</i> , 2015, 10, e0139796.	2.5	16
30	The impact of severe hypoglycemia on renal impairment in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 448-455.	2.8	6
31	Fatal outcome of persistent/recurrent Cushing's disease after pituitary surgery. <i>Kaohsiung Journal of Medical Sciences</i> , 2015, 31, 57-59.	1.9	0
32	Diabetes Mellitus Increases Severity of Thrombocytopenia in Dengue-Infected Patients. <i>International Journal of Molecular Sciences</i> , 2015, 16, 3820-3830.	4.1	26
33	Statin, Calcium Channel Blocker and Beta Blocker Therapy May Decrease the Incidence of Tuberculosis Infection in Elderly Taiwanese Patients with Type 2 Diabetes. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11369-11384.	4.1	33
34	The Association of Pioglitazone and Urinary Tract Disease in Type 2 Diabetic Taiwanese: Bladder Cancer and Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e85479.	2.5	28
35	SMAD4 Loss triggers the phenotypic changes of pancreatic ductal adenocarcinoma cells. <i>BMC Cancer</i> , 2014, 14, 181.	2.6	50
36	Inorganic arsenic trioxide induces gap junction loss in association with the downregulation of connexin43 and E-cadherin in rat hepatic stem-like cells. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 57-67.	1.9	13

#	ARTICLE	IF	CITATIONS
37	Intraoperative neuromonitoring for the early detection and prevention of RLN traction injury in thyroid surgery: A porcine model. <i>Surgery</i> , 2014, 155, 329-339.	1.9	99
38	Vagal nerve stimulation without dissecting the carotid sheath during intraoperative neuromonitoring of the recurrent laryngeal nerve in thyroid surgery. <i>Head and Neck</i> , 2013, 35, 1443-1447.	2.0	38
39	Risk interaction of obesity, insulin resistance and hormone-sensitive lipase promoter polymorphisms (LIPE-60 C > G) in the development of fatty liver. <i>BMC Medical Genetics</i> , 2013, 14, 54.	2.1	15
40	A case of acromegaly complicated with diabetic ketoacidosis, pituitary apoplexy, and lymphoma. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 687-690.	1.9	9
41	Stem Cell Marker Nestin Is Critical for TGF- β 21-Mediated Tumor Progression in Pancreatic Cancer. <i>Molecular Cancer Research</i> , 2013, 11, 768-779.	3.4	74
42	Increased Unbound Retinol-binding Protein 4 Concentration Induces Apoptosis through Receptor-mediated Signaling. <i>Journal of Biological Chemistry</i> , 2012, 287, 9694-9707.	3.4	26
43	Detecting and identifying nonrecurrent laryngeal nerve with the application of intraoperative neuromonitoring during thyroid and parathyroid operation. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2012, 33, 1-5.	1.3	43
44	Does extensive dissection of recurrent laryngeal nerve during thyroid operation increase the risk of nerve injury? Evidence from the application of intraoperative neuromonitoring. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2011, 32, 499-503.	1.3	39
45	Anatomical Variations of Recurrent Laryngeal Nerve During Thyroid Surgery: How to Identify and Handle the Variations With Intraoperative Neuromonitoring. <i>Kaohsiung Journal of Medical Sciences</i> , 2010, 26, 575-583.	1.9	77
46	Intraoperative Neuromonitoring for Early Localization and Identification of Recurrent Laryngeal Nerve During Thyroid Surgery. <i>Kaohsiung Journal of Medical Sciences</i> , 2010, 26, 633-639.	1.9	58
47	Significant association of ABCG8:D19H gene polymorphism with hypercholesterolemia and insulin resistance. <i>Journal of Human Genetics</i> , 2008, 53, 757-763.	2.3	33
48	Pioglitazone retrieves hepatic antioxidant DNA repair in a mice model of high fat diet. <i>BMC Molecular Biology</i> , 2008, 9, 82.	3.0	40
49	Reappraisal of the Characteristics of Glucose Abnormalities in Patients With Chronic Hepatitis C Infection. <i>American Journal of Gastroenterology</i> , 2008, 103, 1933-1940.	0.4	51
50	Vascular endothelial growth factor gene polymorphisms in thyroid cancer. <i>Journal of Endocrinology</i> , 2007, 195, 265-270.	2.6	48
51	A novel mutation of transferrin receptor 2 in a Taiwanese woman with type 3 hemochromatosis. <i>Journal of Hepatology</i> , 2007, 47, 303-306.	3.7	28
52	Significant correlations between severe fatty liver and risk factors for metabolic syndrome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 2118-2123.	2.8	121