Russell Vang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11962553/publications.pdf

Version: 2024-02-01

28274 40979 9,356 129 55 93 citations h-index g-index papers 131 131 131 7837 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Ovarian Low-grade and High-grade Serous Carcinoma. Advances in Anatomic Pathology, 2009, 16, 267-282.	4.3	477
2	Immunohistochemical staining patterns of p53 can serve as a surrogate marker for TP53 mutations in ovarian carcinoma: an immunohistochemical and nucleotide sequencing analysis. Modern Pathology, 2011, 24, 1248-1253.	5 . 5	417
3	Are All Pelvic (Nonuterine) Serous Carcinomas of Tubal Origin?. American Journal of Surgical Pathology, 2010, 34, 1407-1416.	3.7	395
4	<i>TP53</i> mutations in serous tubal intraepithelial carcinoma and concurrent pelvic highâ€grade serous carcinomaâ€"evidence supporting the clonal relationship of the two lesions. Journal of Pathology, 2012, 226, 421-426.	4.5	332
5	Perivascular Epithelioid Cell Tumor ('PEComa') of the Uterus. American Journal of Surgical Pathology, 2002, 26, 1-13.	3.7	309
6	Fallopian tube precursors of ovarian low―and highâ€grade serous neoplasms. Histopathology, 2013, 62, 44-58.	2.9	238
7	GATA3 expression in breast carcinoma: utility in triple-negative, sarcomatoid, and metastatic carcinomas. Human Pathology, 2013, 44, 1341-1349.	2.0	192
8	Cytokeratins 7 and 20 in Primary and Secondary Mucinous Tumors of the Ovary: Analysis of Coordinate Immunohistochemical Expression Profiles and Staining Distribution in 179 Cases. American Journal of Surgical Pathology, 2006, 30, 1130-1139.	3.7	186
9	HER2 overexpression and amplification is present in a subset of ovarian mucinous carcinomas and can be targeted with trastuzumab therapy. BMC Cancer, 2009, 9, 433.	2.6	175
10	Identification of the Most Sensitive and Robust Immunohistochemical Markers in Different Categories of Ovarian Sex Cord-stromal Tumors. American Journal of Surgical Pathology, 2009, 33, 354-366.	3.7	175
11	Immunohistochemical expression of CDX2 in primary ovarian mucinous tumors and metastatic mucinous carcinomas involving the ovary: comparison with CK20 and correlation with coordinate expression of CK7. Modern Pathology, 2006, 19, 1421-1428.	5.5	174
12	Ovarian Mucinous Tumors Associated With Mature Cystic Teratomas. American Journal of Surgical Pathology, 2007, 31, 854-869.	3.7	169
13	Non-Hodgkin's Lymphomas Involving the Uterus: A Clinicopathologic Analysis of 26 Cases. Modern Pathology, 2000, 13, 19-28.	5.5	165
14	Data set for reporting of ovary, fallopian tube and primary peritoneal carcinoma: recommendations from the International Collaboration on Cancer Reporting (ICCR). Modern Pathology, 2015, 28, 1101-1122.	5.5	164
15	Distinction of Primary and Metastatic Mucinous Tumors Involving the Ovary: Analysis of Size and Laterality Data by Primary Site With Reevaluation of an Algorithm for Tumor Classification. American Journal of Surgical Pathology, 2008, 32, 128-138.	3.7	163
16	Endocervical Adenocarcinomas With Ovarian Metastases. American Journal of Surgical Pathology, 2008, 32, 1835-1853.	3.7	157
17	Diagnosis of Serous Tubal Intraepithelial Carcinoma Based on Morphologic and Immunohistochemical Features. American Journal of Surgical Pathology, 2011, 35, 1766-1775.	3.7	151
18	Origin and Pathogenesis of Pelvic (Ovarian, Tubal, and Primary Peritoneal) Serous Carcinoma. Annual Review of Pathology: Mechanisms of Disease, 2014, 9, 27-45.	22.4	142

#	Article	IF	Citations
19	Papillary Tubal Hyperplasia. American Journal of Surgical Pathology, 2011, 35, 1605-1614.	3.7	140
20	Molecular Alterations of TP53 are a Defining Feature of Ovarian High-Grade Serous Carcinoma. International Journal of Gynecological Pathology, 2016, 35, 48-55.	1.4	136
21	Amplification of a chromatin remodeling gene, Rsf-1/HBXAP, in ovarian carcinoma. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 14004-14009.	7.1	135
22	Ovarian Non-Hodgkin's Lymphoma: A Clinicopathologic Study of Eight Primary Cases. Modern Pathology, 2001, 14, 1093-1099.	5.5	133
23	Validation of an Algorithm for the Diagnosis of Serous Tubal Intraepithelial Carcinoma. International Journal of Gynecological Pathology, 2012, 31, 243-253.	1.4	125
24	Immunohistochemical Analysis of Clear Cell Carcinoma of the Gynecologic Tract. International Journal of Gynecological Pathology, 2001, 20, 252-259.	1,4	124
25	Separate Cavity Margin Sampling at the Time of Initial Breast Lumpectomy Significantly Reduces the Need for Reexcisions. American Journal of Surgical Pathology, 2005, 29, 1625-1632.	3.7	118
26	Characteristics of hydatidiform moles: analysis of a prospective series with p57 immunohistochemistry and molecular genotyping. Modern Pathology, 2014, 27, 238-254.	5.5	117
27	Immunohistochemistry for estrogen and progesterone receptors in the distinction of primary and metastatic mucinous tumors in the ovary: an analysis of 124 cases. Modern Pathology, 2006, 19, 97-105.	5. 5	114
28	Diagnosis and Subclassification of Hydatidiform Moles Using p57 Immunohistochemistry and Molecular Genotyping: Validation and Prospective Analysis in Routine and Consultation Practice Settings With Development of an Algorithmic Approach. American Journal of Surgical Pathology, 2009, 33, 805-817.	3.7	111
29	Most Basal-like Breast Carcinomas Demonstrate the Same Rbâ^'/p16+ Immunophenotype as the HPV-related Poorly Differentiated Squamous Cell Carcinomas Which They Resemble Morphologically. American Journal of Surgical Pathology, 2009, 33, 163-175.	3.7	106
30	Immunotherapy Targeting HPV $16/18$ Generates Potent Immune Responses in HPV-Associated Head and Neck Cancer. Clinical Cancer Research, 2019, 25, 110-124.	7.0	102
31	Non-Hodgkin's Lymphoma Involving the Gynecologic Tract: A Review of 88 Cases. Advances in Anatomic Pathology, 2001, 8, 200-217.	4.3	97
32	Ovarian Atypical Proliferative (Borderline) Mucinous Tumors: Gastrointestinal and Seromucinous (Endocervical-Like) Types are Immunophenotypically Distinctive. International Journal of Gynecological Pathology, 2006, 25, 83-89.	1.4	96
33	p16 Expression in Primary Ovarian Mucinous and Endometrioid Tumors and Metastatic Adenocarcinomas in the Ovary. American Journal of Surgical Pathology, 2007, 31, 653-663.	3.7	88
34	Genomic landscape and evolutionary trajectories of ovarian cancer precursor lesions. Journal of Pathology, 2019, 248, 41-50.	4.5	84
35	Ovarian Metastases of Appendiceal Tumors With Goblet Cell Carcinoidlike and Signet Ring Cell Patterns. American Journal of Surgical Pathology, 2007, 31, 1502-1511.	3.7	83
36	Signet-ring Stromal Tumor of the Ovary: Clinicopathologic Analysis and Comparison With Krukenberg Tumor. International Journal of Gynecological Pathology, 2004, 23, 45-51.	1.4	80

#	Article	IF	CITATIONS
37	GATA-3 Expression in Trophoblastic Tissues. American Journal of Surgical Pathology, 2015, 39, 101-108.	3.7	80
38	Endocervical Adenocarcinomas With Prominent Endometrial or Endomyometrial Involvement Simulating Primary Endometrial Carcinomas. American Journal of Surgical Pathology, 2009, 33, 914-924.	3.7	77
39	A Subset of Malignant Phyllodes Tumors Express p63 and p40. American Journal of Surgical Pathology, 2014, 38, 1689-1696.	3.7	77
40	Defining the Cut Point Between Low-grade and High-grade Ovarian Serous Carcinomas. American Journal of Surgical Pathology, 2009, 33, 1220-1224.	3.7	75
41	Molecular Genotyping of Hydatidiform Moles. Journal of Molecular Diagnostics, 2009, 11, 598-605.	2.8	74
42	Endocervical-type Mucinous Borderline Tumors are Related to Endometrioid Tumors Based on Mutation and Loss of Expression of ARID1A. International Journal of Gynecological Pathology, 2012, 31, 297-303.	1.4	74
43	Comparative Analysis of Alternative and Traditional Immunohistochemical Markers for the Distinction of Ovarian Sertoli Cell Tumor From Endometrioid Tumors and Carcinoid Tumor. American Journal of Surgical Pathology, 2007, 31, 255-266.	3.7	72
44	SF-1 is a Diagnostically Useful Immunohistochemical Marker and Comparable to Other Sex Cord-Stromal Tumor Markers for the Differential Diagnosis of Ovarian Sertoli Cell Tumor. International Journal of Gynecological Pathology, 2008, 27, 507-514.	1.4	72
45	Diagnostic Reproducibility of Hydatidiform Moles. American Journal of Surgical Pathology, 2012, 36, 443-453.	3.7	72
46	Incidental Serous Tubal Intraepithelial Carcinoma and Early Invasive Serous Carcinoma in the Nonprophylactic Setting. American Journal of Surgical Pathology, 2015, 39, 442-453.	3.7	71
47	The Diagnosis of Endometrial Carcinomas With Clear Cells by Gynecologic Pathologists. American Journal of Surgical Pathology, 2012, 36, 1107-1118.	3.7	69
48	Characterization of Androgenetic/Biparental Mosaic/Chimeric Conceptions, Including Those With a Molar Component. International Journal of Gynecological Pathology, 2013, 32, 199-214.	1.4	68
49	MYC gene amplification is often acquired in lethal distant breast cancer metastases of unamplified primary tumors. Modern Pathology, 2012, 25, 378-387.	5.5	67
50	Immunohistochemical Staining for Ki-67 and p53 Helps Distinguish Endometrial Arias-Stella Reaction from High-Grade Carcinoma, Including Clear Cell Carcinoma. International Journal of Gynecological Pathology, 2004, 23, 223-233.	1.4	66
51	Relationship Between Molecular Subtype of Invasive Breast Carcinoma and Expression of Gross Cystic Disease Fluid Protein 15 and Mammaglobin. American Journal of Clinical Pathology, 2011, 135, 587-591.	0.7	65
52	Next-generation Sequencing Reveals Recurrent Somatic Mutations in Small Cell Neuroendocrine Carcinoma of the Uterine Cervix. American Journal of Surgical Pathology, 2018, 42, 750-760.	3.7	65
53	Precursor Lesions of High-Grade Serous Ovarian Carcinoma: Morphological and Molecular Characteristics. Journal of Oncology, 2010, 2010, 1-9.	1.3	64
54	Ovarian Metastases of Pancreaticobiliary Tract Adenocarcinomas. American Journal of Surgical Pathology, 2011, 35, 276-288.	3.7	61

#	Article	IF	CITATIONS
55	Long-term Behavior of Serous Borderline Tumors Subdivided Into Atypical Proliferative Tumors and Noninvasive Low-grade Carcinomas. American Journal of Surgical Pathology, 2017, 41, 725-737.	3.7	57
56	A nationwide study of serous "borderline―ovarian tumors in Denmark 1978–2002: Centralized pathology review and overall survival compared with the general population. Gynecologic Oncology, 2014, 134, 267-273.	1.4	56
57	The Superficial Margin of the Skin-Sparing Mastectomy for Breast Carcinoma: Factors Predicting Involvement and Efficacy of Additional Margin Sampling. Annals of Surgical Oncology, 2008, 15, 1330-1340.	1.5	52
58	Mutational analysis of <i><scp>BRAF</scp></i> and <i><scp>KRAS</scp></i> in ovarian serous borderline (atypical proliferative) tumours and associated peritoneal implants. Journal of Pathology, 2014, 232, 16-22.	4.5	52
59	Primary Vulvar and Vaginal Extraosseous Ewing's Sarcoma/Peripheral Neuroectodermal Tumor: Diagnostic Confirmation with CD99 Immunostaining and Reverse Transcriptase-Polymerase Chain Reaction. International Journal of Gynecological Pathology, 2000, 19, 103-109.	1.4	52
60	Non-Hodgkin's Lymphoma Involving the Vagina. American Journal of Surgical Pathology, 2000, 24, 719-725.	3.7	50
61	Estrogen Receptor α and Progesterone Receptor Expression in Ovarian Adult Granulosa Cell Tumors and Sertoli-Leydig Cell Tumors. International Journal of Gynecological Pathology, 2007, 26, 375-382.	1.4	50
62	BRAF Mutation Is Associated With a Specific Cell Type With Features Suggestive of Senescence in Ovarian Serous Borderline (Atypical Proliferative) Tumors. American Journal of Surgical Pathology, 2014, 38, 1603-1611.	3.7	50
63	Diagnostic Utility of WT1 Immunostaining in Ovarian Sertoli Cell Tumor. American Journal of Surgical Pathology, 2007, 31, 1378-1386.	3.7	48
64	Non-Hodgkin's Lymphoma Involving the Vulva. International Journal of Gynecological Pathology, 2000, 19, 236-242.	1.4	47
65	Proliferative Mucinous Lesions of the Endometrium: Analysis of Existing Criteria for Diagnosing Carcinoma in Biopsies and Curettings. International Journal of Surgical Pathology, 2003, 11, 261-270.	0.8	47
66	Diagnostic Reproducibility of Hydatidiform Moles. American Journal of Surgical Pathology, 2012, 36, 1747-1760.	3.7	47
67	Fallopian Tube Lesions in Women at High Risk for Ovarian Cancer: A Multicenter Study. Cancer Prevention Research, 2018, 11, 697-706.	1.5	47
68	The alternative lengthening of telomeres phenotype in breast carcinoma is associated with HER-2 overexpression. Modern Pathology, 2009, 22, 1423-1431.	5.5	45
69	Effects of Utero-ovarian Anastomoses on Basal Follicle-stimulating Hormone Level Change after Uterine Artery Embolization with Tris-acryl Gelatin Microspheres. Journal of Vascular and Interventional Radiology, 2006, 17, 965-971.	0.5	44
70	Subdividing Ovarian and Peritoneal Serous Carcinoma Into Moderately Differentiated and Poorly Differentiated Does not Have Biologic Validity Based on Molecular Genetic and In Vitro Drug Resistance Data. American Journal of Surgical Pathology, 2008, 32, 1667-1674.	3.7	42
71	PAX8 Expression in Uterine Adenocarcinomas and Mesonephric Proliferations. International Journal of Gynecological Pathology, 2014, 33, 492-499.	1.4	40
72	Aberrant Pax-8 expression in well-differentiated papillary mesothelioma and malignant mesothelioma of the peritoneum: a clinicopathologic study. Human Pathology, 2018, 72, 160-166.	2.0	40

#	Article	IF	Citations
73	A binary histologic grading system for ovarian serous carcinoma is an independent prognostic factor: A population-based study of 4317 women diagnosed in Denmark 1978–2006. Gynecologic Oncology, 2012, 125, 655-660.	1.4	39
74	A nationwide study of ovarian serous borderline tumors in Denmark 1978–2002. Risk of recurrence, and development of ovarian serous carcinoma. Gynecologic Oncology, 2017, 144, 174-180.	1.4	39
75	Expression of Rsf-1, a chromatin-remodeling gene, in ovarian and breast carcinoma. Human Pathology, 2006, 37, 1169-1175.	2.0	38
76	Papillary Cystadenoma of the Epididymis and Broad Ligament. American Journal of Surgical Pathology, 2014, 38, 713-718.	3.7	37
77	Parity, infertility, oral contraceptives, and hormone replacement therapy and the risk of ovarian serous borderline tumors: A nationwide case-control study. Gynecologic Oncology, 2017, 144, 571-576.	1.4	34
78	Current concepts in the diagnosis and pathobiology of intraepithelial neoplasia: A review by organ system. Ca-A Cancer Journal for Clinicians, 2016, 66, 408-436.	329.8	33
79	Clinicopathologic and Molecular Features of Paired Cases of Metachronous Ovarian Serous Borderline Tumor and Subsequent Serous Carcinoma. American Journal of Surgical Pathology, 2019, 43, 1462-1472.	3.7	33
80	Clinical and Immunologic Biomarkers for Histologic Regression of High-Grade Cervical Dysplasia and Clearance of HPV16 and HPV18 after Immunotherapy. Clinical Cancer Research, 2018, 24, 276-294.	7.0	32
81	Comparative Immunohistochemical Analysis of Granulosa and Sertoli Components in Ovarian Sex Cord-Stromal Tumors with Mixed Differentiation: Potential Implications for Derivation of Sertoli Differentiation in Ovarian Tumors. International Journal of Gynecological Pathology, 2004, 23, 151-161.	1.4	31
82	Nuclear size distinguishes low- from high-grade ovarian serous carcinoma and predicts outcome. Human Pathology, 2005, 36, 1049-1054.	2.0	30
83	Vulvar Hypertrophy With Lymphedema. Archives of Pathology and Laboratory Medicine, 2000, 124, 1697-1699.	2.5	30
84	Immunohistochemical Determination of HER-2/neu Expression in Invasive Breast Carcinoma. American Journal of Clinical Pathology, 2000, 113, 669-674.	0.7	28
85	A subset of malignant phyllodes tumors harbors alterations in the Rb/p16 pathway. Human Pathology, 2013, 44, 2494-2500.	2.0	27
86	Borderline Atypical Ductal Hyperplasia/Low-grade Ductal Carcinoma In Situ on Breast Needle Core Biopsy Should Be Managed Conservatively. American Journal of Surgical Pathology, 2013, 37, 913-923.	3.7	27
87	Distribution and case-fatality ratios by cell-type for ovarian carcinomas: A 22-year series of 562 patients with uniform current histological classification. Gynecologic Oncology, 2015, 136, 336-340.	1.4	26
88	Utero-Ovarian Anastomosis: Histopathologic Correlation after Uterine Artery Embolization with or without Ovarian Artery Embolization. Journal of Vascular and Interventional Radiology, 2007, 18, 31-39.	0.5	24
89	Immunohistochemical Analysis of Sox9 in Ovarian Sertoli Cell Tumors and Other Tumors in the Differential Diagnosis. International Journal of Gynecological Pathology, 2007, 26, 1-9.	1.4	22
90	Lineage-Specific Alterations in Gynecologic Neoplasms with Choriocarcinomatous Differentiation: Implications for Origin and Therapeutics. Clinical Cancer Research, 2019, 25, 4516-4529.	7.0	22

#	Article	IF	Citations
91	Clinically Occult Tubal and Ovarian High-grade Serous Carcinomas Presenting in Uterine Samples. International Journal of Gynecological Pathology, 2013, 32, 433-443.	1.4	20
92	Incidental Serous Tubal Intraepithelial Carcinoma and Non-Neoplastic Conditions of the Fallopian Tubes in Grossly Normal Adnexa: A Clinicopathologic Study of 388 Completely Embedded Cases. International Journal of Gynecological Pathology, 2016, 35, 423-429.	1.4	20
93	Invasive Complete Hydatidiform Moles. International Journal of Gynecological Pathology, 2016, 35, 134-141.	1.4	20
94	Prevalence of somatic and germline mutations of <i>Fumarate hydratase</i> in uterine leiomyomas from young patients. Histopathology, 2020, 76, 354-365.	2.9	20
95	Mutation of NRAS is a rare genetic event in ovarian low-grade serous carcinoma. Human Pathology, 2017, 68, 87-91.	2.0	19
96	A Subset of Nondescript Axillary Lymph Node Inclusions Have the Immunophenotype of Endosalpingiosis. American Journal of Surgical Pathology, 2014, 38, 1612-1617.	3.7	18
97	Endometrial Carcinoma and Non-Hodgkin's Lymphoma Involving the Female Genital Tract: A Report of Three Cases. International Journal of Gynecological Pathology, 2000, 19, 133-138.	1.4	17
98	Recurrent genetic alterations and biomarker expression in primary and metastatic squamous cell carcinomas of the vulva. Human Pathology, 2019, 92, 67-80.	2.0	17
99	Molecular analysis of ovarian mucinous carcinoma reveals different cell of origins. Oncotarget, 2015, 6, 22949-22958.	1.8	17
100	The Utility of Sentinel Lymph Node Mapping in High-Grade Endometrial Cancer. International Journal of Gynecological Cancer, 2017, 27, 1416-1421.	2.5	16
101	Intratumoral Heterogeneity Accounts for Apparent Progression of Noninvasive Serous Tumors to Invasive Low-grade Serous Carcinoma: A Study of 30 Low-grade Serous Tumors of the Ovary in 18 Patients With Peritoneal Carcinomatosis. International Journal of Gynecological Pathology, 2020, 39, 43-54.	1.4	16
102	Diseases of the Fallopian Tube and Paratubal Region. , 2011, , 529-578.		16
103	Germ Cell Tumors of the Ovary. , 2011, , 847-907.		16
104	Immune checkpoint status and tumor microenvironment in vulvar squamous cell carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 93-102.	2.8	15
105	Heterogeneity of Bcl-2 expression in metastatic breast carcinoma. Modern Pathology, 2010, 23, 1089-1096.	5.5	11
106	Risk of specific types of ovarian cancer after borderline ovarian tumors in Denmark: A nationwide study. International Journal of Cancer, 2020, 147, 990-995.	5.1	11
107	Mucinous Tumor Coexisting With Mesonephric-like Proliferation/Tumor in the Ovary. American Journal of Surgical Pathology, 2022, 46, 1095-1105.	3.7	11
108	Metastatic and Miscellaneous Primary Tumors of the Ovary. , 2009, , 539-613.		10

#	Article	IF	Citations
109	BRAFV600E-mutated ovarian serous borderline tumors are at relatively low risk for progression to serous carcinoma. Oncotarget, 2019, 10, 6870-6878.	1.8	10
110	Distinction of Primary Ovarian Mucinous Tumors and Mucinous Tumors Metastatic to the Ovary. , 2006, $11,18\text{-}30.$		9
111	Ovarian Combined Serous Borderline Tumor/Low-grade Serous Carcinoma and Mesonephric-like Lesion: Report of 2 Cases With New Observations. International Journal of Gynecological Pathology, 2023, 42, 182-191.	1.4	8
112	Pathologist Concordance for Ovarian Carcinoma Subtype Classification and Identification of Relevant Histologic Features Using Microscope and Whole Slide Imaging. Archives of Pathology and Laboratory Medicine, 2021, 145, 1516-1525.	2.5	5
113	Uterine Artery Embolization With Trisacryl Gelatin Microspheres in Women Treated For Leiomyomas: A Clinicopathologic Analysis of Alterations in Gynecologic Surgical Specimens. International Journal of Gynecological Pathology, 2010, 29, 260-268.	1.4	4
114	Germ Cell Tumors of the Ovary. , 2019, , 1047-1124.		4
115	Ovarian Intermediate Trophoblastic Tumors. American Journal of Surgical Pathology, 2020, 44, 516-525.	3.7	4
116	An Epithelioid Smooth Muscle Neoplasm Mimicking a Signet Ring Cell Carcinoma in the Ovary. International Journal of Gynecological Pathology, 2019, 38, 464-469.	1.4	3
117	Diseases of the Fallopian Tube and Paratubal Region. , 2019, , 649-714.		3
118	Current Problems With Staging Lymphomas Involving the Ovary. American Journal of Surgical Pathology, 2006, 30, 1202-1203.	3.7	2
119	Aromatase inhibitor therapy in recurrent, estrogen-receptor positive uterine serous carcinoma: A case report. Gynecologic Oncology Reports, 2020, 32, 100555.	0.6	2
120	Endosalpingiosis Is Negative for GATA3. Archives of Pathology and Laboratory Medicine, 2021, 145, 1448-1452.	2.5	2
121	Coexistence of Conventional Leiomyoma, Fumarate Hydratase-deficient Atypical Leiomyoma, and Perivascular Epithelioid Cell Tumor in a Uterus: A Case Study. International Journal of Gynecological Pathology, 2021, 40, 134-140.	1.4	2
122	Selection of Representative Histologic Slides in Interobserver Reproducibility Studies: Insights from Expert Review for Ovarian Carcinoma Subtype Classification. Journal of Pathology Informatics, 2021, 12, 15.	1.7	2
123	Gastrointestinal Stromal Tumors Mimicking Gynecologic Disease: Clinicopathological Analysis of 20 Cases. Diagnostics, 2022, 12, 1563.	2.6	2
124	Cytomorphologic and molecular analyses of fallopian tube fimbrial brushings for diagnosis of serous tubal intraepithelial carcinoma. Cancer Cytopathology, 2019, 127, 192-201.	2.4	1
125	Pax8 Expression in Uterine Malignant Mesodermal Mixed Tumor (Carcinosarcoma): Immunohistochemical Analysis of 37 Cases. American Journal of Clinical Pathology, 2012, 138, A023-A023.	0.7	0
126	Diseases of the Fallopian Tube and Paratubal Region. , 2018, , 1-66.		0

#	Article	IF	CITATIONS
127	Germ Cell Tumors of the Ovary. , 2018, , 1-79.		O
128	Selection of Representative Histologic Slides in Interobserver Reproducibility Studies: Insights from Expert Review for Ovarian Carcinoma Subtype Classification. Journal of Pathology Informatics, 2021, 12, 15.	0.6	0
129	Verrucous Squamous Hyperplasia of the Urinary Bladder. Archives of Pathology and Laboratory Medicine, 2022, , .	2.5	0