

# Daniel Gudbjartsson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11979185/publications.pdf>

Version: 2024-02-01

18  
papers

8,483  
citations

566801

15  
h-index

839053

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

13866  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010, 467, 832-838.	13.7	1,789
2	Genetics of gene expression and its effect on disease. <i>Nature</i> , 2008, 452, 423-428.	13.7	1,209
3	Genome-wide association study identifies a second prostate cancer susceptibility variant at 8q24. <i>Nature Genetics</i> , 2007, 39, 631-637.	9.4	818
4	Common variants on chromosomes 2q35 and 16q12 confer susceptibility to estrogen receptor- $\alpha$ positive breast cancer. <i>Nature Genetics</i> , 2007, 39, 865-869.	9.4	774
5	A common variant associated with prostate cancer in European and African populations. <i>Nature Genetics</i> , 2006, 38, 652-658.	9.4	738
6	Two variants on chromosome 17 confer prostate cancer risk, and the one in TCF2 protects against type 2 diabetes. <i>Nature Genetics</i> , 2007, 39, 977-983.	9.4	670
7	A Genetic Risk Factor for Periodic Limb Movements in Sleep. <i>New England Journal of Medicine</i> , 2007, 357, 639-647.	13.9	582
8	The gene encoding phosphodiesterase 4D confers risk of ischemic stroke. <i>Nature Genetics</i> , 2003, 35, 131-138.	9.4	555
9	Sequence variant on 8q24 confers susceptibility to urinary bladder cancer. <i>Nature Genetics</i> , 2008, 40, 1307-1312.	9.4	377
10	Common sequence variants on 2p15 and Xp11.22 confer susceptibility to prostate cancer. <i>Nature Genetics</i> , 2008, 40, 281-283.	9.4	357
11	Effects of a 5-Lipoxygenase- $\alpha$ Activating Protein Inhibitor on Biomarkers Associated With Risk of Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 2245.	3.8	212
12	Variant <i>ASGR1</i> Associated with a Reduced Risk of Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2131-2141.	13.9	137
13	European genome-wide association study identifies SLC14A1 as a new urinary bladder cancer susceptibility gene. <i>Human Molecular Genetics</i> , 2011, 20, 4268-4281.	1.4	134
14	Sequence variant at 8q24.21 associates with sciatica caused by lumbar disc herniation. <i>Nature Communications</i> , 2017, 8, 14265.	5.8	48
15	Genome-wide association study yields variants at 20p12.2 that associate with urinary bladder cancer. <i>Human Molecular Genetics</i> , 2014, 23, 5545-5557.	1.4	46
16	Eleven genomic loci affect plasma levels of chronic inflammation marker soluble urokinase-type plasminogen activator receptor. <i>Communications Biology</i> , 2021, 4, 655.	2.0	12
17	Predicting facial characteristics from complex polygenic variations. <i>Forensic Science International: Genetics</i> , 2015, 19, 263-268.	1.6	11
18	Cohort profile: Copenhagen Hospital Biobank - Cardiovascular Disease Cohort (CHB-CVDC): Construction of a large-scale genetic cohort to facilitate a better understanding of heart diseases. <i>BMJ Open</i> , 2021, 11, e049709.	0.8	7