

My Svensson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11985865/publications.pdf>

Version: 2024-02-01

69
papers

1,054
citations

516710

16
h-index

454955

30
g-index

70
all docs

70
docs citations

70
times ranked

1911
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of Serum Uromodulin and Urinary Epidermal Growth Factor with Measured Glomerular Filtration Rate and Interstitial Fibrosis in Kidney Transplantation. <i>American Journal of Nephrology</i> , 2022, 53, 108-117.	3.1	6
2	Prognostic value of computed tomography derived fractional flow reserve for predicting cardiac events and mortality in kidney transplant candidates. <i>Journal of Cardiovascular Computed Tomography</i> , 2022, 16, 442-451.	1.3	3
3	Multiplex proteomics as risk predictor of infection in patients treated with hemodialysis – A prospective multicenter study. <i>Hemodialysis International</i> , 2022, 26, 191-201.	0.9	0
4	MO952: Risk Factors of Post Transplantation Diabetes Mellitus After Kidney Transplantation. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.7	0
5	Severe Acute Respiratory Syndrome Coronavirus 2 RNA in Plasma Is Associated With Intensive Care Unit Admission and Mortality in Patients Hospitalized With Coronavirus Disease 2019. <i>Clinical Infectious Diseases</i> , 2021, 73, e799-e802.	5.8	62
6	Marine n-3 Polyunsaturated Fatty Acids and Bone Mineral Density in Kidney Transplant Recipients: A Randomized, Placebo-Controlled Trial. <i>Nutrients</i> , 2021, 13, 2361.	4.1	6
7	Marine n-3 Polyunsaturated Fatty Acids and Cellular Senescence Markers in Incident Kidney Transplant Recipients: The Omega-3 Fatty Acids in Renal Transplantation (ORENTRA) Randomized Clinical Trial. <i>Kidney Medicine</i> , 2021, 3, 1041-1049.	2.0	5
8	Soluble ST2 concentrations associate with in-hospital mortality and need for mechanical ventilation in unselected patients with COVID-19. <i>Open Heart</i> , 2021, 8, e001884.	2.3	9
9	Plasma marine n-3 polyunsaturated fatty acids and cardiovascular risk factors: data from the ACE 1950 study. <i>European Journal of Nutrition</i> , 2020, 59, 1505-1515.	3.9	5
10	Association between circulating proprotein convertase subtilisin/kexin type 9 levels and prognosis in patients with severe chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 632-639.	0.7	10
11	Growth Differentiation Factor 15 Provides Prognostic Information Superior to Established Cardiovascular and Inflammatory Biomarkers in Unselected Patients Hospitalized With COVID-19. <i>Circulation</i> , 2020, 142, 2128-2137.	1.6	85
12	Established Cardiovascular Biomarkers Provide Limited Prognostic Information in Unselected Patients Hospitalized With COVID-19. <i>Circulation</i> , 2020, 142, 1878-1880.	1.6	24
13	P0653 THE USE OF URINARY EPIDERMAL GROWTH FACTOR FOR EVALUATION OF KIDNEY GRAFT FUNCTION. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
14	P0945 STUDY PROTOCOL: ADIPOSE TISSUE CONTENT OF N-3 POLYUNSATURATED FATTY ACIDS AND THE RISK OF CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
15	P1679 HYPOMAGNEAEMIA AND HYPERGLYCAEMIA AFTER KIDNEY TRANSPLANTATION. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
16	Plasma linoleic acid levels and cardiovascular risk factors: results from the Norwegian ACE 1950 Study. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1707-1717.	2.9	6
17	Plasma Trans Fatty Acid Levels, Cardiovascular Risk Factors and Lifestyle: Results from the Akershus Cardiac Examination 1950 Study. <i>Nutrients</i> , 2020, 12, 1419.	4.1	6
18	Marine n-3 fatty acid consumption in a Norwegian renal transplant cohort: Comparison of a food frequency questionnaire with plasma phospholipid marine n-3 levels. <i>PLoS ONE</i> , 2020, 15, e0244089.	2.5	1

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0244089.		0
20	Title is missing!. , 2020, 15, e0244089.		0
21	Title is missing!. , 2020, 15, e0244089.		0
22	Title is missing!. , 2020, 15, e0244089.		0
23	Aortic Calcification Affects Noninvasive Estimates of Central Blood Pressure in Patients with Severe Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 704-714.	2.0	5
24	Staphylococcus aureus Bacteremia Risk in Hemodialysis Patients Using the Buttonhole Cannulation Technique: A Prospective Multicenter Study. <i>Kidney Medicine</i> , 2019, 1, 263-270.	2.0	11
25	The Effect of Marine n-3 Polyunsaturated Fatty Acids on Heart Rate Variability in Renal Transplant Recipients: A Randomized Controlled Trial. <i>Nutrients</i> , 2019, 11, 2847.	4.1	5
26	A Fully Automated Method for the Determination of Serum Belatacept and Its Application in a Pharmacokinetic Investigation in Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 11-18.	2.0	11
27	Effects of marine n-3 fatty acid supplementation in renal transplantation: A randomized controlled trial. <i>American Journal of Transplantation</i> , 2019, 19, 790-800.	4.7	16
28	Trans-fatty Acids and Survival in Renal Transplantation. , 2019, 29, 169-180.		2
29	Bioavailable Testosterone Is Positively Associated With Bone Mineral Density in Male Kidney Transplantation Candidates. <i>Kidney International Reports</i> , 2018, 3, 661-670.	0.8	9
30	Vertebral Bone Mineral Density Measured by Quantitative Computed Tomography With and Without a Calibration Phantom: A Comparison Between 2 Different Software Solutions. <i>Journal of Clinical Densitometry</i> , 2018, 21, 367-374.	1.2	16
31	Prognostic Value of Risk Factors, Calcium Score, Coronary CTA, Myocardial Perfusion Imaging, and Invasive Coronary Angiography in Kidney Transplantation Candidates. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 842-854.	5.3	39
32	Development of Kidney Transplant Fibrosis Is Inversely Associated With Plasma Marine Fatty Acid Level. , 2018, 28, 118-124.		6
33	SP755MARINE n-3 FATTY ACID SUPPLEMENTATION INCREASE TACROLIMUS EXPOSURE IN RENAL TRANSPLANT RECIPIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i603-i603.	0.7	0
34	SP084ASSOCIATION BETWEEN ARTERIAL STIFFNESS AND HEART RATE VARIABILITY IN PATIENTS WITH NEWLY DIAGNOSED HYPERTENSION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i373-i374.	0.7	0
35	The Authors Reply:. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 287.	5.3	0
36	SP736MARINE N-3 POLYUNSATURATED FATTY ACIDS AND BONE DENSITY IN KIDNEY TRANSPLANTATION: A DOUBLE-BLINDED, RANDOMIZED, PLACEBO-CONTROLLED TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i596-i596.	0.7	0

#	ARTICLE	IF	CITATIONS
37	SP744MARINE n-3 FATTY ACID SUPPLEMENTATION REDUCES PLASMA TRIGLYCERIDES & IMPROVES FLOW MEDIATED DILATATION IN RENAL TRANSPLANT RECIPIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i599-i599.	0.7	0
38	SP751MARINE n-3 FATTY ACID SUPPLEMENTATION REDUCES INFLAMMATION & PREVENTS RENAL GRAFT FIBROSIS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i601-i601.	0.7	0
39	Plasma n-6 Polyunsaturated Fatty Acid Levels and Survival in Renal Transplantation. , 2018, 28, 333-339.		1
40	Marine n-3 polyunsaturated fatty acids affect the blood pressure control in patients with newly diagnosed hypertension â€“ a 1-year follow-up study. <i>Nutrition Research</i> , 2017, 38, 71-78.	2.9	7
41	n-3 Polyunsaturated Fatty Acids for the Management of Patients With Chronic Kidney Disease. , 2017, 27, 147-150.		2
42	Atrial function, atrial volume and cardiovascular clinical outcomes in patients with end-stage renal disease â€“ A study of cardiac computed tomography. <i>Journal of Cardiovascular Computed Tomography</i> , 2017, 11, 389-396.	1.3	4
43	Haptoglobin 2-2 Genotype, Patient, and Graft Survival in Renal Transplant Recipients. <i>Progress in Transplantation</i> , 2017, 27, 386-391.	0.7	0
44	Plasma Levels of Marine n-3 Fatty Acids Are Inversely Correlated With Proinflammatory Markers sTNFR1 and IL-6 in Renal Transplant Recipients. , 2017, 27, 161-168.		8
45	Bone turnover markers are associated with bone density, but not with fracture in end stage kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2017, 18, 284.	1.8	33
46	<i>Giardia lamblia</i>infection after pancreas-kidney transplantation. <i>BMJ Case Reports</i> , 2016, 2016, bcr2015211515.	0.5	11
47	Coronary Calcium Score May Replace Cardiovascular Risk Factors as Primary Risk Stratification Tool Before Kidney Transplantation. <i>Transplantation</i> , 2016, 100, 2177-2187.	1.0	11
48	Effect of Intravenous Contrast on Volumetric Bone Mineral Density in Patients with Chronic Kidney Disease. <i>Journal of Clinical Densitometry</i> , 2016, 19, 423-429.	1.2	7
49	Cancer risk and mortality after kidney transplantation: a population-based study on differences between Danish centres using standard immunosuppression with and without glucocorticoids. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 2149-2156.	0.7	10
50	Long chain n-3 polyunsaturated fatty acids and vascular function in patients with chronic kidney disease and healthy subjects: a cross-sectional and comparative study. <i>BMC Nephrology</i> , 2016, 17, 184.	1.8	1
51	The Authors Reply:. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 329-330.	5.3	0
52	Plasma n-3 Polyunsaturated Fatty Acids and Bone Mineral Density in Renal Transplant Recipients. , 2016, 26, 196-203.		6
53	Plasma levels of marine n-3 polyunsaturated fatty acids and renal allograft survival. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 160-167.	0.7	17
54	The Association between Marine n-3 Polyunsaturated Fatty Acid Levels and Survival after Renal Transplantation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1246-1256.	4.5	39

#	ARTICLE	IF	CITATIONS
55	Diagnostic Performance of Coronary CT Angiography and Myocardial Perfusion Imaging in Kidney Transplantation Candidates. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 553-562.	5.3	85
56	The Effect of n-3 Fatty Acids on Small Dense Low-Density Lipoproteins in Patients With End-Stage Renal Disease: A Randomized Placebo-Controlled Intervention Study. , 2015, 25, 376-380.		12
57	Prevention of cardiovascular disease after renal transplantation. <i>Current Opinion in Organ Transplantation</i> , 2012, Publish Ahead of Print, 393-400.	1.6	28
58	Osteoprotegerin as a predictor of renal and cardiovascular outcomes in renal transplant recipients: follow-up data from the ALERT study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2571-2575.	0.7	35
59	Marine n-3 fatty acids, atrial fibrillation and QT interval in haemodialysis patients. <i>British Journal of Nutrition</i> , 2012, 107, 903-909.	2.3	24
60	Marine n-3 Polyunsaturated Fatty Acids in Patients With End-stage Renal Failure and in Subjects Without Kidney Disease: A Comparative Study. , 2011, 21, 169-175.		49
61	Omega-3 Polyunsaturated Fatty Acids and Clinical Trials. <i>American Journal of Kidney Diseases</i> , 2011, 57, 352.	1.9	1
62	n-3 polyunsaturated fatty acids, lipids and lipoproteins in end-stage renal disease. <i>Clinical Lipidology</i> , 2011, 6, 563-576.	0.4	7
63	The content of docosahexaenoic acid in serum phospholipid is inversely correlated with plasma homocysteine levels in patients with end-stage renal disease. <i>Nutrition Research</i> , 2010, 30, 535-540.	2.9	21
64	The effect of n-3 fatty acids on levels of methylarginines in patients with end-stage renal disease. <i>Journal of Nephrology</i> , 2010, 23, 459-64.	2.0	5
65	The effect of n-3 fatty acids on lipids and lipoproteins in patients treated with chronic haemodialysis: a randomized placebo-controlled intervention study. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2918-2924.	0.7	51
66	Cuff inflation during ambulatory blood pressure monitoring and heart rate. <i>Integrated Blood Pressure Control</i> , 2008, Volume 1, 15-19.	1.2	3
67	The Effect of n-3 Fatty Acids on Heart Rate Variability in Patients Treated With Chronic Hemodialysis. , 2007, 17, 243-249.		27
68	N-3 Fatty Acids as Secondary Prevention against Cardiovascular Events in Patients Who Undergo Chronic Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006, 1, 780-786.	4.5	132
69	The effect of n-3 fatty acids on plasma lipids and lipoproteins and blood pressure in patients with CRF. <i>American Journal of Kidney Diseases</i> , 2004, 44, 77-83.	1.9	69