

# Kimmen Sjolander

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11986027/publications.pdf>

Version: 2024-02-01

33  
papers

4,742  
citations

257450  
24  
h-index

434195  
31  
g-index

35  
all docs

35  
docs citations

35  
times ranked

5103  
citing authors

#	ARTICLE	IF	CITATIONS
1	Gearing up to handle the mosaic nature of life in the quest for orthologs. <i>Bioinformatics</i> , 2018, 34, 323-329.	4.1	36
2	Standardized benchmarking in the quest for orthologs. <i>Nature Methods</i> , 2016, 13, 425-430.	19.0	198
3	The PhyloFacts FAT-CAT web server: ortholog identification and function prediction using fast approximate tree classification. <i>Nucleic Acids Research</i> , 2013, 41, W242-W248.	14.5	25
4	The interface of protein structure, protein biophysics, and molecular evolution. <i>Protein Science</i> , 2012, 21, 769-785.	7.6	188
5	Ortholog identification in the presence of domain architecture rearrangement. <i>Briefings in Bioinformatics</i> , 2011, 12, 413-422.	6.5	28
6	Getting Started in Structural Phylogenomics. <i>PLoS Computational Biology</i> , 2010, 6, e1000621.	3.2	13
7	Arabidopsis thaliana PGR7 Encodes a Conserved Chloroplast Protein That Is Necessary for Efficient Photosynthetic Electron Transport. <i>PLoS ONE</i> , 2010, 5, e11688.	2.5	18
8	SATCHMO-JS: a webserver for simultaneous protein multiple sequence alignment and phylogenetic tree construction. <i>Nucleic Acids Research</i> , 2010, 38, W29-W34.	14.5	26
9	Berkeley PHOG: PhyloFacts orthology group prediction web server. <i>Nucleic Acids Research</i> , 2009, 37, W84-W89.	14.5	65
10	INTREPID: a web server for prediction of functionally important residues by evolutionary analysis. <i>Nucleic Acids Research</i> , 2009, 37, W390-W395.	14.5	35
11	Automated Protein Subfamily Identification and Classification. <i>PLoS Computational Biology</i> , 2007, 3, e160.	3.2	110
12	Berkeley Phylogenomics Group web servers: resources for structural phylogenomic analysis. <i>Nucleic Acids Research</i> , 2007, 35, W27-W32.	14.5	24
13	PhyloFacts: an online structural phylogenomic encyclopedia for protein functional and structural classification. <i>Genome Biology</i> , 2006, 7, R83.	9.6	50
14	Functional Classification Using Phylogenomic Inference. <i>PLoS Computational Biology</i> , 2006, 2, e77.	3.2	61
15	Predicted hexameric structure of the Agrobacterium VirB4 C terminus suggests VirB4 acts as a docking site during type IV secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1685-1690.	7.1	51
16	Proteome Analysis of the Rice Etioplast. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1072-1084.	3.8	108
17	Subfamily hmms in functional genomics. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2005, , 322-33.	0.7	12
18	Phylogenomic inference of protein molecular function: advances and challenges. <i>Bioinformatics</i> , 2004, 20, 170-179.	4.1	184

#	ARTICLE	IF	CITATIONS
19	Arabidopsis Downy Mildew Resistance Gene RPP27 Encodes a Receptor-Like Protein Similar to CLAVATA2 and Tomato Cf-9. <i>Plant Physiology</i> , 2004, 135, 1100-1112.	4.8	52
20	From Endonucleases to Transcription Factors: Evolution of the AP2 DNA Binding Domain in Plants[W]. <i>Plant Cell</i> , 2004, 16, 2265-2277.	6.6	227
21	COACH: profile-profile alignment of protein families using hidden Markov models. <i>Bioinformatics</i> , 2004, 20, 1309-1318.	4.1	86
22	A comparison of scoring functions for protein sequence profile alignment. <i>Bioinformatics</i> , 2004, 20, 1301-1308.	4.1	116
23	The Arabidopsis thaliana Chloroplast Proteome Reveals Pathway Abundance and Novel Protein Functions. <i>Current Biology</i> , 2004, 14, 354-362.	3.9	585
24	SUBFAMILY HMMS IN FUNCTIONAL GENOMICS. , 2004, , .		12
25	SATCHMO: sequence alignment and tree construction using hidden Markov models. <i>Bioinformatics</i> , 2003, 19, 1404-1411.	4.1	91
26	SIMULTANEOUS SEQUENCE ALIGNMENT AND TREE CONSTRUCTION USING HIDDEN MARKOV MODELS. , 2002, , .		6
27	Predicting protein structure using hidden Markov models. <i>Proteins: Structure, Function and Bioinformatics</i> , 1997, 29, 134-139.	2.6	110
28	Predicting protein structure using hidden Markov models. <i>Proteins: Structure, Function and Bioinformatics</i> , 1997, 29, 134-139.	2.6	8
29	Predicting protein structure using hidden Markov models. <i>Proteins: Structure, Function and Bioinformatics</i> , 1997, 29, 134-139.	2.6	31
30	Dirichlet mixtures: a method for improved detection of weak but significant protein sequence homology. <i>Bioinformatics</i> , 1996, 12, 327-345.	4.1	197
31	Hidden Markov Models in Computational Biology. <i>Journal of Molecular Biology</i> , 1994, 235, 1501-1531.	4.2	1,660
32	Stochastic context-free grammars for tRNA modeling. <i>Nucleic Acids Research</i> , 1994, 22, 5112-5120.	14.5	317
33	Recent methods for RNA modeling using stochastic context-free grammars. <i>Lecture Notes in Computer Science</i> , 1994, , 289-306.	1.3	12