List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1198997/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Epidemiologic Classification of Human Papillomavirus Types Associated with Cervical Cancer. New England Journal of Medicine, 2003, 348, 518-527.	13.9	5,264
2	Interaction between Tobacco and Alcohol Use and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 541-550.	1.1	908
3	Alcohol Drinking in Never Users of Tobacco, Cigarette Smoking in Never Drinkers, and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. Journal of the National Cancer Institute, 2007, 99, 777-789.	3.0	837
4	Male Circumcision, Penile Human Papillomavirus Infection, and Cervical Cancer in Female Partners. New England Journal of Medicine, 2002, 346, 1105-1112.	13.9	707
5	Worldwide Human Papillomavirus Etiology of Cervical Adenocarcinoma and Its Cofactors: Implications for Screening and Prevention. Journal of the National Cancer Institute, 2006, 98, 303-315.	3.0	568
6	Effect of oral contraceptives on risk of cervical cancer in women with human papillomavirus infection: the IARC multicentric case-control study. Lancet, The, 2002, 359, 1085-1092.	6.3	561
7	Role of parity and human papillomavirus in cervical cancer: the IARC multicentric case-control study. Lancet, The, 2002, 359, 1093-1101.	6.3	482
8	Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. International Journal of Epidemiology, 2010, 39, 166-181.	0.9	322
9	Oral Health and Risk of Squamous Cell Carcinoma of the Head and Neck and Esophagus: Results of Two Multicentric Case-Control Studies. American Journal of Epidemiology, 2007, 166, 1159-1173.	1.6	318
10	Herpes Simplex Virus-2 as a Human Papillomavirus Cofactor in the Etiology of Invasive Cervical Cancer. Journal of the National Cancer Institute, 2002, 94, 1604-1613.	3.0	299
11	Smoking and cervical cancer: pooled analysis of the IARC multi-centric case–control study. Cancer Causes and Control, 2003, 14, 805-814.	0.8	299
12	Human papillomavirus and invasive cervical cancer in Brazil. British Journal of Cancer, 1994, 69, 114-119.	2.9	225
13	Cigarette, Cigar, and Pipe Smoking and the Risk of Head and Neck Cancers: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. American Journal of Epidemiology, 2013, 178, 679-690.	1.6	220
14	Chlamydia trachomatisand invasive cervical cancer: A pooled analysis of the IARC multicentric case-control study. International Journal of Cancer, 2004, 111, 431-439.	2.3	218
15	Evidence forChlamydia trachomatisas a Human Papillomavirus Cofactor in the Etiology of Invasive Cervical Cancer in Brazil and the Philippines. Journal of Infectious Diseases, 2002, 185, 324-331.	1.9	210
16	Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. International Journal of Epidemiology, 2010, 39, 182-196.	0.9	210
17	Cervical carcinoma and reproductive factors: Collaborative reanalysis of individual data on 16,563 women with cervical carcinoma and 33,542 women without cervical carcinoma from 25 epidemiological studies. International Journal of Cancer, 2006, 119, 1108-1124.	2.3	200
18	Physical activity and cancer: an umbrella review of the literature including 22 major anatomical sites and 770 000 cancer cases. British lournal of Sports Medicine, 2018, 52, 826-833.	3.1	193

#	Article	IF	CITATIONS
19	High Prevalence of Human Papillomavirus (HPV) Infections and High Frequency of Multiple HPV Genotypes in Human Immunodeficiency Virus-Infected Women in Brazil. Journal of Clinical Microbiology, 2002, 40, 3341-3345.	1.8	168
20	Acute Lung Injury in Leptospirosis: Clinical and Laboratory Features, Outcome, and Factors Associated with Mortality. Clinical Infectious Diseases, 1999, 29, 1561-1563.	2.9	165
21	Prevalence and determinants of human papillomavirus genital infection in men. British Journal of Cancer, 2002, 86, 705-711.	2.9	165
22	Low human papillomavirus prevalence in head and neck cancer: results from two large case–control studies in high-incidence regions. International Journal of Epidemiology, 2011, 40, 489-502.	0.9	165
23	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. Nature Genetics, 2016, 48, 1544-1550.	9.4	164
24	Multiple ADH genes are associated with upper aerodigestive cancers. Nature Genetics, 2008, 40, 707-709.	9.4	161
25	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. PLoS Genetics, 2011, 7, e1001333.	1.5	158
26	Human Papillomavirus Type 16 Genetic Variants: Phylogeny and Classification Based on E6 and LCR. Journal of Virology, 2012, 86, 6855-6861.	1.5	136
27	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. International Journal of Epidemiology, 2015, 44, 169-185.	0.9	128
28	Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. International Journal of Epidemiology, 2010, 39, 563-577.	0.9	125
29	Family history of cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. International Journal of Cancer, 2009, 124, 394-401.	2.3	122
30	Time since first sexual intercourse and the risk of cervical cancer. International Journal of Cancer, 2012, 130, 2638-2644.	2.3	122
31	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. Cancer Causes and Control, 2012, 23, 69-88.	0.8	116
32	Risk Factors for HPV DNA Detection in Middle-Aged Women. Sexually Transmitted Diseases, 1996, 23, 504-510.	0.8	108
33	Presence of multiple human papillomavirus types in cervical samples from HIV-infected women. Gynecologic Oncology, 2004, 92, 225-231.	0.6	98
34	Trypanosoma cruziParasitemia in Chronic Chagas Disease: Comparison between Human Immunodeficiency Virus (HIV)–Positive and HIVâ€Negative Patients. Journal of Infectious Diseases, 2002, 186, 872-875.	1.9	91
35	Cervical Carcinoma and Sexual Behavior: Collaborative Reanalysis of Individual Data on 15,461 Women with Cervical Carcinoma and 29,164 Women without Cervical Carcinoma from 21 Epidemiological Studies. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1060-1069.	1.1	90
36	Incidence of stroke subtypes, prognosis and prevalence of risk factors in Joinville, Brazil: a 2 year community based study. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 755-761.	0.9	89

#	Article	IF	CITATIONS
37	Body mass index and risk of head and neck cancer in a pooled analysis of case–control studies in the International Head and Neck Cancer Epidemiology (INHANCE) Consortium. International Journal of Epidemiology, 2010, 39, 1091-1102.	0.9	89
38	Trends in stroke incidence, mortality and case fatality rates in Joinville, Brazil: 1995-2006. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 749-754.	0.9	87
39	The <scp>INHANCE</scp> consortium: toward a better understanding of the causes and mechanisms of head and neck cancer. Oral Diseases, 2015, 21, 685-693.	1.5	82
40	Chlamydia trachomatis Infection in Female Partners of Circumcised and Uncircumcised Adult Men. American Journal of Epidemiology, 2005, 162, 907-916.	1.6	79
41	Human Papillomavirus 18 Genetic Variation and Cervical Cancer Risk Worldwide. Journal of Virology, 2015, 89, 10680-10687.	1.5	78
42	Role of 18F-Fluorodeoxyglucose Positron Emission Tomography in Preoperative Assessment of Cytologically Indeterminate Thyroid Nodules. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 4485-4488.	1.8	76
43	Involuntary Smoking and Head and Neck Cancer Risk: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1974-1981.	1.1	76
44	Genetic polymorphisms ofCYP1A1,CYP2E1,GSTM1, andGSTT1 associated with head and neck cancer. Head and Neck, 2006, 28, 819-826.	0.9	72
45	Human papillomavirus (HPV) 16 and the prognosis of head and neck cancer in a geographical region with a low prevalence of HPV infection. Cancer Causes and Control, 2014, 25, 461-471.	0.8	67
46	Smoking and Passive Smoking in Cervical Cancer Risk: Pooled Analysis of Couples from the IARC Multicentric Case–Control Studies. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1379-1390.	1.1	64
47	Body Mass Index, Cigarette Smoking, and Alcohol Consumption and Cancers of the Oral Cavity, Pharynx, and Larynx: Modeling Odds Ratios in Pooled Case-Control Data. American Journal of Epidemiology, 2010, 171, 1250-1261.	1.6	63
48	Risk of exposure to Chagas' disease among seroreactive Brazilian blood donors. Transfusion, 1996, 36, 969-973.	0.8	61
49	Arg72Pro <i>TP53</i> polymorphism and cancer susceptibility: A comprehensive metaâ€analysis of 302 caseâ€control studies. International Journal of Cancer, 2011, 129, 920-930.	2.3	61
50	How much do smoking and alcohol consumption explain socioeconomic inequalities in head and neck cancer risk?. Journal of Epidemiology and Community Health, 2011, 65, 709-714.	2.0	58
51	Marijuana Smoking and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1544-1551.	1.1	55
52	Incidence and risk factors of aplastic anemia in Latin American countries: the LATIN case-control study. Haematologica, 2009, 94, 1220-1226.	1.7	55
53	Identification of dietary patterns using factor analysis in an epidemiological study in São Paulo. Sao Paulo Medical Journal, 2005, 123, 124-127.	0.4	54
54	XPC polymorphisms play a role in tissue-specific carcinogenesis: a meta-analysis. European Journal of Human Genetics, 2008, 16, 724-734.	1.4	54

#	Article	IF	CITATIONS
55	A randomized controlled trial comparing a computer-assisted insulin infusion protocol with a strict and a conventional protocol for glucose control in critically ill patients. Journal of Critical Care, 2009, 24, 371-378.	1.0	52
56	Organochlorines and breast cancer: A case-control study in Brazil. , 1999, 83, 596-600.		51
57	Incidence and risk factors for agranulocytosis in Latin American countries—the Latin Study. European Journal of Clinical Pharmacology, 2008, 64, 921-929.	0.8	51
58	Alcohol and tobacco, and the risk of cancers of the upper aerodigestive tract in Latin America: a case–control study. Cancer Causes and Control, 2011, 22, 1037-1046.	0.8	48
59	An examination of male and female odds ratios by BMI, cigarette smoking, and alcohol consumption for cancers of the oral cavity, pharynx, and larynx in pooled data from 15 case–control studies. Cancer Causes and Control, 2011, 22, 1217-1231.	0.8	48
60	A gene expression profile related to immune dampening in the tumor microenvironment is associated with poor prognosis in gastric adenocarcinoma. Journal of Gastroenterology, 2014, 49, 1453-1466.	2.3	46
61	Long-Term Survival, Quality of Life, and Quality-Adjusted Survival in Critically III Patients With Cancer*. Critical Care Medicine, 2016, 44, 1327-1337.	0.4	45
62	A School-Based Human Papillomavirus Vaccination Program in Barretos, Brazil: Final Results of a Demonstrative Study. PLoS ONE, 2013, 8, e62647.	1.1	43
63	Prevalence and Risk Factors for Herpes Simplex Virus Type 2 Infection Among Middle-Age Women in Brazil and the Philippines. Sexually Transmitted Diseases, 2001, 28, 187-194.	0.8	42
64	Awareness and knowledge of HPV, cervical cancer, and vaccines in young women after first delivery in São Paulo, Brazil - a cross-sectional study. BMC Women's Health, 2010, 10, 35.	0.8	41
65	The increasing burden of cancer attributable to high body mass index in Brazil. Cancer Epidemiology, 2018, 54, 63-70.	0.8	41
66	Oral health, hygiene practices and oral cancer. Revista De Saude Publica, 2008, 42, 471-479.	0.7	35
67	Chronic Pain Prevalence and Associated Factors in a Segment ofÂthe Population of São Paulo City. Journal of Pain, 2014, 15, 1081-1091.	0.7	35
68	Cervical cancer in Latin America. Seminars in Oncology, 2001, 28, 188-197.	0.8	35
69	Early identification of leptospirosis-associated pulmonary hemorrhage syndrome by use of a validated prediction model. Journal of Infection, 2010, 60, 218-223.	1.7	34
70	A Rare Truncating BRCA2 Variant and Genetic Susceptibility to Upper Aerodigestive Tract Cancer. Journal of the National Cancer Institute, 2015, 107, .	3.0	33
71	European ancestry and polymorphisms in DNA repair genes modify the risk of melanoma: A case–control study in a high UV index region in Brazil. Journal of Dermatological Science, 2011, 64, 59-66.	1.0	32
72	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. International Journal of Epidemiology, 2019, 48, 751-766.	0.9	32

#	Article	IF	CITATIONS
73	Human Papillomavirus prevalence, viral load and cervical intraepithelial neoplasia in HIV-infected women. Brazilian Journal of Infectious Diseases, 2002, 6, 129-35.	0.3	31
74	Dietary patterns and risk of oral cancer: a case-control study in São Paulo, Brazil. Revista De Saude Publica, 2007, 41, 19-26.	0.7	31
75	Tendências da mortalidade por câncer nas capitais dos estados do Brasil, 1980-2004. Revista Da Associação Médica Brasileira, 2010, 56, 309-312.	0.3	31
76	Proportion of cancer cases and deaths attributable to lifestyle risk factors in Brazil. Cancer Epidemiology, 2019, 59, 148-157.	0.8	31
77	Human Papillomavirus 45 Genetic Variation and Cervical Cancer Risk Worldwide. Journal of Virology, 2014, 88, 4514-4521.	1.5	30
78	Contemporary Trends of Inpatient Surgical Management of Stone Disease: National Analysis in an Economic Growth Scenario. Journal of Endourology, 2015, 29, 956-962.	1.1	30
79	Aplastic anemia in Brazil: Incidence and risk factors. American Journal of Hematology, 2002, 71, 268-274.	2.0	29
80	Incidence of aplastic anemia and agranulocytosis in Latin America: the LATIN study. Sao Paulo Medical Journal, 2005, 123, 101-104.	0.4	28
81	Vitamin or mineral supplement intake and the risk of head and neck cancer: pooled analysis in the INHANCE consortium. International Journal of Cancer, 2012, 131, 1686-1699.	2.3	27
82	Population attributable fraction: planning of diseases prevention actions in Brazil. Revista De Saude Publica, 2016, 50, .	0.7	26
83	Genome-wide association study of HPV seropositivity. Human Molecular Genetics, 2011, 20, 4714-4723.	1.4	25
84	TP53 and EGFR mutations in combination with lifestyle risk factors in tumours of the upper aerodigestive tract from South America. Carcinogenesis, 2010, 31, 1054-1059.	1.3	24
85	The Role of School Environment in Physical Activity among Brazilian Adolescents. PLoS ONE, 2015, 10, e0131342.	1.1	24
86	Education, tobacco smoking, alcohol consumption, and IL-2 and IL-6 gene polymorphisms in the survival of head and neck cancer. Brazilian Journal of Medical and Biological Research, 2011, 44, 1006-1012.	0.7	24
87	Adverse events and death in stroke patients admitted to the emergency department of a tertiary university hospital. European Journal of Emergency Medicine, 2005, 12, 63-71.	0.5	23
88	Cross-cultural adaptation and validation of a Brazilian Portuguese version of the chronic pain grade. Quality of Life Research, 2010, 19, 847-852.	1.5	23
89	Education Level Explains Differences in Stroke Incidence among City Districts in Joinville, Brazil: A Three-Year Population-Based Study. Neuroepidemiology, 2011, 36, 258-264.	1.1	23
90	Prevalence of chronic spinal pain and identification of associated factors in a sample of the population of São Paulo, Brazil: cross-sectional study. Sao Paulo Medical Journal, 2016, 134, 375-384.	0.4	23

#	Article	IF	CITATIONS
91	Coronary heart disease mortality, cardiovascular disease mortality and all-cause mortality attributable to dietary intake over 20years in Brazil. International Journal of Cardiology, 2016, 217, 64-68.	0.8	22
92	Drinking of maté and the risk of cancers of the upper aerodigestive tract in Latin America: a case–control study. Cancer Causes and Control, 2010, 21, 1799-1806.	0.8	21
93	Association of type and intensity of physical activity with plasma biomarkers of inflammation and insulin response. International Journal of Cancer, 2019, 145, 360-369.	2.3	21
94	Avaliação da assistência a pessoas com hipertensão arterial em Unidades de Estratégia Saúde da FamÃlia. Saude E Sociedade, 2010, 19, 614-626.	0.1	21
95	Prevalence of GB Virus C (Hepatitis G Virus) and Risk Factors for Infection in São Paulo, Brazil. European Journal of Clinical Microbiology and Infectious Diseases, 2002, 21, 438-443.	1.3	20
96	The Brazilian Family Health Program and Secondary Stroke and Myocardial Infarction Prevention: A 6-Year Cohort Study. American Journal of Public Health, 2012, 102, e90-e95.	1.5	20
97	Risk factors associated with the development of gastric cancer — case-control study. Revista Da Associação Médica Brasileira, 2018, 64, 611-619.	0.3	20
98	Physical activity during adolescence and risk of colorectal adenoma later in life: results from the Nurses' Health Study II. British Journal of Cancer, 2019, 121, 86-94.	2.9	19
99	Association between Polymorphisms in Inflammatory Response-Related Genes and the Susceptibility, Progression and Prognosis of the Diffuse Histological Subtype of Gastric Cancer. Genes, 2018, 9, 631.	1.0	18
100	Mistreatment in an academic setting and medical students' perceptions about their course in São Paulo, Brazil: a cross-sectional study. Sao Paulo Medical Journal, 2016, 134, 130-137.	0.4	17
101	Using Prior Information from the Medical Literature in GWAS of Oral Cancer Identifies Novel Susceptibility Variant on Chromosome 4 - the AdAPT Method. PLoS ONE, 2012, 7, e36888.	1.1	17
102	Reprodutibilidade e validade do questionário de freqüência de consumo alimentar utilizado em estudo caso-controle de câncer oral. Revista Brasileira De Epidemiologia, 2006, 9, 316-324.	0.3	17
103	Sexual transmission of hepatitis C virus. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2001, 43, 133-137.	0.5	16
104	Vaccination coverage rates and predictors of HPV vaccination among eligible and non-eligible female adolescents at the Brazilian HPV vaccination public program. BMC Public Health, 2020, 20, 458.	1.2	15
105	Physical activity for cancer patients during COVID-19 pandemic: a call to action. Cancer Causes and Control, 2021, 32, 1-3.	0.8	15
106	A Sex-Specific Association between a 15q25 Variant and Upper Aerodigestive Tract Cancers. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 658-664.	1.1	14
107	Physical activity and preventable premature deaths from non-communicable diseases in Brazil. Journal of Public Health, 2019, 41, e253-e260.	1.0	14
108	In Vitro Fertilization and Childhood Cancer. Journal of Pediatric Hematology/Oncology, 2002, 24, 421-422.	0.3	14

#	Article	IF	CITATIONS
109	High-Risk HPV Testing in Primary Screening for Cervical Cancer in the Public Health System, São Paulo, Brazil. Cancer Prevention Research, 2019, 12, 539-546.	0.7	13
110	Ethnicity and Cutaneous Melanoma in the City of Sao Paulo, Brazil: A Case-Control Study. PLoS ONE, 2012, 7, e36348.	1.1	12
111	Fatal pulmonary embolism in hospitalized patients: a large autopsy-based matched case-control study. Clinics, 2013, 68, 679-685.	0.6	11
112	Assessing screening practices among health care workers at a tertiary-care hospital in Sao Paulo, Brazil. Clinics, 2010, 65, 151-155.	0.6	10
113	The 12p13.33/RAD52 Locus and Genetic Susceptibility to Squamous Cell Cancers of Upper Aerodigestive Tract. PLoS ONE, 2015, 10, e0117639.	1.1	10
114	Resistance training and total and site-specific cancer risk: a prospective cohort study of 33,787 US men. British Journal of Cancer, 2020, 123, 666-672.	2.9	10
115	American trypanosomiasis and electrocardiographic alterations among industrial workers in São Paulo, Brazil. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2004, 46, 299-302.	0.5	10
116	Paving pathways: Brazil's implementation of a national human papillomavirus immunization campaign. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 163-6.	0.6	10
117	Polymorphisms in the p27 kip-1 and prohibitin genes denote novel genes associated with melanoma risk in Brazil, a high ultraviolet index region. Melanoma Research, 2013, 23, 231-236.	0.6	9
118	Critical Analyses of the Introduction of Liquid-Based Cytology in a Public Health Service of the State of São Paulo, Brazil. Acta Cytologica, 2015, 59, 273-277.	0.7	9
119	Epidemiological studies in the information and genomics era: experience of the Clinical Genome of Cancer Project in São Paulo, Brazil. Brazilian Journal of Medical and Biological Research, 2006, 39, 545-553.	0.7	9
120	Human Herpesvirus 8 (HHV-8) Infection in HIV/AIDS Patients From Santos, Brazil: Seroprevalence and Associated Factors. Sexually Transmitted Diseases, 2005, 32, 57-63.	0.8	8
121	Variations in peak expiratory flow measurements associated to air pollution and allergic sensitization in children in Sao Paulo, Brazil. American Journal of Industrial Medicine, 2012, 55, 1087-1098.	1.0	8
122	Attendance for diagnostic colposcopy among highâ€risk human papillomavirus positive women in a Brazilian feasibility study. International Journal of Gynecology and Obstetrics, 2021, 152, 72-77.	1.0	8
123	Adesão ao seguimento nutricional ambulatorial pós-cirurgia bariátrica e fatores associados. Revista De Nutricao, 2012, 25, 497-506.	0.4	8
124	Opportunity for catch-up HPV vaccination in young women after first delivery. Journal of Epidemiology and Community Health, 2010, 64, 610-615.	2.0	7
125	Modos de vida entre pessoas que tiveram câncer no Brasil em 2013. Ciencia E Saude Coletiva, 2016, 21, 379-388	0.1	7
126	Factors influencing <scp>HPV</scp> vaccine delivery by healthcare professionals at public health posts in São Paulo, Brazil. International Journal of Gynecology and Obstetrics, 2017, 136, 33-39.	1.0	7

#	Article	IF	CITATIONS
127	Influence of Prior Knowledge of Human Papillomavirus Status on the Performance of Cytology Screening. American Journal of Clinical Pathology, 2018, 149, 316-323.	0.4	7
128	Letters to the Editor. International Journal of Epidemiology, 1994, 23, 1101-1102.	0.9	6
129	Hospital visitors as controls in case-control studies. Revista De Saude Publica, 2001, 35, 436-442.	0.7	6
130	Economic burden of colorectal and breast cancers attributable to lack of physical activity in Brazil. BMC Public Health, 2021, 21, 1190.	1.2	6
131	Prevalence and risk factors associated with perianal ulcer in advanced acquired immunodeficiency syndrome. International Journal of Infectious Diseases, 2002, 6, 253-258.	1.5	5
132	Adverse Events in Patients With Community-Acquired Pneumonia at an Academic Tertiary Emergency Department. Infectious Diseases in Clinical Practice, 2006, 14, 350-359.	0.1	5
133	A large 15 - year database analysis on the influence of age, gender, race, obesity and income on hospitalization rates due to stone disease. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2016, 42, 1150-1159.	0.7	4
134	Seroprevalence of human papillomavirus 6, 11, 16, and 18 in young primiparous women in Sao Paulo, Brazil. International Journal of Gynecological Cancer, 2010, 20, 1405-10.	1.2	4
135	Preventable fractions of colon and breast cancers by increasing physical activity in Brazil: perspectives from plausible counterfactual scenarios. Cancer Epidemiology, 2018, 56, 38-45.	0.8	3
136	Cervical screening in the elderly. Lancet, The, 1990, 335, 796.	6.3	2
137	Cyclooxygenase-2 gene polymorphisms and susceptibility to colorectal cancer in a Brazilian population. Journal of Gastrointestinal Oncology, 2017, 8, 629-635.	0.6	2
138	A vacina contra o papilomavÃrus humano. Revista Brasileira De Epidemiologia, 2008, 11, 521-523.	0.3	2
139	Access to colposcopy in the State of São Paulo, Brazil: probabilistic linkage study of administrative data. Cadernos De Saude Publica, 2022, 38, e00304820.	0.4	2
140	Risk of cancer revealed by follow-up of families with hereditary non-polyposis colorectal cancer: A population-based study. International Journal of Cancer, 1994, 58, 898-898.	2.3	1
141	Late Diagnosis of HIV Infection in Women Seeking Counseling and Testing Services in São Paulo, Brazil. AIDS Patient Care and STDs, 2001, 15, 391-397.	1.1	1
142	Author's reply to: Multiple human papillomavirus genotype infections in cervical cancer progression in the study to understand cervical cancer early endpoints and determinants. International Journal of Cancer, 2011, 129, 1283-1285.	2.3	1
143	Human papilloma virus infection and other risk factors for cervical neoplasia. International Journal of Cancer, 1992, 52, 164-165.	2.3	0
144	Cigarette smoking and cervical cancer BMJ: British Medical Journal, 1993, 307, 384-384.	2.4	0

#	Article	IF	CITATIONS
145	Re: "Determinants of Quality of Interview and Impact on Risk Estimates in a Case-Control Study of Bladder Cancer". American Journal of Epidemiology, 2009, 170, 1319-1319.	1.6	0
146	P2-442 European ancestry, phenotypic characteristics and risk of cutaneous melanoma: a case-control study in Sao Paulo, Brazil. Journal of Epidemiology and Community Health, 2011, 65, A343-A344.	2.0	0
147	To the Editor. Spine, 2016, 41, E511.	1.0	0
148	A COMPUTER GUIDED INSULIN PROTOCOL CAUSES LESS HYPOGLYCEMIA THAN A STRICT GLYCEMIC CONTROL PROTOCOL - A RANDOMIZED CONTROLLED TRIAL Critical Care Medicine, 2006, 34, A64.	0.4	0
149	Artigo com erro importante aceito para publicação no New England Journal of Medicine: por que não admitir?. Revista Brasileira De Epidemiologia, 2008, 11, 717-718.	0.3	0