

# Hasan Herken

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12001673/publications.pdf>

Version: 2024-02-01

53  
papers

2,347  
citations

236925

25  
h-index

206112

48  
g-index

53  
all docs

53  
docs citations

53  
times ranked

2940  
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of Oxidative Status in Patients Treated with Electroconvulsive Therapy. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 40-46.	2.0	10
2	The impact of synapsin III gene on the neurometabolite level alterations after single-dose methylphenidate in attention-deficit hyperactivity disorder patients. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 1141.	2.2	6
3	miR-181b-5p, miR-195-5p and miR-301a-3p are related with treatment resistance in schizophrenia. <i>Psychiatry Research</i> , 2016, 245, 200-206.	3.3	38
4	Association of the Neuropeptide Y LEU7PRO rs16139 and NEUREXIN 3 rs760288 Polymorphisms with Alcohol Dependence. <i>Journal of Microbiology and Biotechnology</i> , 2016, 26, 15-20.	2.1	1
5	Increased urinary 6-hydroxymelatonininsulfate levels in attention deficit hyperactivity disorder diagnosed children and adolescent. <i>Neuroscience Letters</i> , 2016, 617, 195-200.	2.1	9
6	Practice of Acute and Maintenance Electroconvulsive Therapy in the Psychiatric Clinic of a University Hospital from Turkey: between 2007 and 2013. <i>Clinical Psychopharmacology and Neuroscience</i> , 2016, 14, 57-63.	2.0	6
7	The Effect of Single Dose Methylphenidate on Neurometabolites according to COMT Gene Val158Met Polymorphism in the Patient with Attention Deficit Hyperactivity Disorder: A Study Using Magnetic Resonance Spectroscopy. <i>Clinical Psychopharmacology and Neuroscience</i> , 2016, 14, 184-193.	2.0	5
8	Treatment response, safety, and tolerability of paliperidone extended release treatment in patients recently diagnosed with schizophrenia. <i>Therapeutic Advances in Psychopharmacology</i> , 2015, 5, 194-207.	2.7	4
9	Association of adult attention deficit hyperactivity disorder subtypes and response to methylphenidate HCL treatment: A magnetic resonance spectroscopy study. <i>Neuroscience Letters</i> , 2015, 604, 188-192.	2.1	3
10	Association of SNAP-25 Gene <i>Dde</i> and <i>Mnl</i> Polymorphisms with Adult Attention Deficit Hyperactivity Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 476.	1.6	15
11	Association of VAMP-2 and Syntaxin 1A Genes with Adult Attention Deficit Hyperactivity Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 76.	1.6	22
12	Association of Synapsin III Gene with Adult Attention Deficit Hyperactivity Disorder. <i>DNA and Cell Biology</i> , 2013, 32, 430-434.	1.9	14
13	No Effect of Antidepressant Treatment on Elevated Serum Ceruloplasmin Level in Patients with First-Episode Depression: A Longitudinal Study. <i>Archives of Medical Research</i> , 2012, 43, 294-297.	3.3	12
14	Association between dopamine beta hydroxylase gene polymorphism and age at onset in male schizophrenia. <i>Acta Neuropsychiatrica</i> , 2012, 24, 176-182.	2.1	6
15	The relationship of oxidative metabolism to treatment response in major depression: A biological basis for treatment duration. <i>Neurology Psychiatry and Brain Research</i> , 2012, 18, 15-18.	2.0	6
16	Association Among SNAP-25 Gene <i>Dde</i> and <i>Mnl</i> Polymorphisms and Hemodynamic Changes During Methylphenidate Use. <i>Journal of Attention Disorders</i> , 2011, 15, 628-637.	2.6	22
17	CYP1A2*1F Polymorphism Decreases Clinical Response to Clozapine in Patients with Schizophrenia. <i>Journal of Microbiology and Biotechnology</i> , 2011, 21, 93-99.	2.1	17
18	A Defect in the Antioxidant Defense System in Schizophrenia. <i>Neuropsychobiology</i> , 2009, 60, 87-93.	1.9	54

#	ARTICLE	IF	CITATIONS
19	Lack of association between DRD3 gene polymorphism and response to clozapine in Turkish schizophrenia patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 56-60.	1.7	28
20	The Association of Olanzapine-Induced Weight Gain with Peroxisome Proliferator-Activated Receptor- $\gamma$ 2 Pro12Ala Polymorphism in Patients with Schizophrenia. <i>DNA and Cell Biology</i> , 2009, 28, 515-519.	1.9	33
21	High ceruloplasmin levels are associated with obsessive compulsive disorder: a case control study. <i>Behavioral and Brain Functions</i> , 2008, 4, 52.	3.3	18
22	Oxidative imbalance in obsessive compulsive disorder patients: A total evaluation of oxidant-antioxidant status. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 487-491.	4.8	68
23	Role of Oxidative and Antioxidative Parameters in Etiopathogenesis and Prognosis of Panic Disorder. <i>International Journal of Neuroscience</i> , 2008, 118, 1025-1037.	1.6	38
24	Increased Levels of Nitric Oxide, Cortisol and Adrenomedullin in Patients with Chronic Schizophrenia. <i>Medical Principles and Practice</i> , 2007, 16, 137-141.	2.4	84
25	Clinical predictors of therapeutic response to clozapine in a sample of Turkish patients with treatment-resistant schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1330-1336.	4.8	32
26	The A218C polymorphism of tryptophan hydroxylase gene and migraine. <i>Journal of Clinical Neuroscience</i> , 2007, 14, 249-251.	1.5	9
27	The protective effects of omega-3 fatty acids against MK-801-induced neurotoxicity in prefrontal cortex of rat. <i>Neurochemistry International</i> , 2007, 50, 196-202.	3.8	51
28	Adenosine Deaminase, Nitric Oxide, Superoxide Dismutase, and Xanthine Oxidase in Patients with Major Depression: Impact of Antidepressant Treatment. <i>Archives of Medical Research</i> , 2007, 38, 247-252.	3.3	274
29	Elevated serum nitric oxide and superoxide dismutase in euthymic bipolar patients: Impact of past episodes. <i>World Journal of Biological Psychiatry</i> , 2006, 7, 51-55.	2.6	115
30	Associations between Mn-SOD genetic polymorphism and schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 761.	4.8	2
31	Nitric oxide, adenosine deaminase, xanthine oxidase and superoxide dismutase in patients with panic disorder: alterations by antidepressant treatment. <i>Human Psychopharmacology</i> , 2006, 21, 53-59.	1.5	53
32	Lack of association between the 308GA polymorphism of the tumor necrosis factor alpha gene and temporomandibular dysfunction. <i>The Pain Clinic</i> , 2006, 18, 175-180.	0.1	1
33	Association between Ala-9Val polymorphism of Mn-SOD gene and schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 123-131.	4.8	85
34	Monoamine oxidase-A gene promoter polymorphism in temporomandibular joint pain and dysfunction. <i>The Pain Clinic</i> , 2005, 17, 39-44.	0.1	3
35	The -308 G/A polymorphism of tumor necrosis factor alpha gene is not associated with migraine. <i>The Pain Clinic</i> , 2005, 17, 389-393.	0.1	6
36	The role of the arginine-nitric oxide pathway in the pathogenesis of bipolar affective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 43-47.	3.2	58

#	ARTICLE	IF	CITATIONS
37	Significance of catechol-O-methyltransferase gene polymorphism in fibromyalgia syndrome. <i>Rheumatology International</i> , 2003, 23, 104-107.	3.0	233
38	Pathophysiological role of nitric oxide and adrenomedullin in autism. <i>Cell Biochemistry and Function</i> , 2003, 21, 55-60.	2.9	65
39	Tardive dyskinesia is not associated with the polymorphisms of 5-HT2A receptor gene, serotonin transporter gene and catechol-o-methyltransferase gene. <i>European Psychiatry</i> , 2003, 18, 77-81.	0.2	49
40	T102C Polymorphisms at the 5-HT2A Receptor Gene in Turkish Schizophrenia Patients: A Possible Association with Prognosis. <i>Neuropsychobiology</i> , 2003, 47, 27-30.	1.9	14
41	Migraine and angiotensin-converting enzyme association in Turkish patients. <i>The Pain Clinic</i> , 2003, 15, 473-477.	0.1	10
42	Monoamine oxidase-A gene promoter polymorphism in female migraineurs. <i>The Pain Clinic</i> , 2003, 15, 455-458.	0.1	3
43	Significance of catechol-O-methyltransferase gene polymorphism in myofacial pain syndrome. <i>The Pain Clinic</i> , 2003, 15, 309-313.	0.1	7
44	The 1438G/A polymorphism of the 5-HT2A receptor gene is associated with aura in migraine. <i>The Pain Clinic</i> , 2003, 15, 315-319.	0.1	4
45	Possible Role of Nitric Oxide and Adrenomedullin in Bipolar Affective Disorder. <i>Neuropsychobiology</i> , 2002, 45, 57-61.	1.9	92
46	Significance of Serotonin Transporter Gene 5-HTTLPR and Variable Number of Tandem Repeat Polymorphism in Attention Deficit Hyperactivity Disorder. <i>Neuropsychobiology</i> , 2002, 45, 176-181.	1.9	80
47	The indices of endogenous oxidative and antioxidative processes in plasma from schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002, 26, 995-1005.	4.8	240
48	The possible pathophysiological role of plasma nitric oxide and adrenomedullin in schizophrenia. <i>Journal of Psychiatric Research</i> , 2002, 36, 309-315.	3.1	59
49	Significance of serotonin transporter gene polymorphism in migraine. <i>Journal of the Neurological Sciences</i> , 2001, 186, 27-30.	0.6	69
50	Association of the T102C polymorphism of 5-HT2A receptor gene with aura in migraine. <i>Journal of the Neurological Sciences</i> , 2001, 188, 99-101.	0.6	41
51	Significance of the catechol-O-methyltransferase gene polymorphism in migraine. <i>Molecular Brain Research</i> , 2001, 94, 193-196.	2.3	53
52	Association of T102C polymorphism of the 5-HT2A receptor gene with psychiatric status in fibromyalgia syndrome. <i>Rheumatology International</i> , 2001, 21, 58-61.	3.0	63
53	Possible association of temporomandibular joint pain and dysfunction with a polymorphism in the serotonin transporter gene. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2001, 120, 308-313.	1.7	57