

Vincent W Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12005157/publications.pdf>

Version: 2024-02-01

132
papers

11,918
citations

23567

58
h-index

26613

107
g-index

135
all docs

135
docs citations

135
times ranked

13023
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of KrÄ4ppel-like factors in generating induced pluripotent stem cells. , 2022, , 349-379.		0
2	IL-17RA-signaling in Lgr5+ intestinal stem cells induces expression of transcription factor ATOH1 to promote secretory cell lineage commitment. <i>Immunity</i> , 2022, 55, 237-253.e8.	14.3	30
3	Differential Effects of Dietary Macronutrients on the Development of Oncogenic KRAS-Mediated Pancreatic Ductal Adenocarcinoma. <i>Cancers</i> , 2022, 14, 2723.	3.7	6
4	KLF5 Is Induced by FOXO1 and Causes Oxidative Stress and Diabetic Cardiomyopathy. <i>Circulation Research</i> , 2021, 128, 335-357.	4.5	57
5	Selective killing of cancer cells harboring mutant RAS by concomitant inhibition of NADPH oxidase and glutathione biosynthesis. <i>Cell Death and Disease</i> , 2021, 12, 189.	6.3	6
6	Cardiomyocyte KrÄ4ppel-Like Factor 5 Promotes De Novo Ceramide Biosynthesis and Contributes to Eccentric Remodeling in Ischemic Cardiomyopathy. <i>Circulation</i> , 2021, 143, 1139-1156.	1.6	26
7	State of machine and deep learning in histopathological applications in digestive diseases. <i>World Journal of Gastroenterology</i> , 2021, 27, 2545-2575.	3.3	11
8	Podocyte-specific KLF4 is required to maintain parietal epithelial cell quiescence in the kidney. <i>Science Advances</i> , 2021, 7, eabg6600.	10.3	12
9	Î³ T cell IFNÎ³ production is directly subverted by <i>Yersinia pseudotuberculosis</i> outer protein YopJ in mice and humans. <i>PLoS Pathogens</i> , 2021, 17, e1010103.	4.7	2
10	KrÄ4ppel-like Factor 5 Regulates Stemness, Lineage Specification, and Regeneration of Intestinal Epithelial Stem Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 9, 587-609.	4.5	26
11	Interplay among p21Waf1/Cip1, MUSASHI-1 and KrÄ4ppel-like factor 4 in activation of Bmi1-CreER reserve intestinal stem cells after gamma radiation-induced injury. <i>Scientific Reports</i> , 2020, 10, 18300.	3.3	6
12	KLF4 Regulates Goblet Cell Differentiation in BMI1^{Î³} Reserve Intestinal Stem Cell Lineage during Homeostasis. <i>International Journal of Stem Cells</i> , 2020, 13, 424-431.	1.8	7
13	Aberrant differentiation of intestinal stem cells due to inflammation-induced mitochondrial dysfunction predicts postoperative recurrence of Crohnâ€™s disease. <i>Digestive Medicine Research</i> , 2020, 3, 98-98.	0.2	0
14	Abstract 16563: FOXO1 Induces Cardiomyocyte-KLF5, Which Drives Oxidative Stress and Diabetic Cardiomyopathy. <i>Circulation</i> , 2020, 142, .	1.6	0
15	Increased Genetic Instability and Accelerated Progression of Colitis-Associated Colorectal Cancer through Intestinal Epitheliumâ€™specific Deletion of <i>Klf4</i>. <i>Molecular Cancer Research</i> , 2019, 17, 165-176.	3.4	23
16	Oncogenic KRAS Reduces Expression of FGF21 in Acinar Cells to Promote Pancreatic Tumorigenesis in Mice on a High-Fat Diet. <i>Gastroenterology</i> , 2019, 157, 1413-1428.e11.	1.3	57
17	The Novel Small-Molecule SR18662 Efficiently Inhibits the Growth of Colorectal Cancer <i>In Vitro</i> and <i>In Vivo</i>. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 1973-1984.	4.1	7
18	Loss of the KrÄ4ppel-like factor 4 tumor suppressor is associated with epithelial-mesenchymal transition in colorectal cancer. <i>Journal of Cancer Metastasis and Treatment</i> , 2019, 2019, .	0.8	12

#	ARTICLE	IF	CITATIONS
19	Krüppel-like Factor 5, Increased in Pancreatic Ductal Adenocarcinoma, Promotes Proliferation, Acinar-to-Ductal Metaplasia, Pancreatic Intraepithelial Neoplasia, and Tumor Growth in Mice. <i>Gastroenterology</i> , 2018, 154, 1494-1508.e13.	1.3	61
20	Podocyte-Specific Loss of Krüppel-Like Factor 6 Increases Mitochondrial Injury in Diabetic Kidney Disease. <i>Diabetes</i> , 2018, 67, 2420-2433.	0.6	25
21	Podocyte-Specific Induction of Krüppel-Like Factor 15 Restores Differentiation Markers and Attenuates Kidney Injury in Proteinuric Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 2529-2545.	6.1	32
22	Krüppel-like factor 4 is a negative regulator of STAT3-induced glomerular epithelial cell proliferation. <i>JCI Insight</i> , 2018, 3, .	5.0	24
23	KLF5 mediates the hyper-proliferative phenotype of the intestinal epithelium in mice with intestine-specific endogenous K-Ras expression. <i>American Journal of Cancer Research</i> , 2018, 8, 723-731.	1.4	4
24	Krüppel-Like Factor 15 Mediates Glucocorticoid-Induced Restoration of Podocyte Differentiation Markers. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 166-184.	6.1	57
25	Krüppel-like factor 4 (KLF4): What we currently know. <i>Gene</i> , 2017, 611, 27-37.	2.2	369
26	Krüppel-like factors in mammalian stem cells and development. <i>Development (Cambridge)</i> , 2017, 144, 737-754.	2.5	99
27	DNA Methyltransferases Modulate Hepatogenic Lineage Plasticity of Mesenchymal Stromal Cells. <i>Stem Cell Reports</i> , 2017, 9, 247-263.	4.8	14
28	SP and KLF Transcription Factors in Digestive Physiology and Diseases. <i>Gastroenterology</i> , 2017, 152, 1845-1875.	1.3	73
29	The Role of Intestinal Stem Cells in Epithelial Regeneration Following Radiation-Induced Gut Injury. <i>Current Stem Cell Reports</i> , 2017, 3, 320-332.	1.6	71
30	Kruppel-like factor 4 regulates matrix metalloproteinase and aggrecanase gene expression in chondrocytes. <i>Cell and Tissue Research</i> , 2017, 370, 441-449.	2.9	7
31	Krüppel-like factor 5 is essential for maintenance of barrier function in mouse colon. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, G478-G491.	3.4	17
32	The loss of Krüppel-like factor 15 in Foxd1+ stromal cells exacerbates kidney fibrosis. <i>Kidney International</i> , 2017, 92, 1178-1193.	5.2	23
33	Epithelial derived-matrix metalloproteinase (MMP9) exhibits a novel defensive role of tumor suppressor in colitis associated cancer by activating MMP9-Notch1-ARF-p53 axis. <i>Oncotarget</i> , 2017, 8, 364-378.	1.8	22
34	Intestinal stem cell resurgence by enterocyte precursors. <i>Stem Cell Investigation</i> , 2016, 3, 49-49.	3.0	2
35	Murine Model for Colitis-Associated Cancer of the Colon. <i>Methods in Molecular Biology</i> , 2016, 1438, 245-254.	0.9	79
36	Role of neutral ceramidase in colon cancer. <i>FASEB Journal</i> , 2016, 30, 4159-4171.	0.5	56

#	ARTICLE	IF	CITATIONS
37	KrÄ½ppel-like Factor 4 Modulates Development of BMI1+ Intestinal Stem Cell-Derived Lineage Following Î³-Radiation-Induced Gut Injury in Mice. <i>Stem Cell Reports</i> , 2016, 6, 815-824.	4.8	27
38	Improved Swiss-rolling Technique for Intestinal Tissue Preparation for Immunohistochemical and Immunofluorescent Analyses. <i>Journal of Visualized Experiments</i> , 2016, , .	0.3	85
39	ML264, A Novel Small-Molecule Compound That Potently Inhibits Growth of Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 72-83.	4.1	41
40	KLF4 Suppresses Tumor Formation in Genetic and Pharmacological Mouse Models of Colonic Tumorigenesis. <i>Molecular Cancer Research</i> , 2016, 14, 385-396.	3.4	24
41	KrÄ½ppel-like factor 4 is a radioprotective factor for the intestine following Î³-radiation-induced gut injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G121-G138.	3.4	32
42	KrÄ½ppel-like factor 5 is essential for proliferation and survival of mouse intestinal epithelial stem cells. <i>Stem Cell Research</i> , 2015, 14, 10-19.	0.7	31
43	KrÄ½ppel-like factor 6 regulates mitochondrial function in the kidney. <i>Journal of Clinical Investigation</i> , 2015, 125, 1347-1361.	8.2	65
44	IQ Motif-Containing GTPase-Activating Protein 2 (IQGAP2) Is a Novel Regulator of Colonic Inflammation in Mice. <i>PLoS ONE</i> , 2015, 10, e0129314.	2.5	23
45	Role of KrÄ½ppel-like factor 5 in the maintenance of the stem cell niche in the intestinal crypt. <i>Stem Cell and Translational Investigation</i> , 2015, 2, .	1.0	7
46	A Colon Cancer-derived Mutant of KrÄ½ppel-like Factor 5 (KLF5) Is Resistant to Degradation by Glycogen Synthase Kinase 3Î² (GSK3Î²) and the E3 Ubiquitin Ligase F-box and WD Repeat Domain-containing 7Î± (FBW7Î±). <i>Journal of Biological Chemistry</i> , 2014, 289, 5997-6005.	3.4	29
47	Genetic Deletion of Klf4 in the Mouse Intestinal Epithelium Ameliorates Dextran Sodium Sulfate-induced Colitis by Modulating the NF-Î²B Pathway Inflammatory Response. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 811-820.	1.9	52
48	Cryo-chemical decellularization of the whole liver for mesenchymal stem cells-based functional hepatic tissue engineering. <i>Biomaterials</i> , 2014, 35, 3607-3617.	11.4	100
49	What Is the Value of a Food and Drug Administration Investigational New Drug Application for Fecal Microbiota Transplantation to Treat Clostridium difficile Infection?. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 289-291.	4.4	18
50	Inducible intestine-specific deletion of KrÄ½ppel-like factor 5 is characterized by a regenerative response in adult mouse colon. <i>Developmental Biology</i> , 2014, 387, 191-202.	2.0	36
51	Distinct Roles for Hematopoietic and Extra-Hematopoietic Sphingosine Kinase-1 in Inflammatory Bowel Disease. <i>PLoS ONE</i> , 2014, 9, e113998.	2.5	22
52	KrÄ½ppel-like factor 4 regulates genetic stability in mouse embryonic fibroblasts. <i>Molecular Cancer</i> , 2013, 12, 89.	19.2	48
53	Regulation of Hypoxia-inducible Factor 1Î± (HIF-1Î±) by Lysophosphatidic Acid Is Dependent on Interplay between p53 and KrÄ½ppel-like Factor 5. <i>Journal of Biological Chemistry</i> , 2013, 288, 25244-25253.	3.4	61
54	Helicobacter Pylori Promotes the Expression of KrÄ½ppel-Like Factor 5, a Mediator of Carcinogenesis, In Vitro and In Vivo. <i>PLoS ONE</i> , 2013, 8, e54344.	2.5	41

#	ARTICLE	IF	CITATIONS
55	High-throughput screening strategies for targeted identification of therapeutic compounds in colorectal cancer. <i>Future Oncology</i> , 2012, 8, 259-272.	2.4	5
56	Rapid generation of mature hepatocyte-like cells from human induced pluripotent stem cells by an efficient three-step protocol. <i>Hepatology</i> , 2012, 55, 1193-1203.	7.3	242
57	Krüppel-Like Factor 5 Protects Against Dextran Sulfate Sodium-Induced Colonic Injury in Mice by Promoting Epithelial Repair. <i>Gastroenterology</i> , 2011, 140, 540-549.e2.	1.3	39
58	Shanthi V. Sitaraman, MD, PhD. <i>Gastroenterology</i> , 2011, 141, 1-3.	1.3	357
59	“What Color Is My Parachute?” Career Opportunities in Academic Gastroenterology and Hepatology. <i>Gastroenterology</i> , 2011, 141, 1138-1141.	1.3	1
60	Altered intestinal epithelial homeostasis in mice with intestine-specific deletion of the Krüppel-like factor 4 gene. <i>Developmental Biology</i> , 2011, 349, 310-320.	2.0	111
61	Krüppel-Like Factor 5 Is Important for Maintenance of Crypt Architecture and Barrier Function in Mouse Intestine. <i>Gastroenterology</i> , 2011, 141, 1302-1313.e6.	1.3	79
62	Identification of Small-Molecule Inhibitors of the Colorectal Cancer Oncogene Krüppel-like Factor 5 Expression by Ultrahigh-Throughput Screening. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 2043-2051.	4.1	39
63	The E3 Ubiquitin Ligase SMAD Ubiquitination Regulatory Factor 2 Negatively Regulates Krüppel-like Factor 5 Protein. <i>Journal of Biological Chemistry</i> , 2011, 286, 40354-40364.	3.4	49
64	Expression profiling and pathway analysis of Krüppel-like factor 4 in mouse embryonic fibroblasts. <i>American Journal of Cancer Research</i> , 2011, 1, 85-97.	1.4	9
65	Expression of the Tumor Suppressor Krüppel-Like Factor 4 as a Prognostic Predictor for Colon Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2631-2638.	2.5	62
66	A Small Ubiquitin-related Modifier-interacting Motif Functions as the Transcriptional Activation Domain of Krüppel-like Factor 4. <i>Journal of Biological Chemistry</i> , 2010, 285, 28298-28308.	3.4	33
67	Near IR Heptamethine Cyanine Dye-Mediated Cancer Imaging. <i>Clinical Cancer Research</i> , 2010, 16, 2833-2844.	7.0	248
68	Mammalian Krüppel-Like Factors in Health and Diseases. <i>Physiological Reviews</i> , 2010, 90, 1337-1381.	28.8	824
69	Krüppel-like factor 5 is a crucial mediator of intestinal tumorigenesis in mice harboring combined ApcMin and KRASV12 mutations. <i>Molecular Cancer</i> , 2010, 9, 63.	19.2	47
70	Haploinsufficiency of Krüppel-Like Factor 5 Rescues the Tumor-Initiating Effect of the ApcMin Mutation in the Intestine. <i>Cancer Research</i> , 2009, 69, 4125-4133.	0.9	72
71	Identification of novel small-molecule compounds that inhibit the proliferative Krüppel-like factor 5 in colorectal cancer cells by high-throughput screening. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 563-570.	4.1	32
72	The Absence of LPA2 Attenuates Tumor Formation in an Experimental Model of Colitis-Associated Cancer. <i>Gastroenterology</i> , 2009, 136, 1711-1720.	1.3	116

#	ARTICLE	IF	CITATIONS
73	The role of KrÄ1/4ppel-like factors in the reprogramming of somatic cells to induced pluripotent stem cells. <i>Histology and Histopathology</i> , 2009, 24, 1343-55.	0.7	70
74	KrÄ1/4ppel-like Factors in Cancers. , 2009, , 205-219.		0
75	The pathobiology of KrÄ1/4ppel-like factors in colorectal cancer. <i>Current Colorectal Cancer Reports</i> , 2008, 4, 59-64.	0.5	48
76	Prostaglandin E₂ and KrÄ1/4ppel-like transcription factors synergistically induce the expression of decay-accelerating factor in intestinal epithelial cells. <i>Immunology</i> , 2008, 125, 397-407.	4.4	14
77	KrÄ1/4ppel-Like Factor 5 Mediates Cellular Transformation During Oncogenic KRAS-Induced Intestinal Tumorigenesis. <i>Gastroenterology</i> , 2008, 134, 120-130.	1.3	118
78	KrÄ1/4ppel-Like Factor 5 Mediates Transmissible Murine Colonic Hyperplasia Caused by <i>Citrobacter rodentium</i> Infection. <i>Gastroenterology</i> , 2008, 134, 1007-1016.e2.	1.3	38
79	Stem Cell Therapy for Liver Disease: Parameters Governing the Success of Using Bone Marrow Mesenchymal Stem Cells. <i>Gastroenterology</i> , 2008, 134, 2111-2121.e3.	1.3	428
80	Notch Inhibits Expression of the KruÄppel-Like Factor 4 Tumor Suppressor in the Intestinal Epithelium. <i>Molecular Cancer Research</i> , 2008, 6, 1920-1927.	3.4	100
81	Sox7 Is an Independent Checkpoint for β -Catenin Function in Prostate and Colon Epithelial Cells. <i>Molecular Cancer Research</i> , 2008, 6, 1421-1430.	3.4	81
82	KLF4 is a FOXO target gene that suppresses B cell proliferation. <i>International Immunology</i> , 2008, 20, 671-681.	4.0	66
83	SUMOylation Regulates Nuclear Localization of KrÄ1/4ppel-like Factor 5. <i>Journal of Biological Chemistry</i> , 2008, 283, 31991-32002.	3.4	81
84	Protein Inhibitor of Activated STAT1 Interacts with and Up-regulates Activities of the Pro-proliferative Transcription Factor KrÄ1/4ppel-like Factor 5. <i>Journal of Biological Chemistry</i> , 2007, 282, 4782-4793.	3.4	34
85	Lysophosphatidic Acid Facilitates Proliferation of Colon Cancer Cells via Induction of KrÄ1/4ppel-like Factor 5. <i>Journal of Biological Chemistry</i> , 2007, 282, 15541-15549.	3.4	71
86	Haploinsufficiency of KruÄppel-Like Factor 4 Promotes Adenomatous Polyposis Coli-Dependent Intestinal Tumorigenesis. <i>Cancer Research</i> , 2007, 67, 7147-7154.	0.9	95
87	KLF4 suppresses transformation of pre-B cells by ABL oncogenes. <i>Blood</i> , 2007, 109, 747-755.	1.4	59
88	Pharmacogenetics and diseases of the colon. <i>Current Opinion in Gastroenterology</i> , 2007, 23, 60-66.	2.3	9
89	The diverse functions of KrÄ1/4ppel-like factors 4 and 5 in epithelial biology and pathobiology. <i>BioEssays</i> , 2007, 29, 549-557.	2.5	238
90	Genetic polymorphisms of human flavin-containing monooxygenase 3: implications for drug metabolism and clinical perspectives. <i>Pharmacogenomics</i> , 2007, 8, 635-643.	1.3	34

#	ARTICLE	IF	CITATIONS
91	Activation of the human pregnancy-specific glycoprotein PSG-5 promoter by KLF4 and Sp1. <i>Biochemical and Biophysical Research Communications</i> , 2006, 343, 745-753.	2.1	20
92	Transcriptional Profiling of the Cell Cycle Checkpoint Gene Krüppel-Like Factor 4 Reveals a Global Inhibitory Function in Macromolecular Biosynthesis. <i>Gene Expression</i> , 2006, 13, 85-96.	1.2	33
93	Kruppel-like factor 5 is an important mediator for lipopolysaccharide-induced proinflammatory response in intestinal epithelial cells. <i>Nucleic Acids Research</i> , 2006, 34, 1216-1223.	14.5	88
94	Novel Cross Talk of Krüppel-Like Factor 4 and β -Catenin Regulates Normal Intestinal Homeostasis and Tumor Repression. <i>Molecular and Cellular Biology</i> , 2006, 26, 2055-2064.	2.3	125
95	Krüppel-like factors 4 and 5: the yin and yang regulators of cellular proliferation. <i>Cell Research</i> , 2005, 15, 92-96.	12.0	278
96	Krüppel-like factor 4 prevents centrosome amplification following β -irradiation-induced DNA damage. <i>Oncogene</i> , 2005, 24, 4017-4025.	5.9	84
97	Genetic Polymorphisms of Flavin Monooxygenase 3 in Sulindac-Induced Regression of Colorectal Adenomas in Familial Adenomatous Polyposis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2366-2369.	2.5	38
98	Krüppel-like factor 5 promotes mitosis by activating the cyclin B1/Cdc2 complex during oncogenic Ras-mediated transformation. <i>FEBS Letters</i> , 2005, 579, 4757-4762.	2.8	81
99	Oral contraceptives and polyp regression in familial adenomatous polyposis. <i>Gastroenterology</i> , 2005, 128, 1077-1080.	1.3	26
100	Krüppel-like Factors Regulate the Lama1 Gene Encoding the Laminin α 1 Chain. <i>Journal of Biological Chemistry</i> , 2004, 279, 9103-9114.	3.4	43
101	Requirement of Krüppel-like Factor 4 in Preventing Entry into Mitosis following DNA Damage. <i>Journal of Biological Chemistry</i> , 2004, 279, 5035-5041.	3.4	117
102	Wnt11 Signaling Promotes Proliferation, Transformation, and Migration of IEC6 Intestinal Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 26707-26715.	3.4	92
103	Genetic Polymorphisms of Human Flavin Monooxygenase 3 in Sulindac-Mediated Primary Chemoprevention of Familial Adenomatous Polyposis. <i>Clinical Cancer Research</i> , 2004, 10, 8357-8362.	7.0	47
104	Identification of Krüppel-like factor 4 as a potential tumor suppressor gene in colorectal cancer. <i>Oncogene</i> , 2004, 23, 395-402.	5.9	282
105	Krüppel-like factor 5 mediates the transforming activity of oncogenic H-Ras. <i>Oncogene</i> , 2004, 23, 3404-3413.	5.9	125
106	Prostanoids, ornithine decarboxylase, and polyamines in primary chemoprevention of familial adenomatous polyposis. <i>Gastroenterology</i> , 2004, 126, 425-431.	1.3	49
107	All-transretinoic acid inhibits proliferation of intestinal epithelial cells by inhibiting expression of the gene encoding Krüppel-like factor 5. <i>FEBS Letters</i> , 2004, 578, 99-105.	2.8	76
108	Enterocyte differentiation marker intestinal alkaline phosphatase is a target gene of the gut-enriched Krüppel-like factor. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, G23-G30.	3.4	108

#	ARTICLE	IF	CITATIONS
109	Convergence of the thyroid hormone and gut-enriched Krüppel-like factor pathways in the context of enterocyte differentiation. <i>Journal of Gastrointestinal Surgery</i> , 2003, 7, 1053-1061.	1.7	8
110	Overexpression of Krüppel-like factor 4 in the human colon cancer cell line RKO leads to reduced tumorigenicity. <i>Oncogene</i> , 2003, 22, 3424-3430.	5.9	152
111	Transcriptional Profiling of Krüppel-like Factor 4 Reveals a Function in Cell Cycle Regulation and Epithelial Differentiation. <i>Journal of Molecular Biology</i> , 2003, 326, 665-677.	4.2	179
112	Krüppel-like Factor 4 Mediates p53-dependent G1/S Cell Cycle Arrest in Response to DNA Damage. <i>Journal of Biological Chemistry</i> , 2003, 278, 2101-2105.	3.4	221
113	Opposing effects of Kruppel-like factor 4 (gut-enriched Kruppel-like factor) and Kruppel-like factor 5 (intestinal-enriched Kruppel-like factor) on the promoter of the Kruppel-like factor 4 gene. <i>Nucleic Acids Research</i> , 2002, 30, 2736-2741.	14.5	93
114	Primary Chemoprevention of Familial Adenomatous Polyposis with Sulindac. <i>New England Journal of Medicine</i> , 2002, 346, 1054-1059.	27.0	384
115	The zinc-finger transcription factor Klf4 is required for terminal differentiation of goblet cells in the colon. <i>Development (Cambridge)</i> , 2002, 129, 2619-2628.	2.5	489
116	The zinc-finger transcription factor Klf4 is required for terminal differentiation of goblet cells in the colon. <i>Development (Cambridge)</i> , 2002, 129, 2619-28.	2.5	291
117	Expression of the gut-enriched Krüppel-like factor (Krüppel-like factor 4) gene in the human colon cancer cell line RKO is dependent on CDX2. <i>Oncogene</i> , 2001, 20, 4884-4890.	5.9	115
118	Krüppel-like Factor 4 (Gut-enriched Krüppel-like Factor) Inhibits Cell Proliferation by Blocking G1/S Progression of the Cell Cycle. <i>Journal of Biological Chemistry</i> , 2001, 276, 30423-30428.	3.4	234
119	Intestinal-enriched Krüppel-like Factor (Krüppel-like Factor 5) Is a Positive Regulator of Cellular Proliferation. <i>Journal of Biological Chemistry</i> , 2001, 276, 6897-6900.	3.4	139
120	Tissue prostanoids as biomarkers for chemoprevention of colorectal neoplasia: correlation between prostanoid synthesis and clinical response in familial adenomatous polyposis. <i>Prostaglandins and Other Lipid Mediators</i> , 2000, 60, 83-96.	1.9	15
121	The Gut-enriched Krüppel-like Factor (Krüppel-like Factor 4) Mediates the Transactivating Effect of p53 on the p21 Promoter. <i>Journal of Biological Chemistry</i> , 2000, 275, 18391-18398.	3.4	296
122	The biology of the mammalian Krüppel-like family of transcription factors. <i>International Journal of Biochemistry and Cell Biology</i> , 2000, 32, 1103-1121.	2.8	402
123	Decreased expression of the gut-enriched Krüppel-like factor gene in intestinal adenomas of multiple intestinal neoplasia mice and in colonic adenomas of familial adenomatous polyposis patients. <i>FEBS Letters</i> , 2000, 476, 203-207.	2.8	94
124	The molecular genetics of colorectal cancer. <i>Current Gastroenterology Reports</i> , 1999, 1, 449-454.	2.5	8
125	Prostaglandin levels in human colorectal mucosa: effects of sulindac in patients with familial adenomatous polyposis. <i>Digestive Diseases and Sciences</i> , 1998, 43, 311-316.	2.3	86
126	The Gut-enriched Krüppel-like Factor Suppresses the Activity of the CYP1A1 Promoter in an Sp1-dependent Fashion. <i>Journal of Biological Chemistry</i> , 1998, 273, 17917-17925.	3.4	115

#	ARTICLE	IF	CITATIONS
127	Eukaryotic Transcription Factors: Identification, Characterization and Functions. Journal of Nutrition, 1998, 128, 2045-2051.	2.9	36
128	Two Potent Nuclear Localization Signals in the Gut-enriched KrÄ¼ppel-like Factor Define a Subfamily of Closely Related KrÄ¼ppel Proteins. Journal of Biological Chemistry, 1997, 272, 18504-18507.	3.4	120
129	Expression of the gut-enriched KrÄ¼ppel-like factor gene during development and intestinal tumorigenesis. FEBS Letters, 1997, 419, 239-243.	2.8	100
130	Identification and Characterization of a Gene Encoding a Gut-enriched KrÄ¼ppel-like Factor Expressed during Growth Arrest. Journal of Biological Chemistry, 1996, 271, 20009-20017.	3.4	591
131	The Class I Alcohol Dehydrogenase Gene Is Glucocorticoid-Responsive in the Rat Hepatoma Microcell Hybrid Cell Line, 11-3. Alcoholism: Clinical and Experimental Research, 1995, 19, 1430-1434.	2.4	5
132	Cellular localization of the class I alcohol dehydrogenase transcript in adult rat tissues. The Histochemical Journal, 1994, 26, 526-532.	0.6	19