

Fahri Saatcioglu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12036446/publications.pdf>

Version: 2024-02-01

78
papers

3,973
citations

81900

39
h-index

123424

61
g-index

79
all docs

79
docs citations

79
times ranked

4806
citing authors

#	ARTICLE	IF	CITATIONS
1	STAMP2 suppresses autophagy in prostate cancer cells by modulating the integrated stress response pathway.. American Journal of Cancer Research, 2022, 12, 327-336.	1.4	0
2	STAMP2 Expression Mediated by Cytokines Attenuates Their Growth-Limiting Effects in Prostate Cancer Cells. Cancers, 2021, 13, 1579.	3.7	8
3	Targeting the Unfolded Protein Response in Hormone-Regulated Cancers. Trends in Cancer, 2020, 6, 160-171.	7.4	35
4	Regulation of the unfolded protein response through ATF4 and FAM129A in prostate cancer. Oncogene, 2019, 38, 6301-6318.	5.9	51
5	IRE1 β -XBP1s pathway promotes prostate cancer by activating c-MYC signaling. Nature Communications, 2019, 10, 323.	12.8	158
6	Inflammation and ER stress differentially regulate STAMP2 expression and localization in adipocytes. Metabolism: Clinical and Experimental, 2019, 93, 75-85.	3.4	9
7	Cachexia does not induce loss of myonuclei or muscle fibres during xenografted prostate cancer in mice. Acta Physiologica, 2019, 225, e13204.	3.8	13
8	Androgen Receptor (AR). , 2018, , 312-319.		0
9	Androgen Receptor Deregulation Drives Bromodomain-Mediated Chromatin Alterations in Prostate Cancer. Cell Reports, 2017, 19, 2045-2059.	6.4	99
10	Role of PLZF as a tumor suppressor in prostate cancer. Oncotarget, 2017, 8, 71317-71324.	1.8	31
11	STAMP2 is required for human adipose-derived stem cell differentiation and adipocyte-facilitated prostate cancer growth <i>in vivo</i> . Oncotarget, 2017, 8, 91817-91827.	1.8	7
12	Divergent Binding and Transactivation by Two Related Steroid Receptors at the Same Response Element. Journal of Biological Chemistry, 2016, 291, 11899-11910.	3.4	7
13	STAMPing at the crossroads of normal physiology and disease states. Molecular and Cellular Endocrinology, 2016, 425, 26-36.	3.2	18
14	Prostate cancer and the unfolded protein response. Oncotarget, 2016, 7, 54051-54066.	1.8	55
15	Androgen Receptor (AR). , 2016, , 1-8.		0
16	Divergent androgen regulation of unfolded protein response pathways drives prostate cancer. EMBO Molecular Medicine, 2015, 7, 788-801.	6.9	87
17	STAMP2 increases oxidative stress and is critical for prostate cancer. EMBO Molecular Medicine, 2015, 7, 315-331.	6.9	52
18	Distinctly Different Dynamics and Kinetics of Two Steroid Receptors at the Same Response Elements in Living Cells. PLoS ONE, 2014, 9, e105204.	2.5	11

#	ARTICLE	IF	CITATIONS
19	Methods to Assess Lipid Accumulation in Cancer Cells. <i>Methods in Enzymology</i> , 2014, 542, 407-423.	1.0	6
20	Regulation of gene expression by yoga, meditation and related practices: A review of recent studies. <i>Asian Journal of Psychiatry</i> , 2013, 6, 74-77.	2.0	48
21	Molecular circuit involving KLK4 integrates androgen and mTOR signaling in prostate cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E2572-81.	7.1	56
22	Rapid Gene Expression Changes in Peripheral Blood Lymphocytes upon Practice of a Comprehensive Yoga Program. <i>PLoS ONE</i> , 2013, 8, e61910.	2.5	82
23	Differential Expression and Function of Stamp Family Proteins in Adipocyte Differentiation. <i>PLoS ONE</i> , 2013, 8, e68249.	2.5	13
24	TCTP Is an Androgen-Regulated Gene Implicated in Prostate Cancer. <i>PLoS ONE</i> , 2013, 8, e69398.	2.5	23
25	TCTP is Androgen-Regulated and Over-Expressed in Prostate Cancer. <i>FASEB Journal</i> , 2013, 27, 602.3.	0.5	0
26	The effects of short-term genistein intervention on prostate biomarker expression in patients with localised prostate cancer before radical prostatectomy. <i>British Journal of Nutrition</i> , 2012, 108, 2138-2147.	2.3	43
27	Stamp2 Controls Macrophage Inflammation through Nicotinamide Adenine Dinucleotide Phosphate Homeostasis and Protects against Atherosclerosis. <i>Cell Metabolism</i> , 2012, 16, 81-89.	16.2	36
28	Alpha-2-Macroglobulin Receptor (A2MR). , 2012, , 100-100.		0
29	Efficacy and Safety of Short-Term Genistein Intervention in Patients with Localized Prostate Cancer Prior to Radical Prostatectomy: A Randomized, Placebo-Controlled, Double-Blind Phase 2 Clinical Trial. <i>Nutrition and Cancer</i> , 2011, 63, 889-898.	2.0	136
30	Regulation of Apoptosis by Androgens in Prostate Cancer Cells. <i>Methods in Molecular Biology</i> , 2011, 776, 349-360.	0.9	4
31	Methods to Study Dynamic Interaction of Androgen Receptor with Chromatin in Living Cells. <i>Methods in Molecular Biology</i> , 2011, 776, 131-145.	0.9	1
32	STAMP1 Is Both a Proliferative and an Antiapoptotic Factor in Prostate Cancer. <i>Cancer Research</i> , 2010, 70, 5818-5828.	0.9	48
33	STAMPs at the Crossroads of Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2010, 62, 891-895.	2.0	11
34	PI3K-AKT-mTOR pathway is dominant over androgen receptor signaling in prostate cancer cells. <i>Cellular Oncology</i> , 2010, 32, 11-27.	1.9	44
35	Dual specificity phosphatases in prostate cancer. <i>Molecular and Cellular Endocrinology</i> , 2009, 309, 1-7.	3.2	22
36	Human PARM-1 is a novel mucin-like, androgen-regulated gene exhibiting proliferative effects in prostate cancer cells. <i>International Journal of Cancer</i> , 2008, 122, 1229-1235.	5.1	24

#	ARTICLE	IF	CITATIONS
37	Inhibition of Apoptosis in Prostate Cancer Cells by Androgens Is Mediated through Downregulation of c-Jun N-terminal Kinase Activation. <i>Neoplasia</i> , 2008, 10, 418-428.	5.3	35
38	The Mitogen-Activated Protein Kinase Phosphatase <i>Vaccinia</i> H1â€™-Related Protein Inhibits Apoptosis in Prostate Cancer Cells and Is Overexpressed in Prostate Cancer. <i>Cancer Research</i> , 2008, 68, 9255-9264.	0.9	51
39	Genistein differentially modulates androgen-responsive gene expression and activates JNK in LNCaP cells. <i>Oncology Reports</i> , 2008, , .	2.6	7
40	Genistein differentially modulates androgen-responsive gene expression and activates JNK in LNCaP cells. <i>Oncology Reports</i> , 2008, 19, 1231-5.	2.6	14
41	Kallikrein 4 Is a Proliferative Factor that Is Overexpressed in Prostate Cancer. <i>Cancer Research</i> , 2007, 67, 5221-5230.	0.9	82
42	Coordinated Regulation of Nutrient and Inflammatory Responses by STAMP2 Is Essential for Metabolic Homeostasis. <i>Cell</i> , 2007, 129, 537-548.	28.9	188
43	Ligand-Specific Dynamics of the Androgen Receptor at Its Response Element in Living Cells. <i>Molecular and Cellular Biology</i> , 2007, 27, 1823-1843.	2.3	126
44	Androgen signaling and its interactions with other signaling pathways in prostate cancer. <i>BioEssays</i> , 2007, 29, 1227-1238.	2.5	96
45	Wellness through a comprehensive Yogic breathing program â€™ A controlled pilot trial. <i>BMC Complementary and Alternative Medicine</i> , 2007, 7, 43.	3.7	106
46	Kallikrein 4 is expressed in malignant mesotheliomaâ€™Further evidence for the histogenetic link between mesothelial and epithelial cells. <i>Diagnostic Cytopathology</i> , 2007, 35, 80-84.	1.0	7
47	Molecular Mechanisms of Apoptosis in Prostate Cancer. <i>Critical Reviews in Oncogenesis</i> , 2007, 13, 1-38.	0.4	11
48	Analysis of NKX3.1 expression in prostate cancer tissues and correlation with clinicopathologic features. <i>Pathology Research and Practice</i> , 2006, 202, 93-98.	2.3	30
49	Molecular cloning and characterization of STAMP2, an androgen-regulated six transmembrane protein that is overexpressed in prostate cancer. <i>Oncogene</i> , 2005, 24, 4934-4945.	5.9	117
50	Histone deacetylase inhibitors differentially mediate apoptosis in prostate cancer cells. <i>Prostate</i> , 2005, 62, 299-306.	2.3	57
51	Kallikrein 4 Expression Is Up-Regulated in Epithelial Ovarian Carcinoma Cells in Effusions. <i>American Journal of Clinical Pathology</i> , 2005, 123, 360-368.	0.7	22
52	The loss of NKX3.1 expression in testicular–and prostate–cancers is not caused by promoter hypermethylation. <i>Molecular Cancer</i> , 2005, 4, 8.	19.2	8
53	Kallikrein 4 is a Predominantly Nuclear Protein and Is Overexpressed in Prostate Cancer. <i>Cancer Research</i> , 2004, 64, 2365-2370.	0.9	101
54	Kallikrein 4 is associated with paclitaxel resistance in ovarian cancer. <i>Gynecologic Oncology</i> , 2004, 94, 80-85.	1.4	44

#	ARTICLE	IF	CITATIONS
55	ANALYSIS OF ANDROGEN REGULATED HOMEBOX GENE NKX3.1 DURING PROSTATE CARCINOGENESIS. <i>Journal of Urology</i> , 2004, 172, 1134-1139.	0.4	40
56	NKX3.1 Expression Is Lost in Testicular Germ Cell Tumors. <i>American Journal of Pathology</i> , 2003, 163, 2149-2154.	3.8	28
57	Corepressor SMRT Functions as a Coactivator for Thyroid Hormone Receptor T3R β from a Negative Hormone Response Element. <i>Journal of Biological Chemistry</i> , 2002, 277, 49517-49522.	3.4	43
58	Cross-Talk between Bone Morphogenic Proteins and Estrogen Receptor Signaling. <i>Endocrinology</i> , 2002, 143, 2635-2642.	2.8	91
59	Molecular Cloning and Characterization of STAMP1, a Highly Prostate-specific Six Transmembrane Protein that Is Overexpressed in Prostate Cancer. <i>Journal of Biological Chemistry</i> , 2002, 277, 36689-36696.	3.4	80
60	C-Jun N-terminal kinase is required for phorbol ester- and thapsigargin-induced apoptosis in the androgen responsive prostate cancer cell line LNCaP. <i>Oncogene</i> , 2002, 21, 1017-1027.	5.9	55
61	Cross-Talk between Signal Transducer and Activator of Transcription 3 and Androgen Receptor Signaling in Prostate Carcinoma Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 283, 179-187.	2.1	69
62	Ceramide-induced cell death in the prostate cancer cell line LNCaP has both necrotic and apoptotic features. <i>Prostate</i> , 2001, 46, 289-297.	2.3	27
63	DNA Binding-independent Transcriptional Activation by the Androgen Receptor through Triggering of Coactivators. <i>Journal of Biological Chemistry</i> , 2001, 276, 31030-31036.	3.4	18
64	Cross-talk between Transforming Growth Factor- β 2 and Estrogen Receptor Signaling through Smad3. <i>Journal of Biological Chemistry</i> , 2001, 276, 42908-42914.	3.4	226
65	Disrupted Amino- and Carboxyl-Terminal Interactions of the Androgen Receptor Are Linked to Androgen Insensitivity. <i>Molecular Endocrinology</i> , 2001, 15, 923-935.	3.7	105
66	Distinctly Different Gene Structure of KLK4/KLK-L1/Prostase/ARM1 Compared with Other Members of the Kallikrein Family: Intracellular Localization, Alternative cDNA Forms, and Regulation by Multiple Hormones. <i>DNA and Cell Biology</i> , 2001, 20, 435-445.	1.9	42
67	Efficient DNA-mediated gene transfer into prostate cancer cell line LNCaP. , 2000, 43, 111-117.		12
68	An Efficient Procedure for Cloning Hormone-Responsive Genes from a Specific Tissue. <i>DNA and Cell Biology</i> , 2000, 19, 499-506.	1.9	14
69	Mutational Analysis of the Androgen Receptor AF-2 (Activation Function 2) Core Domain Reveals Functional and Mechanistic Differences of Conserved Residues Compared with Other Nuclear Receptors. <i>Molecular Endocrinology</i> , 2000, 14, 1603-1617.	3.7	41
70	Protein Inhibitor of Activated STAT3 Regulates Androgen Receptor Signaling in Prostate Carcinoma Cells. <i>Biochemical and Biophysical Research Communications</i> , 2000, 278, 9-13.	2.1	74
71	Full-length cDNA sequence and genomic organization of human NKX3A " alternative forms and regulation by both androgens and estrogens. <i>Gene</i> , 2000, 260, 25-36.	2.2	46
72	Cross-talk between signal transducer and activator of transcription 3 and estrogen receptor signaling. <i>FEBS Letters</i> , 2000, 486, 143-148.	2.8	79

#	ARTICLE	IF	CITATIONS
73	The N-Terminal Domain of Thyroid Hormone Receptor- β Is Required for Its Biological Activities. <i>DNA and Cell Biology</i> , 2000, 19, 389-399.	1.9	3
74	Mutational Analysis of the Androgen Receptor AF-2 (Activation Function 2) Core Domain Reveals Functional and Mechanistic Differences of Conserved Residues Compared with Other Nuclear Receptors. <i>Molecular Endocrinology</i> , 2000, 14, 1603-1617.	3.7	12
75	CREB Binding Protein Is a Coactivator for the Androgen Receptor and Mediates Cross-talk with AP-1. <i>Journal of Biological Chemistry</i> , 1998, 273, 31853-31859.	3.4	199
76	Androgenic Induction of Prostate-specific Antigen Gene Is Repressed by Protein-Protein Interaction between the Androgen Receptor and AP-1/c-Jun in the Human Prostate Cancer Cell Line LNCaP. <i>Journal of Biological Chemistry</i> , 1997, 272, 17485-17494.	3.4	184
77	A Unique Thyroid Hormone Response Element in the Human Immunodeficiency Virus Type 1 Long Terminal Repeat That Overlaps the Sp1 Binding Sites. <i>Journal of Biological Chemistry</i> , 1995, 270, 31059-31064.	3.4	25
78	A novel cis element mediating ligand-independent activation by c-ErbA: Implications for hormonal regulation. <i>Cell</i> , 1993, 75, 1095-1105.	28.9	120