## Risto Vataja

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12041108/publications.pdf

Version: 2024-02-01

567281 610901 24 1,652 15 24 citations h-index g-index papers 24 24 24 1442 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Clinical Determinants of Poststroke Dementia. Stroke, 1998, 29, 75-81.	2.0	271
2	Frequency and Clinical Determinants of Poststroke Depression. Stroke, 1998, 29, 2311-2317.	2.0	263
3	Dementia Three Months After Stroke. Stroke, 1997, 28, 785-792.	2.0	263
4	Magnetic Resonance Imaging Correlates of Depression After Ischemic Stroke. Archives of General Psychiatry, 2001, 58, 925.	12.3	175
5	Comparison of Stroke Features and Disability in Daily Life in Patients With Ischemic Stroke Aged 55 to 70 and 71 to 85 Years. Stroke, 1997, 28, 729-735.	2.0	118
6	Generalized Anxiety Disorders Three to Four Months after Ischemic Stroke. Cerebrovascular Diseases, 2003, 16, 257-264.	1.7	70
7	Adults With ADHD Benefit From Cognitive—Behaviorally Oriented Group Rehabilitation. Journal of Attention Disorders, 2008, 12, 218-226.	2.6	70
8	Depression-Executive Dysfunction Syndrome in Stroke Patients. American Journal of Geriatric Psychiatry, 2005, 13, 99-107.	1.2	64
9	Post-Stroke Depression and Depression-Executive Dysfunction Syndrome Are Associated with Recurrence of Ischaemic Stroke. Cerebrovascular Diseases, 2013, 36, 336-343.	1.7	60
10	Short cognitive behavioral therapy and cognitive training for adults with ADHD & amp; ndash; a randomized controlled pilot study. Neuropsychiatric Disease and Treatment, 2010, 6, 443.	2.2	54
11	Postâ€stroke delirium in relation to dementia and longâ€ŧerm mortality. International Journal of Geriatric Psychiatry, 2012, 27, 401-408.	2.7	48
12	Correlates of Dependent Living3 Months after Ischemic Stroke. Cerebrovascular Diseases, 1998, 8, 259-266.	1.7	43
13	Cognitive-Behaviorally-Oriented Group Rehabilitation of Adults With ADHD. Journal of Attention Disorders, 2010, 13, 516-523.	2.6	39
14	Depression–Executive Dysfunction Syndrome Relates to Poor Poststroke Survival. American Journal of Geriatric Psychiatry, 2010, 18, 1007-1016.	1.2	26
15	MRI Pontine Hyperintensity After Supratentorial Ischemic Stroke Relates to Poor Clinical Outcome. Stroke, 2000, 31, 695-700.	2.0	22
16	Depression–Executive Dysfunction Syndrome in Stroke Patients. American Journal of Geriatric Psychiatry, 2005, 13, 99-107.	1.2	15
17	Non-alcoholic Korsakoff syndrome in psychiatric patients with a history of undiagnosed Wernicke's encephalopathy. Journal of the Neurological Sciences, 2016, 370, 296-302.	0.6	15
18	Criminal Behavior in the Four Years Preceding Diagnosis of Neurocognitive Disorder: A Nationwide Register Study in Finland. American Journal of Geriatric Psychiatry, 2021, 29, 657-665.	1.2	10

#	Article	IF	CITATION
19	Incidence and mortality of alcoholâ€related dementia and Wernickeâ€Korsakoff syndrome: A nationwide register study. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	10
20	Korsakoff Syndrome in Non-alcoholic Psychiatric Patients. Variable Cognitive Presentation and Impaired Frontotemporal Connectivity. Frontiers in Psychiatry, 2018, 9, 204.	2.6	4
21	Prognosis after Mild Traumatic Brain Injury: Influence of Psychiatric Disorders. Brain Sciences, 2020, 10, 916.	2.3	4
22	Behavioral and Psychological Symptoms of Dementia and Vascular Dementia. International Psychogeriatrics, 2000, 12, 195-200.	1.0	3
23	Dementia Poststroke. Psychogeriatrics, 2001, 1, 88-99.	1.2	3
24	Anxiety Disturbances in Stroke Patients. Neuropsychiatric Symptoms of Neurological Disease, 2013, , 81-107.	0.3	2