Risto Vataja

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12041108/publications.pdf

Version: 2024-02-01

567281 610901 24 1,652 15 24 citations h-index g-index papers 24 24 24 1442 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Incidence and mortality of alcoholâ€related dementia and Wernickeâ€Korsakoff syndrome: A nationwide register study. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	10
2	Criminal Behavior in the Four Years Preceding Diagnosis of Neurocognitive Disorder: A Nationwide Register Study in Finland. American Journal of Geriatric Psychiatry, 2021, 29, 657-665.	1.2	10
3	Prognosis after Mild Traumatic Brain Injury: Influence of Psychiatric Disorders. Brain Sciences, 2020, 10, 916.	2.3	4
4	Korsakoff Syndrome in Non-alcoholic Psychiatric Patients. Variable Cognitive Presentation and Impaired Frontotemporal Connectivity. Frontiers in Psychiatry, 2018, 9, 204.	2.6	4
5	Non-alcoholic Korsakoff syndrome in psychiatric patients with a history of undiagnosed Wernicke's encephalopathy. Journal of the Neurological Sciences, 2016, 370, 296-302.	0.6	15
6	Anxiety Disturbances in Stroke Patients. Neuropsychiatric Symptoms of Neurological Disease, 2013, , 81-107.	0.3	2
7	Post-Stroke Depression and Depression-Executive Dysfunction Syndrome Are Associated with Recurrence of Ischaemic Stroke. Cerebrovascular Diseases, 2013, 36, 336-343.	1.7	60
8	Postâ€stroke delirium in relation to dementia and longâ€ŧerm mortality. International Journal of Geriatric Psychiatry, 2012, 27, 401-408.	2.7	48
9	Short cognitive behavioral therapy and cognitive training for adults with ADHD & DHD & amp; ndash; a randomized controlled pilot study. Neuropsychiatric Disease and Treatment, 2010, 6, 443.	2.2	54
10	Cognitive-Behaviorally-Oriented Group Rehabilitation of Adults With ADHD. Journal of Attention Disorders, 2010, 13, 516-523.	2.6	39
11	Depression–Executive Dysfunction Syndrome Relates to Poor Poststroke Survival. American Journal of Geriatric Psychiatry, 2010, 18, 1007-1016.	1.2	26
12	Adults With ADHD Benefit From Cognitiveâ€"Behaviorally Oriented Group Rehabilitation. Journal of Attention Disorders, 2008, 12, 218-226.	2.6	70
13	Depression–Executive Dysfunction Syndrome in Stroke Patients. American Journal of Geriatric Psychiatry, 2005, 13, 99-107.	1.2	15
14	Depression-Executive Dysfunction Syndrome in Stroke Patients. American Journal of Geriatric Psychiatry, 2005, 13, 99-107.	1.2	64
15	Generalized Anxiety Disorders Three to Four Months after Ischemic Stroke. Cerebrovascular Diseases, 2003, 16, 257-264.	1.7	70
16	Dementia Poststroke. Psychogeriatrics, 2001, 1, 88-99.	1.2	3
17	Magnetic Resonance Imaging Correlates of Depression After Ischemic Stroke. Archives of General Psychiatry, 2001, 58, 925.	12.3	175
18	Behavioral and Psychological Symptoms of Dementia and Vascular Dementia. International Psychogeriatrics, 2000, 12, 195-200.	1.0	3

#	Article	IF	CITATIONS
19	MRI Pontine Hyperintensity After Supratentorial Ischemic Stroke Relates to Poor Clinical Outcome. Stroke, 2000, 31, 695-700.	2.0	22
20	Frequency and Clinical Determinants of Poststroke Depression. Stroke, 1998, 29, 2311-2317.	2.0	263
21	Correlates of Dependent Living3 Months after Ischemic Stroke. Cerebrovascular Diseases, 1998, 8, 259-266.	1.7	43
22	Clinical Determinants of Poststroke Dementia. Stroke, 1998, 29, 75-81.	2.0	271
23	Comparison of Stroke Features and Disability in Daily Life in Patients With Ischemic Stroke Aged 55 to 70 and 71 to 85 Years. Stroke, 1997, 28, 729-735.	2.0	118
24	Dementia Three Months After Stroke. Stroke, 1997, 28, 785-792.	2.0	263