

Carlos G Forero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12045340/publications.pdf>

Version: 2024-02-01

25
papers

729
citations

933447

10
h-index

580821

25
g-index

26
all docs

26
docs citations

26
times ranked

1449
citing authors

#	ARTICLE	IF	CITATIONS
1	Socio-economic and psychological impact of COVID-19 pandemic in a Spanish cohort BIOVAL-D-COVID-19 study protocol. <i>Gaceta Sanitaria</i> , 2022, 36, 70-73.	1.5	3
2	COVID-19 Pandemic Psychological Impact and Volunteering Experience Perceptions of Medical Students after 2 Years. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7532.	2.6	3
3	Mental well-being of the general population: direct and indirect effects of socioeconomic, relational and health factors. <i>Quality of Life Research</i> , 2021, 30, 2171-2185.	3.1	12
4	Validation of an Online Version of the Alcohol Use Disorders Identification Test (AUDIT) for Alcohol Screening in Spanish University Students. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5213.	2.6	5
5	Psychological impact of quarantine on healthcare workers. <i>Occupational and Environmental Medicine</i> , 2020, 77, 666-674.	2.8	43
6	Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 881-898.	1.9	30
7	Investigación traslacional en psiquiatría: el marco Research Domain Criteria (RDoC). <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 187-195.	1.8	8
8	Translational research in psychiatry: The Research Domain Criteria Project (RDoC). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 187-195.	0.3	4
9	Accuracy of online survey assessment of mental disorders and suicidal thoughts and behaviors in Spanish university students. Results of the WHO World Mental Health- International College Student initiative. <i>PLoS ONE</i> , 2019, 14, e0221529.	2.5	42
10	Change in functioning outcomes as a predictor of the course of depression: a 12-month longitudinal study. <i>Quality of Life Research</i> , 2018, 27, 2045-2056.	3.1	4
11	Predicting Response Trajectories during Cognitive-Behavioural Therapy for Panic Disorder: No Association with the BDNF Gene or Childhood Maltreatment. <i>PLoS ONE</i> , 2016, 11, e0158224.	2.5	9
12	Validation of clinical symptom IRT scores for diagnosis and severity assessment of common mental disorders. <i>Quality of Life Research</i> , 2015, 24, 979-992.	3.1	4
13	Towards a biopsychosocial nosology of mental illness: challenges and opportunities for psychiatric epidemiology. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 301-302.	3.7	3
14	DETECTION OF ANXIETY DISORDERS IN PRIMARY CARE: A META-ANALYSIS OF ASSISTED AND UNASSISTED DIAGNOSES. <i>Depression and Anxiety</i> , 2015, 32, 471-484.	4.1	41
15	Asking patients about their general level of functioning: Is IT worth IT for common mental disorders?. <i>Psychiatry Research</i> , 2015, 229, 791-800.	3.3	6
16	Diagnostic accuracy and adequacy of treatment of depressive and anxiety disorders: A comparison of primary care and specialized care patients. <i>Journal of Affective Disorders</i> , 2015, 172, 462-471.	4.1	15
17	Differential item and test functioning methodology indicated that item response bias was not a substantial cause of country differences in mental well-being. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1364-1374.	5.0	8
18	A Factor Mixture Model for Multivariate Survival Data: An Application to the Analysis of Lifetime Mental Disorders. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2014, 63, 85-102.	1.0	6

#	ARTICLE	IF	CITATIONS
19	The Spanish version of the Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) is valid for use in the general population. <i>Quality of Life Research</i> , 2014, 23, 857-868.	3.1	60
20	Partial Likelihood Estimation of IRT Models with Censored Lifetime Data: An Application to Mental Disorders in the ESEMeD Surveys. <i>Psychometrika</i> , 2014, 79, 470-488.	2.1	2
21	The Mental Component of the Short-Form 12 Health Survey (SF-12) as a Measure of Depressive Disorders in the General Population: Results with Three Alternative Scoring Methods. <i>Value in Health</i> , 2013, 16, 564-573.	0.3	187
22	Multidimensional item response theory models yielded good fit and reliable scores for the Short Form-12 questionnaire. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 790-801.	5.0	36
23	Contribution of Criterion A2 to PTSD Screening in the Presence of Traumatic Events. <i>Journal of Traumatic Stress</i> , 2012, 25, 587-591.	1.8	16
24	Measurement and description of underlying dimensions of comorbid mental disorders using Factor Mixture Models: results of the ESEMeD project. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 116-133.	2.1	7
25	Estimation of IRT graded response models: Limited versus full information methods.. <i>Psychological Methods</i> , 2009, 14, 275-299.	3.5	175