

# George P Livi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12048216/publications.pdf>

Version: 2024-02-01

37  
papers

6,096  
citations

304743

22  
h-index

330143

37  
g-index

38  
all docs

38  
docs citations

38  
times ranked

5087  
citing authors

#	ARTICLE	IF	CITATIONS
1	Halcyon days of TOR: Reflections on the multiple independent discovery of the yeast and mammalian TOR proteins. <i>Gene</i> , 2019, 692, 145-155.	2.2	10
2	UDP-glucose modulates gastric function through P2Y <sub>14</sub> receptor-dependent and -independent mechanisms. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, G923-G930.	3.4	36
3	Neuroprotective Role of the Reaper-Related Serine Protease HtrA2/Omi Revealed by Targeted Deletion in Mice. <i>Molecular and Cellular Biology</i> , 2004, 24, 9848-9862.	2.3	367
4	The ARO4 gene of <i>Candida albicans</i> encodes a tyrosine-sensitive DAHP synthase: evolution, functional conservation and phenotype of Aro3p-, Aro4p-deficient mutants The GenBank accession number for the sequence reported in this paper is U53216.. <i>Microbiology (United Kingdom)</i> , 2002, 148, 1291-1303.	1.8	12
5	Cloning, Pharmacology, and Tissue Distribution of G-Protein-Coupled Receptor GPR105 (KIAA0001) Rodent Orthologs. <i>Genomics</i> , 2001, 78, 124-128.	2.9	70
6	Constitutive promoter modules for PCR-based gene modification in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2001, 18, 723-728.	1.7	8
7	Characterization of human HtrA2, a novel serine protease involved in the mammalian cellular stress response. <i>FEBS Journal</i> , 2000, 267, 5699-5710.	0.2	227
8	A G Protein-coupled Receptor for UDP-glucose. <i>Journal of Biological Chemistry</i> , 2000, 275, 10767-10771.	3.4	307
9	Acquisition of Sensitivity of Stress-activated Protein Kinases to the p38 Inhibitor, SB 203580, by Alteration of One or More Amino Acids within the ATP Binding Pocket. <i>Journal of Biological Chemistry</i> , 1998, 273, 15605-15610.	3.4	207
10	Pyridinyl Imidazole Inhibitors of p38 Mitogen-activated Protein Kinase Bind in the ATP Site. <i>Journal of Biological Chemistry</i> , 1997, 272, 12116-12121.	3.4	519
11	Missense mutations at the FKBP12-rapamycin-binding site of TOR1. <i>Gene</i> , 1996, 172, 143-147.	2.2	9
12	Aromatic amino-acid biosynthesis in <i>Candida albicans</i> : identification of the ARO4 gene encoding a second DAHP synthase. <i>Current Genetics</i> , 1996, 29, 441-445.	1.7	5
13	Identification of Mitogen-activated Protein (MAP) Kinase-activated Protein Kinase-3, a Novel Substrate of CSBP p38 MAP Kinase. <i>Journal of Biological Chemistry</i> , 1996, 271, 8488-8492.	3.4	324
14	Aromatic amino-acid biosynthesis in <i>Candida albicans</i> : identification of the ARO4 gene encoding a second DAHP synthase. <i>Current Genetics</i> , 1996, 29, 441-445.	1.7	2
15	A GCN-like response in <i>Candida albicans</i> .. <i>Cell Biology International</i> , 1995, 19, 65-70.	3.0	12
16	Characterization of two human cAMP-specific phosphodiesterase subtypes expressed in baculovirus-infected insect cells.. <i>Cell Biology International</i> , 1995, 19, 477-484.	3.0	12
17	Human Mitogen-activated Protein Kinase CSBP1, but Not CSBP2, Complements a hog1 Deletion in Yeast. <i>Journal of Biological Chemistry</i> , 1995, 270, 29043-29046.	3.4	47
18	A protein kinase involved in the regulation of inflammatory cytokine biosynthesis. <i>Nature</i> , 1994, 372, 739-746.	27.8	3,244

#	ARTICLE	IF	CITATIONS
19	The yeast FKS1 gene encodes a novel membrane protein, mutations in which confer FK506 and cyclosporin A hypersensitivity and calcineurin-dependent growth. <i>Gene</i> , 1994, 151, 61-71.	2.2	85
20	Yeast TOR (DRR) proteins: amino-acid sequence alignment and identification of structural motifs. <i>Gene</i> , 1994, 141, 133-136.	2.2	53
21	The tyrosine89 residue of yeast FKBP12 is required for rapamycin binding. <i>Gene</i> , 1993, 129, 159-165.	2.2	32
22	Cloning and expression of the ARO3 gene encoding DAHP synthase from <i>Candida albicans</i> . <i>Gene</i> , 1993, 132, 159-165.	2.2	16
23	The yeast cyclophilin multigene family: purification, cloning and characterization of a new isoform. <i>Gene</i> , 1992, 111, 85-92.	2.2	43
24	Cloning and sequence analysis of a rapamycin-binding protein-encoding gene (RBP1) from <i>Candida albicans</i> . <i>Gene</i> , 1992, 113, 125-127.	2.2	31
25	The CYP2 gene of <i>Saccharomyces cerevisiae</i> encodes a cyclosporin A-sensitive peptidyl-prolyl cis-trans isomerase with an N-terminal signal sequence. <i>Gene</i> , 1991, 108, 73-80.	2.2	38
26	Use of polymerase chain reaction for rapid detection of gene insertions in whole yeast cells. <i>Nucleic Acids Research</i> , 1991, 19, 4775-4775.	14.5	61
27	A second cyclophilin-related gene in <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 1990, 18, 1643-1643.	14.5	66
28	A <i>Candida albicans</i> homolog of a human cyclophilin gene encodes a peptidyl-prolyl cis-trans isomerase. <i>Gene</i> , 1990, 96, 189-195.	2.2	49
29	A late developmental change in lysosomal enzyme sulfation specific to newly synthesized proteins in <i>Dictyostelium discoideum</i> . <i>Developmental Biology</i> , 1987, 121, 293-300.	2.0	5
30	Î±-Mannosidase-1 mutants of <i>Dictyostelium dkoideum</i> : Early aggregation-essential genes regulate enzyme precursor synthesis, modification, and processing. <i>Differentiation</i> , 1985, 29, 207-215.	1.9	17
31	Lysosomal enzyme inactivation associated with defects in post-translational modification during development in <i>Dictyostelium discoideum</i> . <i>Differentiation</i> , 1985, 30, 83-91.	1.9	4
32	Regulation of lysosomal Î±-mannosidase-1 synthesis during development in <i>Dictyostelium discoideum</i> . <i>Developmental Biology</i> , 1985, 110, 514-520.	2.0	21
33	SUM1, AN APPARENT POSITIVE REGULATOR OF THE CRYPTIC MATING-TYPE LOCI IN <i>SACCHAROMYCES CEREVISIAE</i> . <i>Genetics</i> , 1985, 111, 745-758.	2.9	54
34	Accumulation of Î±-mannosidase-1 in <i>Dictyostelium discoideum</i> requires many developmentally essential genes. <i>Developmental Biology</i> , 1984, 101, 503-511.	2.0	10
35	[65] Secretory mutants in the cellular slime mold <i>Dictyostelium discoideum</i> . <i>Methods in Enzymology</i> , 1983, 96, 815-828.	1.0	30
36	Regulation and secretion of early developmentally controlled enzymes during axenic growth in <i>Dictyostelium discoideum</i> . <i>Developmental Biology</i> , 1981, 84, 407-416.	2.0	53

#	ARTICLE	IF	CITATIONS
37	MATING-TYPE REGULATION OF METHYL METHANESULFONATE SENSITIVITY IN SACCHAROMYCES CEREVISIAE. Genetics, 1980, 95, 259-271.	2.9	10