

Christian W A Pfirrmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12054641/publications.pdf>

Version: 2024-02-01

142
papers

12,592
citations

30070
54
h-index

24982
109
g-index

142
all docs

142
docs citations

142
times ranked

8528
citing authors

#	ARTICLE	IF	CITATIONS
1	The Vulcan salute sign: a non-sensitive but specific sign for Morton's neuroma on radiographs. <i>Skeletal Radiology</i> , 2022, 51, 581-586.	2.0	5
2	The "Balgist Score" for evaluation of Charcot foot: a predictive value for duration of off-loading treatment. <i>Skeletal Radiology</i> , 2021, 50, 311-320.	2.0	10
3	Prospective and longitudinal evolution of postoperative periprosthetic findings on metal artifact-reduced MR imaging in asymptomatic patients after uncemented total hip arthroplasty. <i>Skeletal Radiology</i> , 2021, 50, 1177-1188.	2.0	9
4	Osseous defect of the anteroinferior femoral head: is it associated with femoroacetabular impingement (FAI)? <i>Skeletal Radiology</i> , 2021, 50, 1781-1790.	2.0	3
5	Ultra-high resolution 3D MRI for chondrocalcinosis detection in the knee—a prospective diagnostic accuracy study comparing 7-tesla and 3-tesla MRI with CT. <i>European Radiology</i> , 2021, 31, 9436-9445.	4.5	10
6	Ligaments of the scapho-trapezial-trapezoidal joint: MR anatomy in asymptomatic and symptomatic individuals. <i>Skeletal Radiology</i> , 2021, , 1.	2.0	1
7	Influence of pregnancy/childbirth on long-term bone marrow edema and subchondral sclerosis of sacroiliac joints. <i>Skeletal Radiology</i> , 2021, 50, 1617-1628.	2.0	7
8	MRI with state-of-the-art metal artifact reduction after total hip arthroplasty: periprosthetic findings in asymptomatic and symptomatic patients. <i>European Radiology</i> , 2020, 30, 2241-2252.	4.5	16
9	Impact of stem design and cementation on postoperative femoral antetorsion in 227 patients with total hip arthroplasty (THA). <i>Skeletal Radiology</i> , 2020, 49, 2001-2009.	2.0	9
10	Diagnosis of Periprosthetic Hip Joint Infection Using MRI with Metal Artifact Reduction at 1.5 T. <i>Radiology</i> , 2020, 296, 98-108.	7.3	48
11	Glossary of terms for musculoskeletal radiology. <i>Skeletal Radiology</i> , 2020, 49, 1-33.	2.0	163
12	3D-printed anatomic models of the knee for evaluation of patellofemoral dysplasia in comparison to standard radiographs and computed tomography. <i>European Journal of Radiology</i> , 2020, 127, 109011.	2.6	15
13	The Accessory Iliotibial Band—Meniscal Ligament of the Knee: Association With Lesions of the Lateral Meniscus. <i>American Journal of Roentgenology</i> , 2019, 213, 912-917.	2.2	3
14	Value of MR arthrography findings for pain relief after glenohumeral corticosteroid injections in the short term. <i>European Radiology</i> , 2019, 29, 6416-6424.	4.5	5
15	Acetabular coverage differs between standing and supine positions: model-based assessment of low-dose biplanar radiographs and comparison with CT. <i>European Radiology</i> , 2019, 29, 5691-5699.	4.5	5
16	MR imaging of pubic symphysis after uncomplicated vaginal delivery and planned caesarean delivery in the first postpartum week. <i>Clinical Imaging</i> , 2019, 56, 58-62.	1.5	5
17	T1- and T2*-Mapping for Assessment of Tendon Tissue Biophysical Properties. <i>Investigative Radiology</i> , 2019, 54, 212-220.	6.2	14
18	Fluoroscopy-guided versus CT-guided Lumbar Steroid Injections: Comparison of Radiation Exposure and Outcomes. <i>Radiology</i> , 2019, 290, 752-759.	7.3	31

#	ARTICLE	IF	CITATIONS
19	3D hindfoot alignment measurements based on low-dose biplanar radiographs: a clinical feasibility study. <i>Skeletal Radiology</i> , 2019, 48, 707-712.	2.0	3
20	Pincer-type MRI morphology seen in over a third of asymptomatic healthy volunteers without femoroacetabular impingement. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1296-1303.	3.4	10
21	Magnetic Resonance Imaging-Based Grading of Cartilaginous Bone Tumors. <i>Investigative Radiology</i> , 2018, 53, 663-672.	6.2	57
22	MRI Predictors of Posterolateral Corner Instability: A Decision Tree Analysis of Patients with Acute Anterior Cruciate Ligament Tear. <i>Radiology</i> , 2018, 289, 170-180.	7.3	25
23	MRI Assessment of Supra- and Infratrochanteric Femoral Torsion: Association With Femoroacetabular Impingement and Hip Dysplasia. <i>American Journal of Roentgenology</i> , 2018, 211, 155-161.	2.2	15
24	Upright weight-bearing CT of the knee during flexion: changes of the patellofemoral and tibiofemoral articulations between 0° and 120°. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 853-862.	4.2	23
25	MR imaging of soft tissue alterations after total hip arthroplasty: comparison of classic surgical approaches. <i>European Radiology</i> , 2017, 27, 1312-1321.	4.5	79
26	Femoral and tibial torsion measurements in children and adolescents: comparison of MRI and 3D models based on low-dose biplanar radiographs. <i>Skeletal Radiology</i> , 2017, 46, 469-476.	2.0	23
27	Femoral torsion assessment with MRI in children: Should we use the bony or cartilaginous contours?. <i>European Journal of Radiology</i> , 2017, 92, 153-158.	2.6	1
28	Arthroscopic Hip Surgery: Frequency of Postoperative MR Arthrographic Findings in Asymptomatic and Symptomatic Patients. <i>Radiology</i> , 2017, 283, 779-788.	7.3	30
29	Hip MRI: Prevalence of articular cartilage defects and labral tears in asymptomatic volunteers. A comparison with a matched population of patients with femoroacetabular impingement. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 440-451.	3.4	49
30	Frequency of Arthritis-Like MRI Findings in the Forefeet of Healthy Volunteers Versus Patients With Symptomatic Rheumatoid Arthritis or Psoriatic Arthritis. <i>American Journal of Roentgenology</i> , 2017, 208, W45-W53.	2.2	9
31	Update on Femoroacetabular Impingement: What Is New, and How Should We Assess It?. <i>Seminars in Musculoskeletal Radiology</i> , 2017, 21, 518-528.	0.7	33
32	Symptomatic, Magnetic Resonance Imaging-Confirmed Cervical Disk Herniation Patients: A Comparative-Effectiveness Prospective Observational Study of 2 Age- and Sex-Matched Cohorts Treated With Either Imaging-Guided Indirect Cervical Nerve Root Injections or Spinal Manipulative Therapy. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2016, 39, 210-217.	0.9	9
33	Imaging of Individual Anatomical Risk Factors for Patellar Instability. <i>Seminars in Musculoskeletal Radiology</i> , 2016, 20, 065-073.	0.7	65
34	Relationship of specific MRI findings to treatment outcomes in patients receiving transforaminal epidural steroid injections. <i>Skeletal Radiology</i> , 2016, 45, 1677-1685.	2.0	10
35	Cervical Facet Joint Imaging-Guided Injections: A Comparison of Outcomes in Patients Referred Based on Imaging Findings Vs Palpation for Pain. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2016, 39, 480-486.	0.9	3
36	Hip Imaging in Athletes: Sports Imaging Series. <i>Radiology</i> , 2016, 280, 351-369.	7.3	55

#	ARTICLE	IF	CITATIONS
37	Assessment of two-dimensional (2D) and three-dimensional (3D) lower limb measurements in adults: Comparison of micro-dose and low-dose biplanar radiographs. <i>European Radiology</i> , 2016, 26, 3054-3062.	4.5	9
38	Whole Body Magnetic Resonance Imaging Features in Diffuse Idiopathic Skeletal Hyperostosis in Conjunction with Clinical Variables to Whole Body MRI and Clinical Variables in Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2016, 43, 335-342.	2.0	27
39	Quantification of early fatty infiltration of the rotator cuff muscles: comparison of multi-echo Dixon with single-voxel MR spectroscopy. <i>European Radiology</i> , 2016, 26, 3719-3727.	4.5	36
40	Quantitative Shear-Wave US Elastography of the Supraspinatus Muscle: Reliability of the Method and Relation to Tendon Integrity and Muscle Quality. <i>Radiology</i> , 2016, 278, 465-474.	7.3	110
41	Are the presence of MODIC changes on MRI scans related to "improvement" in low back pain patients treated with lumbar facet joint injections?. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 234.	1.9	16
42	Internal Derangements of Joints "Past, Present, and Future. <i>Investigative Radiology</i> , 2015, 50, 601-614.	6.2	10
43	Long Term Outcomes from CT-guided Indirect Cervical Nerve Root Blocks and their relationship to the MRI findings- A prospective Study. <i>European Radiology</i> , 2015, 25, 3405-3413.	4.5	23
44	Knee implant imaging at 3 Tesla using high-bandwidth radiofrequency pulses. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1570-1580.	3.4	11
45	Beyond the alpha angle: Alternative measurements for quantifying cam-type deformities in femoroacetabular impingement. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1024-1031.	3.4	21
46	First metatarsophalangeal joint- MRI findings in asymptomatic volunteers. <i>European Radiology</i> , 2015, 25, 970-979.	4.5	16
47	Assessment of Femoral Antetorsion With MRI: Comparison of Oblique Measurements to Standard Transverse Measurements. <i>American Journal of Roentgenology</i> , 2015, 205, 130-135.	2.2	48
48	MR findings associated with positive distraction of the hip joint achieved by axial traction. <i>Skeletal Radiology</i> , 2015, 44, 787-795.	2.0	27
49	Outcomes after fluoroscopy-guided iliopsoas bursa injection for suspected iliopsoas tendinopathy. <i>European Radiology</i> , 2015, 25, 865-871.	4.5	28
50	Unicompartmental knee arthroplasty MRI: impact of slice-encoding for metal artefact correction MRI on image quality, findings and therapy decision. <i>European Radiology</i> , 2015, 25, 2184-2193.	4.5	21
51	Upright CT of the knee: the effect of weight-bearing on joint alignment. <i>European Radiology</i> , 2015, 25, 3398-3404.	4.5	48
52	Partial supraspinatus tears are associated with tendon lengthening. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 408-414.	4.2	11
53	Is the lateral extension of the acromion related to the outcome of shoulder injections?. <i>European Radiology</i> , 2015, 25, 267-273.	4.5	13
54	Sonografie des normalen Gewebes. , 2015, , 35-66.		0

#	ARTICLE	IF	CITATIONS
55	End-stage extension of the knee and its influence on tibial tuberosity-trochlear groove distance (TTTG) in asymptomatic volunteers. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 214-218.	4.2	76
56	Upright Cone CT of the hindfoot: Comparison of the non-weight-bearing with the upright weight-bearing position. European Radiology, 2014, 24, 553-558.	4.5	116
57	Are Modic changes related to outcomes in lumbar disc herniation patients treated with imaging-guided lumbar nerve root blocks?. European Journal of Radiology, 2014, 83, 1786-1792.	2.6	22
58	Dixon-based MRI for assessment of muscle-fat content in phantoms, healthy volunteers and patients with achillodynia: comparison to visual assessment of calf muscle quality. European Radiology, 2014, 24, 1366-1375.	4.5	93
59	Hip MRI: How Useful Is Intraarticular Contrast Material for Evaluating Surgically Proven Lesions of the Labrum and Articular Cartilage?. American Journal of Roentgenology, 2014, 202, 160-169.	2.2	138
60	MRI of the Thumb: Anatomy and Spectrum of Findings in Asymptomatic Volunteers. American Journal of Roentgenology, 2014, 202, 819-827.	2.2	35
61	Femoral and Tibial Torsion Measurement in Children and Adolescents: Comparison of 3D Models Based on Low-Dose Biplanar Radiography and Low-Dose CT. American Journal of Roentgenology, 2014, 202, W285-W291.	2.2	54
62	The carpometacarpal joint of the thumb: MR appearance in asymptomatic volunteers. Skeletal Radiology, 2013, 42, 1105-1112.	2.0	14
63	Comparison of radiation dose, workflow, patient comfort and financial break-even of standard digital radiography and a novel biplanar low-dose X-ray system for upright full-length lower limb and whole spine radiography. Skeletal Radiology, 2013, 42, 959-967.	2.0	86
64	Abductor tendon tears are associated with hypertrophy of the tensor fasciae latae muscle. Skeletal Radiology, 2013, 42, 627-633.	2.0	55
65	Extreme hip motion in professional ballet dancers: dynamic and morphological evaluation based on magnetic resonance imaging. Skeletal Radiology, 2013, 42, 689-698.	2.0	85
66	Three-dimensional hindfoot alignment measurements based on biplanar radiographs: comparison with standard radiographic measurements. Skeletal Radiology, 2013, 42, 493-498.	2.0	23
67	A Systematic Review of Semiquantitative and Qualitative Radiologic Criteria for the Diagnosis of Lumbar Spinal Stenosis. American Journal of Roentgenology, 2013, 201, W735-W746.	2.2	76
68	Imaging-Guided Subacromial Therapeutic Injections: Prospective Study Comparing Abnormalities on Conventional Radiography With Patient Outcomes. American Journal of Roentgenology, 2013, 201, 865-871.	2.2	12
69	Total Knee Arthroplasty MRI Featuring Slice-Encoding for Metal Artifact Correction: Reduction of Artifacts for STIR and Proton Density-Weighted Sequences. American Journal of Roentgenology, 2013, 201, 1315-1324.	2.2	48
70	Atypical Hip Impingement. American Journal of Roentgenology, 2013, 201, W437-W442.	2.2	64
71	Postoperative Imaging in Femoroacetabular Impingement. Seminars in Musculoskeletal Radiology, 2013, 17, 272-278.	0.7	18
72	Hip. , 2013, , 45-51.		0

#	ARTICLE	IF	CITATIONS
73	Reduction of Metal Artifacts in Patients with Total Hip Arthroplasty with Slice-encoding Metal Artifact Correction and View-Angle Tilting MR Imaging. Radiology, 2012, 265, 204-214.	7.3	141
74	Sodium MR Imaging of the Lumbar Intervertebral Disk at 7 T: Correlation with T2 Mapping and Modified Pfirrmann Score at 3 T—Preliminary Results. Radiology, 2012, 265, 555-564.	7.3	39
75	Supraacetabular Fossa (Pseudodeflect of Acetabular Cartilage): Frequency at MR Arthrography and Comparison of Findings at MR Arthrography and Arthroscopy. Radiology, 2012, 263, 484-491.	7.3	57
76	New Developments in Hip Imaging. Radiology, 2012, 264, 651-667.	7.3	77
77	Femoral Antetorsion: Comparing Asymptomatic Volunteers and Patients with Femoroacetabular Impingement. Radiology, 2012, 263, 475-483.	7.3	128
78	Femoral and Tibial Torsion Measurements With 3D Models Based on Low-Dose Biplanar Radiographs in Comparison With Standard CT Measurements. American Journal of Roentgenology, 2012, 199, W607-W612.	2.2	85
79	How Useful Is the Alpha Angle for Discriminating between Symptomatic Patients with Cam-type Femoroacetabular Impingement and Asymptomatic Volunteers?. Radiology, 2012, 264, 514-521.	7.3	190
80	Assessment of glenoid inclination on routine clinical radiographs and computed tomography examinations of the shoulder. Journal of Shoulder and Elbow Surgery, 2012, 21, 1096-1103.	2.6	179
81	Gender differences in pain levels before and after treatment: a prospective outcomes study on 3,900 Swiss patients with musculoskeletal complaints. BMC Musculoskeletal Disorders, 2012, 13, 241.	1.9	16
82	Degenerative Disc Disease of the Spine: Anatomic and Imaging Considerations. , 2012, , 162-166.		0
83	Ultrasound for the evaluation of femoroacetabular impingement of the cam type. Diagnostic performance of qualitative criteria and alpha angle measurements. European Radiology, 2011, 21, 167-175.	4.5	46
84	Oedema and fatty degeneration of the soleus and gastrocnemius muscles on MR images in patients with achilles tendon abnormalities. European Radiology, 2011, 21, 1996-2003.	4.5	24
85	Classification of trochlear dysplasia as predictor of clinical outcome after trochleoplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 1655-1661.	4.2	88
86	CT-guided cervical nerve root injections: comparing the immediate post-injection anesthetic-related effects of the transforaminal injection with a new indirect technique. Skeletal Radiology, 2011, 40, 1603-1608.	2.0	24
87	Long Biceps Tendon: Normal Position, Shape, and Orientation in Its Groove in Neutral Position and External and Internal Rotation. Radiology, 2011, 261, 872-881.	7.3	26
88	Articular cartilage and labral lesions of the glenohumeral joint: diagnostic performance of 3D water-excitation true FISP MR arthrography. Skeletal Radiology, 2010, 39, 473-480.	2.0	26
89	Do Patients with Structural Abnormalities of the Shoulder Experience Pain after MR Arthrography of the Shoulder?. Radiology, 2010, 256, 870-878.	7.3	8
90	Are Radiographic Trochanteric Surface Irregularities Associated with Abductor Tendon Abnormalities?. Radiology, 2010, 257, 754-763.	7.3	57

#	ARTICLE	IF	CITATIONS
91	Ligaments and Plicae of the Elbow: Normal MR Imaging Variability in 60 Asymptomatic Subjects. Radiology, 2010, 257, 185-194.	7.3	83
92	Fatty Muscle Atrophy: Prevalence in the Hindfoot Muscles on MR Images of Asymptomatic Volunteers and Patients with Foot Pain. Radiology, 2009, 253, 160-166.	7.3	26
93	Pain and Other Side Effects after MR Arthrography: Prospective Evaluation in 1085 Patients. Radiology, 2009, 250, 830-838.	7.3	89
94	Elbow Nerves: MR Findings in 60 Asymptomatic Subjectsâ€”Normal Anatomy, Variants, and Pitfalls. Radiology, 2009, 252, 148-156.	7.3	190
95	Chronic medial knee pain without history of prior trauma: correlation of pain at rest and during exercise using bone scintigraphy and MR imaging. Skeletal Radiology, 2009, 38, 339-347.	2.0	39
96	The Shoulders of Professional Beach Volleyball Players. American Journal of Sports Medicine, 2009, 37, 1375-1383.	4.2	132
97	Imaging of the Wrist. , 2009, , 28-32.		0
98	MR Arthrography of Acetabular Cartilage Delamination in Femoroacetabular Cam Impingement¹. Radiology, 2008, 249, 236-241.	7.3	148
99	Fibrosis and Adventitious Bursae in Plantar Fat Pad of Forefoot: MR Imaging Findings in Asymptomatic Volunteers and MR Imagingâ€™Histologic Comparison. Radiology, 2008, 246, 863-870.	7.3	49
100	MR Arthrography of the Hip: Differentiation between an Anterior Sublabral Recess as a Normal Variant and a Labral Tear. Radiology, 2008, 249, 947-954.	7.3	114
101	Direct MR Arthrography at 1.5 and 3.0 T: Signal Dependence on Gadolinium and Iodine Concentrationsâ€™Phantom Study. Radiology, 2008, 247, 706-716.	7.3	35
102	Abnormalities of the Lesser Tuberosity on Radiography and MRI: Association with Subscapularis Tendon Lesions. American Journal of Roentgenology, 2008, 191, 100-106.	2.2	41
103	Medial Collateral Ligament Complex of the Ankle: MR Appearance in Asymptomatic Subjects. Radiology, 2007, 242, 817-824.	7.3	91
104	Diagnosis of Articular Cartilage Abnormalities of the Knee: Prospective Clinical Evaluation of a 3D Water-Excitation True FISP Sequence. Radiology, 2007, 243, 475-482.	7.3	87
105	Cam and Pincer Impingements Rarely Occur in Isolation. Radiology, 2007, 244, 625-626.	7.3	3
106	Articular Cartilage Defects Detected with 3D Water-Excitation True FISP: Prospective Comparison with Sequences Commonly Used for Knee Imaging. Radiology, 2007, 245, 216-223.	7.3	92
107	Peripheral Tear of the Triangular Fibrocartilage: Depiction with MR Arthrography of the Distal Radioulnar Joint. American Journal of Roentgenology, 2007, 188, 187-192.	2.2	89
108	Hip pain in adults: MR imaging appearance of common causes. European Radiology, 2007, 17, 1746-1762.	4.5	11

#	ARTICLE	IF	CITATIONS
109	Cam and Pincer Femoroacetabular Impingement: Characteristic MR Arthrographic Findings in 50 Patients. Radiology, 2006, 240, 778-785.	7.3	471
110	Prospective evaluation of two different injection techniques for MR arthrography of the hip. European Radiology, 2006, 16, 473-478.	4.5	51
111	The tibial tuberosityâ€”trochlear groove distance; a comparative study between CT and MRI scanning. Knee, 2006, 13, 26-31.	1.6	453
112	Effect of aging and degeneration on disc volume and shape: A quantitative study in asymptomatic volunteers. Journal of Orthopaedic Research, 2006, 24, 1086-1094.	2.3	120
113	MRI of Meniscal Lesions: Soft-Copy (PACS) and Hard-Copy Evaluation Versus Reviewer Experience. American Journal of Roentgenology, 2006, 186, 786-790.	2.2	10
114	Fat Content of Lumbar Paraspinal Muscles in Patients with Chronic Low Back Pain and in Asymptomatic Volunteers: Quantification with MR Spectroscopy. Radiology, 2006, 240, 786-792.	7.3	232
115	Diagnostic Performance of MR Arthrography After Rotator Cuff Repair. American Journal of Roentgenology, 2006, 186, 237-241.	2.2	53
116	Association Between Rotator Cuff Abnormalities and Reduced Acromiohumeral Distance. American Journal of Roentgenology, 2006, 187, 376-382.	2.2	224
117	MRI Findings in Throwing Shoulders. Clinical Orthopaedics and Related Research, 2005, &NA;, 130-137.	1.5	80
118	Asymmetric atrophy of the supraspinatus muscle following tendon tear. Journal of Orthopaedic Research, 2005, 23, 254-258.	2.3	89
119	Imaging of Patellar Cartilage with a 2D Multiple-Echo Data Image Combination Sequence. American Journal of Roentgenology, 2005, 184, 1744-1748.	2.2	49
120	Abductor Tendons and Muscles Assessed at MR Imaging after Total Hip Arthroplasty in Asymptomatic and Symptomatic Patients. Radiology, 2005, 235, 969-976.	7.3	253
121	Clinical Course of Knees with Asymptomatic Meniscal Abnormalities: Findings at 2-year Follow-up after MR Imagingâ€”based Diagnosis. Radiology, 2005, 237, 993-997.	7.3	11
122	Spring Ligament Complex: MR Imagingâ€”Anatomic Correlation and Findings in Asymptomatic Subjects. Radiology, 2005, 237, 242-249.	7.3	95
123	Fatty Atrophy of Supraspinatus and Infraspinatus Muscles: Accuracy of US. Radiology, 2005, 237, 584-589.	7.3	113
124	Variants, pitfalls and asymptomatic findings in wrist and hand imaging. European Journal of Radiology, 2005, 56, 286-295.	2.6	39
125	MR Arthrography of the Hip: Diagnostic Performance of a Dedicated Water-Excitation 3D Double-Echo Steady-State Sequence to Detect Cartilage Lesions. American Journal of Roentgenology, 2004, 183, 1729-1735.	2.2	87
126	Cervical Nerve Root Blocks: Indications and Role of MR Imaging. Radiology, 2004, 233, 87-92.	7.3	49

#	ARTICLE	IF	CITATIONS
127	Frozen Shoulder: MR Arthrographic Findings. Radiology, 2004, 233, 486-492.	7.3	271
128	Assessment of Fat Content in Supraspinatus Muscle with Proton MR Spectroscopy in Asymptomatic Volunteers and Patients with Supraspinatus Tendon Lesions. Radiology, 2004, 232, 709-715.	7.3	82
129	MR Imageâ€‘based Grading of Lumbar Nerve Root Compromise due to Disk Herniation: Reliability Study with Surgical Correlation. Radiology, 2004, 230, 583-588.	7.3	208
130	Lesser Metatarsophalangeal Joints: Standard MR Imaging, MR Arthrography, and MR Bursographyâ€‘Initial Results in 48 Cadaveric Joints. Radiology, 2003, 227, 175-182.	7.3	54
131	Measurement of glenoid version: conventional radiographs versus computed tomography scans. Journal of Shoulder and Elbow Surgery, 2003, 12, 493-496.	2.6	230
132	MRI Features of the Acromioclavicular Joint That Predict Pain Relief from Intraarticular Injection. American Journal of Roentgenology, 2003, 181, 755-760.	2.2	62
133	Extrinsic Carpal Ligaments: Normal MR Arthrographic Appearance in Cadavers. Radiology, 2003, 226, 171-179.	7.3	88
134	Articular Cartilage Lesions of the Glenohumeral Joint: Diagnostic Effectiveness of MR Arthrography and Prevalence in Patients with Subacromial Impingement Syndrome. Radiology, 2003, 226, 165-170.	7.3	114
135	Patients with Suspected Meniscal Tears: Prevalence of Abnormalities Seen on MRI of 100 Symptomatic and 100 Contralateral Asymptomatic Knees. American Journal of Roentgenology, 2003, 181, 635-641.	2.2	150
136	MR Imaging of the Metacarpophalangeal Joints of the Fingers. Radiology, 2002, 222, 437-445.	7.3	54
137	MR Imaging of the Metacarpophalangeal Joints of the Fingers. Radiology, 2002, 222, 447-452.	7.3	32
138	Magnetic Resonance Classification of Lumbar Intervertebral Disc Degeneration. Spine, 2001, 26, 1873-1878.	2.0	2,985
139	Greater Trochanter of the Hip: Attachment of the Abductor Mechanism and a Complex of Three Bursaeâ€‘MR Imaging and MR Bursography in Cadavers and MR Imaging in Asymptomatic Volunteers. Radiology, 2001, 221, 469-477.	7.3	222
140	Selective Nerve Root Blocks for the Treatment of Sciatica: Evaluation of Injection Site and Effectivenessâ€‘A Study with Patients and Cadavers. Radiology, 2001, 221, 704-711.	7.3	155
141	Femoral Trochlear Dysplasia: MR Findings. Radiology, 2000, 216, 858-864.	7.3	308
142	Subscapularis Tendon Tears: Detection and Grading at MR Arthrography. Radiology, 1999, 213, 709-714.	7.3	220