

Mohamad Navab

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12069837/publications.pdf>

Version: 2024-02-01

166
papers

21,646
citations

9786

73
h-index

8866

145
g-index

167
all docs

167
docs citations

167
times ranked

15466
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Oxidized phospholipids cause changes in jejunum mucus that induce dysbiosis and systemic inflammation. <i>Journal of Lipid Research</i> , 2022, 63, 100153. | 4.2 | 8 |
| 2 | Genetic Regulation of Atherosclerosis-Relevant Phenotypes in Human Vascular Smooth Muscle Cells. <i>Circulation Research</i> , 2020, 127, 1552-1565. | 4.5 | 60 |
| 3 | Involvement of Low-Density Lipoprotein Receptor in the Pathogenesis of Pulmonary Hypertension. <i>Journal of the American Heart Association</i> , 2020, 9, e012063. | 3.7 | 16 |
| 4 | Role of enterocyte stearyl-Co-A desaturase-1 in LDLR-null mice. <i>Journal of Lipid Research</i> , 2018, 59, 1818-1840. | 4.2 | 14 |
| 5 | Treating the Intestine with Oral ApoA-I Mimetic Tg6F Reduces Tumor Burden in Mouse Models of Metastatic Lung Cancer. <i>Scientific Reports</i> , 2018, 8, 9032. | 3.3 | 31 |
| 6 | Ambient Ultrafine Particle Ingestion Alters Gut Microbiota in Association with Increased Atherogenic Lipid Metabolites. <i>Scientific Reports</i> , 2017, 7, 42906. | 3.3 | 66 |
| 7 | Oral Apolipoprotein A-I Mimetic 4F Lowers HDL-Inflammatory Index in High-Risk Patients: A First-in-Human Multiple-Dose, Randomized Controlled Trial. <i>Clinical and Translational Science</i> , 2017, 10, 455-469. | 3.1 | 56 |
| 8 | NOTCH1 is a mechanosensor in adult arteries. <i>Nature Communications</i> , 2017, 8, 1620. | 12.8 | 205 |
| 9 | Transgenic tomatoes expressing the 6F peptide and ezetimibe prevent diet-induced increases of IFN- γ and cholesterol 25-hydroxylase in jejunum. <i>Journal of Lipid Research</i> , 2017, 58, 1636-1647. | 4.2 | 13 |
| 10 | Tobacco Smoke Exposure Reduces Paraoxonase Activity in a Murine Model. <i>International Journal of Biomedical Science</i> , 2017, 13, 20-25. | 0.1 | 1 |
| 11 | Apolipoprotein E ^{0/0} Mice Lacking Hemopexin Develop Increased Atherosclerosis via Mechanisms That Include Oxidative Stress and Altered Macrophage Function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 1152-1163. | 2.4 | 29 |
| 12 | Tg6F ameliorates the increase in oxidized phospholipids in the jejunum of mice fed unsaturated LysoPC or WD. <i>Journal of Lipid Research</i> , 2016, 57, 832-847. | 4.2 | 20 |
| 13 | Carboxyl-Terminal Cleavage of Apolipoprotein A-I by Human Mast Cell Chymase Impairs Its Anti-Inflammatory Properties. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 274-284. | 2.4 | 31 |
| 14 | Efficacy of tomato concentrates in mouse models of dyslipidemia and cancer. <i>Pharmacology Research and Perspectives</i> , 2015, 3, e00154. | 2.4 | 17 |
| 15 | Apolipoprotein A-I mimetic peptide 4F blocks sphingomyelinase-induced LDL aggregation. <i>Journal of Lipid Research</i> , 2015, 56, 1206-1221. | 4.2 | 20 |
| 16 | Proinflammatory High-Density Lipoprotein Results from Oxidized Lipid Mediators in the Pathogenesis of Both Idiopathic and Associated Types of Pulmonary Arterial Hypertension. <i>Pulmonary Circulation</i> , 2015, 5, 640-648. | 1.7 | 37 |
| 17 | Small lipidated anti-obesity compounds derived from neuromedin U. <i>European Journal of Medicinal Chemistry</i> , 2015, 101, 616-626. | 5.5 | 17 |
| 18 | Source and role of intestinally derived lysophosphatidic acid in dyslipidemia and atherosclerosis. <i>Journal of Lipid Research</i> , 2015, 56, 871-887. | 4.2 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | ApoA-I Mimetic Peptides: A Review of the Present Status. , 2015, , 15-27. | | 3 |
| 20 | Endothelial NOTCH1 is suppressed by circulating lipids and antagonizes inflammation during atherosclerosis. Journal of Experimental Medicine, 2015, 212, 2147-2163. | 8.5 | 86 |
| 21 | Apolipoprotein A-I Mimetic Peptides in Mouse Models of Cancer. , 2015, , 55-62. | | 0 |
| 22 | Endothelial NOTCH1 is suppressed by circulating lipids and antagonizes inflammation during atherosclerosis. Journal of Cell Biology, 2015, 211, 2114OIA269. | 5.2 | 0 |
| 23 | Apolipoprotein A-I mimetics. Current Opinion in Lipidology, 2014, 25, 304-308. | 2.7 | 39 |
| 24 | Apolipoprotein A-I Mimetic Peptide 4F Rescues Pulmonary Hypertension by Inducing MicroRNA-193-3p. Circulation, 2014, 130, 776-785. | 1.6 | 80 |
| 25 | Searching for a successful HDL-based treatment strategy. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2014, 1841, 162-167. | 2.4 | 22 |
| 26 | Transgenic 6F tomatoes act on the small intestine to prevent systemic inflammation and dyslipidemia caused by Western diet and intestinally derived lysophosphatidic acid. Journal of Lipid Research, 2013, 54, 3403-3418. | 4.2 | 60 |
| 27 | Reducing plasma cholesterol is not the end of the quest. Atherosclerosis, 2013, 227, 35-36. | 0.8 | 0 |
| 28 | Heart Failure is Associated With Impaired Anti-Inflammatory and Antioxidant Properties of High-Density Lipoproteins. American Journal of Cardiology, 2013, 112, 1770-1777. | 1.6 | 34 |
| 29 | Ambient ultrafine particles reduce endothelial nitric oxide production via S-glutathionylation of eNOS. Biochemical and Biophysical Research Communications, 2013, 436, 462-466. | 2.1 | 25 |
| 30 | Diesel Exhaust Induces Systemic Lipid Peroxidation and Development of Dysfunctional Pro-Oxidant and Pro-Inflammatory High-Density Lipoprotein. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 1153-1161. | 2.4 | 127 |
| 31 | Atmospheric ultrafine particles promote vascular calcification via the NF- κ B signaling pathway. American Journal of Physiology - Cell Physiology, 2013, 304, C362-C369. | 4.6 | 35 |
| 32 | A novel approach to oral apoA-I mimetic therapy. Journal of Lipid Research, 2013, 54, 995-1010. | 4.2 | 86 |
| 33 | Ambient ultrafine particles alter lipid metabolism and HDL anti-oxidant capacity in LDLR-null mice. Journal of Lipid Research, 2013, 54, 1608-1615. | 4.2 | 95 |
| 34 | D-4F-mediated reduction in metabolites of arachidonic and linoleic acids in the small intestine is associated with decreased inflammation in low-density lipoprotein receptor-null mice. Journal of Lipid Research, 2012, 53, 437-445. | 4.2 | 55 |
| 35 | High-Density Lipoprotein and 4F Peptide Reduce Systemic Inflammation by Modulating Intestinal Oxidized Lipid Metabolism. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 2553-2560. | 2.4 | 62 |
| 36 | HDL Mimetics Inhibit Tumor Development in Both Induced and Spontaneous Mouse Models of Colon Cancer. Molecular Cancer Therapeutics, 2012, 11, 1311-1319. | 4.1 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Vasculitis, Atherosclerosis, and Altered HDL Composition in Heme-Oxygenase-1-Knockout Mice. <i>International Journal of Hypertension</i> , 2012, 2012, 1-6. | 1.3 | 24 |
| 38 | Apolipoprotein A-I Mimetic Peptides Inhibit Expression and Activity of Hypoxia-Inducible Factor-1 α in Human Ovarian Cancer Cell Lines and a Mouse Ovarian Cancer Model. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 342, 255-262. | 2.5 | 39 |
| 39 | Effects of lipid-probe interactions in biochemical fluorometric methods that assess HDL redox activity. <i>Lipids in Health and Disease</i> , 2012, 11, 87. | 3.0 | 21 |
| 40 | L-4F, an apoA-I mimetic peptide, inhibits proliferation and tumorigenicity of epithelial ovarian cancer cells by upregulating the antioxidant enzyme MnSOD. <i>International Journal of Cancer</i> , 2012, 130, 1071-1081. | 5.1 | 61 |
| 41 | Salutary Effects of Hemodialysis on Low-Density Lipoprotein Proinflammatory and High-Density Lipoprotein Anti-inflammatory Properties in Patient With End-Stage Renal Disease. <i>Journal of the National Medical Association</i> , 2011, 103, 524-533. | 0.8 | 30 |
| 42 | Dysfunctional High-Density Lipoprotein and the Potential of Apolipoprotein A-1 Mimetic Peptides to Normalize the Composition and Function of Lipoproteins. <i>Circulation Journal</i> , 2011, 75, 1533-1538. | 1.6 | 39 |
| 43 | L-5F, an apolipoprotein A-I mimetic, inhibits tumor angiogenesis by suppressing VEGF/basic FGF signaling pathways. <i>Integrative Biology (United Kingdom)</i> , 2011, 3, 479. | 1.3 | 65 |
| 44 | HDL and cardiovascular disease: atherogenic and atheroprotective mechanisms. <i>Nature Reviews Cardiology</i> , 2011, 8, 222-232. | 13.7 | 506 |
| 45 | HIV-1 infected patients with suppressed plasma viremia on treatment have pro-inflammatory HDL. <i>Lipids in Health and Disease</i> , 2011, 10, 35. | 3.0 | 25 |
| 46 | Paraoxonase 2 Deficiency Alters Mitochondrial Function and Exacerbates the Development of Atherosclerosis. <i>Antioxidants and Redox Signaling</i> , 2011, 14, 341-351. | 5.4 | 151 |
| 47 | Treatment of patients with cardiovascular disease with L-4F, an apoA-I mimetic, did not improve select biomarkers of HDL function. <i>Journal of Lipid Research</i> , 2011, 52, 361-373. | 4.2 | 129 |
| 48 | A biochemical fluorometric method for assessing the oxidative properties of HDL. <i>Journal of Lipid Research</i> , 2011, 52, 2341-2351. | 4.2 | 70 |
| 49 | Anti-inflammatory and Antioxidant Properties of HDLs Are Impaired in Type 2 Diabetes. <i>Diabetes</i> , 2011, 60, 2617-2623. | 0.6 | 162 |
| 50 | Chronic Inflammatory Disorders and Accelerated Atherosclerosis: Chronic Kidney Disease. <i>Current Pharmaceutical Design</i> , 2011, 17, 17-20. | 1.9 | 49 |
| 51 | Enhancement by LDL of transfer of L-4F and oxidized lipids to HDL in C57BL/6J mice and human plasma. <i>Journal of Lipid Research</i> , 2011, 52, 1795-1809. | 4.2 | 17 |
| 52 | Intestine may be a major site of action for the apoA-I mimetic peptide 4F whether administered subcutaneously or orally. <i>Journal of Lipid Research</i> , 2011, 52, 1200-1210. | 4.2 | 61 |
| 53 | L-4F Differentially Alters Plasma Levels of Oxidized Fatty Acids Resulting in more Anti-Inflammatory HDL in Mice. <i>Drug Metabolism Letters</i> , 2010, 4, 139-148. | 0.8 | 50 |
| 54 | Oxpholipin 11D: An Anti-Inflammatory Peptide That Binds Cholesterol and Oxidized Phospholipids. <i>PLoS ONE</i> , 2010, 5, e10181. | 2.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Structure and Function of HDL Mimetics. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 164-168. | 2.4 | 102 |
| 56 | L-4F Alters Hyperlipidemic (But Not Healthy) Mouse Plasma to Reduce Platelet Aggregation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 283-289. | 2.4 | 27 |
| 57 | Apolipoprotein A-I Mimetic Peptides Prevent Atherosclerosis Development and Reduce Plaque Inflammation in a Murine Model of Diabetes. <i>Diabetes</i> , 2010, 59, 3223-3228. | 0.6 | 66 |
| 58 | Apolipoprotein A-I (apoA-I) and apoA-I mimetic peptides inhibit tumor development in a mouse model of ovarian cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19997-20002. | 7.1 | 184 |
| 59 | Amelioration of nephropathy with apoA-1 mimetic peptide in apoE-deficient mice. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3525-3534. | 0.7 | 18 |
| 60 | Treatment with apolipoprotein A-1 mimetic peptide reduces lupus-like manifestations in a murine lupus model of accelerated atherosclerosis. <i>Arthritis Research and Therapy</i> , 2010, 12, R93. | 3.5 | 47 |
| 61 | Mitogen-activated protein kinase phosphatase-1 deficiency decreases atherosclerosis in apolipoprotein E null mice by reducing monocyte chemoattractant protein-1 levels. <i>Molecular Genetics and Metabolism</i> , 2010, 101, 66-75. | 1.1 | 17 |
| 62 | HDL metabolism and activity in chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2010, 6, 287-296. | 9.6 | 128 |
| 63 | The Effect of HDL Mimetic Peptide 4F on PON1. <i>Advances in Experimental Medicine and Biology</i> , 2010, 660, 167-172. | 1.6 | 12 |
| 64 | Near Term Prospects for Ameliorating Cardiovascular Aging. , 2010, , 279-306. | | 1 |
| 65 | The role of dysfunctional HDL in atherosclerosis. <i>Journal of Lipid Research</i> , 2009, 50, S145-S149. | 4.2 | 185 |
| 66 | Hemoglobin and Its Scavenger Protein Haptoglobin Associate with ApoA-1-containing Particles and Influence the Inflammatory Properties and Function of High Density Lipoprotein. <i>Journal of Biological Chemistry</i> , 2009, 284, 18292-18301. | 3.4 | 103 |
| 67 | In vitro stimulation of HDL anti-inflammatory activity and inhibition of LDL pro-inflammatory activity in the plasma of patients with end-stage renal disease by an apoA-1 mimetic peptide. <i>Kidney International</i> , 2009, 76, 437-444. | 5.2 | 98 |
| 68 | A novel method for oral delivery of apolipoprotein mimetic peptides synthesized from all L-amino acids. <i>Journal of Lipid Research</i> , 2009, 50, 1538-1547. | 4.2 | 55 |
| 69 | Apolipoprotein A-I mimetic peptides. <i>Current Atherosclerosis Reports</i> , 2009, 11, 52-57. | 4.8 | 82 |
| 70 | HDL as a Biomarker, Potential Therapeutic Target, and Therapy. <i>Diabetes</i> , 2009, 58, 2711-2717. | 0.6 | 97 |
| 71 | Dyslipidemia and cardiovascular diseases. <i>Current Opinion in Lipidology</i> , 2009, 20, 157-158. | 2.7 | 4 |
| 72 | Proatherogenic high-density lipoprotein, vascular inflammation, and mimetic peptides. <i>Current Atherosclerosis Reports</i> , 2008, 10, 171-176. | 4.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Treatment with an apolipoprotein A-1 mimetic peptide in combination with pravastatin inhibits collagen-induced arthritis. <i>Clinical Immunology</i> , 2008, 127, 234-244. | 3.2 | 48 |
| 74 | The Effect of Apolipoprotein Mimetic Peptides in Inflammatory Disorders Other Than Atherosclerosis. <i>Trends in Cardiovascular Medicine</i> , 2008, 18, 61-66. | 4.9 | 29 |
| 75 | D-4F reduces EO6 immunoreactivity, SREBP-1c mRNA levels, and renal inflammation in LDL receptor-null mice fed a Western diet. <i>Journal of Lipid Research</i> , 2008, 49, 192-205. | 4.2 | 49 |
| 76 | Ambient Particulate Pollutants in the Ultrafine Range Promote Early Atherosclerosis and Systemic Oxidative Stress. <i>Circulation Research</i> , 2008, 102, 589-596. | 4.5 | 551 |
| 77 | Safety, pharmacokinetics, and pharmacodynamics of oral apoA-I mimetic peptide D-4F in high-risk cardiovascular patients. <i>Journal of Lipid Research</i> , 2008, 49, 1344-1352. | 4.2 | 266 |
| 78 | Anti-inflammatory apoA-I-mimetic peptides bind oxidized lipids with much higher affinity than human apoA-I. <i>Journal of Lipid Research</i> , 2008, 49, 2302-2311. | 4.2 | 181 |
| 79 | Apo A-1 Mimetic Peptides as Atheroprotective Agents in Murine Models. <i>Current Drug Targets</i> , 2008, 9, 204-209. | 2.1 | 26 |
| 80 | Inflammation and metabolic disorders. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2008, 11, 459-464. | 2.5 | 95 |
| 81 | Host-derived oxidized phospholipids and HDL regulate innate immunity in human leprosy. <i>Journal of Clinical Investigation</i> , 2008, 118, 2917-2928. | 8.2 | 146 |
| 82 | Multiple indications for anti-inflammatory apolipoprotein mimetic peptides. <i>Current Opinion in Investigational Drugs</i> , 2008, 9, 1157-62. | 2.3 | 25 |
| 83 | Adenovirus-Mediated Expression of Human Paraoxonase 3 Protects Against the Progression of Atherosclerosis in Apolipoprotein E-deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1368-1374. | 2.4 | 58 |
| 84 | High-Density Lipoprotein Cholesterol. <i>Stroke</i> , 2007, 38, 1104-1109. | 2.0 | 61 |
| 85 | Oxidation hypothesis of atherogenesis: HDL inflammatory index and apolipoprotein A-I mimetic peptides. <i>Future Cardiology</i> , 2007, 3, 309-319. | 1.2 | 2 |
| 86 | Differential Association of Hemoglobin with Proinflammatory High Density Lipoproteins in Atherogenic/Hyperlipidemic Mice. <i>Journal of Biological Chemistry</i> , 2007, 282, 23698-23707. | 3.4 | 69 |
| 87 | Lipoprotein inflammatory properties and serum amyloid A levels but not cholesterol levels predict lesion area in cholesterol-fed rabbits. <i>Journal of Lipid Research</i> , 2007, 48, 2344-2353. | 4.2 | 101 |
| 88 | Structural requirements for antioxidative and anti-inflammatory properties of apolipoprotein A-I mimetic peptides. <i>Journal of Lipid Research</i> , 2007, 48, 1915-1923. | 4.2 | 112 |
| 89 | Peptide mimetics of apolipoproteins improve HDL function. <i>Journal of Clinical Lipidology</i> , 2007, 1, 142-147. | 1.5 | 22 |
| 90 | A novel anti-atherogenic role for COX-2-potential mechanism for the cardiovascular side effects of COX-2 inhibitors. <i>Prostaglandins and Other Lipid Mediators</i> , 2007, 84, 24-33. | 1.9 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Modifying the anti-inflammatory effects of high-density lipoprotein. <i>Current Atherosclerosis Reports</i> , 2007, 9, 57-63. | 4.8 | 32 |
| 92 | High-density lipoprotein: Antioxidant and anti-inflammatory properties. <i>Current Atherosclerosis Reports</i> , 2007, 9, 244-248. | 4.8 | 88 |
| 93 | Paraoxonase-2 Deficiency Aggravates Atherosclerosis in Mice Despite Lower Apolipoprotein-B-containing Lipoproteins. <i>Journal of Biological Chemistry</i> , 2006, 281, 29491-29500. | 3.4 | 149 |
| 94 | Apolipoprotein A-I mimetic peptides and their role in atherosclerosis prevention. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2006, 3, 540-547. | 3.3 | 117 |
| 95 | Mechanisms of Disease: proatherogenic HDL—“an evolving field. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2006, 2, 504-511. | 2.8 | 210 |
| 96 | Adenovirus mediated expression of human paraoxonase 2 protects against the development of atherosclerosis in apolipoprotein E-deficient mice. <i>Molecular Genetics and Metabolism</i> , 2006, 89, 368-373. | 1.1 | 80 |
| 97 | Apolipoprotein A-I Mimetic Peptides. , 2006, , 329-331. | | 0 |
| 98 | Synthetic peptides: managing lipid disorders. <i>Current Opinion in Lipidology</i> , 2006, 17, 233-237. | 2.7 | 11 |
| 99 | Potential clinical utility of high-density lipoprotein-mimetic peptides. <i>Current Opinion in Lipidology</i> , 2006, 17, 440-444. | 2.7 | 22 |
| 100 | Proinflammatory high-density lipoprotein as a biomarker for atherosclerosis in patients with systemic lupus erythematosus and rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 2541-2549. | 6.7 | 360 |
| 101 | Oral amphipathic peptides as therapeutic agents. <i>Expert Opinion on Investigational Drugs</i> , 2006, 15, 13-21. | 4.1 | 23 |
| 102 | D-4F decreases brain arteriole inflammation and improves cognitive performance in LDL receptor-null mice on a Western diet. <i>Journal of Lipid Research</i> , 2006, 47, 2148-2160. | 4.2 | 66 |
| 103 | Understanding Changes in High Density Lipoproteins During the Acute Phase Response. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1687-1688. | 2.4 | 72 |
| 104 | The paraoxonase gene family and atherosclerosis. <i>Free Radical Biology and Medicine</i> , 2005, 38, 153-163. | 2.9 | 255 |
| 105 | The Role of High-Density Lipoprotein in Inflammation. <i>Trends in Cardiovascular Medicine</i> , 2005, 15, 158-161. | 4.9 | 136 |
| 106 | An Apolipoprotein A-I Mimetic Works Best in the Presence of Apolipoprotein A-I. <i>Circulation Research</i> , 2005, 97, 1085-1086. | 4.5 | 14 |
| 107 | Increased Atherosclerosis in Mice Lacking Apolipoprotein A-I Attributable to Both Impaired Reverse Cholesterol Transport and Increased Inflammation. <i>Circulation Research</i> , 2005, 97, 763-771. | 4.5 | 165 |
| 108 | An Oral ApoJ Peptide Renders HDL Antiinflammatory in Mice and Monkeys and Dramatically Reduces Atherosclerosis in Apolipoprotein E—Null Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1932-1937. | 2.4 | 117 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Oral Small Peptides Render HDL Antiinflammatory in Mice and Monkeys and Reduce Atherosclerosis in ApoE Null Mice. <i>Circulation Research</i> , 2005, 97, 524-532. | 4.5 | 81 |
| 110 | Apolipoprotein A-I Mimetic Peptides. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1325-1331. | 2.4 | 246 |
| 111 | D-4F and Statins Synergize to Render HDL Antiinflammatory in Mice and Monkeys and Cause Lesion Regression in Old Apolipoprotein Eâ€“Null Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1426-1432. | 2.4 | 145 |
| 112 | The double jeopardy of HDL. <i>Annals of Medicine</i> , 2005, 37, 173-178. | 3.8 | 131 |
| 113 | High-Density Lipoprotein Function. <i>Journal of the American College of Cardiology</i> , 2005, 46, 1792-1798. | 2.8 | 254 |
| 114 | PLTP deficiency improves the anti-inflammatory properties of HDL and reduces the ability of LDL to induce monocyte chemotactic activity. <i>Journal of Lipid Research</i> , 2004, 45, 1852-1858. | 4.2 | 59 |
| 115 | D-4F, an Apolipoprotein A-I Mimetic Peptide, Inhibits the Inflammatory Response Induced by Influenza A Infection of Human Type II Pneumocytes. <i>Circulation</i> , 2004, 110, 3252-3258. | 1.6 | 121 |
| 116 | Aromatic Residue Position on the Nonpolar Face of Class A Amphipathic Helical Peptides Determines Biological Activity. <i>Journal of Biological Chemistry</i> , 2004, 279, 26509-26517. | 3.4 | 72 |
| 117 | Potential Role for Mitogen-Activated Protein Kinase Phosphatase-1 in the Development of Atherosclerotic Lesions in Mouse Models. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 1676-1681. | 2.4 | 35 |
| 118 | Apparent Paradox of Low-Fat â€œHealthyâ€•Diets Increasing Plasma Levels of Oxidized Low-Density Lipoprotein and Lipoprotein(a). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 392-393. | 2.4 | 2 |
| 119 | Antiinflammatory Properties of HDL. <i>Circulation Research</i> , 2004, 95, 764-772. | 4.5 | 1,170 |
| 120 | Oral D-4F Causes Formation of Pre- β^2 High-Density Lipoprotein and Improves High-Density Lipoproteinâ€“Mediated Cholesterol Efflux and Reverse Cholesterol Transport From Macrophages in Apolipoprotein Eâ€“Null Mice. <i>Circulation</i> , 2004, 109, 3215-3220. | 1.6 | 325 |
| 121 | Anti-Inflammatory Properties of HDL. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2004, 5, 351-358. | 5.7 | 34 |
| 122 | Thematic review series: The Pathogenesis of Atherosclerosis The oxidation hypothesis of atherogenesis: the role of oxidized phospholipids and HDL. <i>Journal of Lipid Research</i> , 2004, 45, 993-1007. | 4.2 | 585 |
| 123 | Human apolipoprotein A-I and A-I mimetic peptides: potential for atherosclerosis reversal. <i>Current Opinion in Lipidology</i> , 2004, 15, 645-649. | 2.7 | 74 |
| 124 | Oral Synthetic Phospholipid (DMPC) Raises High-Density Lipoprotein Cholesterol Levels, Improves High-Density Lipoprotein Function, and Markedly Reduces Atherosclerosis in Apolipoprotein Eâ€“Null Mice. <i>Circulation</i> , 2003, 108, 1735-1739. | 1.6 | 69 |
| 125 | Monocyte recruitment to endothelial cells in response to oscillatory shear stress. <i>FASEB Journal</i> , 2003, 17, 1648-1657. | 0.5 | 135 |
| 126 | Inflammatory/Antiinflammatory Properties of High-Density Lipoprotein Distinguish Patients From Control Subjects Better Than High-Density Lipoprotein Cholesterol Levels and Are Favorably Affected by Simvastatin Treatment. <i>Circulation</i> , 2003, 108, 2751-2756. | 1.6 | 545 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Pulsatile Versus Oscillatory Shear Stress Regulates NADPH Oxidase Subunit Expression. <i>Circulation Research</i> , 2003, 93, 1225-1232. | 4.5 | 300 |
| 128 | Human apolipoprotein AI mimetic peptides for the treatment of atherosclerosis. <i>Current Opinion in Investigational Drugs</i> , 2003, 4, 1100-4. | 2.3 | 14 |
| 129 | Influenza Infection Promotes Macrophage Traffic Into Arteries of Mice That Is Prevented by D-4F, an Apolipoprotein A-I Mimetic Peptide. <i>Circulation</i> , 2002, 106, 1127-1132. | 1.6 | 177 |
| 130 | ATP-Binding Cassette Transporter 1 Participates in LDL Oxidation by Artery Wall Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 1877-1883. | 2.4 | 36 |
| 131 | Oxidized lipids as mediators of coronary heart disease. <i>Current Opinion in Lipidology</i> , 2002, 13, 363-372. | 2.7 | 94 |
| 132 | Oral Administration of an Apo A-I Mimetic Peptide Synthesized From D-Amino Acids Dramatically Reduces Atherosclerosis in Mice Independent of Plasma Cholesterol. <i>Circulation</i> , 2002, 105, 290-292. | 1.6 | 400 |
| 133 | Identification of genes induced by oxidized phospholipids in human aortic endothelial cells. <i>Vascular Pharmacology</i> , 2002, 38, 211-218. | 2.1 | 22 |
| 134 | Endothelial Cell Dynamics under Pulsating Flows: Significance of High Versus Low Shear Stress Slew Rates. <i>Annals of Biomedical Engineering</i> , 2002, 30, 646-656. | 2.5 | 71 |
| 135 | Protective Action of HDL-Associated PON1 Against LDL Oxidation. , 2002, , 125-136. | | 4 |
| 136 | Human Paraoxonase-3 Is an HDL-Associated Enzyme With Biological Activity Similar to Paraoxonase-1 Protein but Is Not Regulated by Oxidized Lipids. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 542-547. | 2.4 | 319 |
| 137 | Paraoxonase-2 Is a Ubiquitously Expressed Protein with Antioxidant Properties and Is Capable of Preventing Cell-mediated Oxidative Modification of Low Density Lipoprotein. <i>Journal of Biological Chemistry</i> , 2001, 276, 44444-44449. | 3.4 | 404 |
| 138 | The Role of High-Density Lipoproteins in Oxidation and Inflammation. <i>Trends in Cardiovascular Medicine</i> , 2001, 11, 155-161. | 4.9 | 139 |
| 139 | Mitogen-activated Protein Kinase Phosphatase 1 Activity Is Necessary for Oxidized Phospholipids to Induce Monocyte Chemotactic Activity in Human Aortic Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 17030-17035. | 3.4 | 46 |
| 140 | HDL and the Inflammatory Response Induced by LDL-Derived Oxidized Phospholipids. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 481-488. | 2.4 | 391 |
| 141 | Oxidized Phospholipids Induce Changes in Hepatic Paraoxonase and ApoJ but Not Monocyte Chemoattractant Protein-1 via Interleukin-6. <i>Journal of Biological Chemistry</i> , 2001, 276, 1923-1929. | 3.4 | 107 |
| 142 | High-Density Lipoprotein Loses Its Anti-Inflammatory Properties During Acute Influenza A Infection. <i>Circulation</i> , 2001, 103, 2283-2288. | 1.6 | 297 |
| 143 | Pulsatile Flow Regulates Monocyte Adhesion to Oxidized Lipid-Induced Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 1770-1776. | 2.4 | 59 |
| 144 | A new synthetic class A amphipathic peptide analogue protects mice from diet-induced atherosclerosis. <i>Journal of Lipid Research</i> , 2001, 42, 545-552. | 4.2 | 138 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | A cell-free assay for detecting HDL that is dysfunctional in preventing the formation of or inactivating oxidized phospholipids. <i>Journal of Lipid Research</i> , 2001, 42, 1308-1317. | 4.2 | 292 |
| 146 | Effects of increasing hydrophobicity on the physical-chemical and biological properties of a class A amphipathic helical peptide. <i>Journal of Lipid Research</i> , 2001, 42, 1096-1104. | 4.2 | 203 |
| 147 | High-Density Lipoprotein and the Dynamics of Atherosclerotic Lesions. <i>Circulation</i> , 2001, 104, 2386-2387. | 1.6 | 27 |
| 148 | Short-Term Feeding of Atherogenic Diet to Mice Results in Reduction of HDL and Paraoxonase That May Be Mediated by an Immune Mechanism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1946-1952. | 2.4 | 74 |
| 149 | Normal high density lipoprotein inhibits three steps in the formation of mildly oxidized low density lipoprotein: step 1. <i>Journal of Lipid Research</i> , 2000, 41, 1481-1494. | 4.2 | 423 |
| 150 | Normal high density lipoprotein inhibits three steps in the formation of mildly oxidized low density lipoprotein: steps 2 and 3. <i>Journal of Lipid Research</i> , 2000, 41, 1495-1508. | 4.2 | 353 |
| 151 | Role of Group II Secretory Phospholipase A 2 in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1291-1298. | 2.4 | 148 |
| 152 | All ApoB-Containing Lipoproteins Induce Monocyte Chemotaxis and Adhesion When Minimally Modified. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1437-1446. | 2.4 | 59 |
| 153 | Role of Group II Secretory Phospholipase A ₂ in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1284-1290. | 2.4 | 236 |
| 154 | On the physiological role(s) of the paraoxonases. <i>Chemico-Biological Interactions</i> , 1999, 119-120, 379-388. | 4.0 | 163 |
| 155 | High-density lipoprotein increases intracellular calcium levels by releasing calcium from internal stores in human endothelial cells. <i>Atherosclerosis</i> , 1999, 143, 299-306. | 0.8 | 29 |
| 156 | Structural Identification of a Novel Pro-inflammatory Epoxyisoprostane Phospholipid in Mildly Oxidized Low Density Lipoprotein. <i>Journal of Biological Chemistry</i> , 1999, 274, 24787-24798. | 3.4 | 190 |
| 157 | Mice lacking serum paraoxonase are susceptible to organophosphate toxicity and atherosclerosis. <i>Nature</i> , 1998, 394, 284-287. | 27.8 | 1,017 |
| 158 | Estradiol Suppresses MCP-1 Expression In Vivo. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1575-1582. | 2.4 | 115 |
| 159 | Paraoxonase and coronary heart disease. <i>Current Opinion in Lipidology</i> , 1998, 9, 319-324. | 2.7 | 177 |
| 160 | High density associated enzymes: their role in vascular biology. <i>Current Opinion in Lipidology</i> , 1998, 9, 449-456. | 2.7 | 73 |
| 161 | Structural Identification by Mass Spectrometry of Oxidized Phospholipids in Minimally Oxidized Low Density Lipoprotein That Induce Monocyte/Endothelial Interactions and Evidence for Their Presence in Vivo. <i>Journal of Biological Chemistry</i> , 1997, 272, 13597-13607. | 3.4 | 691 |
| 162 | Oxidized Lipids in Atherogenesis: Formation, Destruction and Action. <i>Thrombosis and Haemostasis</i> , 1997, 78, 195-199. | 3.4 | 108 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | The Yin and Yang of Oxidation in the Development of the Fatty Streak. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 16, 831-842. | 2.4 | 553 |
| 164 | Enzymes and Proteins that are Associated with High Density Lipoprotein and their Role in the Anti-Inflammatory Capacity of HDL. <i>Medical Science Symposia Series</i> , 1996, , 599-601. | 0.0 | 0 |
| 165 | Pathogenesis of atherosclerosis. <i>American Journal of Cardiology</i> , 1995, 76, 18C-23C. | 1.6 | 134 |
| 166 | Atherosclerosis: Basic Mechanisms. <i>Circulation</i> , 1995, 91, 2488-2496. | 1.6 | 1,387 |