## Alan Sucur

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1207990/publications.pdf Version: 2024-02-01



ALAN SUCUD

#	Article	IF	CITATIONS
1	Chemokine signals are crucial for enhanced homing and differentiation of circulating osteoclast progenitor cells. Arthritis Research and Therapy, 2017, 19, 142.	3.5	54
2	Induction of osteoclast progenitors in inflammatory conditions: key to bone destruction in arthritis. International Orthopaedics, 2014, 38, 1893-1903.	1.9	48
3	What do we know about bone morphogenetic proteins and osteochondroprogenitors in inflammatory conditions?. Bone, 2020, 137, 115403.	2.9	23
4	Increased chemotaxis and activity of circulatory myeloid progenitor cells may contribute to enhanced osteoclastogenesis and bone loss in the C57BL/6 mouse model of collagen-induced arthritis. Clinical and Experimental Immunology, 2016, 186, 321-335.	2.6	18
5	Notch receptors and ligands in inflammatory arthritis – a systematic review. Immunology Letters, 2020, 223, 106-114.	2.5	18
6	Concentrations of Selected Cytokines and Vascular Endothelial Growth Factor in Aqueous Humor and Serum of Diabetic Patients. Seminars in Ophthalmology, 2020, 35, 126-133.	1.6	12
7	LPSâ€induced inflammation desensitizes hepatocytes to Fasâ€induced apoptosis through Stat3 activation—The effect can be reversed by ruxolitinib. Journal of Cellular and Molecular Medicine, 2020, 24, 2981-2992.	3.6	11
8	Levels of Selected Aqueous Humor Mediators (IL-10, IL-17, CCL2, VEGF, FasL) in Diabetic Cataract. Ocular Immunology and Inflammation, 2016, 24, 1-8.	1.8	10
9	Preventive CCL2/CCR2 Axis Blockade Suppresses Osteoclast Activity in a Mouse Model of Rheumatoid Arthritis by Reducing Homing of CCR2hi Osteoclast Progenitors to the Affected Bone. Frontiers in Immunology, 2021, 12, 767231.	4.8	9
10	Acute hematopoietic stress in mice is followed by enhanced osteoclast maturation in the bone marrow microenvironment. Experimental Hematology, 2014, 42, 966-975.	0.4	8
11	Fas receptor induces apoptosis of synovial bone and cartilage progenitor populations and promotes bone loss in antigenâ€induced arthritis. FASEB Journal, 2019, 33, 3330-3342.	0.5	8
12	RNA sequencing data from osteochondroprogenitor populations in synovial joints of mice during murine model of rheumatoid arthritis. Data in Brief, 2020, 33, 106570.	1.0	4
13	Inhibition of Notch Signaling Stimulates Osteoclastogenesis From the Common Trilineage Progenitor Under Inflammatory Conditions. Frontiers in Immunology, 0, 13, .	4.8	4
14	Combined manual and automated immunophenotypisation identified disease-specific peripheral blood immune subpopulations in rheumatoid arthritis, ankylosing spondylitis and psoriatic arthritis. Clinical and Experimental Rheumatology, 2020, 38, 903-916.	0.8	2
15	Tamoxifen Ameliorates Cholestatic Liver Fibrosis in Mice: Upregulation of TGFÎ <sup>2</sup> and IL6 Is a Potential Protective Mechanism. Biomedicines, 2022, 10, 1209.	3.2	2
16	Nobel Peace Prize nomination for Doctors Against Forced Organ Harvesting (DAFOH) – a recognition of upholding ethical practices in medicine. Croatian Medical Journal, 2016, 57, 219-222.	0.7	1
17	Elevated Concentrations of Soluble Fas and FasL in Multiple Sclerosis Patients with Antinuclear Antibodies. Journal of Clinical Medicine, 2020, 9, 3845.	2.4	1
18	Croatian Immunological Society: Our half century. European Journal of Immunology, 2019, 49, 208-211.	2.9	0

Alan Sucur

#	Article	IF	CITATIONS
19	Chemotactic signals mediating osteoclast progenitor migration in collagen induced arthritis. Bone Abstracts, 0, , .	0.0	0
20	Identifying cell populations coupling inflammation to osteoresorption in arthritis. Bone Abstracts, 0,	0.0	0
21	FasL (rs763110) gene polymorphism is not associated with susceptibility to rheumatoid arthritis in Croatian population. Croatian Medical Journal, 2020, 61, 547-555.	0.7	0