

Lee E Eiden

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1208875/publications.pdf>

Version: 2024-02-01

269
papers

14,294
citations

23567

58
h-index

24258

110
g-index

287
all docs

287
docs citations

287
times ranked

9852
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationships between constitutive and acute gene regulation, and physiological and behavioral responses, mediated by the neuropeptide PACAP. <i>Psychoneuroendocrinology</i> , 2022, 135, 105447.	2.7	4
2	Vasopressin acts as a synapse organizer in limbic regions by boosting <scp>PSD95</scp> and <scp>GluA1</scp> expression. <i>Journal of Neuroendocrinology</i> , 2022, 34, .	2.6	5
3	<scp>ERK</scp>â€dependent induction of the immediateâ€early gene <i>Egr1</i> and the late gene <i>Gpr50</i> contribute to two distinct phases of <scp>PACAP Gsâ€GPCR</scp> signaling for neurogenesis. <i>Journal of Neuroendocrinology</i> , 2022, 34, .	2.6	2
4	<scp>RegPep2021</scp>, a confluence of new data, concepts, and perspectives in regulatory peptide biology, physiology, pharmacology, and neuroendocrinology. <i>Journal of Neuroendocrinology</i> , 2022, 34, .	2.6	0
5	GABAergic circuits of the basolateral amygdala and generation of anxiety after traumatic brain injury. <i>Amino Acids</i> , 2022, 54, 1229-1249.	2.7	2
6	ACE2 in the second act of COVIDâ€19 syndrome: Peptide dysregulation and possible correction with oestrogen. <i>Journal of Neuroendocrinology</i> , 2021, 33, e12935.	2.6	13
7	Behavioral role of PACAP signaling reflects its selective distribution in glutamatergic and GABAergic neuronal subpopulations. <i>ELife</i> , 2021, 10, .	6.0	20
8	Microglial synaptic pruning on axon initial segment spines of dentate granule cells: Sexually dimorphic effects of earlyâ€life stress and consequences for adult fear response. <i>Journal of Neuroendocrinology</i> , 2021, 33, e12969.	2.6	5
9	Cell-penetrating, antioxidant SELENIT mimetic protects dopaminergic neurons and ameliorates motor dysfunction in Parkinson's disease animal models. <i>Redox Biology</i> , 2021, 40, 101839.	9.0	20
10	Cyclic AMPâ€dependent Activation of ERK Via GLPâ€1 Receptor Signaling Requires the Neuroendocrine Cellâ€Selective Guanine Nucleotide Exchanger NCSâ€RapGEF2. <i>FASEB Journal</i> , 2021, 35, .	0.5	0
11	Cyclic AMPâ€dependent activation of ERK via GLPâ€1 receptor signalling requires the neuroendocrine cellâ€specific guanine nucleotide exchanger NCSâ€RapGEF2. <i>Journal of Neuroendocrinology</i> , 2021, 33, e12974.	2.6	3
12	Editorial for RegPep2020 special issue. <i>Journal of Neuroendocrinology</i> , 2021, 33, e13009.	2.6	0
13	ACE2 expression in rat brain: Implications for COVID-19 associated neurological manifestations. <i>Experimental Neurology</i> , 2021, 345, 113837.	4.1	50
14	Cocaine-Dependent Acquisition of Locomotor Sensitization and Conditioned Place Preference Requires D1 Dopaminergic Signaling through a Cyclic AMP, NCS-Rapgef2, ERK, and Egr-1/Zif268 Pathway. <i>Journal of Neuroscience</i> , 2021, 41, 711-725.	3.6	17
15	Regulatory peptides and systems biology: A new era of translational and reverseâ€translational neuroendocrinology. <i>Journal of Neuroendocrinology</i> , 2020, 32, e12844.	2.6	4
16	Peptide-Liganded G Protein-Coupled Receptors as Neurotherapeutics. <i>ACS Pharmacology and Translational Science</i> , 2020, 3, 190-202.	4.9	5
17	PAC1 deficiency attenuates progression of atherosclerosis in ApoE deficient mice under cholesterol-enriched diet. <i>Immunobiology</i> , 2020, 225, 151930.	1.9	3
18	VGLUTâ€VGAT expression delineates functionally specialised populations of vasopressinâ€containing neurones including a glutamatergic perforant pathâ€projecting cell group to the hippocampus in rat and mouse brain. <i>Journal of Neuroendocrinology</i> , 2020, 32, e12831.	2.6	15

#	ARTICLE	IF	CITATIONS
19	Three-dimensional mapping of tyrosine hydroxylase in the transparent brain and adrenal of prenatal and pre-weaning mice: Comprehensive methodological flowchart and quantitative aspects of 3D mapping. <i>Journal of Neuroscience Methods</i> , 2020, 335, 108596.	2.5	3
20	Chromaffin Cells of the Adrenal Medulla: Physiology, Pharmacology, and Disease. , 2019, 9, 1443-1502.		45
21	Progress in regulatory peptide research. <i>Annals of the New York Academy of Sciences</i> , 2019, 1455, 5-11.	3.8	4
22	A Synaptically Connected Hypothalamic Magnocellular Vasopressin-Locus Coeruleus Neuronal Circuit and Its Plasticity in Response to Emotional and Physiological Stress. <i>Frontiers in Neuroscience</i> , 2019, 13, 196.	2.8	25
23	Editorial: Regulatory Peptides in Neuroscience and Endocrinology: A New Era Begins. <i>Frontiers in Endocrinology</i> , 2019, 10, 793.	3.5	0
24	Pituitary Adenylate Cyclase-Activating Peptide (PACAP)-Glutamate Co-transmission Drives Circadian Phase-Advancing Responses to Intrinsically Photosensitive Retinal Ganglion Cell Projections by Suprachiasmatic Nucleus. <i>Frontiers in Neuroscience</i> , 2019, 13, 1281.	2.8	16
25	PACAP deficiency aggravates atherosclerosis in ApoE deficient mice. <i>Immunobiology</i> , 2019, 224, 124-132.	1.9	11
26	Catestatin regulates vesicular quanta through modulation of cholinergic and peptidergic (PACAPergic) stimulation in PC12 cells. <i>Cell and Tissue Research</i> , 2019, 376, 51-70.	2.9	11
27	Two ancient neuropeptides, PACAP and AVP, modulate motivated behavior at synapses in the extrahypothalamic brain: a study in contrast. <i>Cell and Tissue Research</i> , 2019, 375, 103-122.	2.9	17
28	A GABAergic cell type in the lateral habenula links hypothalamic homeostatic and midbrain motivation circuits with sex steroid signaling. <i>Translational Psychiatry</i> , 2018, 8, 50.	4.8	78
29	PACAP signaling in stress: insights from the chromaffin cell. <i>Pflugers Archiv European Journal of Physiology</i> , 2018, 470, 79-88.	2.8	33
30	What's New in Endocrinology: The Chromaffin Cell. <i>Frontiers in Endocrinology</i> , 2018, 9, 711.	3.5	20
31	Linkage between hypothalamic homeostatic and midbrain motivation circuits and habenula enabling sex steroid modulation of motivation and behavior. <i>FASEB Journal</i> , 2018, 32, 1b455.	0.5	0
32	Chromogranin A regulates vesicle storage and mitochondrial dynamics to influence insulin secretion. <i>Cell and Tissue Research</i> , 2017, 368, 487-501.	2.9	24
33	Guanine nucleotide exchange factor Epac2-dependent activation of the GTP-binding protein Rap2A mediates cAMP-dependent growth arrest in neuroendocrine cells. <i>Journal of Biological Chemistry</i> , 2017, 292, 12220-12231.	3.4	23
34	Differential Pharmacophore Definition of the cAMP Binding Sites of Neuritogenic cAMP Sensor-Rapgef2, Protein Kinase A, and Exchange Protein Activated by cAMP in Neuroendocrine Cells Using an Adenine-Based Scaffold. <i>ACS Chemical Neuroscience</i> , 2017, 8, 1500-1509.	3.5	8
35	NCS-Rapgef2, the Protein Product of the Neuronal <i>Rapgef2</i> Gene, Is a Specific Activator of D1 Dopamine Receptor-Dependent ERK Phosphorylation in Mouse Brain. <i>ENEURO</i> .0248-17.2017.	1.9	28
36	Hypothalamic Vasopressinergic Projections Innervate Central Amygdala GABAergic Neurons: Implications for Anxiety and Stress Coping. <i>Frontiers in Neural Circuits</i> , 2016, 10, 92.	2.8	62

#	ARTICLE	IF	CITATIONS
37	Impact of Chromogranin A deficiency on catecholamine storage, catecholamine granule morphology and chromaffin cell energy metabolism in vivo. <i>Cell and Tissue Research</i> , 2016, 363, 693-712.	2.9	43
38	Interleukin-6 mediated signaling in adrenal medullary chromaffin cells. <i>Journal of Neurochemistry</i> , 2016, 139, 1138-1150.	3.9	9
39	Loss of cerebellar neurons in the progression of lentiviral disease: effects of CNS-permeant antiretroviral therapy. <i>Journal of Neuroinflammation</i> , 2016, 13, 272.	7.2	11
40	Activation of the HPA axis and depression of feeding behavior induced by restraint stress are separately regulated by PACAPergic neurotransmission in the mouse. <i>Stress</i> , 2016, 19, 374-382.	1.8	33
41	C-terminal amidation of PACAP-38 and PACAP-27 is dispensable for biological activity at the PAC1 receptor. <i>Peptides</i> , 2016, 79, 39-48.	2.4	10
42	PACAPergic Synaptic Signaling and Circuitry Mediating Mammalian Responses to Psychogenic and Systemic Stressors. <i>Current Topics in Neurotoxicity</i> , 2016, , 711-729.	0.4	9
43	Cyclic Adenosine 3',5'-Monophosphate Elevation and Biological Signaling through a Secretin Family Gs-Coupled G Protein-Coupled Receptor Are Restricted to a Single Adenylate Cyclase Isoform. <i>Molecular Pharmacology</i> , 2015, 87, 928-935.	2.3	13
44	Impact of PACAP and PAC1 receptor deficiency on the neurochemical and behavioral effects of acute and chronic restraint stress in male C57BL/6 mice. <i>Stress</i> , 2015, 18, 408-418.	1.8	46
45	Acute Response of the Hippocampal Transcriptome Following Mild Traumatic Brain Injury After Controlled Cortical Impact in the Rat. <i>Journal of Molecular Neuroscience</i> , 2015, 57, 282-303.	2.3	25
46	GABAergic interneuronal loss and reduced inhibitory synaptic transmission in the hippocampal CA1 region after mild traumatic brain injury. <i>Experimental Neurology</i> , 2015, 273, 11-23.	4.1	67
47	Satb2-Independent Acquisition of the Cholinergic Sudomotor Phenotype in Rodents. <i>Cellular and Molecular Neurobiology</i> , 2015, 35, 205-216.	3.3	3
48	Potential therapeutic target for malignant paragangliomas: ATP synthase on the surface of paraganglioma cells. <i>American Journal of Cancer Research</i> , 2015, 5, 1558-70.	1.4	10
49	Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP), A Master Regulator in Central and Peripheral Stress Responses. , 2014, , 246.		1
50	Theme C Metabolism. , 2014, , 63-64.		0
51	Theme G Drug Abuse and Addiction. , 2014, , 163-165.		0
52	Theme D Catecholamine Receptors and Catecholaminergic Signaling. , 2014, , 85-86.		0
53	Theme J Catecholamine Interactions with Other Transmitters. , 2014, , 233-234.		0
54	Temporal Course of Changes in Gene Expression Suggests a Cytokine-Related Mechanism for Long-Term Hippocampal Alteration after Controlled Cortical Impact. <i>Journal of Neurotrauma</i> , 2014, 31, 683-690.	3.4	38

#	ARTICLE	IF	CITATIONS
55	Theme A Catecholamine Biosynthesis and Storage. , 2014, , 1-2.		0
56	Separate Cyclic AMP Sensors for Neuritogenesis, Growth Arrest, and Survival of Neuroendocrine Cells. Journal of Biological Chemistry, 2014, 289, 10126-10139.	3.4	35
57	Induction of serpinb1a by <scp>PACAP</scp> or <scp>NGF</scp> is required for <scp>PC</scp> 12 cells survival after serum withdrawal. Journal of Neurochemistry, 2014, 131, 21-32.	3.9	15
58	Reduced GABAergic Inhibition in the Basolateral Amygdala and the Development of Anxiety-Like Behaviors after Mild Traumatic Brain Injury. PLoS ONE, 2014, 9, e102627.	2.5	104
59	Novel cAMP Sensor Links GPCR-Gs Signaling to ERK in Neuroscreen-1 Cells. , 2014, , 114.		0
60	Theme I Catecholamines in Integrative Function. , 2014, , 213-214.		0
61	Reassessment of Intrinsic Dopaminergic Innervation in the Human Enteric Nervous System â€” Clinical Implications. , 2014, , 31.		0
62	Theme B Catecholamine Release and Re-uptake. , 2014, , 35-36.		0
63	Theme F Psychiatry and Psychology. , 2014, , 145-147.		0
64	Theme H Catecholamines in the Periphery. , 2014, , 187-189.		0
65	Theme E Neurology. , 2014, , 117-119.		0
66	Species-specific vesicular monoamine transporter 2 (VMAT2) expression in mammalian pancreatic beta cells: implications for optimising radioligand-based human beta cell mass (BCM) imaging in animal models. Diabetologia, 2013, 56, 1047-1056.	6.3	32
67	PACAP signaling exerts opposing effects on neuroprotection and neuroinflammation during disease progression in the SOD1(G93A) mouse model of amyotrophic lateral sclerosis. Neurobiology of Disease, 2013, 54, 32-42.	4.4	25
68	Preface. Advances in Pharmacology, 2013, 68, xiii-xv.	2.0	0
69	Neuropeptideâ€”Catecholamine Interactions in Stress. Advances in Pharmacology, 2013, 68, 399-404.	2.0	24
70	Localization and Expression of VMAT2 Across Mammalian Species. Advances in Pharmacology, 2013, 68, 319-334.	2.0	31
71	Discrete signal transduction pathway utilization by a neuropeptide (PACAP) and a cytokine (TNF-alpha) first messenger in chromaffin cells, inferred from coupled transcriptome-promoter analysis of regulated gene cohorts. Peptides, 2013, 45, 48-60.	2.4	6
72	PACAP-deficient mice show attenuated corticosterone secretion and fail to develop depressive behavior during chronic social defeat stress. Psychoneuroendocrinology, 2013, 38, 702-715.	2.7	106

#	ARTICLE	IF	CITATIONS
73	Rapgef2 Connects GPCR-Mediated cAMP Signals to ERK Activation in Neuronal and Endocrine Cells. <i>Science Signaling</i> , 2013, 6, ra51.	3.6	55
74	A New Site and Mechanism of Action for the Widely Used Adenylate Cyclase Inhibitor SQ22,536. <i>Molecular Pharmacology</i> , 2013, 83, 95-105.	2.3	29
75	A new molecular sensor controlling cAMP activation of ERK. <i>FASEB Journal</i> , 2013, 27, lb555.	0.5	0
76	Signaling through the neuropeptide GPCR PAC ₁ induces neuritogenesis via a single linear cAMP and ERK-dependent pathway using a novel cAMP sensor. <i>FASEB Journal</i> , 2012, 26, 3199-3211.	0.5	60
77	Lentiviral Infection of Rhesus Macaques Causes Long-Term Injury to Cortical and Hippocampal Projections of Prostaglandin-Expressing Cholinergic Basal Forebrain Neurons. <i>Journal of Neuropathology and Experimental Neurology</i> , 2012, 71, 15-27.	1.7	7
78	Lipocalin 2: Novel component of proinflammatory signaling in Alzheimer's disease. <i>FASEB Journal</i> , 2012, 26, 2811-2823.	0.5	166
79	Immune-Neuroendocrine Integration at the Adrenal Gland: Cytokine Control of the Adrenomedullary Transcriptome. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 413-419.	2.3	15
80	Expression of miRNAs and Their Cooperative Regulation of the Pathophysiology in Traumatic Brain Injury. <i>PLoS ONE</i> , 2012, 7, e39357.	2.5	70
81	Is PACAP the Major Neurotransmitter for Stress Transduction at the Adrenomedullary Synapse?. <i>Journal of Molecular Neuroscience</i> , 2012, 48, 403-412.	2.3	60
82	STC1 Induction by PACAP is Mediated Through cAMP and ERK1/2 but not PKA in Cultured Cortical Neurons. <i>Journal of Molecular Neuroscience</i> , 2012, 46, 75-87.	2.3	18
83	Neuritogenesis initiated via the GPCR PAC1 requires cAMP and ERK signaling organized in a single linear pathway independent of PKA or Epac. <i>FASEB Journal</i> , 2012, 26, lb563.	0.5	0
84	PAC1hop, null and hip receptors mediate differential signaling through cyclic AMP and calcium leading to splice variant-specific gene induction in neural cells. <i>Peptides</i> , 2011, 32, 1647-1655.	2.4	37
85	Pituitary Adenylate Cyclase-Activating Polypeptide Controls Stimulus-Transcription Coupling in the Hypothalamic-Pituitary-Adrenal Axis to Mediate Sustained Hormone Secretion During Stress. <i>Journal of Neuroendocrinology</i> , 2011, 23, 944-955.	2.6	53
86	VMAT2: a dynamic regulator of brain monoaminergic neuronal function interacting with drugs of abuse. <i>Annals of the New York Academy of Sciences</i> , 2011, 1216, 86-98.	3.8	132
87	PACAP: a master regulator of neuroendocrine stress circuits and the cellular stress response. <i>Annals of the New York Academy of Sciences</i> , 2011, 1220, 49-59.	3.8	109
88	COX1 and COX2 expression in non-neuronal cellular compartments of the rhesus macaque brain during lentiviral infection. <i>Neurobiology of Disease</i> , 2011, 42, 108-115.	4.4	13
89	A distinct trans-Golgi network subcompartment for sorting of synaptic and granule proteins in neurons and neuroendocrine cells. <i>Journal of Cell Science</i> , 2011, 124, 735-744.	2.0	26
90	The Host Range of Gammaretroviruses and Gammaretroviral Vectors Includes Post-Mitotic Neural Cells. <i>PLoS ONE</i> , 2011, 6, e18072.	2.5	8

#	ARTICLE	IF	CITATIONS
91	Microarray-based analysis of the "stress transcriptome": application to gene discovery and therapeutics. <i>FASEB Journal</i> , 2011, 25, 1090.6.	0.5	0
92	Commentary on Chapters "Clinical and Developmental Aspects" and "Stress Responses of the Adrenal Medulla". <i>Cellular and Molecular Neurobiology</i> , 2010, 30, 1371-1375.	3.3	2
93	Neuropeptides, Growth Factors, and Cytokines: A Cohort of Informational Molecules Whose Expression Is Up-Regulated by the Stress-Associated Slow Transmitter PACAP in Chromaffin Cells. <i>Cellular and Molecular Neurobiology</i> , 2010, 30, 1441-1449.	3.3	19
94	Cellular distribution of chromogranin A in excitatory, inhibitory, aminergic and peptidergic neurons of the rodent central nervous system. <i>Regulatory Peptides</i> , 2010, 165, 36-44.	1.9	17
95	PAC1hop receptor activation facilitates catecholamine secretion selectively through 2-APB-sensitive Ca ²⁺ channels in PC12 cells. <i>Cellular Signalling</i> , 2010, 22, 1420-1426.	3.6	27
96	PACAP-cytokine interactions govern adrenal neuropeptide biosynthesis after systemic administration of LPS. <i>Neuropharmacology</i> , 2010, 58, 208-214.	4.1	17
97	Corrigendum to "PACAP-cytokine interactions govern adrenal neuropeptide biosynthesis after systemic administration of LPS" [<i>Neuropharmacology</i> 58 (2010) 208-214]. <i>Neuropharmacology</i> , 2010, 58, 1187.	4.1	1
98	Stress hormone synthesis in mouse hypothalamus and adrenal gland triggered by restraint is dependent on pituitary adenylate cyclase-activating polypeptide signaling. <i>Neuroscience</i> , 2010, 165, 1025-1030.	2.3	108
99	Timing the Phox-Trot: Duration of Phox2a-Dependent Transcription Is Controlled by an Intramolecular Dephosphorylation/Phosphorylation Clock. <i>Molecular and Cellular Biology</i> , 2009, 29, 4875-4877.	2.3	0
100	Temporally Restricted Role of Retinal PACAP: Integration of the Phase-Advancing Light Signal to the SCN. <i>Journal of Biological Rhythms</i> , 2009, 24, 126-134.	2.6	23
101	Subcellular Localization of Chromogranins, Calcium Channel Carriers, and Proteins of the Exocytotic Machinery in Bovine Splenic Nerve. <i>Journal of Neurochemistry</i> , 2008, 72, 1110-1116.	3.9	37
102	Discovery of Pituitary Adenylate Cyclase-Activating Polypeptide-Regulated Genes through Microarray Analyses in Cell Culture and <i>In Vivo</i> . <i>Annals of the New York Academy of Sciences</i> , 2008, 1144, 6-20.	3.8	22
103	Sweat gland innervation is pioneered by sympathetic neurons expressing a cholinergic/noradrenergic co-phenotype in the mouse. <i>Neuroscience</i> , 2008, 156, 310-318.	2.3	30
104	A cAMP-Dependent, Protein Kinase A-Independent Signaling Pathway Mediating Neurite Outgrowth through Egr1 in PC12 Cells. <i>Molecular Pharmacology</i> , 2008, 73, 1688-1708.	2.3	86
105	pathFinder: A Static Network Analysis Tool for Pharmacological Analysis of Signal Transduction Pathways. A presentation from the Experimental Biology 2008 Meeting, San Diego, California, USA, 5 to 9 April 2008. <i>Science Signaling</i> , 2008, 1, pt4.	3.6	6
106	Tumor Necrosis Factor (TNF)- α Persistently Activates Nuclear Factor- κ B Signaling through the Type 2 TNF Receptor in Chromaffin Cells: Implications for Long-Term Regulation of Neuropeptide Gene Expression in Inflammation. <i>Endocrinology</i> , 2008, 149, 2840-2852.	2.8	27
107	The Hop Cassette of the PAC1 Receptor Confers Coupling to Ca ²⁺ Elevation Required for Pituitary Adenylate Cyclase-activating Polypeptide-evoked Neurosecretion. <i>Journal of Biological Chemistry</i> , 2007, 282, 8079-8091.	3.4	41
108	Regulation of PC12 Cell Differentiation by cAMP Signaling to ERK Independent of PKA: Do All the Connections Add Up?. <i>Science's STKE: Signal Transduction Knowledge Environment</i> , 2007, 2007, pe15.	3.9	50

#	ARTICLE	IF	CITATIONS
109	Increased APOBEC3G Expression Is Associated With Extensive G-to-A Hypermethylation in Viral DNA in Rhesus Macaque Brain During Lentiviral Infection. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007, 66, 901-912.	1.7	7
110	Meta-analysis of microarray-derived data from PACAP-deficient adrenal gland in vivo and PACAP-treated chromaffin cells identifies distinct classes of PACAP-regulated genes. <i>Peptides</i> , 2007, 28, 1871-1882.	2.4	17
111	The tissue specifier element (TSE) functions as a Ca ²⁺ response element for Ca ²⁺ and cAMP synergistic signaling to the human vasoactive intestinal polypeptide (VIP) gene. <i>FASEB Journal</i> , 2007, 21, A1035.	0.5	0
112	PACAP acts through a cyclic AMP-initiated ERK activation pathway independent of PKA and requiring calcium co-signaling for transcription linked to differentiation in PC12 cells. <i>FASEB Journal</i> , 2007, 21, A792.	0.5	1
113	PACAP-dependent cellular plasticity in the mouse adrenal gland. <i>FASEB Journal</i> , 2007, 21, A1249.	0.5	4
114	The hop domain of the PAC1 receptor confers coupling to intracellular Ca ²⁺ elevation required for PACAP-evoked catecholamine secretion. <i>FASEB Journal</i> , 2007, 21, A982.	0.5	0
115	Neuroprotection by endogenous and exogenous PACAP following stroke. <i>Regulatory Peptides</i> , 2006, 137, 4-19.	1.9	100
116	Foreword to Special Issue: Molecular and Cellular Mechanisms of VIP, PACAP and Secretin Signaling Applied to Systems Biology. <i>Regulatory Peptides</i> , 2006, 137, 1-3.	1.9	0
117	Fractalkine Expression in the Rhesus Monkey Brain During Lentivirus Infection and Its Control by 6-Chloro-2',3'-Dideoxyguanosine. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 1170-1180.	1.7	8
118	The neurotrophic effects of PACAP in PC12 cells: control by multiple transduction pathways. <i>Journal of Neurochemistry</i> , 2006, 98, 321-329.	3.9	108
119	Cycloheximide treatment to identify components of the transitional transcriptome in PACAP-induced PC12 cell differentiation. <i>Journal of Neurochemistry</i> , 2006, 98, 1229-1241.	3.9	26
120	Three Types of Tyrosine Hydroxylase-Positive CNS Neurons Distinguished by Dopa Decarboxylase and VMAT2 Co-Expression. <i>Cellular and Molecular Neurobiology</i> , 2006, 26, 657-676.	3.3	115
121	Vesicular Monoamine Transporter 2 (VMAT2) Expression in Hematopoietic Cells and in Patients with Systemic Mastocytosis. <i>Journal of Histochemistry and Cytochemistry</i> , 2006, 54, 201-213.	2.5	30
122	Canonical and noncanonical cAMP-dependent signaling pathways activated by PACAP in neuroendocrine cells. <i>FASEB Journal</i> , 2006, 20, A694.	0.5	0
123	Phox2 and dHAND Transcription Factors Select Shared and Unique Target Genes in the Noradrenergic Cell Type. <i>Journal of Molecular Neuroscience</i> , 2005, 27, 281-292.	2.3	19
124	Coexpression of cholinergic and noradrenergic phenotypes in human and nonhuman autonomic nervous system. <i>Journal of Comparative Neurology</i> , 2005, 492, 370-379.	1.6	90
125	Comparison of Cannabidiol, Antioxidants, and Diuretics in Reversing Binge Ethanol-Induced Neurotoxicity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 314, 780-788.	2.5	150
126	Fusion Polypeptides That Inhibit Exocytosis: Fusing Aptamer and Cell-Penetrating Peptide Technologies and Pharmacologies. <i>Molecular Pharmacology</i> , 2005, 67, 980-982.	2.3	8

#	ARTICLE	IF	CITATIONS
127	Increase of C1q biosynthesis in brain microglia and macrophages during lentivirus infection in the rhesus macaque is sensitive to antiretroviral treatment with 6-chloro-2',3'-dideoxyguanosine. <i>Neurobiology of Disease</i> , 2005, 20, 12-26.	4.4	28
128	Human sorbin is generated via splicing of an alternative transcript from the ArgBP2 gene locus. <i>Peptides</i> , 2005, 26, 1278-1282.	2.4	6
129	Endogenous PACAP acts as a stress response peptide to protect cerebellar neurons from ethanol or oxidative insult. <i>Peptides</i> , 2005, 26, 2518-2524.	2.4	76
130	The Vesicular Monoamine Transporter 2 (VMAT2) Is Expressed by Normal and Tumor Cutaneous Mast Cells and Langerhans Cells of the Skin but Is Absent from Langerhans Cell Histiocytosis. <i>Journal of Histochemistry and Cytochemistry</i> , 2004, 52, 779-788.	2.5	13
131	The Proinflammatory Cytokines Tumor Necrosis Factor- α and Interleukin-1 Stimulate Neuropeptide Gene Transcription and Secretion in Adrenochromaffin Cells via Activation of Extracellularly Regulated Kinase 1/2 and p38 Protein Kinases, and Activator Protein-1 Transcription Factors. <i>Molecular Endocrinology</i> , 2004, 18, 1721-1739.	3.7	43
132	A Two-Way Bioinformatic Street. <i>Science</i> , 2004, 306, 1437-1437.	12.6	4
133	Brain virus burden and indoleamine-2,3-dioxygenase expression during lentiviral infection of rhesus monkey are concomitantly lowered by 6-chloro-2',3'-dideoxyguanosine. <i>European Journal of Neuroscience</i> , 2004, 19, 2997-3005.	2.6	26
134	The vesicular amine transporter family (SLC18): amine/proton antiporters required for vesicular accumulation and regulated exocytotic secretion of monoamines and acetylcholine. <i>Pflugers Archiv European Journal of Physiology</i> , 2004, 447, 636-640.	2.8	158
135	A restrictive element 1 (RE-1) in the VIP gene modulates transcription in neuronal and non-neuronal cells in collaboration with an upstream tissue specifier element. <i>Journal of Neurochemistry</i> , 2004, 88, 1091-1101.	3.9	7
136	Transcriptional control of the cholinergic gene locus. , 2004, , 125-131.		1
137	The Chromogranins: Their Roles in Secretion from Neuroendocrine Cells and as Markers for Neuroendocrine Neoplasia. <i>Endocrine Pathology</i> , 2003, 14, 3-24.	9.0	84
138	Chemical coding of the human gastrointestinal nervous system: Cholinergic, VIPergic, and catecholaminergic phenotypes. <i>Journal of Comparative Neurology</i> , 2003, 459, 90-111.	1.6	180
139	Identification of a region from the human cholinergic gene locus that targets expression of the vesicular acetylcholine transporter to a subset of neurons in the medial habenular nucleus in transgenic mice. <i>Journal of Neurochemistry</i> , 2003, 87, 1174-1183.	3.9	11
140	The role of chromogranin A and the control of secretory granule genesis and maturation. <i>Trends in Endocrinology and Metabolism</i> , 2003, 14, 56-57.	7.1	23
141	Microarray and Suppression Subtractive Hybridization Analyses of Gene Expression in Pheochromocytoma Cells Reveal Pleiotropic Effects of Pituitary Adenylate Cyclase-Activating Polypeptide on Cell Proliferation, Survival, and Adhesion. <i>Endocrinology</i> , 2003, 144, 2368-2379.	2.8	57
142	A Calcium-Initiated Signaling Pathway Propagated through Calcineurin and cAMP Response Element-Binding Protein Activates Proenkephalin Gene Transcription after Depolarization. <i>Molecular Pharmacology</i> , 2003, 64, 1503-1511.	2.3	12
143	Expression of the Two Isoforms of the Vesicular Monoamine Transporter (VMAT1 and VMAT2) in the Endocrine Pancreas and Pancreatic Endocrine Tumors. <i>Journal of Histochemistry and Cytochemistry</i> , 2003, 51, 1027-1040.	2.5	114
144	Signaling During Exocytosis. , 2003, , 375-392.		8

#	ARTICLE	IF	CITATIONS
145	Pituitary adenylate cyclase-activating polypeptide is a sympathoadrenal neurotransmitter involved in catecholamine regulation and glucohomeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 461-466.	7.1	236
146	Coincident Elevation of cAMP and Calcium Influx by PACAP-27 Synergistically Regulates Vasoactive Intestinal Polypeptide Gene Transcription through a Novel PKA-Independent Signaling Pathway. <i>Journal of Neuroscience</i> , 2002, 22, 5310-5320.	3.6	53
147	Analysis of the PC12 cell transcriptome after differentiation with pituitary adenylate cyclase-activating polypeptide (PACAP). <i>Journal of Neurochemistry</i> , 2002, 83, 1272-1284.	3.9	64
148	Pituitary Adenylate Cyclase-Activating Polypeptide Regulation of Vasoactive Intestinal Polypeptide Transcription Requires Ca ²⁺ Influx and Activation of the Serine/Threonine Phosphatase Calcineurin. <i>Journal of Neurochemistry</i> , 2002, 73, 1769-1772.	3.9	22
149	Large Dense-Core Secretory Granule Biogenesis Is under the Control of Chromogranin A in Neuroendocrine Cells. <i>Annals of the New York Academy of Sciences</i> , 2002, 971, 323-331.	3.8	13
150	Role of Protein Kinases in Neuropeptide Gene Regulation by PACAP in Chromaffin Cells. <i>Annals of the New York Academy of Sciences</i> , 2002, 971, 474-490.	3.8	8
151	PC12 Cells as a Model to Study the Neurotrophic Activities of PACAP. <i>Annals of the New York Academy of Sciences</i> , 2002, 971, 491-496.	3.8	41
152	Signaling Pathways for PC12 Cell Differentiation: Making the Right Connections. <i>Science</i> , 2002, 296, 1648-1649.	12.6	746
153	Independent patterns of transcription for the products of the rat cholinergic gene locus. <i>Neuroscience</i> , 2001, 104, 633-642.	2.3	31
154	Chromogranin A, an "On/Off" Switch Controlling Dense-Core Secretory Granule Biogenesis. <i>Cell</i> , 2001, 106, 499-509.	28.9	395
155	Chemical neuroanatomy of the vesicular amine transporters. <i>FASEB Journal</i> , 2000, 14, 2435-2449.	0.5	126
156	Somatomotor neuron-specific expression of the human cholinergic gene locus in transgenic mice. <i>Neuroscience</i> , 2000, 96, 707-722.	2.3	15
157	Both Inducible and Constitutive Activator Protein-1-Like Transcription Factors Are Used for Transcriptional Activation of the Galanin Gene by Different First and Second Messenger Pathways. <i>Molecular Pharmacology</i> , 1999, 56, 162-169.	2.3	26
158	The <i>cat-1</i> Gene of <i>Caenorhabditis elegans</i> Encodes a Vesicular Monoamine Transporter Required for Specific Monoamine-Dependent Behaviors. <i>Journal of Neuroscience</i> , 1999, 19, 72-84.	3.6	240
159	Two Separate Cis-active Elements of the Vasoactive Intestinal Peptide Gene Mediate Constitutive and Inducible Transcription by Binding Different Sets of AP-1 Proteins. <i>Journal of Biological Chemistry</i> , 1999, 274, 25588-25593.	3.4	10
160	Expression of Vesicular Monoamine Transporters in Endocrine Hyperplasia and Endocrine Tumors of the Oxyntic Stomach. <i>Digestion</i> , 1999, 60, 428-439.	2.3	53
161	Synergistic action of upstream elements and a promoter-proximal CRE is required for neuroendocrine cell-specific expression and second-messenger regulation of the gene encoding the human secretory protein secretogranin II. <i>Molecular and Cellular Endocrinology</i> , 1999, 157, 55-66.	3.2	14
162	Upregulation of COX-2 and CGRP Expression in Resident Cells of the Borna Disease Virus-Infected Brain Is Dependent upon Inflammation. <i>Neurobiology of Disease</i> , 1999, 6, 15-34.	4.4	33

#	ARTICLE	IF	CITATIONS
163	The SIV-infected rhesus monkey model for HIV-associated dementia and implications for neurological diseases. <i>Journal of Leukocyte Biology</i> , 1999, 65, 466-474.	3.3	31
164	PACAP Activates Calcium Influx-Dependent and -Independent Pathways to Couple Met-Enkephalin Secretion and Biosynthesis in Chromaffin Cells. <i>Journal of Molecular Neuroscience</i> , 1998, 11, 43-56.	2.3	37
165	Cis-Regulatory Elements Controlling Basal and Inducible VIP Gene Transcription. <i>Annals of the New York Academy of Sciences</i> , 1998, 865, 10-26.	3.8	15
166	VIP and NPY Expression during Differentiation of Cholinergic and Noradrenergic Sympathetic Neurons. <i>Annals of the New York Academy of Sciences</i> , 1998, 865, 537-541.	3.8	34
167	Vesicular amine transporter expression and isoform selection in developing brain, peripheral nervous system and gut. <i>Developmental Brain Research</i> , 1998, 106, 181-204.	1.7	55
168	From the cholinergic gene locus to the cholinergic neuron. <i>Journal of Physiology (Paris)</i> , 1998, 92, 385-388.	2.1	18
169	Cholinergic neurons and terminal fields revealed by immunohistochemistry for the vesicular acetylcholine transporter. I. Central nervous system. <i>Neuroscience</i> , 1998, 84, 331-359.	2.3	242
170	Cholinergic neurons and terminal fields revealed by immunohistochemistry for the vesicular acetylcholine transporter. II. The peripheral nervous system. <i>Neuroscience</i> , 1998, 84, 361-376.	2.3	166
171	Cutaneous Merkel cells of the rat contain both dynorphin A and vesicular monoamine transporter type 1 (VMAT1) immunoreactivity. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998, 76, 334-339.	1.4	13
172	Five Discrete Cis-active Domains Direct Cell Type-specific Transcription of the Vasoactive Intestinal Peptide (VIP) Gene. <i>Journal of Biological Chemistry</i> , 1998, 273, 17086-17094.	3.4	27
173	The Cholinergic Gene Locus. <i>Journal of Neurochemistry</i> , 1998, 70, 2227-2240.	3.9	188
174	Tracking Members of the Simian Immunodeficiency Virus deltaB670 Quasispecies Population In Vivo at Single-Cell Resolution. <i>Journal of Virology</i> , 1998, 72, 113-120.	3.4	24
175	Target-independent cholinergic differentiation in the rat sympathetic nervous system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 4149-4154.	7.1	65
176	A Neuronal and Neuroanatomical Correlate of HIV-1 Encephalopathy Relative to HIV-1 Encephalitis in HIV-1-infected Children. <i>Journal of Neuropathology and Experimental Neurology</i> , 1997, 56, 974-987.	1.7	13
177	Transcription Regulation Coupled to Calcium and Protein Kinase Signaling Systems through TRE-and CRE-Like Sequences in Neuropeptide Genes. <i>Advances in Pharmacology</i> , 1997, 42, 264-268.	2.0	14
178	A new approach to investigating the relationship between productive infection and cytopathicity in vivo. <i>Nature Medicine</i> , 1997, 3, 218-221.	30.7	39
179	Upstream sequencing and functional characterization of the human cholinergic gene locus. <i>Journal of Molecular Neuroscience</i> , 1997, 9, 223-236.	2.3	31
180	Neuropeptide genes: Targets of activity-dependent signal transduction. <i>Peptides</i> , 1996, 17, 721-728.	2.4	37

#	ARTICLE	IF	CITATIONS
181	In Vitro Effects of Anti-HIV Immunotoxins Directed against Multiple Epitopes on HIV Type 1 Envelope Glycoprotein 160. <i>AIDS Research and Human Retroviruses</i> , 1996, 12, 1041-1051.	1.1	32
182	Distinct pharmacological properties and distribution in neurons and endocrine cells of two isoforms of the human vesicular monoamine transporter.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 5166-5171.	7.1	419
183	Visualization of the vesicular acetylcholine transporter in cholinergic nerve terminals and its targeting to a specific population of small synaptic vesicles.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 3547-3552.	7.1	279
184	Chapter 5 The VAcHT/ChAT âœœcholinergic gene locusâœœ: new aspects of genetic and vesicular regulation of cholinergic function. <i>Progress in Brain Research</i> , 1996, 109, 69-82.	1.4	28
185	Primate lentivirus-associated encephalopathy. <i>Mental Retardation and Developmental Disabilities Research Reviews</i> , 1996, 2, 257-263.	3.6	0
186	TissueâœœSpecific Expression of the Vasoactive Intestinal Peptide Gene Requires Both an Upstream Tissue Specifier Element and the 5âœ² Proximal Cyclic AMPâœœResponsive Element. <i>Journal of Neurochemistry</i> , 1996, 67, 1872-1881.	3.9	19
187	Human and monkey cholinergic neurons visualized in paraffin-embedded tissues by immunoreactivity for VAcHT, the vesicular acetylcholine transporter. <i>Journal of Molecular Neuroscience</i> , 1995, 6, 225-235.	2.3	75
188	Reserpine- and tetrabenazine-sensitive transport of 3H-histamine by the neuronal isoform of the vesicular monoamine transporter. <i>Journal of Molecular Neuroscience</i> , 1995, 6, 277-287.	2.3	40
189	Rapid and Long-Lasting Increase in Galanin mRNA Levels in Rat Adrenal Medulla following Insulin-Induced Reflex Splanchnic Nerve Stimulation. <i>Neuroendocrinology</i> , 1995, 62, 611-618.	2.5	23
190	An early increase in somatostatin mRNA expression in the frontal cortex of rhesus monkeys infected with simian immunodeficiency virus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 1371-1375.	7.1	23
191	Molecular biology of the vesicular ACh transporter. <i>Trends in Neurosciences</i> , 1995, 18, 218-224.	8.6	146
192	Chromogranin A: current status as a precursor for bioactive peptides and a granulogenic/sorting factor in the regulated secretory pathway. <i>Regulatory Peptides</i> , 1995, 58, 65-88.	1.9	159
193	Distribution of the vesicular acetylcholine transporter (VAcHT) in the central and peripheral nervous systems of the rat. <i>Journal of Molecular Neuroscience</i> , 1994, 5, 1-26.	2.3	101
194	Localization of vesicular monoamine transporter isoforms (VMAT1 and VMAT2) to endocrine cells and neurons in rat. <i>Journal of Molecular Neuroscience</i> , 1994, 5, 149-164.	2.3	214
195	Pan-neuronal expression of chromogranin A in rat nervous system. <i>Peptides</i> , 1994, 15, 263-279.	2.4	39
196	Cloning and expression of the vesamicol binding protein from the marine ray <i>Torpedo</i> . <i>FEBS Letters</i> , 1994, 342, 97-102.	2.8	97
197	Effects of chronic zidovudine administration on CNS function and virus burden after perinatal SIV infection in rhesus monkeys. <i>Advances in Neuroimmunology</i> , 1994, 4, 233-237.	1.8	7
198	Cytopathologic and Neurochemical Correlates of Progression to Motor/Cognitive Impairment in SIV-Infected Rhesus Monkeys. <i>Journal of Neuropathology and Experimental Neurology</i> , 1994, 53, 165-175.	1.7	75

#	ARTICLE	IF	CITATIONS
199	Functional Identification and Molecular Cloning of a Human Brain Vesicle Monoamine Transporter. <i>Journal of Neurochemistry</i> , 1993, 61, 2314-2317.	3.9	143
200	The class II MHC and HIV-1 binding surfaces of CD4. <i>Trends in Microbiology</i> , 1993, 1, 119-120.	7.7	1
201	Neuro-AIDS: primate lentivirus infection and the brain. <i>Advances in Neuroimmunology</i> , 1993, 3, 97-127.	1.8	3
202	AIDS and the Central Nervous System: Examining Pathobiology and Testing Therapeutic Strategies in the SIV-Infected Rhesus Monkey. <i>Annals of the New York Academy of Sciences</i> , 1993, 693, 229-244.	3.8	6
203	Expression cloning of a reserpine-sensitive vesicular monoamine transporter.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 10993-10997.	7.1	444
204	CD4(81â€“92)-based peptide derivatives. <i>Biochemical Pharmacology</i> , 1992, 43, 1785-1796.	4.4	13
205	Spontaneous electrical activity regulates vasoactive intestinal peptide expression in dissociated spinal cord cell cultures. <i>Molecular Brain Research</i> , 1991, 10, 235-240.	2.3	41
206	Regional distribution and partial molecular characterization of CD4-related mRNA in human brain and peripheral tissues. <i>Molecular Brain Research</i> , 1991, 10, 23-31.	2.3	9
207	Dual presence of chromogranin A-like immunoreactivity in a population of endocrine-like cells and in nerve fibers in the human anal canal. <i>Neuroscience Letters</i> , 1991, 130, 190-194.	2.1	12
208	Calcium-dependent regulation of the enkephalin phenotype by neuronal activity during early ontogeny. <i>Journal of Neuroscience Research</i> , 1991, 28, 140-148.	2.9	38
209	The Bovine Chromogranin A Gene: Structural Basis for Hormone Regulation and Generation of Biologically Active Peptides. <i>Molecular Endocrinology</i> , 1991, 5, 1651-1660.	3.7	54
210	Functional expression of dihydropyridine-insensitive calcium channels during PC12 cell differentiation by nerve growth factor (NGF), oncogenic ras, or src tyrosine kinase. <i>Cellular and Molecular Neurobiology</i> , 1990, 10, 237-255.	3.3	23
211	Galanin Gene Expression in Chromaffin Cells Is Controlled by Calcium and Protein Kinase Signaling Pathways. <i>Endocrinology</i> , 1990, 127, 3096-3102.	2.8	48
212	Neuropeptide content and connectivity of the rat claustrum. <i>Brain Research</i> , 1990, 523, 245-250.	2.2	27
213	Chromogranin A Messenger RNA Expression in the Rat Anterior Pituitary Is Permissively Regulated by the Adrenal Gland. <i>Neuroendocrinology</i> , 1989, 49, 107-110.	2.5	19
214	Phylogenetic Distribution of Peptides Related to Chromogranins A and B. <i>Journal of Neurochemistry</i> , 1988, 50, 1066-1073.	3.9	59
215	Processing of chromogranin A within chromaffin granules starts at C- and N-terminal cleavage sites. <i>FEBS Letters</i> , 1988, 231, 67-70.	2.8	78
216	Primary structure of rat chromogranin A and distribution of its mRNA. <i>FEBS Letters</i> , 1988, 227, 115-121.	2.8	157

#	ARTICLE	IF	CITATIONS
217	The Regulation of Vasoactive Intestinal Peptide Synthesis in Neuroblastoma and Chromaffin Cells. <i>Annals of the New York Academy of Sciences</i> , 1988, 527, 68-76.	3.8	10
218	Ontogeny of enkephalin- and VIP-containing neurons in dissociated cultures of embryonic mouse spinal cord and dorsal root ganglia. <i>Developmental Brain Research</i> , 1988, 44, 141-150.	1.7	10
219	Calcium requirements for barium stimulation of enkephalin and vasoactive intestinal peptide biosynthesis in adrenomedullary chromaffin cells. <i>Neuropeptides</i> , 1988, 11, 39-45.	2.2	11
220	THE SEQUENCE OF PORCINE CHROMOGRANIN A MESSENGER RNA DEMONSTRATES CHROMOGRANIN A CAN SERVE AS THE PRECURSOR FOR THE BIOLOGICALLY ACTIVE HORMONE, PANCREASTATIN. <i>Endocrinology</i> , 1988, 122, 2339-2341.	2.8	196
221	Glucocorticoid- and Nerve Growth Factor-Induced Changes in Chromogranin A Expression Define Two Different Neuronal Phenotypes in PC12 Cells. <i>Molecular Endocrinology</i> , 1988, 2, 921-927.	3.7	50
222	Chromogranin A Biosynthetic Cell Populations in Bovine Endocrine and Neuronal Tissues: Detection by <i>in Situ</i> Hybridization Histochemistry. <i>Molecular Endocrinology</i> , 1988, 2, 368-374.	3.7	21
223	Regulation of Enkephalin, VIP, and Chromogranin Biosynthesis in Actively Secreting Chromaffin Cells.. <i>Annals of the New York Academy of Sciences</i> , 1987, 493, 308-323.	3.8	54
224	Chromogranin A: The Primary Structure Deduced from cDNA Clones Reveals the Presence of Pairs of Basic Amino Acids. <i>Annals of the New York Academy of Sciences</i> , 1987, 493, 351-378.	3.8	35
225	Differential Role of Calcium in Stimulus-Secretion-Synthesis Coupling in Lactotrophs and Corticotrophs of Rat Anterior Pituitary. <i>Annals of the New York Academy of Sciences</i> , 1987, 493, 577-580.	3.8	1
226	Elevation of Intracellular Cyclic AMP by Corticotropin-Releasing Factor Links Secretion of β -Endorphin and Biosynthesis of Proopiomelanocortin in Cultured Anterior Pituitary and AtT-20 Cells. <i>Annals of the New York Academy of Sciences</i> , 1987, 494, 104-107.	3.8	3
227	Measurement of mRNA specific for preprocholecystokinin in rat caudatoputamen and areas projecting to it. <i>Neurochemistry International</i> , 1987, 10, 521-524.	3.8	8
228	The enkephalin-containing cell: Strategies for polypeptide synthesis and secretion throughout the neuroendocrine system. <i>Cellular and Molecular Neurobiology</i> , 1987, 7, 339-352.	3.3	57
229	Is chromogranin a prohormone?. <i>Nature</i> , 1987, 325, 301-301.	27.8	215
230	Chromogranin A Synthesis and Secretion in Chromaffin Cells. <i>Journal of Neurochemistry</i> , 1987, 49, 65-74.	3.9	41
231	Enkephalin and Neuropeptide Y: Two colocalized neuropeptides are independently regulated in primary cultures of bovine chromaffin cells. <i>Neuropeptides</i> , 1986, 7, 315-327.	2.2	36
232	Bovine chromogranin A sequence and distribution of its messenger RNA in endocrine tissues. <i>Nature</i> , 1986, 323, 82-86.	27.8	315
233	Metorphamide Levels in Chromaffin Cells Increase After Treatment with Reserpine. <i>Journal of Neurochemistry</i> , 1986, 46, 1651-1654.	3.9	12
234	Modulation of Carboxypeptidase Processing Enzyme Activity. , 1986, , 599-606.		0

#	ARTICLE	IF	CITATIONS
235	Methionine and leucine enkephalin in rat neurohypophysis: different responses to osmotic stimuli and T2 toxin. <i>Science</i> , 1985, 228, 606-608.	12.6	60
236	Specific Regulation of Vasoactive Intestinal Polypeptide Biosynthesis by Phorbol Ester in Bovine Chromaffin Cells*. <i>Endocrinology</i> , 1985, 117, 1020-1026.	2.8	51
237	Cholecystokinin innervation of the ventral striatum: A morphological and radioimmunological study. <i>Neuroscience</i> , 1985, 14, 427-453.	2.3	450
238	vasoactive intestinal polypeptide afferents to the bed nucleus of the stria terminalis in the rat: An immunohistochemical and biochemical study. <i>Neuroscience</i> , 1985, 15, 999-1013.	2.3	44
239	Neuropeptide Y and peptide YY neuronal and endocrine systems. <i>Peptides</i> , 1985, 6, 755-768.	2.4	293
240	Elevated potassium stimulates enkephalin biosynthesis in bovine chromaffin cells. <i>Neuropeptides</i> , 1985, 6, 543-552.	2.2	56
241	(Met)enkephalin and carboxypeptidase processing enzyme are co-released from chromaffin cells by cholinergic stimulation. <i>Biochemical and Biophysical Research Communications</i> , 1985, 128, 563-570.	2.1	24
242	Gonadotropin-releasing hormone (Gn-RH) in striped mullet (<i>Mugil cephalus</i>), milkfish (<i>Chanos</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 <i>Comparative Endocrinology</i> , 1984, 55, 174-181.	1.8	73
243	Nicotinic receptor stimulation activates enkephalin release and biosynthesis in adrenal chromaffin cells. <i>Nature</i> , 1984, 312, 661-663.	27.8	209
244	Two peptidases that convert 125 I-Lys-Arg(Met)enkephalin and 125 I-(Met)enkephalin-Arg6, respectively, to 125 I-(Met)enkephalin in bovine adrenal medullary chromaffin granules. <i>FEBS Letters</i> , 1984, 172, 212-218.	2.8	33
245	[LEU5]enkephalin inhibits norepinephrine-induced contraction of rat aorta. <i>European Journal of Pharmacology</i> , 1984, 105, 189-191.	3.5	10
246	Leucine-enkephalin increases norepinephrine-stimulated chronotropy and $^{45}\text{Ca}^{++}$ uptake in guinea-pig atria. <i>Neuropeptides</i> , 1984, 4, 185-191.	2.2	15
247	Leucine-enkephalin modulation of catecholamine positive chronotropy in rat atria is receptor-specific and calcium-dependent. <i>Neuropeptides</i> , 1984, 4, 101-108.	2.2	31
248	The use of a Cloned cDNA Probe and Peptide Radioimmunoassay to Examine Transcriptional and Translational Regulation of Enkephalin Expression in Eukaryotic Cells. , 1984, , 299-311.		1
249	Primary cultures of bovine chromaffin cells synthesize and secrete vasoactive intestinal polypeptide (VIP). <i>Life Sciences</i> , 1983, 33, 687-693.	4.3	79
250	Cyclic adenosine monophosphate regulates vasoactive intestinal polypeptide and enkephalin biosynthesis in cultured bovine chromaffin cells. <i>Neuropeptides</i> , 1983, 4, 1-9.	2.2	79
251	The distribution of cholecystokinin and vasoactive intestinal peptide in rhesus monkey brain as determined by radioimmunoassay. <i>Neuropeptides</i> , 1983, 3, 337-344.	2.2	20
252	Leucine enkephalin antagonizes norepinephrine-induced $^{45}\text{Ca}^{++}$ accumulation in rat atria. <i>Biochemical and Biophysical Research Communications</i> , 1983, 117, 536-540.	2.1	13

#	ARTICLE	IF	CITATIONS
253	Recombinant DNA methods in neuroendocrinology: New answers to old questions. <i>Peptides</i> , 1982, 3, 217-221.	2.4	3
254	The effect of methylazoxymethanol acetate (MAM) on the developing rat retina. <i>Experimental Eye Research</i> , 1982, 35, 351-361.	2.6	7
255	Enkephalins modulate the responsiveness of rat atria in vitro to norepinephrine. <i>Peptides</i> , 1982, 3, 475-478.	2.4	44
256	Two chemically and immunologically distinct forms of luteinizing hormone-releasing hormone are differentially expressed in frog neural tissues. <i>Peptides</i> , 1982, 3, 323-327.	2.4	72
257	Distribution of vasoactive intestinal polypeptide (VIP) in the rat brain stem nuclei. <i>Brain Research</i> , 1982, 231, 472-477.	2.2	114
258	Characteristics of Protein Carboxyl Methylation in the Rat Hypothalamus. <i>Journal of Neurochemistry</i> , 1982, 38, 631-637.	3.9	11
259	Studies on the Presence of Angiotensin II in Rat Brain. <i>Journal of Neurochemistry</i> , 1982, 38, 816-820.	3.9	32
260	A carboxypeptidase processing enzyme for enkephalin precursors. <i>Nature</i> , 1982, 295, 341-342.	27.8	146
261	Primary structure of the human Met- and Leu-enkephalin precursor and its mRNA. <i>Nature</i> , 1982, 295, 663-666.	27.8	688
262	Acute thyroid hormone increases noradrenergic responsiveness of rat atria in vitro. <i>European Journal of Pharmacology</i> , 1981, 74, 91-93.	3.5	2
263	Enkephalins, ACTH, $\hat{1}\pm$ -MSH and $\hat{1}^2$ -endorphin in human pheochromocytomas. <i>Neuropeptides</i> , 1981, 1, 237-252.	2.2	47
264	Retinal toxicity of methylazoxymethanol acetate is developmentally specific. <i>Developmental Brain Research</i> , 1981, 1, 425-428.	1.7	10
265	Cell-free translation of human pheochromocytoma messenger RNA yields protein(s) containing methionine-enkephalin. <i>Biochemical and Biophysical Research Communications</i> , 1981, 99, 969-975.	2.1	11
266	Characterization of LRF-like immunoreactivity in the frog sympathetic ganglia: Non-identity with LRF decapeptide. <i>Neuropeptides</i> , 1980, 1, 29-37.	2.2	57
267	Sinefungin, a potent inhibitor of S-adenosylmethionine: Protein O-methyltransferase. <i>Biochemical and Biophysical Research Communications</i> , 1979, 89, 919-924.	2.1	82
268	Chemical and photooxidation of thiothixene (Navane [®]): Structure of the thiothixene fluorophor. <i>Experientia</i> , 1978, 34, 1062-1063.	1.2	10
269	The isolation and characterization of the methyl acceptor protein from adrenal chromaffin granules. <i>Biochemical and Biophysical Research Communications</i> , 1978, 83, 970-976.	2.1	22