A Francis Stewart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12102724/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Improved dsDNA recombineering enables versatile multiplex genome engineering of kilobase-scale sequences in diverse bacteria. Nucleic Acids Research, 2022, 50, e15-e15.	14.5	8
2	Protein-Assisted Room-Temperature Assembly of Rigid, Immobile Holliday Junctions and Hierarchical DNA Nanostructures. Molecules, 2020, 25, 5099.	3.8	1
3	RedEx: a method for seamless DNA insertion and deletion in large multimodular polyketide synthase gene clusters. Nucleic Acids Research, 2020, 48, e130-e130.	14.5	23
4	MLL4 is required after implantation whereas MLL3 becomes essential during late gestation. Development (Cambridge), 2020, 147, .	2.5	18
5	New methods for extracting function from the mammalian genome. Methods, 2019, 164-165, 1-2.	3.8	1
6	Single-Stranded DNA-Binding Protein and Exogenous RecBCD Inhibitors Enhance Phage-Derived Homologous Recombination in Pseudomonas. IScience, 2019, 14, 1-14.	4.1	43
7	The Set1 complex is dimeric and acts with Jhd2 demethylation to convey symmetrical H3K4 trimethylation. Genes and Development, 2019, 33, 550-564.	5.9	24
8	Enhanced Heterologous Spinosad Production from a 79-kb Synthetic Multioperon Assembly. ACS Synthetic Biology, 2019, 8, 137-147.	3.8	39
9	Expressing cytotoxic compounds in Escherichia coli Nissle 1917 for tumor-targeting therapy. Research in Microbiology, 2019, 170, 74-79.	2.1	48
10	ExoCET: exonuclease in vitro assembly combined with RecET recombination for highly efficient direct DNA cloning from complex genomes. Nucleic Acids Research, 2018, 46, e28-e28.	14.5	96
11	MLL2 conveys transcription-independent H3K4 trimethylation in oocytes. Nature Structural and Molecular Biology, 2018, 25, 73-82.	8.2	127
12	Kmt2b conveys monovalent and bivalent H3K4me3 in mouse spermatogonial stem cells at germline and embryonic promoters. Development (Cambridge), 2018, 145, .	2.5	26
13	Heterologous Production and Yield Improvement of Epothilones in Burkholderiales Strain DSM 7029. ACS Chemical Biology, 2017, 12, 1805-1812.	3.4	48
14	The contribution of homology arms to nuclease-assisted genome engineering. Nucleic Acids Research, 2017, 45, 8105-8115.	14.5	23
15	An Engineered Virus Library as a Resource for the Spectrum-wide Exploration of Virus and Vector Diversity. Cell Reports, 2017, 19, 1698-1709.	6.4	49
16	lncRNA Panct1 Maintains Mouse Embryonic Stem Cell Identity by Regulating TOBF1 Recruitment to Oct-Sox Sequences in Early G1. Cell Reports, 2017, 21, 3012-3021.	6.4	35
17	A Practical Guide to in and Xenorhabdus. Current Topics in Microbiology and Immunology, 2016, 402, 195-213.	1.1	4
18	RAC-tagging: Recombineering And Cas9-assisted targeting for protein tagging and conditional analyses. Scientific Reports, 2016, 6, 25529.	3.3	22

#	Article	IF	CITATIONS
19	"Cre/loxP plus BAC†a strategy for direct cloning of large DNA fragment and its applications in Photorhabdus luminescens and Agrobacterium tumefaciens. Scientific Reports, 2016, 6, 29087.	3.3	10
20	DNA annealing by RedÎ ² is insufficient for homologous recombination and the additional requirements involve intra- and inter-molecular interactions. Scientific Reports, 2016, 6, 34525.	3.3	15
21	Room temperature electrocompetent bacterial cells improve DNA transformation and recombineering efficiency. Scientific Reports, 2016, 6, 24648.	3.3	66
22	RecET direct cloning and Redαβ recombineering of biosynthetic gene clusters, large operons or single genes for heterologous expression. Nature Protocols, 2016, 11, 1175-1190.	12.0	132
23	Direct cloning and heterologous expression of the salinomycin biosynthetic gene cluster from Streptomyces albus DSM41398 in Streptomyces coelicolor A3(2). Scientific Reports, 2015, 5, 15081.	3.3	49
24	Systems Analyses Reveal Shared and Diverse Attributes of Oct4 Regulation in Pluripotent Cells. Cell Systems, 2015, 1, 141-151.	6.2	15
25	Lambda Red Mediated Gap Repair Utilizes a Novel Replicative Intermediate in Escherichia coli. PLoS ONE, 2015, 10, e0120681.	2.5	3
26	A Single-Strand Annealing Protein Clamps DNA to Detect and Secure Homology. PLoS Biology, 2015, 13, e1002213.	5.6	22
27	Sustained Pax6 Expression Generates Primate-like Basal Radial Glia in Developing Mouse Neocortex. PLoS Biology, 2015, 13, e1002217.	5.6	93
28	A new recombineering system for Photorhabdus and Xenorhabdus. Nucleic Acids Research, 2015, 43, e36-e36.	14.5	54
29	Mll2 is required for H3K4 trimethylation on bivalent promoters in embryonic stem cells, whereas Mll1 is redundant. Development (Cambridge), 2014, 141, 526-537.	2.5	225
30	The H3K4 methyltransferase Setd1a is first required at the epiblast stage, whereas Setd1b becomes essential after gastrulation. Development (Cambridge), 2014, 141, 1022-1035.	2.5	166
31	Improved seamless mutagenesis by recombineering using ccdB for counterselection. Nucleic Acids Research, 2014, 42, e37-e37.	14.5	113
32	Genome engineering of Agrobacterium tumefaciens using the lambda Red recombination system. Applied Microbiology and Biotechnology, 2014, 98, 2165-2172.	3.6	31
33	Gene Targeting and Site-Specific Recombination in Mouse ES Cells. Methods in Enzymology, 2013, 533, 133-155.	1.0	11
34	In Vivo Evidence for a Prodrug Activation Mechanism during Colibactin Maturation. ChemBioChem, 2013, 14, 1194-1197.	2.6	101
35	The histone demethylase UTX regulates stem cell migration and hematopoiesis. Blood, 2013, 121, 2462-2473.	1.4	93
36	Transposon mediated BAC transgenesis via pronuclear injection of mouse zygotes. Genesis, 2013, 51, 135-141.	1.6	25

#	Article	IF	CITATIONS
37	Recombination-Mediated Genetic Engineering of Large Genomic DNA Transgenes. Methods in Molecular Biology, 2012, 772, 445-458.	0.9	13
38	Transposon-mediated BAC transgenesis in human ES cells. Nucleic Acids Research, 2012, 40, e150-e150.	14.5	109
39	The mammalian gene function resource: the international knockout mouse consortium. Mammalian Genome, 2012, 23, 580-586.	2.2	292
40	A Genome-Scale Resource for InÂVivo Tag-Based Protein Function Exploration in C.Âelegans. Cell, 2012, 150, 855-866.	28.9	253
41	The Transcriptional and Epigenomic Foundations of Ground State Pluripotency. Cell, 2012, 149, 590-604.	28.9	774
42	High-efficiency counterselection recombineering for site-directed mutagenesis in bacterial artificial chromosomes. Nature Methods, 2012, 9, 103-109.	19.0	52
43	Full-length RecE enhances linear-linear homologous recombination and facilitates direct cloning for bioprospecting. Nature Biotechnology, 2012, 30, 440-446.	17.5	375
44	Recombineering BAC transgenes for protein tagging. Methods, 2011, 53, 113-119.	3.8	32
45	Recombineering, transfection, Western, IP and ChIP methods for protein tagging via gene targeting or BAC transgenesis. Methods, 2011, 53, 437-452.	3.8	33
46	Meiotic homologue alignment and its quality surveillance are controlled by mouse HORMAD1. Nature Cell Biology, 2011, 13, 599-610.	10.3	207
47	A conditional knockout resource for the genome-wide study of mouse gene function. Nature, 2011, 474, 337-342.	27.8	1,488
48	Targeted isolation of cloned genomic regions by recombineering for haplotype phasing and isogenic targeting. Nucleic Acids Research, 2011, 39, e137-e137.	14.5	14
49	An improved Flp deleter mouse in C57Bl/6 based on Flpo recombinase. Genesis, 2010, 48, 512-520.	1.6	128
50	Single-stranded heteroduplex intermediates in λ Red homologous recombination. BMC Molecular Biology, 2010, 11, 54.	3.0	104
51	A Practical Summary of Site-Specific Recombination, Conditional Mutagenesis, and Tamoxifen Induction of CreERT2. Methods in Enzymology, 2010, 477, 109-123.	1.0	53
52	A Recombineering Pipeline to Make Conditional Targeting Constructs. Methods in Enzymology, 2010, 477, 125-144.	1.0	75
53	Dre recombinase, like Cre, is a highly efficient site-specific recombinase in <i>E. coli</i> , mammalian cells and mice. DMM Disease Models and Mechanisms, 2009, 2, 508-515.	2.4	254
54	The histone 3 lysine 4 methyltransferase, Mll2, is only required briefly in development and spermatogenesis. Epigenetics and Chromatin, 2009, 2, 5.	3.9	154

#	Article	IF	CITATIONS
55	A Genome-Scale RNAi Screen for Oct4 Modulators Defines a Role of the Paf1 Complex for Embryonic Stem Cell Identity. Cell Stem Cell, 2009, 4, 403-415.	11.1	252
56	Conformational Adaptability of RedÎ ² during DNA Annealing and Implications for Its Structural Relationship with Rad52. Journal of Molecular Biology, 2009, 391, 586-598.	4.2	73
57	The Schizosaccharomyces pombe JmjC-Protein, Msc1, Prevents H2A.Z Localization in Centromeric and Subtelomeric Chromatin Domains. PLoS Genetics, 2009, 5, e1000726.	3.5	61
58	BAC TransgeneOmics: a high-throughput method for exploration of protein function in mammals. Nature Methods, 2008, 5, 409-415.	19.0	568
59	Chromatin Central: towards the comparative proteome by accurate mapping of the yeast proteomic environment. Genome Biology, 2008, 9, R167.	9.6	106
60	Efficient transfer of two large secondary metabolite pathway gene clusters into heterologous hosts by transposition. Nucleic Acids Research, 2008, 36, e113-e113.	14.5	128
61	Increased Apoptosis and Skewed Differentiation in Mouse Embryonic Stem Cells Lacking the Histone Methyltransferase Mll2. Molecular Biology of the Cell, 2007, 18, 2356-2366.	2.1	93
62	Engineering Embryonic Stem Cells with Recombinase Systems. Methods in Enzymology, 2006, 420, 100-136.	1.0	24
63	Recombineering reagents for improved inducible expression and selection marker re-use inSchizosaccharomyces pombe. Yeast, 2006, 23, 813-823.	1.7	32
64	A recombineering pipeline for functional genomics applied to Caenorhabditis elegans. Nature Methods, 2006, 3, 839-844.	19.0	180
65	Metabolic Engineering of Pseudomonas putida for Methylmalonyl-CoA Biosynthesis to Enable Complex Heterologous Secondary Metabolite Formation. Chemistry and Biology, 2006, 13, 1253-1264.	6.0	66
66	An Improved Recombineering Approach by Adding RecA to λ Red Recombination. Molecular Biotechnology, 2006, 32, 043-054.	2.4	121
67	Multiple epigenetic maintenance factors implicated by the loss of Mll2 in mouse development. Development (Cambridge), 2006, 133, 1423-1432.	2.5	245
68	Reconstitution of the Myxothiazol Biosynthetic Gene Cluster by Red/ET Recombination and Heterologous Expression in Myxococcus xanthus. Applied and Environmental Microbiology, 2006, 72, 7485-7494.	3.1	81
69	Heterologous Expression of a Myxobacterial Natural Products Assembly Line in Pseudomonads via Red/ET Recombineering. Chemistry and Biology, 2005, 12, 349-356.	6.0	176
70	Current issues in mouse genome engineering. Nature Genetics, 2005, 37, 1187-1193.	21.4	153
71	The best control for the specificity of RNAi. Trends in Biotechnology, 2005, 23, 446-448.	9.3	18

72 Microinjection of BAC DNA into the Pronuclei of Fertilized Mouse Oocytes. , 2004, 256, 141-158.

#	Article	IF	CITATIONS
73	A Comparative Analysis of an Orthologous Proteomic Environment in the Yeasts Saccharomyces cerevisiae and Schizosaccharomyces pombe. Molecular and Cellular Proteomics, 2004, 3, 125-132.	3.8	44
74	The European dimension for the mouse genome mutagenesis program. Nature Genetics, 2004, 36, 925-927.	21.4	195
75	Iron overload in adult Hfe-deficient mice independent of changes in the steady-state expression of the duodenal iron transporters DMT1 and Ireg1/ferroportin. Journal of Molecular Medicine, 2004, 82, 39-48.	3.9	61
76	A reliable lacZ expression reporter cassette for multipurpose, knockout-first alleles. Genesis, 2004, 38, 151-158.	1.6	186
77	BAC Engineering for the Generation of ES Cell-Targeting Constructs and Mouse Transgenes. , 2004, 256, 123-140.		24
78	ET Recombination: DNA Engineering Using Homologous Recombination in E. coli <f\$>. , 2004, 256, 107-122.</f\$>		23
79	Engineering of ES Cell Genomes with Recombinase Systems. , 2004, , 609-622.		2
80	Phage annealing proteins promote oligonucleotide-directed mutagenesis in Escherichia coli and mouse ES cells. BMC Molecular Biology, 2003, 4, 1.	3.0	103
81	Engineering the mouse genome with bacterial artificial chromosomes to create multipurpose alleles. Nature Biotechnology, 2003, 21, 443-447.	17.5	126
82	High-throughput engineering of the mouse genome coupled with high-resolution expression analysis. Nature Biotechnology, 2003, 21, 652-659.	17.5	549
83	Stepwise Manipulation of DNA Specificity in Flp Recombinase: Progressively Adapting Flp to Individual and Combinatorial Mutations in its Target Site. Journal of Molecular Biology, 2003, 326, 65-76.	4.2	70
84	The histone 3 lysine 36 methyltransferase, SET2, is involved in transcriptional elongation. Nucleic Acids Research, 2003, 31, 2475-2482.	14.5	138
85	High Conservation of the Set1/Rad6 Axis of Histone 3 Lysine 4 Methylation in Budding and Fission Yeasts. Journal of Biological Chemistry, 2003, 278, 8487-8493.	3.4	84
86	A dual reporter screening system identifies the amino acid at position 82 in Flp site-specific recombinase as a determinant for target specificity. Nucleic Acids Research, 2002, 30, 1656-1663.	14.5	37
87	Deciphering Protein Complexes and Protein Interaction Networks by Tandem Affinity Purification and Mass Spectrometry. Molecular and Cellular Proteomics, 2002, 1, 204-212.	3.8	62
88	Efficient FLP recombination in mouse ES cells and oocytes. Genesis, 2001, 31, 6-10.	1.6	151
89	Alteration of Cre recombinase site specificity by substrate-linked protein evolution. Nature Biotechnology, 2001, 19, 1047-1052.	17.5	147
90	The S. cerevisiae SET3 complex includes two histone deacetylases, Hos2 and Hst1, and is a meiotic-specific repressor of the sporulation gene program. Genes and Development, 2001, 15, 2991-3004.	5.9	250

#	Article	IF	CITATIONS
91	High-efficiency deleter mice show that FLPe is an alternative to Cre-loxP. Nature Genetics, 2000, 25, 139-140.	21.4	1,073
92	DNA cloning by homologous recombination in Escherichia coli. Nature Biotechnology, 2000, 18, 1314-1317.	17.5	376
93	Point mutation of bacterial artificial chromosomes by ET recombination. EMBO Reports, 2000, 1, 239-243.	4.5	131
94	ET-Cloning: Think Recombination First. , 2000, 22, 77-98.		24
95	RecE/RecT and Redα/Redβ initiate double-stranded break repair by specifically interacting with their respective partners. Genes and Development, 2000, 14, 1971-1982.	5.9	157
96	Rapid modification of bacterial artificial chromosomes by ET- recombination. Nucleic Acids Research, 1999, 27, 1555-1557.	14.5	475
97	A new logic for DNA engineering using recombination in Escherichia coli. Nature Genetics, 1998, 20, 123-128.	21.4	1,123
98	Improved properties of FLP recombinase evolved by cycling mutagenesis. Nature Biotechnology, 1998, 16, 657-662.	17.5	374
99	Temporally and spatially regulated somatic mutagenesis in mice. Nucleic Acids Research, 1998, 26, 1427-1432.	14.5	173
100	Positive and Negative Discrimination of Estrogen Receptor Agonists and Antagonists Using Site-Specific DNA Recombinase Fusion Proteins. Molecular Endocrinology, 1998, 12, 1120-1132.	3.7	13
101	A simple assay to determine the functionality of Cre or FLP recombination targets in genomic manipulation constructs. Nucleic Acids Research, 1996, 24, 3118-3119.	14.5	87
102	Heterodimerization of the Drosophila ecdysone receptor with retinoid X receptor and ultraspiracle. Nature, 1993, 362, 471-475.	27.8	512