

Meei-Shyuan Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12112146/publications.pdf>

Version: 2024-02-01

145
papers

4,403
citations

126907

33
h-index

133252

59
g-index

147
all docs

147
docs citations

147
times ranked

6437
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Rotating Shifts on Lifestyle Patterns and Perceived Stress among Nurses: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5235.	2.6	8
2	Pretreatment Neutrophil-to-Lymphocyte Ratio Predicts Survival and Liver Toxicity in Patients With Hepatocellular Carcinoma Treated With Stereotactic Ablative Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 109, 474-484.	0.8	10
3	Frailty Severity and Cognitive Impairment Associated with Dietary Diversity in Older Adults in Taiwan. <i>Nutrients</i> , 2021, 13, 418.	4.1	21
4	Optimal Household Water Access Fosters the Attainment of Minimum Dietary Diversity among Children Aged 6–23 Months in Malawi. <i>Nutrients</i> , 2021, 13, 178.	4.1	3
5	Higher maternal autonomy is associated with reduced child stunting in Malawi. <i>Scientific Reports</i> , 2021, 11, 3882.	3.3	9
6	Vegetarian diet in dialysis patients. <i>Medicine (United States)</i> , 2021, 100, e24617.	1.0	2
7	Household and schooling rather than diet offset the adverse associations of height with school competence and emotional disturbance among Taiwanese girls. <i>Public Health Nutrition</i> , 2021, 24, 1-10.	2.2	1
8	Prevalence and association of lifestyle and medical, psychiatric, and pain-related comorbidities in patients with migraine: A cross-sectional study. <i>Headache</i> , 2021, 61, 715-726.	3.9	16
9	Effects of Intradialytic Exercise on Dialytic Parameters, Health-Related Quality of Life, and Depression Status in Hemodialysis Patients: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9205.	2.6	12
10	Propofol-based total intravenous anesthesia is associated with better survival than desflurane anesthesia in glioblastoma surgery. <i>PLoS ONE</i> , 2021, 16, e0255627.	2.5	14
11	Propofol-Based Total Intravenous Anesthesia is Associated with Better Survival than Desflurane Anesthesia in Epithelial Ovarian Cancer Surgery: A Retrospective Cohort Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 685265.	3.5	5
12	Postoperative Drip-Infusion of Remifentanyl Reduces Postoperative Pain: A Retrospective Observative Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9225.	2.6	3
13	Nutrition counseling is associated with less sarcopenia in diabetes: A cross-sectional and retrospective cohort study. <i>Nutrition</i> , 2021, 91-92, 111269.	2.4	9
14	Subjective cognitive complaints and migraine characteristics: A cross-sectional study. <i>Acta Neurologica Scandinavica</i> , 2020, 141, 319-327.	2.1	10
15	Optimal effect-site concentration of propofol for tracheal suctioning during emergence from ophthalmic surgery. <i>Medicine (United States)</i> , 2020, 99, e18669.	1.0	1
16	Association between concurrent antidepressant and hypnotic treatment and the risk of dementia: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2020, 277, 549-558.	4.1	5
17	Propofol-based intravenous anesthesia is associated with better survival than desflurane anesthesia in pancreatic cancer surgery. <i>PLoS ONE</i> , 2020, 15, e0233598.	2.5	28
18	Propofol-based total intravenous anesthesia improves survival compared to desflurane anesthesia in gastric cancer surgery. <i>Medicine (United States)</i> , 2020, 99, e20714.	1.0	22

#	ARTICLE	IF	CITATIONS
19	Propofol-based total intravenous anesthesia is associated with better survival than desflurane anesthesia in robot-assisted radical prostatectomy. PLoS ONE, 2020, 15, e0230290.	2.5	25
20	Associations between migraine occurrence and the effect of aura, age at onset, family history, and sex: A cross-sectional study. PLoS ONE, 2020, 15, e0228284.	2.5	10
21	Title is missing!. , 2020, 15, e0230290.		0
22	Title is missing!. , 2020, 15, e0230290.		0
23	Title is missing!. , 2020, 15, e0230290.		0
24	Title is missing!. , 2020, 15, e0230290.		0
25	Title is missing!. , 2020, 15, e0233598.		0
26	Title is missing!. , 2020, 15, e0233598.		0
27	Title is missing!. , 2020, 15, e0233598.		0
28	Title is missing!. , 2020, 15, e0233598.		0
29	Title is missing!. , 2020, 15, e0233598.		0
30	Title is missing!. , 2020, 15, e0233598.		0
31	Effects of intraoperative propofol-based total intravenous anesthesia on postoperative pain in spine surgery. Medicine (United States), 2019, 98, e15074.	1.0	20
32	Comparison of Stereotactic Body Radiation Therapy and Transarterial Chemoembolization for Unresectable Medium-Sized Hepatocellular Carcinoma. International Journal of Radiation Oncology Biology Physics, 2019, 105, 307-318.	0.8	53
33	Association of Diet Quality and Vegetable Variety with the Risk of Cognitive Decline in Chinese Older Adults. Nutrients, 2019, 11, 1666.	4.1	25
34	Propofol-based total intravenous anesthesia did not improve survival compared to desflurane anesthesia in breast cancer surgery. PLoS ONE, 2019, 14, e0224728.	2.5	52
35	Prognostic Significance of Apparent Diffusion Coefficient in Hepatocellular Carcinoma Patients treated with Stereotactic Ablative Radiotherapy. Scientific Reports, 2019, 9, 14157.	3.3	10
36	Exploration of microbiota targets for major depressive disorder and mood related traits. Journal of Psychiatric Research, 2019, 111, 74-82.	3.1	105

#	ARTICLE	IF	CITATIONS
37	Effect of Sex and Adaptation on Migraine Frequency and Perceived Stress: A Cross-Sectional Case-Control Study. <i>Frontiers in Neurology</i> , 2019, 10, 598.	2.4	10
38	Propofol-based total intravenous anaesthesia is associated with better survival than desflurane anaesthesia in hepatectomy for hepatocellular carcinoma: a retrospective cohort study. <i>British Journal of Anaesthesia</i> , 2019, 123, 151-160.	3.4	69
39	Association of Suicide Risk With Headache Frequency Among Migraine Patients With and Without Aura. <i>Frontiers in Neurology</i> , 2019, 10, 228.	2.4	14
40	Stereotactic ablative radiotherapy versus conventionally fractionated radiotherapy in the treatment of hepatocellular carcinoma with portal vein invasion: a retrospective analysis. <i>Radiation Oncology</i> , 2019, 14, 180.	2.7	20
41	Propofol-based total intravenous anesthesia is associated with better survival than desflurane anesthesia in intrahepatic cholangiocarcinoma surgery. <i>Medicine (United States)</i> , 2019, 98, e18472.	1.0	35
42	Motivational Counseling to Reduce Sedentary Behaviors and Depressive Symptoms and Improve Health-Related Quality of Life Among Women With Metabolic Syndrome. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, 327-335.	1.1	12
43	Effects of a 12-week moderate-intensity exercise training on blood glucose response in patients with type 2 diabetes. <i>Medicine (United States)</i> , 2019, 98, e16860.	1.0	18
44	Propofol vs desflurane on the cytokine, matrix metalloproteinase-9, and heme oxygenase-1 response during living donor liver transplantation. <i>Medicine (United States)</i> , 2019, 98, e18244.	1.0	8
45	Active Physical Activity Patterns Are Associated With Improved Quality of Life and Depression Status in Taiwanese Women With Metabolic Syndrome. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, 491-502.	1.1	9
46	More Frequent Nutrition Counseling Limits Weight Loss and Improves Energy Intake During Oncology Management: A Longitudinal Inpatient Study in Taiwan. <i>Nutrition and Cancer</i> , 2019, 71, 452-460.	2.0	15
47	Dietary diversity offsets the adverse mortality risk among older indigenous Taiwanese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 593-600.	0.4	5
48	Associations Between Depression/Anxiety and Headache Frequency in Migraineurs: A Cross-Sectional Study. <i>Headache</i> , 2018, 58, 407-415.	3.9	44
49	Propofol-based Total Intravenous Anesthesia Is Associated with Better Survival Than Desflurane Anesthesia in Colon Cancer Surgery. <i>Anesthesiology</i> , 2018, 129, 932-941.	2.5	147
50	Dietary quality linkage to overall competence at school and emotional disturbance in representative Taiwanese young adolescents: dependence on gender, parental characteristics and personal behaviors. <i>Nutrition Journal</i> , 2018, 17, 29.	3.4	6
51	A non-invasive modifiable Healthy Ageing Nutrition Index (HANI) predicts longevity in free-living older Taiwanese. <i>Scientific Reports</i> , 2018, 8, 7113.	3.3	7
52	Secular trend towards ultra-processed food consumption and expenditure compromises dietary quality among Taiwanese adolescents. <i>Food and Nutrition Research</i> , 2018, 62, .	2.6	16
53	Energy requirements for ICU burn patients in whom the total body surface area affected exceeds 50 percent: a practical equation. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 1182-1189.	0.4	1
54	Association of Dietary Patterns With Global and Domain-Specific Cognitive Decline in Chinese Elderly. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1159-1167.	2.6	30

#	ARTICLE	IF	CITATIONS
55	Comparison Between Child-Turcotte-Pugh and Albumin-Bilirubin Scores in Assessing the Prognosis of Hepatocellular Carcinoma After Stereotactic Ablative Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 99, 145-152.	0.8	29
56	Medical costs of a low skeletal muscle mass are modulated by dietary diversity and physical activity in community-dwelling older Taiwanese: a longitudinal study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 31.	4.6	27
57	Environmental barriers and social participation in individuals with spinal cord injury.. <i>Rehabilitation Psychology</i> , 2017, 62, 36-44.	1.3	33
58	Influence of Socioeconomic Status and Perceived Barriers on Physical Activity Among Taiwanese Middle-Aged and Older Women. <i>Journal of Cardiovascular Nursing</i> , 2017, 32, 321-330.	1.1	14
59	[P4â€“368]: DIET QUALITY, VEGETABLE VARIETY AND RISK OF COGNITIVE DECLINE IN CHINESE ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1433.	0.8	0
60	Gender differences in longevity in free-living older adults who eat-with-others: a prospective study in Taiwan. <i>BMJ Open</i> , 2017, 7, e016575.	1.9	12
61	Fitness and food environments around junior high schools in Taiwan and their association with body composition: Gender differences for recreational, reading, food and beverage exposures. <i>PLoS ONE</i> , 2017, 12, e0182517.	2.5	18
62	Comparison of Anesthesia-Controlled Operating Room Time between Propofol-Based Total Intravenous Anesthesia and Desflurane Anesthesia in Open Colorectal Surgery: A Retrospective Study. <i>PLoS ONE</i> , 2016, 11, e0165407.	2.5	19
63	Combined Effects of Chewing Ability and Dietary Diversity on Medical Service Use and Expenditures. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1187-1194.	2.6	12
64	Associations Between Sleep Quality and Migraine Frequency. <i>Medicine (United States)</i> , 2016, 95, e3554.	1.0	68
65	P1â€“406: Chinese Dietary Patterns and Domainâ€“specific Cognitive Decline in The Elderly. <i>Alzheimer's and Dementia</i> , 2016, 12, P589.	0.8	0
66	Elderly Taiwanese who spend more on fruits and vegetables and less on animal-derived foods use less medical services and incur lower medical costs. <i>British Journal of Nutrition</i> , 2016, 115, 823-833.	2.3	7
67	Effects of telephone-based motivational interviewing in lifestyle modification program on reducing metabolic risks in middle-aged and older women with metabolic syndrome: A randomized controlled trial. <i>International Journal of Nursing Studies</i> , 2016, 60, 12-23.	5.6	40
68	Prevalence of restless legs syndrome in migraine patients with and without aura: a cross-sectional, case-controlled study. <i>Journal of Headache and Pain</i> , 2016, 17, 97.	6.0	26
69	Awakening arterial blood and end-tidal concentrations of isoflurane in female surgical patients. <i>Medicine (United States)</i> , 2016, 95, e4370.	1.0	3
70	Cinnamon users with prediabetes have a better fasting working memory: a cross-sectional function study. <i>Nutrition Research</i> , 2016, 36, 305-310.	2.9	5
71	Faster extubation time with more stable hemodynamics during extubation and shorter total surgical suite time after propofol-based total intravenous anesthesia compared with desflurane anesthesia in lengthy lumbar spine surgery. <i>Journal of Neurosurgery: Spine</i> , 2016, 24, 268-274.	1.7	19
72	Dietary diversity no longer offsets the mortality risk of hyperhomocysteinaemia in older adults with diabetes: a prospective cohort study. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2016, 25, 414-23.	0.4	6

#	ARTICLE	IF	CITATIONS
73	P2-268: Association between dietary patterns and cognitive impairment in the elderly. , 2015, 11, P594-P594.		0
74	Optimal Dietary and Plasma Magnesium Statuses Depend on Dietary Quality for a Reduction in the Risk of All-Cause Mortality in Older Adults. <i>Nutrients</i> , 2015, 7, 5664-5683.	4.1	21
75	Confounding Factors to Predict the Awakening Effect-Site Concentration of Propofol in Target-Controlled Infusion Based on Propofol and Fentanyl Anesthesia. <i>PLoS ONE</i> , 2015, 10, e0124343.	2.5	12
76	Needs-based food and nutrient security indices to monitor and modify the food supply and intakes: Taiwan, 1991â€“2010. <i>Food Policy</i> , 2015, 57, 142-152.	6.0	6
77	Using a modified Pauwels method to predict the outcome of femoral neck fracture in relatively young patients. <i>Injury</i> , 2015, 46, 1969-1974.	1.7	48
78	Breakfast is associated with the metabolic syndrome and school performance among Taiwanese children. <i>Research in Developmental Disabilities</i> , 2015, 43-44, 179-188.	2.2	16
79	Image analysis of open-door laminoplasty for cervical spondylotic myelopathy: Comparing the influence of cord morphology and spine alignment. <i>Clinical Neurology and Neurosurgery</i> , 2015, 137, 72-78.	1.4	3
80	The efficacy and safety of once-daily quetiapine extended release in patients with schizophrenia switched from other antipsychotics: an open-label study in Chinese population. <i>BMC Psychiatry</i> , 2015, 15, 1.	2.6	267
81	Moderate physical activity level as a protective factor against metabolic syndrome in middle-aged and older women. <i>Journal of Clinical Nursing</i> , 2015, 24, 1234-1245.	3.0	24
82	Arterial blood and end-tidal concentrations of sevoflurane during the emergence from anesthesia in gynecologic patients. <i>Clinics</i> , 2015, 70, 196-201.	1.5	3
83	Dairy foods and health in Asians: Taiwanese considerations. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015, 24 Suppl 1, S14-20.	0.4	11
84	Taiwanese Elders who Eat with Others have a Better Diet and Health. <i>FASEB Journal</i> , 2015, 29, 903.12.	0.5	0
85	Optimal Dairy Intake Is Predicated on Total, Cardiovascular, and Stroke Mortalities in a Taiwanese Cohort. <i>Journal of the American College of Nutrition</i> , 2014, 33, 426-436.	1.8	25
86	Stereotactic ablative radiotherapy for unresectable hepatocellular carcinoma patients who failed or were unsuitable for transarterial chemoembolization. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 345-352.	1.6	23
87	Hemodynamic and biochemical changes in liver transplantation: A retrospective comparison of desflurane and total intravenous anesthesia by target-controlled infusion under auditory evoked potential guide. <i>Acta Anaesthesiologica Taiwanica</i> , 2014, 52, 6-12.	1.0	10
88	Dietary Quality of Elders and Children Is Interdependent in Taiwanese Communities: A NAHSIT Mapping Study. <i>Ecology of Food and Nutrition</i> , 2014, 53, 81-97.	1.6	6
89	Appetite predicts mortality in free-living older adults in association with dietary diversity. A NAHSIT cohort study. <i>Appetite</i> , 2014, 83, 89-96.	3.7	37
90	An Analysis of Anesthesia-Controlled Operating Room Time After Propofol-Based Total Intravenous Anesthesia Compared with Desflurane Anesthesia in Ophthalmic Surgery. <i>Anesthesia and Analgesia</i> , 2014, 119, 1393-1406.	2.2	35

#	ARTICLE	IF	CITATIONS
91	Turmeric improves post-prandial working memory in pre-diabetes independent of insulin. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2014, 23, 581-91.	0.4	23
92	A Taiwanese food frequency questionnaire correlates with plasma docosahexaenoic acid but not with plasma eicosapentaenoic acid levels: questionnaires and plasma biomarkers. <i>BMC Medical Research Methodology</i> , 2013, 13, 23.	3.1	10
93	Bidirectionality and gender differences in emotional disturbance associations with obesity among Taiwanese schoolchildren. <i>Research in Developmental Disabilities</i> , 2013, 34, 3504-3516.	2.2	6
94	Sleep Quality in the Survival of Elderly Taiwanese: Roles for Dietary Diversity and Pyridoxine in Men and Women. <i>Journal of the American College of Nutrition</i> , 2013, 32, 417-427.	1.8	11
95	¹⁸ F-FDG PET and Combined ¹⁸ F-FDG Contrast CT Parameters as Predictors of Tumor Control for Hepatocellular Carcinoma After Stereotactic Ablative Radiotherapy. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1710-1716.	5.0	24
96	Duration effect of desflurane anesthesia and its awakening time and arterial concentration in gynecologic patients. <i>Clinics</i> , 2013, 68, 1305-1311.	1.5	7
97	Cognitive impairment and limited dietary diversity or physical inactivity are conjoint precursors of incident diabetes more so in elderly women than men. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2013, 22, 635-45.	0.4	12
98	Dietary diversity predicts type of medical expenditure in elders. <i>American Journal of Managed Care</i> , 2013, 19, e415-23.	1.1	11
99	Frequent shopping by men and women increases survival in the older Taiwanese population. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, e20-e20.	3.7	27
100	A bean-free diet increases the risk of all-cause mortality among Taiwanese women: the role of the metabolic syndrome. <i>Public Health Nutrition</i> , 2012, 15, 663-672.	2.2	19
101	Cooking frequency may enhance survival in Taiwanese elderly. <i>Public Health Nutrition</i> , 2012, 15, 1142-1149.	2.2	93
102	Stereotactic Body Radiation Therapy in Recurrent Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 355-361.	0.8	166
103	Lower birth weight and diet in Taiwanese girls more than boys predicts learning impediments. <i>Research in Developmental Disabilities</i> , 2012, 33, 2203-2212.	2.2	10
104	Metformin-inclusive sulfonylurea therapy reduces the risk of Parkinson's disease occurring with Type 2 diabetes in a Taiwanese population cohort. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 753-758.	2.2	200
105	Dietary diversity and food expenditure as indicators of food security in older Taiwanese. <i>Appetite</i> , 2012, 58, 180-187.	3.7	65
106	Spending on vegetable and fruit consumption could reduce all-cause mortality among older adults. <i>Nutrition Journal</i> , 2012, 11, 113.	3.4	17
107	Increased risk of affective disorders in type 2 diabetes is minimized by sulfonylurea and metformin combination: a population-based cohort study. <i>BMC Medicine</i> , 2012, 10, 150.	5.5	46
108	Increased Medical Costs in Elders With the Metabolic Syndrome are Most Evident With Hospitalization of Men. <i>Gender Medicine</i> , 2012, 9, 348-360.	1.4	2

#	ARTICLE	IF	CITATIONS
109	Low and high homocysteine are associated with mortality independent of B group vitamins but interactive with cognitive status in a free-living elderly cohort. <i>Nutrition Research</i> , 2012, 32, 928-939.	2.9	17
110	Prediction of all-cause mortality by B group vitamin status in the elderly. <i>Clinical Nutrition</i> , 2012, 31, 191-198.	5.0	37
111	Reproducibility of brain dopamine transporter binding with Tc-99m TRODAT-1 SPECT in healthy young men. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 222-225.	1.8	8
112	Fast-food outlets and walkability in school neighbourhoods predict fatness in boys and height in girls: a Taiwanese population study. <i>Public Health Nutrition</i> , 2011, 14, 1601-1609.	2.2	61
113	Vitamin D Decreases Risk of Breast Cancer in Premenopausal Women of Normal Weight in Subtropical Taiwan. <i>Journal of Epidemiology</i> , 2011, 21, 87-94.	2.4	25
114	Dietary Intake of Vitamin B6 and Risk of Breast Cancer in Taiwanese Women. <i>Journal of Epidemiology</i> , 2011, 21, 329-336.	2.4	19
115	Incidence of Dementia is Increased in Type 2 Diabetes and Reduced by the Use of Sulfonylureas and Metformin. <i>Journal of Alzheimer's Disease</i> , 2011, 24, 485-493.	2.6	291
116	Clinical Nutrition for an Ageing Population. <i>Anti-aging Medicine</i> , 2011, 8, 30-34.	0.7	0
117	Dietary quality may enhance survival related to cognitive impairment in Taiwanese elderly. <i>Food and Nutrition Research</i> , 2011, 55, 7387.	2.6	25
118	A simple food quality index predicts mortality in Elderly Taiwanese. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 815-821.	3.3	74
119	Type 2 diabetes increases and metformin reduces total, colorectal, liver and pancreatic cancer incidences in Taiwanese: a representative population prospective cohort study of 800,000 individuals. <i>BMC Cancer</i> , 2011, 11, 20.	2.6	398
120	The effects of physical activity, body mass index (BMI) and waist circumference (WC) on glucose intolerance in older people: A nationwide study from Taiwan. <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, 54-59.	3.0	11
121	Validation of a simplified food frequency questionnaire as used in the Nutrition and Health Survey in Taiwan (NAHSIT) for the elderly. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2011, 20, 134-40.	0.4	32
122	Chewing Ability in Conjunction with Food Intake and Energy Status in Later Life Affects Survival in Taiwanese with the Metabolic Syndrome. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1072-1080.	2.6	43
123	The demography of food in health security: current experience with dairy consumption in Taiwan. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2009, 18, 585-9.	0.4	6
124	Health and nutrition economics: diet costs are associated with diet quality. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2009, 18, 598-604.	0.4	37
125	A Food in Health Security (FIHS) platform in the Asia-Pacific Region: the way forward. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2009, 18, 688-702.	0.4	17
126	Amitriptyline pretreatment preserves the antinociceptive effect of morphine in pertussis toxin-treated rats by lowering CSF excitatory amino acid concentrations and reversing the downregulation of glutamate transporters. <i>Brain Research</i> , 2008, 1232, 61-69.	2.2	12

#	ARTICLE	IF	CITATIONS
127	A global overall dietary index: ODI-R revised to emphasize quality over quantity. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2008, 17 Suppl 1, 82-6.	0.4	4
128	Body mass index (BMI) as a major factor in the incidence of the metabolic syndrome and its constituents in unaffected Taiwanese from 1998 to 2002. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2008, 17, 339-51.	0.4	22
129	Vitamin D intake and its food sources in Taiwanese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2008, 17, 397-407.	0.4	24
130	Premedication with intravenous low-dose ketamine suppresses fentanyl-induced cough. <i>Journal of Clinical Anesthesia</i> , 2007, 19, 53-56.	1.6	61
131	Intravenous Dexamethasone Pretreatment Reduces Fentanyl-induced Cough. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 649-655.	1.7	25
132	Phasic dysfunction of dopamine transmission in Tourette's syndrome evaluated with 99mTc TRODAT-1 imaging. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 75-82.	1.8	36
133	Plasma homocysteine as a metabolic risk factor for breast cancer: findings from a case-control study in Taiwan. <i>Breast Cancer Research and Treatment</i> , 2007, 101, 199-205.	2.5	36
134	Hyperuricemia and metabolic syndrome in Taiwanese children. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2007, 16 Suppl 2, 594-600.	0.4	17
135	Preoperative Cotreatment With Dextromethorphan and Ketorolac Provides an Enhancement of Pain Relief After Laparoscopic-assisted Vaginal Hysterectomy. <i>Clinical Journal of Pain</i> , 2006, 22, 799-804.	1.9	18
136	Genetic polymorphisms of the methylenetetrahydrofolate reductase gene, plasma folate levels and breast cancer susceptibility: a case-control study in Taiwan. <i>Carcinogenesis</i> , 2006, 27, 2295-2300.	2.8	74
137	Reproducibility and validity of a Chinese food frequency questionnaire used in Taiwan. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2006, 15, 161-9.	0.4	35
138	Prolonged Injection Time and Light Smoking Decrease the Incidence of Fentanyl-Induced Cough. <i>Anesthesia and Analgesia</i> , 2005, 101, 670-674.	2.2	79
139	Obesity in the Elderly and Its Relationship with Cardiovascular Risk Factors in Taiwan ^{**} . <i>Obesity</i> , 2005, 13, 170-178.	4.0	64
140	Attenuation of morphine tolerance by intrathecal gabapentin is associated with suppression of morphine-evoked excitatory amino acid release in the rat spinal cord. <i>Brain Research</i> , 2005, 1054, 167-173.	2.2	33
141	The Interaction Effect of Perioperative Cotreatment with Dextromethorphan and Intravenous Lidocaine on Pain Relief and Recovery of Bowel Function After Laparoscopic Cholecystectomy. <i>Anesthesia and Analgesia</i> , 2005, 100, 448-453.	2.2	65
142	High prevalence of hyperuricemia in elderly Taiwanese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2005, 14, 285-92.	0.4	45
143	Population-based studies of nutrition and health in Asia Pacific elderly. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2005, 14, 294-7.	0.4	6
144	Usefulness of brain 99mTc-TRODAT-1 SPET for the evaluation of Parkinson's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 155-161.	6.4	62

#	ARTICLE	IF	CITATIONS
145	Inter-relationships of nutrient intakes for urban Chinese spouses in Taiwan. International Journal of Food Sciences and Nutrition, 2004, 55, 227-236.	2.8	5