

# Richard Van Dyck

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12114889/publications.pdf>

Version: 2024-02-01

123  
papers

12,950  
citations

25034

57  
h-index

24258

110  
g-index

128  
all docs

128  
docs citations

128  
times ranked

11847  
citing authors

#	ARTICLE	IF	CITATIONS
1	Outpatient Psychotherapy for Borderline Personality Disorder. Archives of General Psychiatry, 2006, 63, 649.	12.3	1,062
2	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. International Journal of Methods in Psychiatric Research, 2008, 17, 121-140.	2.1	791
3	Major Depressive Disorder and Hypothalamic-Pituitary-Adrenal Axis Activity. Archives of General Psychiatry, 2009, 66, 617.	12.3	641
4	Anxiety and Depression in Later Life: Co-Occurrence and Communality of Risk Factors. American Journal of Psychiatry, 2000, 157, 89-95.	7.2	505
5	The Development and Psychometric Characteristics of the Somatoform Dissociation Questionnaire (SDQ-20). Journal of Nervous and Mental Disease, 1996, 184, 688-694.	1.0	460
6	Anxiety disorders in later life: a report from the longitudinal aging study Amsterdam. , 1998, 13, 717-726.		432
7	Frontal-Striatal Dysfunction During Planning in Obsessive-Compulsive Disorder. Archives of General Psychiatry, 2005, 62, 301.	12.3	351
8	Patients' preferences in the treatment of depressive disorder in primary care. General Hospital Psychiatry, 2004, 26, 184-189.	2.4	349
9	Cognitive therapy and exposure in vivo in the treatment of obsessive compulsive disorder. Behaviour Research and Therapy, 1995, 33, 379-390.	3.1	313
10	Association Between Major Depressive Disorder and Heart Rate Variability in the Netherlands Study of Depression and Anxiety (NESDA). Archives of General Psychiatry, 2008, 65, 1358.	12.3	306
11	Two-year course of depressive and anxiety disorders: Results from the Netherlands Study of Depression and Anxiety (NESDA). Journal of Affective Disorders, 2011, 133, 76-85.	4.1	278
12	Depression Is Associated With Decreased Blood Pressure, but Antidepressant Use Increases the Risk for Hypertension. Hypertension, 2009, 53, 631-638.	2.7	257
13	Salivary Cortisol Levels in Persons With and Without Different Anxiety Disorders. Psychosomatic Medicine, 2010, 72, 340-347.	2.0	238
14	Implementation of outpatient schema therapy for borderline personality disorder with versus without crisis support by the therapist outside office hours: A randomized trial. Behaviour Research and Therapy, 2009, 47, 961-973.	3.1	213
15	Frontostriatal system in planning complexity: a parametric functional magnetic resonance version of tower of london task. NeuroImage, 2003, 18, 367-374.	4.2	208
16	Degree of somatoform and psychological dissociation in dissociative disorder is correlated with reported trauma. Journal of Traumatic Stress, 1998, 11, 711-730.	1.8	184
17	Longitudinal Evidence for Unfavorable Effects of Antidepressants on Heart Rate Variability. Biological Psychiatry, 2010, 68, 861-868.	1.3	184
18	The dissociation questionnaire (DISQ): Development and characteristics of a new self-report questionnaire. Clinical Psychology and Psychotherapy, 1993, 1, 21-27.	2.7	179

#	ARTICLE	IF	CITATIONS
19	Cognitive and Behavioral Therapies Alone versus in Combination with Fluvoxamine in the Treatment of Obsessive Compulsive Disorder. <i>Journal of Nervous and Mental Disease</i> , 1998, 186, 492-499.	1.0	175
20	A Randomised Controlled Clinical Trial on the Additional Effect of Hypnosis in a Comprehensive Treatment Programme for In-Patients with Conversion Disorder of the Motor Type. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 66-76.	8.8	170
21	A patient-doctor relationship questionnaire (PDRQ-9) in primary care: development and psychometric evaluation. <i>General Hospital Psychiatry</i> , 2004, 26, 115-120.	2.4	164
22	Association between Anxiety Disorders and Heart Rate Variability in The Netherlands Study of Depression and Anxiety (NESDA). <i>Psychosomatic Medicine</i> , 2009, 71, 508-518.	2.0	164
23	Associations between sociodemographic, sampling and health factors and various salivary cortisol indicators in a large sample without psychopathology. <i>Psychoneuroendocrinology</i> , 2009, 34, 1109-1120.	2.7	159
24	Dissociative experiences and trauma in eating disorders. <i>International Journal of Eating Disorders</i> , 1993, 13, 187-193.	4.0	151
25	The therapeutic alliance in schema-focused therapy and transference-focused psychotherapy for borderline personality disorder.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 104-115.	2.0	150
26	Sociodemographic and psychiatric determinants of attrition in the Netherlands Study of Depression and Anxiety (NESDA). <i>Comprehensive Psychiatry</i> , 2012, 53, 63-70.	3.1	150
27	A Randomized Controlled Clinical Trial of a Hypnosis-Based Treatment for Patients with Conversion Disorder, Motor Type. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2003, 51, 29-50.	1.8	148
28	Glucocorticoids and Relapse of Major Depression (Dexamethasone/Corticotropin-Releasing Hormone) Tj ETQq0 0 0,rgBT /Overlock 10 Tf	1.3	148
29	Genome-wide association of major depression: description of samples for the GAIN Major Depressive Disorder Study: NTR and NESDA biobank projects. <i>European Journal of Human Genetics</i> , 2008, 16, 335-342.	2.8	145
30	Out-patient psychotherapy for borderline personality disorder: Cost-effectiveness of schema-focused therapy v. transference-focused psychotherapy. <i>British Journal of Psychiatry</i> , 2008, 192, 450-457.	2.8	142
31	Prevalence and Risk Factors of Posttraumatic Stress Disorder in Older Adults. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 333-342.	8.8	141
32	Randomised Controlled Trial of a Collaborative Care Model with Psychiatric Consultation for Persistent Medically Unexplained Symptoms in General Practice. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 282-289.	8.8	118
33	Salivary cortisol levels and the 2-year course of depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2013, 38, 1494-1502.	2.7	110
34	Interictal Depression, Anxiety, Personality Traits, and Psychological Dissociation in Patients with Temporal Lobe Epilepsy (TLE) and Extra-TLE. <i>Epilepsia</i> , 2006, 47, 2092-2103.	5.1	108
35	Prediction of treatment response by HPA-axis and glucocorticoid receptor polymorphisms in major depression. <i>Psychoneuroendocrinology</i> , 2006, 31, 1154-1163.	2.7	103
36	Stimulated Gene Expression Profiles as a Blood Marker of Major Depressive Disorder. <i>Biological Psychiatry</i> , 2010, 68, 179-186.	1.3	97

#	ARTICLE	IF	CITATIONS
37	On becoming depressed or anxious in late life: similar vulnerability factors but different effects of stressful life events. <i>British Journal of Psychiatry</i> , 2001, 179, 426-431.	2.8	95
38	Paroxetine, Clomipramine, and Cognitive Therapy in the Treatment of Panic Disorder. <i>Journal of Clinical Psychiatry</i> , 1999, 60, 831-838.	2.2	95
39	Psychometric Characteristics of the Somatoform Dissociation Questionnaire: A Replication Study<footref rid="foot01"> <sup>1</sup> </footref>. <i>Psychotherapy and Psychosomatics</i> , 1998, 67, 17-23.	8.8	93
40	Somatoform dissociative symptoms as related to animal defensive reactions to predatory imminence and injury.. <i>Journal of Abnormal Psychology</i> , 1998, 107, 63-73.	1.9	89
41	Thyroid and adrenal axis in major depression: a controlled study in outpatients. <i>European Journal of Endocrinology</i> , 2005, 152, 185-191.	3.7	88
42	Well-being, physical functioning, and use of health services in the elderly with PTSD and subthreshold PTSD. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 180-188.	2.7	88
43	Interpersonal Psychotherapy for Elderly Patients in Primary Care. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 777-786.	1.2	84
44	A Randomized, Controlled Trial of the Effectiveness of Cognitiveâ€Behavioral Therapy and Sertraline versus a Waitlist Control Group for Anxiety Disorders in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 255-263.	1.2	80
45	Measuring obsessive-compulsive symptoms: Padua Inventory-Revised vs. Yale-Brown Obsessive Compulsive Scale. <i>Journal of Anxiety Disorders</i> , 2009, 23, 830-835.	3.2	79
46	Parental history of depression or anxiety and the cortisol awakening response. <i>British Journal of Psychiatry</i> , 2010, 197, 180-185.	2.8	75
47	The Relationship between Dissociative Proneness and Alexithymia. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 104-111.	8.8	74
48	The Effectiveness of Anxiety Treatment on Alcohol-Dependent Patients with a Comorbid Phobic Disorder: A Randomized Controlled Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 794-800.	2.4	74
49	Follow-Up on the Treatment of Panic Disorder With or Without Agoraphobia. <i>Journal of Nervous and Mental Disease</i> , 1998, 186, 414-419.	1.0	74
50	Hypnotic Recall: A Positive Criterion in the Differential Diagnosis Between Epileptic and Pseudoepileptic Seizures. <i>Epilepsia</i> , 1999, 40, 485-491.	5.1	73
51	Neural correlates of enhanced working-memory performance in dissociative disorder: a functional MRI study. <i>Psychological Medicine</i> , 2007, 37, 235-245.	4.5	73
52	Dissociation in Temporal Lobe Epilepsy and Pseudo-Epileptic Seizure Patients. <i>Journal of Nervous and Mental Disease</i> , 1999, 187, 713-720.	1.0	69
53	Breathing retraining: A rational placebo?. <i>Clinical Psychology Review</i> , 1992, 12, 141-153.	11.4	65
54	Autogenic training and cognitive self-hypnosis for the treatment of recurrent headaches in three different subject groups. <i>Pain</i> , 1994, 58, 331-340.	4.2	65

#	ARTICLE	IF	CITATIONS
55	Somatoform Dissociation Discriminates Among Diagnostic Categories Over and Above General Psychopathology. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999, 33, 511-520.	2.3	65
56	Construction and psychometric characteristics of two self-report questionnaires for the assessment of fear of flying.. <i>Psychological Assessment</i> , 1999, 11, 146-158.	1.5	65
57	Directed forgetting between, but not within, dissociative personality states.. <i>Journal of Abnormal Psychology</i> , 2003, 112, 237-243.	1.9	65
58	Comorbid depression, but not comorbid anxiety disorders, predicts poor outcome in anxiety disorders. <i>Depression and Anxiety</i> , 2008, 25, 408-415.	4.1	61
59	Familial Clustering of Major Depression and Anxiety Disorders in Australian and Dutch Twins and Siblings. <i>Twin Research and Human Genetics</i> , 2005, 8, 609-615.	0.6	60
60	The effectiveness of long-term psychoanalytic psychotherapyâ€”A meta-analysis of randomized controlled trials. <i>Clinical Psychology Review</i> , 2012, 32, 81-92.	11.4	58
61	Neurophysiological correlates of increased verbal working memory in high-dissociative participants: a functional MRI study. <i>Psychological Medicine</i> , 2005, 35, 175-185.	4.5	55
62	Efficacy of self-help manuals for anxiety disorders in primary care: a systematic review. <i>Family Practice</i> , 2005, 22, 192-196.	1.9	55
63	Prediction of treatment discontinuation and recovery from Borderline Personality Disorder: Results from an RCT comparing Schema Therapy and Transference Focused Psychotherapy. <i>Behaviour Research and Therapy</i> , 2015, 74, 60-71.	3.1	55
64	Self-monitoring of panic attacks and retrospective estimates of panic: discordant findings. <i>Behaviour Research and Therapy</i> , 1992, 30, 411-413.	3.1	54
65	People who seek help for fear of flying: Typology of flying phobics. <i>Behavior Therapy</i> , 1997, 28, 237-251.	2.4	54
66	The Case for a Dissociative Interpretation of Pseudoepileptic Seizures. <i>Journal of Nervous and Mental Disease</i> , 1996, 184, 468-474.	1.0	53
67	Dissociative Style and Directed Forgetting. <i>Cognitive Therapy and Research</i> , 2000, 24, 279-295.	1.9	52
68	Combination Treatment for Acute Depression Is Superior Only when Psychotherapy Is Added to Medication. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 289-297.	8.8	52
69	Triiodothyronine Addition to Paroxetine in the Treatment of Major Depressive Disorder. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 6271-6276.	3.6	51
70	Hypnosis and autogenic training in the treatment of tension headaches: A two-phase constructive design study with follow-up. <i>Journal of Psychosomatic Research</i> , 1992, 36, 219-228.	2.6	48
71	Dissociative style and individual differences in verbal working memory span. <i>Consciousness and Cognition</i> , 2004, 13, 821-828.	1.5	46
72	The sensitivity to change of measures for obsessive-compulsive disorder. <i>Journal of Anxiety Disorders</i> , 1995, 9, 241-248.	3.2	44

#	ARTICLE	IF	CITATIONS
73	Autogenic training and self-hypnosis in the control of tension headache. <i>General Hospital Psychiatry</i> , 1992, 14, 408-415.	2.4	43
74	Depressive and anxiety disorders on-the-job: The importance of job characteristics for good work functioning in persons with depressive and anxiety disorders. <i>Psychiatry Research</i> , 2012, 200, 382-388.	3.3	42
75	Treatment of anxiety disorders in primary care practice: a randomised controlled trial. <i>British Journal of General Practice</i> , 2005, 55, 763-9.	1.4	41
76	Trauma and Dissociation in Conversion Disorder and Chronic Pelvic Pain. <i>International Journal of Psychiatry in Medicine</i> , 2004, 34, 305-318.	1.8	40
77	Attention as a characteristic of nonclinical dissociation: an event-related potential study. <i>NeuroImage</i> , 2003, 19, 376-390.	4.2	39
78	Administering the MADRS by telephone or face-to-face: a validity study. <i>Annals of General Psychiatry</i> , 2006, 5, 3.	2.7	39
79	Cognitive therapy versus moclobemide in social phobia: a controlled study. <i>Clinical Psychology and Psychotherapy</i> , 2001, 8, 263-273.	2.7	38
80	Clinical effectiveness of usual care with or without antidepressant medication for primary care patients with minor or mild-major depression: a randomized equivalence trial. <i>BMC Medicine</i> , 2007, 5, 36.	5.5	37
81	Long-term effectiveness and prediction of treatment outcome in cognitive behavioral therapy and sertraline for late-life anxiety disorders. <i>International Psychogeriatrics</i> , 2009, 21, 1148-1159.	1.0	35
82	Dissociative and Hypnotic Experiences in Eating Disorder Patients: An Exploratory Study. <i>American Journal of Clinical Hypnosis</i> , 1995, 38, 97-108.	0.6	32
83	Does Preference for lype of Treatment Matter?. <i>Behavior Modification</i> , 1997, 21, 172-186.	1.6	32
84	Multicomponent standardized treatment programs for fear of flying: Description and effectiveness. <i>Cognitive and Behavioral Practice</i> , 2002, 9, 138-149.	1.5	32
85	Cognitive Therapy by Allocation versus Cognitive Therapy by Preference in the Treatment of Panic Disorder. <i>Psychotherapy and Psychosomatics</i> , 2000, 69, 240-243.	8.8	31
86	DO COMORBID ANXIETY DISORDERS IN ALCOHOL-DEPENDENT PATIENTS NEED SPECIFIC TREATMENT TO PREVENT RELAPSE?. <i>Alcohol and Alcoholism</i> , 2003, 38, 255-262.	1.6	31
87	Do Automatic Self-Associations Relate to Suicidal Ideation?. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010, 32, 428-437.	1.2	30
88	COMORBID PHOBIC DISORDERS DO NOT INFLUENCE OUTCOME OF ALCOHOL DEPENDENCE TREATMENT. RESULTS OF A NATURALISTIC FOLLOW-UP STUDY. <i>Alcohol and Alcoholism</i> , 2006, 41, 168-173.	1.6	26
89	Which Panic Disorder Patients Benefit from Which Treatment: Cognitive Therapy or Antidepressants?. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 154-161.	8.8	25
90	Three controversies about dissociative identity disorder. , 1998, 5, 13-23.		24

#	ARTICLE	IF	CITATIONS
91	THE INFLUENCE ON TREATMENT GAIN OF COMORBID AVOIDANT PERSONALITY DISORDER IN PATIENTS WITH SOCIAL PHOBIA. <i>Journal of Nervous and Mental Disease</i> , 2002, 190, 41-43.	1.0	24
92	Locus of Control Orientation in Panic Disorder and the Differential Effects of Treatment. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 85-89.	8.8	23
93	The placebo response in social phobia. <i>Journal of Psychopharmacology</i> , 2001, 15, 199-203.	4.0	22
94	Behavioral assessment of avoidance in agoraphobia. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1991, 13, 285-300.	1.2	21
95	Respiratory Training Prior to Exposure <i>in vivo</i> in the Treatment of Panic Disorder with Agoraphobia: Efficacy and Predictors of Outcome. <i>Australian and New Zealand Journal of Psychiatry</i> , 1995, 29, 104-113.	2.3	21
96	Predictability, controllability, and fear of symptoms of anxiety in epinephrine-induced panic. <i>Biological Psychiatry</i> , 1998, 44, 1017-1026.	1.3	21
97	Implementation of outpatient schema therapy for borderline personality disorder: study design. <i>BMC Psychiatry</i> , 2009, 9, 64.	2.6	21
98	Thyrotropin, but not a polymorphism in type II deiodinase, predicts response to paroxetine in major depression. <i>European Journal of Endocrinology</i> , 2006, 154, 819-825.	3.7	18
99	Anxiety Disorders: Treatable regardless of the Severity of Comorbid Alcohol Dependence. <i>European Addiction Research</i> , 2007, 13, 109-115.	2.4	18
100	Three preparatory studies for promoting implementation of outpatient schema therapy for borderline personality disorder in general mental health care. <i>Behaviour Research and Therapy</i> , 2009, 47, 938-945.	3.1	18
101	Psychiatric Consultation for Somatizing Patients in the Family Practice Setting: A Feasibility Study. <i>International Journal of Psychiatry in Medicine</i> , 1996, 26, 223-239.	1.8	17
102	Negative words enhance recognition in nonclinical high dissociators: An fMRI study. <i>NeuroImage</i> , 2007, 37, 323-334.	4.2	17
103	Behavioral and cognitive group treatment for fear of flying: A randomized controlled trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2006, 37, 358-371.	1.2	16
104	Relevance of Assessment of Cognitions during Panic Attacks in the Treatment of Panic Disorder. <i>Psychotherapy and Psychosomatics</i> , 2002, 71, 158-161.	8.8	15
105	Interpersonal psychotherapy (IPT) for late-life depression in general practice: uptake and satisfaction by patients, therapists and physicians. <i>BMC Family Practice</i> , 2007, 8, 52.	2.9	15
106	Treatment of Depression in Patients from Ethnic Minority Groups in the Netherlands. <i>Transcultural Psychiatry</i> , 2010, 47, 473-490.	1.6	14
107	Epinephrine and fear of bodily sensations in panic disorder and social phobia. <i>Journal of Psychopharmacology</i> , 1996, 10, 259-265.	4.0	13
108	Assessing the clinical significance of outcome in agoraphobia research: A comparison of two approaches. <i>Behavior Therapy</i> , 1994, 25, 147-158.	2.4	12

#	ARTICLE	IF	CITATIONS
109	Hypnosis and Conversion Disorders. <i>American Journal of Psychotherapy</i> , 1989, 43, 480-493.	1.2	11
110	Goal attainment scaling: An idiosyncratic method to assess treatment effectiveness in agoraphobia. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1993, 15, 357-373.	1.2	11
111	Adrenaline and the relationship between neurosomaticism, aerobic fitness and mental task performance. <i>Biological Psychology</i> , 1993, 36, 157-181.	2.2	11
112	Dissociation and Traumatic Experiences in the General Population of the Netherlands. <i>Psychiatric Services</i> , 1993, 44, 786-788.	2.0	11
113	Personality pathology and cognitive-behavioral treatment of fear of flying. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2003, 34, 171-189.	1.2	11
114	On distinguishing types of panic. <i>Journal of Anxiety Disorders</i> , 1996, 10, 173-184.	3.2	6
115	Dissociatieve ervaringen bij Vlamingen en Nederlanders; een studie met de Dissociation Questionnaire (DISQ). <i>Dth</i> , 1993, 13, 27-36.	0.2	5
116	Cardiovascular, respiratory, and panic reactions to epinephrine in panic disorder patients. <i>Biological Psychiatry</i> , 1997, 41, 249-251.	1.3	4
117	Herinneringen aan traumatische ervaringen. <i>Dth</i> , 1998, 18, 59-76.	0.2	4
118	Treatment of Panic Disorder and/or Generalized Anxiety Disorder With A Guided Self-Help Manual. <i>Clinical Case Studies</i> , 2007, 6, 277-291.	0.8	4
119	Somatoforme dissociatie: Bijna vergeten, maar meetbaar aanwezig. <i>Dth</i> , 1998, 18, 43-58.	0.2	2
120	Hoe effectief zijn "evidence based" behandelingen voor paniekstoornis met agorafobie? "Evidence based" behandelingen voor paniekstoornis met agorafobie. <i>Dth</i> , 1999, 19, 19-28.	0.2	2
121	Fear of fear, trait anxiety and aerobic fitness in relation to state anxiety during adrenalin provocation. <i>Anxiety, Stress and Coping</i> , 1994, 7, 279-289.	2.9	1
122	Hyperventilatieprovocatie en ademhalingsoefeningen voorafgaande aan exposure in vivo bij de behandeling van patiënten met paniekstoornis met agorafobie. <i>Dth</i> , 1992, 12, 113-122.	0.2	0
123	Over het registreren van paniek door agorafobici. <i>Dth</i> , 1992, 12, 123-130.	0.2	0