## John A Wemmie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1212208/publications.pdf

Version: 2024-02-01

91 9,931 45
papers citations h-index

94 94 94 7117 all docs docs citations times ranked citing authors

88

g-index

#	Article	IF	CITATIONS
1	Neuroprotection in Ischemia. Cell, 2004, 118, 687-698.	28.9	948
2	The Acid-Activated Ion Channel ASIC Contributes to Synaptic Plasticity, Learning, and Memory. Neuron, 2002, 34, 463-477.	8.1	638
3	Acid-sensing ion channels in pain and disease. Nature Reviews Neuroscience, 2013, 14, 461-471.	10.2	510
4	Acid-sensing ion channels: advances, questions and therapeutic opportunities. Trends in Neurosciences, 2006, 29, 578-586.	<b>8.</b> 6	505
5	Acid-Sensing Ion Channel 1 Is Localized in Brain Regions with High Synaptic Density and Contributes to Fear Conditioning. Journal of Neuroscience, 2003, 23, 5496-5502.	3.6	415
6	Chronic hyperalgesia induced by repeated acid injections in muscle is abolished by the loss of ASIC3, but not ASIC1. Pain, 2003, 106, 229-239.	4.2	396
7	Acid-sensing ion channel-1 contributes to axonal degeneration in autoimmune inflammation of the central nervous system. Nature Medicine, 2007, 13, 1483-1489.	30.7	373
8	The Amygdala Is a Chemosensor that Detects Carbon Dioxide and Acidosis to Elicit Fear Behavior. Cell, 2009, 139, 1012-1021.	28.9	361
9	Heteromultimers of DEG/ENaC subunits form H+-gated channels in mouse sensory neurons. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 2338-2343.	7.1	336
10	Seizure termination by acidosis depends on ASIC1a. Nature Neuroscience, 2008, 11, 816-822.	14.8	325
11	Fear and panic in humans with bilateral amygdala damage. Nature Neuroscience, 2013, 16, 270-272.	14.8	256
12	Different contributions of ASIC channels 1a, 2, and 3 in gastrointestinal mechanosensory function. Gut, 2005, 54, 1408-1415.	12.1	246
13	Protons are a neurotransmitter that regulates synaptic plasticity in the lateral amygdala. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 8961-8966.	7.1	227
14	Acid-sensing Ion Channel 2 (ASIC2) Modulates ASIC1 H+-activated Currents in Hippocampal Neurons. Journal of Biological Chemistry, 2004, 279, 18296-18305.	3.4	204
15	Overexpression of acid-sensing ion channel 1a in transgenic mice increases acquired fear-related behavior. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 3621-3626.	7.1	199
16	Breathing Inhibited When Seizures Spread to the Amygdala and upon Amygdala Stimulation. Journal of Neuroscience, 2015, 35, 10281-10289.	3 <b>.</b> 6	180
17	Acid-sensing ion channel 1a is a postsynaptic proton receptor that affects the density of dendritic spines. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 16556-16561.	7.1	178
18	Acid-sensing ion channels contribute to synaptic transmission and inhibit cocaine-evoked plasticity. Nature Neuroscience, 2014, 17, 1083-1091.	14.8	176

#	Article	IF	CITATIONS
19	Subunit-Dependent High-Affinity Zinc Inhibition of Acid-Sensing Ion Channels. Journal of Neuroscience, 2004, 24, 8678-8689.	3.6	163
20	Role of Calcitonin Gene-Related Peptide in Light-Aversive Behavior: Implications for Migraine. Journal of Neuroscience, 2009, 29, 8798-8804.	3.6	160
21	Acid-Sensing Ion Channel-1a in the Amygdala, a Novel Therapeutic Target in Depression-Related Behavior. Journal of Neuroscience, 2009, 29, 5381-5388.	3.6	146
22	ASIC1 and ASIC3 Play Different Roles in the Development of Hyperalgesia After Inflammatory Muscle Injury. Journal of Pain, 2010, 11, 210-218.	1.4	144
23	The ion channel ASIC1 contributes to visceral but not cutaneous mechanoreceptor function. Gastroenterology, 2004, 127, 1739-1747.	1.3	138
24	Targeting ASIC1a Reduces Innate Fear and Alters Neuronal Activity in the Fear Circuit. Biological Psychiatry, 2007, 62, 1140-1148.	1.3	136
25	Detecting activity-evoked pH changes in human brain. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 8270-8273.	7.1	134
26	Mutations in Prickle Orthologs Cause Seizures in Flies, Mice, and Humans. American Journal of Human Genetics, 2011, 88, 138-149.	6.2	125
27	Stomatin Modulates Gating of Acid-sensing Ion Channels. Journal of Biological Chemistry, 2004, 279, 53886-53891.	3.4	120
28	Functional Correction of CNS Phenotypes in a Lysosomal Storage Disease Model Using Adeno-Associated Virus Type 4 Vectors. Journal of Neuroscience, 2005, 25, 9321-9327.	3.6	110
29	Interaction of the synaptic protein PICK1 (protein interacting with C kinase 1) with the non-voltage gated sodium channels BNC1 (brain Na+ channel 1) and ASIC (acid-sensing ion channel). Biochemical Journal, 2002, 361, 443-450.	3.7	98
30	The Saccharomyces cerevisiae AP-1 Protein Discriminates between Oxidative Stress Elicited by the Oxidants H2O2 and Diamide. Journal of Biological Chemistry, 1997, 272, 7908-7914.	3.4	97
31	Acidâ€sensing ion channel 1: A novel therapeutic target for migraine with aura. Annals of Neurology, 2012, 72, 559-563.	5.3	95
32	Interaction of the synaptic protein PICK1 (protein interacting with C kinase 1) with the non-voltage gated sodium channels BNC1 (brain Na+ channel 1) and ASIC (acid-sensing ion channel). Biochemical Journal, 2002, 361, 443.	3.7	86
33	cAMP-dependent protein kinase phosphorylation of the acid-sensing ion channel-1 regulates its binding to the protein interacting with C-kinase-1. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 2029-2034.	7.1	85
34	Localization and behaviors in null mice suggest that <scp>ASIC1</scp> and <scp>ASIC2</scp> modulate responses to aversive stimuli. Genes, Brain and Behavior, 2014, 13, 179-194.	2.2	83
35	ASIC3 and ASIC1 Mediate FMRFamide-Related Peptide Enhancement of H+-Gated Currents in Cultured Dorsal Root Ganglion Neurons. Journal of Neurophysiology, 2003, 89, 2459-2465.	1.8	82
36	Restoring Acid-Sensing Ion Channel-1a in the Amygdala of Knock-Out Mice Rescues Fear Memory But Not Unconditioned Fear Responses. Journal of Neuroscience, 2008, 28, 13738-13741.	3.6	79

#	Article	IF	CITATIONS
37	Disruption of the non-canonical Wnt gene PRICKLE2 leads to autism-like behaviors with evidence for hippocampal synaptic dysfunction. Molecular Psychiatry, 2013, 18, 1077-1089.	7.9	74
38	Amygdala volume correlates positively with fearfulness in normal healthy girls. Social Cognitive and Affective Neuroscience, 2010, 5, 424-431.	3.0	72
39	Oxidant regulated inter-subunit disulfide bond formation between ASIC1a subunits. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 3573-3578.	7.1	66
40	Acid-sensing ion channels: A new target for pain and CNS diseases. Current Opinion in Drug Discovery & Development, 2009, 12, 693-704.	1.9	62
41	Brain abnormalities in bipolar disorder detected by quantitative T1ϕmapping. Molecular Psychiatry, 2015, 20, 201-206.	7.9	61
42	Peripheral inflammation during abnormal mood states in bipolar I disorder. Journal of Affective Disorders, 2015, 187, 172-178.	4.1	60
43	The Bed Nucleus of the Stria Terminalis Is Critical for Anxiety-Related Behavior Evoked by CO2 and Acidosis. Journal of Neuroscience, 2014, 34, 10247-10255.	3 <b>.</b> 6	56
44	Neurobiology of panic and pH chemosensation in the brain. Dialogues in Clinical Neuroscience, 2011, 13, 475-483.	3.7	54
45	Impaired sensory processing measured by functional MRI in Bipolar disorder manic and depressed mood states. Brain Imaging and Behavior, 2018, 12, 837-847.	2.1	47
46	Mutational analysis of the Saccharomyces cerevisiae ATPâ€binding cassette transporter protein Ycf1p. Molecular Microbiology, 1997, 25, 683-694.	2.5	45
47	A human amygdala site that inhibits respiration and elicits apnea in pediatric epilepsy. JCI Insight, 2020, 5, .	5.0	45
48	Functional properties of an isolated .alphabeta. heterodimeric human placenta insulin-like growth factor 1 receptor complex. Biochemistry, 1988, 27, 3234-3242.	2.5	44
49	Regulator of Gâ€protein signaling 6 (RGS6) promotes anxiety and depression by attenuating serotoninâ€mediated activation of the 5â€HT <sub>1A</sub> receptorâ€adenylyl cyclase axis. FASEB Journal, 2014, 28, 1735-1744.	0.5	42
50	The Cytoskeletal Protein α-Actinin Regulates Acid-sensing Ion Channel 1a through a C-terminal Interaction. Journal of Biological Chemistry, 2009, 284, 2697-2705.	3.4	41
51	Impaired motor performance and learning in glia maturation factor-knockout mice. Brain Research, 2004, 1024, 225-232.	2.2	39
52	PRICKLE1 Interaction with SYNAPSIN I Reveals a Role in Autism Spectrum Disorders. PLoS ONE, 2013, 8, e80737.	2.5	39
53	ASIC1A in neurons is critical for fearâ€related behaviors. Genes, Brain and Behavior, 2017, 16, 745-755.	2.2	36
54	Extinction of Cocaine Seeking Requires a Window of Infralimbic Pyramidal Neuron Activity after Unreinforced Lever Presses. Journal of Neuroscience, 2017, 37, 6075-6086.	3.6	35

#	Article	IF	Citations
55	Alterations of the cerebellum and basal ganglia in bipolar disorder mood states detected by quantitative T1ϕmapping. Bipolar Disorders, 2018, 20, 381-390.	1.9	33
56	Acid-Sensing Ion Channels. Circulation Research, 2019, 125, 907-920.	4.5	29
57	Transient acidosis while retrieving a fear-related memory enhances its lability. ELife, 2017, 6, .	6.0	27
58	Maternal antioxidant blocks programmed cardiovascular and behavioural stress responses in adult mice. Clinical Science, 2011, 121, 427-436.	4.3	26
59	Expressing acidâ€sensing ion channel 3 in the brain alters acidâ€evoked currents and impairs fear conditioning. Genes, Brain and Behavior, 2011, 10, 444-450.	2.2	24
60	Attenuation of cocaine seeking in rats via enhancement of infralimbic cortical activity using stable step-function opsins. Psychopharmacology, 2019, 236, 479-490.	3.1	24
61	Neonatal Leptin Administration Alters Regional Brain Volumes and Blocks Neonatal Growth Restriction-Induced Behavioral and Cardiovascular Dysfunction in Male Mice. Pediatric Research, 2011, 69, 406-412.	2.3	21
62	Functional T1Ï-Imaging in Panic Disorder. Biological Psychiatry, 2014, 75, 884-891.	1.3	19
63	Acid-sensing ion channels 1a (ASIC1a) inhibit neuromuscular transmission in female mice. American Journal of Physiology - Cell Physiology, 2014, 306, C396-C406.	4.6	19
64	Stereotactic Atlas-Based Depth Electrode Localization in the Human Amygdala. Stereotactic and Functional Neurosurgery, 2009, 87, 219-228.	1.5	18
65	Quantitative T1ï•mapping links the cerebellum and lithium use in bipolar disorder. Molecular Psychiatry, 2015, 20, 149-149.	7.9	17
66	Tlï•imaging in premanifest Huntington disease reveals changes associated with disease progression. Movement Disorders, 2015, 30, 1107-1114.	3.9	16
67	Loss of tau and Fyn reduces compensatory effects of MAP2 for tau and reveals a Fynâ€independent effect of tau on calcium. Journal of Neuroscience Research, 2019, 97, 1393-1413.	2.9	13
68	Stimulation of Posterior Thalamic Nuclei Induces Photophobic Behavior in Mice. Headache, 2020, 60, 1961-1981.	3.9	13
69	Overexpression of ASIC1A in the nucleus accumbens of rats potentiates cocaineâ€seeking behavior. Addiction Biology, 2020, 25, e12690.	2.6	12
70	Acid-Sensing Ion Channels (ASICs) and pH in Synapse Physiology. , 2008, , 661-681.		11
71	Eccentricity Mapping of the Human Visual Cortex to Evaluate Temporal Dynamics of Functional <i>T</i> <sub>1k/sub&gt; Mapping. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 1213-1219.</sub>	4.3	11
72	The amygdala differentially regulates defensive behaviors evoked by CO2. Behavioural Brain Research, 2020, 377, 112236.	2.2	10

#	Article	IF	Citations
73	R1Ï•sensitivity to pH and other compounds at clinically accessible spinâ€lock fields in the presence of proteins. NMR in Biomedicine, 2020, 33, e4217.	2.8	10
74	Drug Abuse and the Simplest Neurotransmitter. ACS Chemical Neuroscience, 2014, 5, 746-748.	3.5	9
75	ASIC1A in the bed nucleus of the stria terminalis mediates TMT-evoked freezing. Frontiers in Neuroscience, 2015, 9, 239.	2.8	9
76	Relationship altered between functional T1ϕand <scp>BOLD</scp> signals in bipolar disorder. Brain and Behavior, 2017, 7, e00802.	2.2	9
77	Evaluation of activity-dependent functional pH and T1ϕresponse in the visual cortex. NeuroImage, 2014, 95, 336-343.	4.2	8
78	A mouse model of Bardet-Biedl Syndrome has impaired fear memory, which is rescued by lithium treatment. PLoS Genetics, 2021, 17, e1009484.	3.5	8
79	Distinct patterns of altered quantitative TIϕand functional BOLD response associated with history of suicide attempts in bipolar disorder. Brain Imaging and Behavior, 2021, , 1.	2.1	8
80	Metabolic abnormalities in the basal ganglia and cerebellum in bipolar disorder: A multi-modal MR study. Journal of Affective Disorders, 2022, 301, 390-399.	4.1	8
81	The non-canonical Wnt ligand Wnt5a rescues morphological deficits in Prickle2-deficient hippocampal neurons. Molecular Psychiatry, 2013, 18, 1049-1049.	7.9	7
82	Ca2+-Binding Protein 1 Regulates Hippocampal-dependent Memory and Synaptic Plasticity. Neuroscience, 2018, 380, 90-102.	2.3	7
83	Rapid acquisition strategy for functional T1ϕmapping of the brain. Magnetic Resonance Imaging, 2014, 32, 1067-1077.	1.8	6
84	Proton Exchange Magnetic Resonance Imaging: Current and Future Applications in Psychiatric Research. Frontiers in Psychiatry, 2020, 11, 532606.	2.6	6
85	A novel role for acidâ€sensing ion channels in Pavlovian reward conditioning. Genes, Brain and Behavior, 2019, 18, e12531.	2.2	5
86	Histologic examination of the eye of acid-sensing ion channel 1a knockout mice. International Journal of Physiology, Pathophysiology and Pharmacology, 2010, 2, 69-72.	0.8	5
87	Comparison of T <sub>1</sub> Rho MRI, Glucose Metabolism, and Amyloid Burden Across the Cognitive Spectrum: A Pilot Study. Journal of Neuropsychiatry and Clinical Neurosciences, 2020, 32, 352-361.	1.8	4
88	Post-acquisition CO2 Inhalation Enhances Fear Memory and Depends on ASIC1A. Frontiers in Behavioral Neuroscience, 2021, 15, 767426.	2.0	2
89	Population Shape Collapse in Large Deformation Registration of MR Brain Images. , 2016, , .		1
90	Posterior Fossa Sub-Arachnoid Cysts Observed in Patients with Bipolar Disorder: a Retrospective Cohort Study. Cerebellum, 2022, , .	2.5	1

# ARTICLE IF CITATIONS

91 Moderate Intensity Exercise in Pre-manifest Huntington's Disease: Results of a 6 months Trial.. , 2021, 2, o