Martin von Arx

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1212822/publications.pdf

Version: 2024-02-01

840776 1199594 12 464 11 12 citations h-index g-index papers 13 13 13 510 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Floral Odors Can Interfere With the Foraging Behavior of Parasitoids Searching for Hosts. Frontiers in Ecology and Evolution, 2020, 8, .	2.2	17
2	The Combined Use of an Attractive and a Repellent Sex Pheromonal Component by a Gregarious Parasitoid. Journal of Chemical Ecology, 2019, 45, 559-569.	1.8	15
3	Diversity and distribution of microbial communities in floral nectar of two night-blooming plants of the Sonoran Desert. PLoS ONE, 2019, 14, e0225309.	2.5	23
4	Diel rhythms and sex differences in the locomotor activity of hawkmoths. Journal of Experimental Biology, 2017, 220, 1472-1480.	1.7	21
5	Dual fitness benefits of post-mating sugar meals for female hawkmoths (Hyles lineata). Journal of Insect Physiology, 2013, 59, 458-465.	2.0	14
6	The effect of ambient humidity on the foraging behavior of the hawkmoth Manduca sexta. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2013, 199, 1053-1063.	1.6	36
7	Floral humidity and other indicators of energy rewards in pollination biology. Communicative and Integrative Biology, 2013, 6, e22750.	1.4	29
8	Floral humidity as a reliable sensory cue for profitability assessment by nectar-foraging hawkmoths. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9471-9476.	7.1	113
9	Plant Volatiles Enhance Behavioral Responses of Grapevine Moth Males, Lobesia botrana to Sex Pheromone. Journal of Chemical Ecology, 2012, 38, 222-225.	1.8	63
10	Host plant volatiles induce oriented flight behaviour in male European grapevine moths, Lobesia botrana. Journal of Insect Physiology, 2011, 57, 1323-1331.	2.0	53
11	Identification of hostâ€plant chemical stimuli for the European grape berry moth <i>Eupoecilia ambiguella</i>). Physiological Entomology, 2011, 36, 101-110.	1.5	12
12	Host plant volatiles serve to increase the response of male European grape berry moths, Eupoecilia ambiguella, to their sex pheromone. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2009, 195, 853-864.	1.6	65