

Jonathan G Scammell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12139679/publications.pdf>

Version: 2024-02-01

44
papers

1,868
citations

471509

17
h-index

330143

37
g-index

44
all docs

44
docs citations

44
times ranked

1771
citing authors

#	ARTICLE	IF	CITATIONS
1	FAK Activation Promotes SMC Dedifferentiation via Increased DNA Methylation in Contractile Genes. <i>Circulation Research</i> , 2021, 129, e215-e233.	4.5	12
2	S100A6 is a positive regulator of PPP5Câ€FKBP51â€dependent regulation of endothelial calcium signaling. <i>FASEB Journal</i> , 2020, 34, 3179-3196.	0.5	13
3	The Role of S100A6 in Calciumâ€Induced Endothelial Barrier Disruption. <i>FASEB Journal</i> , 2019, 33, 845.5.	0.5	0
4	Serine/threonine phosphatase 5 (PP5C/PPP5C) regulates the ISOC channel through a PP5Câ€FKBP51 axis. <i>Pulmonary Circulation</i> , 2018, 8, 1-12.	1.7	9
5	Protective role of FKBP51â€in calcium entryâ€induced endothelial barrier disruption. <i>Pulmonary Circulation</i> , 2018, 8, 1-15.	1.7	6
6	The Role of S100A6 in the PP5Câ€FKBP51â€Mediated Inhibition of Endothelial Isoc. <i>FASEB Journal</i> , 2018, 32, .	0.5	0
7	Regulation of store-operated calcium entry by FK506-binding immunophilins. <i>Cell Calcium</i> , 2013, 53, 275-285.	2.4	16
8	The chaperone heat shock protein 90 (Hsp90) participates in the endothelial store operated calcium entry heterocomplex. <i>FASEB Journal</i> , 2013, 27, 724.4.	0.5	2
9	Membrane localization of FK506â€binding proteins FKBP51 and FKBP52, immunophilins that are part of the endothelial storeâ€operated calcium entry heterocomplex. <i>FASEB Journal</i> , 2012, 26, 1130.7.	0.5	0
10	Organization and function of the FKBP52 and FKBP51 genes. <i>Current Opinion in Pharmacology</i> , 2011, 11, 308-313.	3.5	63
11	Regulation and distribution of squirrel monkey chorionic gonadotropin and secretogranin II in the pituitary. <i>General and Comparative Endocrinology</i> , 2011, 170, 509-513.	1.8	3
12	Tissue-specific expression of squirrel monkey chorionic gonadotropin. <i>General and Comparative Endocrinology</i> , 2011, 170, 514-521.	1.8	3
13	Proximal and distal Egrâ€1 sites mediate GnRHâ€responsiveness of the squirrel monkey chorionic gonadotropin Î²â€subunit promoter in LÎ²T2 cells. <i>FASEB Journal</i> , 2009, 23, 598.20.	0.5	0
14	Molecular cloning of pituitary glycoprotein Î±-subunit and follicle stimulating hormone and chorionic gonadotropin Î²-subunits from New World squirrel monkey and owl monkey. <i>General and Comparative Endocrinology</i> , 2008, 155, 534-541.	1.8	18
15	Increased production of 11beta-hydroxysteroid dehydrogenase type 2 in the kidney microsomes of squirrel monkeys (<i>Saimiri</i> spp.). <i>Comparative Medicine</i> , 2008, 58, 180-7.	1.0	1
16	Androgen resistance in squirrel monkeys (<i>Saimiri</i> spp.). <i>Comparative Medicine</i> , 2008, 58, 381-8.	1.0	6
17	Glucocorticoid resistance in squirrel monkeys results from a combination of a transcriptionally incompetent glucocorticoid receptor and overexpression of the glucocorticoid receptor co-chaperone FKBP51. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2006, 100, 34-41.	2.5	80
18	Androgen insensitivity in squirrel monkeys. <i>FASEB Journal</i> , 2006, 20, .	0.5	0

#	ARTICLE	IF	CITATIONS
19	Ovarian stimulation of squirrel monkeys (<i>Saimiri boliviensis boliviensis</i>) using pregnant mare serum gonadotropin. <i>Comparative Medicine</i> , 2006, 56, 12-6.	1.0	4
20	Cortisol metabolism in the Bolivian squirrel monkey (<i>Saimiri boliviensis boliviensis</i>). <i>Comparative Medicine</i> , 2006, 56, 128-35.	1.0	7
21	Structure-Function Analysis of Squirrel Monkey FK506-Binding Protein 51, a Potent Inhibitor of Glucocorticoid Receptor Activity. <i>Endocrinology</i> , 2005, 146, 3194-3201.	2.8	62
22	Intronic hormone response elements mediate regulation of FKBP5 by progestins and glucocorticoids. <i>Cell Stress and Chaperones</i> , 2004, 9, 243.	2.9	168
23	INCREASED ACTIVITY OF THE CALCINEURIN-NUCLEAR FACTOR OF ACTIVATED T CELLS PATHWAY IN SQUIRREL MONKEY B-LYMPHOBLASTS IDENTIFIED BY POWERBLOT. In <i>Vitro Cellular and Developmental Biology - Animal</i> , 2004, 40, 57.	1.5	8
24	Organization of the human FK506-binding immunophilin FKBP52 protein gene (FKBP4). <i>Genomics</i> , 2003, 81, 640-643.	2.9	21
25	Structure of the large FK506-binding protein FKBP51, an Hsp90-binding protein and a component of steroid receptor complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 868-873.	7.1	227
26	The FK506-Binding Immunophilin FKBP51 Is Transcriptionally Regulated by Progestin and Attenuates Progestin Responsiveness. <i>Endocrinology</i> , 2003, 144, 2380-2387.	2.8	145
27	A KIDNEY EPITHELIAL CELL LINE FROM A BOLIVIAN SQUIRREL MONKEY. In <i>Vitro Cellular and Developmental Biology - Animal</i> , 2002, 38, 258.	1.5	10
28	Overexpression of the FK506-Binding Immunophilin FKBP51 Is the Common Cause of Glucocorticoid Resistance in Three New World Primates. <i>General and Comparative Endocrinology</i> , 2001, 124, 152-165.	1.8	218
29	Identification of an Estrogen-inducible Phosphatase (PP5) That Converts MCF-7 Human Breast Carcinoma Cells into an Estrogen-independent Phenotype when Expressed Constitutively. <i>Journal of Biological Chemistry</i> , 2001, 276, 27638-27646.	3.4	49
30	Squirrel Monkey Immunophilin FKBP51 Is a Potent Inhibitor of Glucocorticoid Receptor Binding. <i>Endocrinology</i> , 2000, 141, 4107-4113.	2.8	266
31	Isolation and characterization of the human secretogranin II gene promoter. <i>Molecular Brain Research</i> , 2000, 75, 8-15.	2.3	14
32	Squirrel Monkey Immunophilin FKBP51 Is a Potent Inhibitor of Glucocorticoid Receptor Binding. <i>Endocrinology</i> , 2000, 141, 4107-4113.	2.8	66
33	Ser/Thr Protein Phosphatase Type 5 (PP5) Is a Negative Regulator of Glucocorticoid Receptor-Mediated Growth Arrest. <i>Biochemistry</i> , 1999, 38, 8849-8857.	2.5	121
34	The cAMP-response element mediates induction of secretogranin II by CHX and FSK in GH ₄ C ₁ cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 274, E656-E664.	3.5	2
35	Cloning and Expression of the Glucocorticoid Receptor from the Squirrel Monkey (<i>Saimiri boliviensis</i>) Tj ETQq1 1 0.784314 rgBT /Overdo 1997, 82, 465-472.	3.6	35
36	Epidermal Growth Factor Reduces L-Type Voltage-Activated Calcium Current Density in GH ₄ C ₁ Rat Pituitary Cells. <i>Neuroendocrinology</i> , 1997, 65, 157-163.	2.5	7

#	ARTICLE	IF	CITATIONS
37	Regulation of secretogranin II mRNA in rat neuronal cultures. <i>Molecular Brain Research</i> , 1995, 33, 326-332.	2.3	25
38	Granins markers of the regulated secretory pathway. <i>Trends in Endocrinology and Metabolism</i> , 1993, 4, 14-18.	7.1	16
39	Differential regulation of chromogranin B/secretogranin I and secretogranin II by forskolin in PC12 cells. <i>Molecular Brain Research</i> , 1992, 12, 195-202.	2.3	33
40	A monoclonal antibody which inhibits the biological activity of rat prolactin, but not prolactin from other species. <i>Molecular and Cellular Endocrinology</i> , 1990, 71, 125-131.	3.2	7
41	Hormonal Induction of a Heterogeneous Population of Storage Granules in GH4C1 Pituitary Tumor Cells. <i>Annals of the New York Academy of Sciences</i> , 1987, 493, 66-69.	3.8	0
42	Hormonal Induction of Secretory Granules in a Pituitary Tumor Cell Line*. <i>Endocrinology</i> , 1986, 119, 1543-1548.	2.8	104
43	Cysteamine Causes Reduction of Prolactin Monomers Followed by Aggregation in the Rat Pituitary Gland*. <i>Endocrinology</i> , 1985, 116, 2347-2354.	2.8	19
44	Pharmacodynamics and Pharmacokinetics of Gonadotrophins. , 0, , 228-234.		2