

# Yu-Zhong Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1214127/publications.pdf>

Version: 2024-02-01

648  
papers

31,995  
citations

3933

88  
h-index

15266

126  
g-index

650  
all docs

650  
docs citations

650  
times ranked

17706  
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis and characterization of poly(p-dioxanone)-based degradable copolymers with enhanced thermal and hydrolytic stabilities. <i>Chinese Chemical Letters</i> , 2022, 33, 2151-2154.	9.0	13
2	Simultaneous toughening and strengthening of chitin-based composites via tensile-induced orientation and hydrogen bond reconstruction. <i>Carbohydrate Polymers</i> , 2022, 275, 118713.	10.2	5
3	Flame-Retardant multifunctional epoxy resin with high performances. <i>Chemical Engineering Journal</i> , 2022, 427, 132031.	12.7	106
4	Trinity effect of potassium sulfonate-benzimidazole towards self-intumescent flame-retarded polyester with low fire hazards. <i>Chemical Engineering Journal</i> , 2022, 429, 132121.	12.7	13
5	Bio-inspired non-iridescent structural coloration enabled by self-assembled cellulose nanocrystal composite films with balanced ordered/disordered arrays. <i>Composites Part B: Engineering</i> , 2022, 229, 109456.	12.0	18
6	Multicycling of Epoxy Thermoset Through a Two-Step Strategy of Alcoholysis and Hydrolysis using a Self-Separating Catalysis System. <i>ChemSusChem</i> , 2022, 15, .	6.8	15
7	Benzaldehyde decorated octadecylamine for tailor-made molecular firefighting and efficient thermal energy management. <i>Chemical Engineering Journal</i> , 2022, 431, 133480.	12.7	4
8	Multiscale shape-memory effects in a dynamic polymer network for synchronous changes in color and shape. <i>Applied Materials Today</i> , 2022, 26, 101276.	4.3	8
9	Advanced Flame-Retardant Methods for Polymeric Materials. <i>Advanced Materials</i> , 2022, 34, e2107905.	21.0	209
10	Chemical recovery of thermosetting unsaturated polyester resins. <i>Green Chemistry</i> , 2022, 24, 701-712.	9.0	29
11	Boosting safety and performance of lithium-ion battery enabled by cooperation of thermotolerant fire-retardant composite membrane and nonflammable electrolyte. <i>Chemical Engineering Journal</i> , 2022, 432, 134394.	12.7	21
12	From trash to treasure: Chemical recycling and upcycling of commodity plastic waste to fuels, high-valued chemicals and advanced materials. <i>Journal of Energy Chemistry</i> , 2022, 69, 369-388.	12.9	91
13	Epoxy/iron alginate composites with improved fire resistance, smoke suppression and mechanical properties. <i>Journal of Materials Science</i> , 2022, 57, 2567-2583.	3.7	58
14	Recyclable, malleable and intrinsically flame-retardant epoxy resin with catalytic transesterification. <i>Chemosphere</i> , 2022, 294, 133778.	8.2	48
15	Cosolvent-promoted selective non-aqueous hydrolysis of PET wastes and facile product separation. <i>Green Chemistry</i> , 2022, 24, 3284-3292.	9.0	21
16	Hierarchical Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> @ZnO Hollow Spheres with Excellent Microwave Absorption Inspired by the Visual Phenomenon of Eyeless Urchins. <i>Nano-Micro Letters</i> , 2022, 14, 76.	27.0	99
17	Photonic Cellulose Films with Vivid Structural Colors: Fabrication and Selectively Chemical Response. <i>Biomacromolecules</i> , 2022, 23, 1662-1671.	5.4	17
18	Controlled synthesis and closed-loop chemical recycling of biodegradable copolymers with composition-dependent properties. <i>Science China Chemistry</i> , 2022, 65, 943-953.	8.2	17

#	ARTICLE	IF	CITATIONS
19	Bio-Based Flame-Retardant and Smoke-Suppressing Wood Plastic Composites Enabled by Phytic Acid Tyramine Salt. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 5055-5066.	6.7	35
20	A cellulose nanocrystal templating approach to synthesize size-controlled gold nanoparticles with high catalytic activity. <i>International Journal of Biological Macromolecules</i> , 2022, 209, 464-471.	7.5	7
21	Aromatic Schiff Base-Based polymeric phase change materials for Safe, Leak-Free, and efficient thermal energy management. <i>Chemical Engineering Journal</i> , 2022, 437, 135461.	12.7	16
22	A green, durable and effective flame-retardant coating for expandable polystyrene foams. <i>Chemical Engineering Journal</i> , 2022, 440, 135807.	12.7	68
23	Facile fabrication of intrinsically fire-safety epoxy resin cured with phosphorus-containing transition metal complexes for flame retardation, smoke suppression, and latent curing behavior. <i>Chemical Engineering Journal</i> , 2022, 442, 136097.	12.7	32
24	A bio-based epoxy resin derived from p-hydroxycinnamic acid with high mechanical properties and flame retardancy. <i>Chinese Chemical Letters</i> , 2022, 33, 4912-4917.	9.0	28
25	Recovery and Reutilization of Epoxy Thermoset via Acidic Ion Exchange Resin-Induced Controllable Oxidative Degradation and Subsequent Microspheroidization. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 5582-5589.	6.7	10
26	Bio-based nickel alginate toward improving fire safety and mechanical properties of epoxy resin. <i>Polymer Degradation and Stability</i> , 2022, 200, 109945.	5.8	15
27	Flame-retardation of thermoplastic polyesters via cyclotetramerization from phthalonitrile to phthalocyanine: Pyrolysis processes and fire behaviour. <i>Polymer Degradation and Stability</i> , 2022, 200, 109939.	5.8	5
28	Durable macromolecular firefighting for unsaturated polyester via integrating synergistic charring and hydrogen bond. <i>Chemical Engineering Journal</i> , 2022, 443, 136365.	12.7	27
29	Integration of upcycling and closed-loop recycling through alternative cyclization-depolymerization. <i>Green Chemistry</i> , 2022, 24, 4490-4497.	9.0	16
30	4D Printing of a Fully Biobased Shape Memory Copolyester via a UV-Assisted FDM Strategy. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 6304-6312.	6.7	14
31	Porous carbon/Fe composites from waste fabric for high-efficiency electromagnetic wave absorption. <i>Journal of Materials Science and Technology</i> , 2022, 126, 266-274.	10.7	51
32	Piperazine/Alkene-Containing Phosphoramidate Oligomer for the Intumescent Flame Retardation of EPDM Rubber. <i>Polymer Degradation and Stability</i> , 2022, 201, 109990.	5.8	10
33	Durable flame-retardant cotton fabrics with tannic acid complexed by various metal ions. <i>Polymer Degradation and Stability</i> , 2022, 201, 109997.	5.8	35
34	An Effective Green Porous Structural Adhesive for Thermal Insulating, Flame-Retardant, and Smoke-Suppressant Expandable Polystyrene Foam. <i>Engineering</i> , 2022, 17, 151-160.	6.7	23
35	Recyclable strong and tough polyamide adhesives via noncovalent interactions combined with Energy-Dissipating soft segments. <i>Chemical Engineering Journal</i> , 2022, 446, 137304.	12.7	13
36	A confined-etching strategy for intrinsic anisotropic surface wetting patterning. <i>Nature Communications</i> , 2022, 13, .	12.8	14

#	ARTICLE	IF	CITATIONS
37	Ultra-high fire-safety unsaturated polyesters enabled by self-assembled micro/nano rod from Schiff base, diphenylphosphinyl group and nickel (II) metal. <i>Composites Part B: Engineering</i> , 2022, 242, 110032.	12.0	19
38	A sponge heated by electromagnetic induction and solar energy for quick, efficient, and safe cleanup of high-viscosity crude oil spills. <i>Journal of Hazardous Materials</i> , 2022, 436, 129272.	12.4	15
39	Flame-retardant nanocoating towards high-efficiency suppression of smoke and toxic gases for polymer foam. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 159, 107021.	7.6	11
40	Effect of Self-Nucleation and Stress-Induced Crystallization on the Tunable Two-Way Shape-Memory Effect of a Semicrystalline Network. <i>Macromolecules</i> , 2022, 55, 5104-5114.	4.8	16
41	A Surface Diffusion Barrier Strategy toward Water-Resistant Photonic Materials for Accurate Detection of Ethanol. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 30352-30361.	8.0	12
42	Eco-friendly and durable flame-retardant coating for cotton fabrics based on dynamic coordination of Ca <sup>2+</sup> -tannin acid. <i>Progress in Organic Coatings</i> , 2022, 170, 106964.	3.9	9
43	Multifunctional protective aerogel with superelasticity over $\sim 196$ to $500$ $^{\circ}\text{C}$ . <i>Nano Research</i> , 2022, 15, 7797-7805.	10.4	39
44	A multifunctional coating towards superhydrophobicity, flame retardancy and antibacterial performances. <i>Chemical Engineering Journal</i> , 2022, 450, 138031.	12.7	10
45	Structural and electronic engineering towards high-efficiency metal-free electrocatalysts for boosting oxygen evolution. <i>Chemical Engineering Journal</i> , 2022, 450, 138063.	12.7	7
46	Multiple functional materials from crushing waste thermosetting resins. <i>Materials Horizons</i> , 2021, 8, 234-243.	12.2	28
47	A Self-supporting, Surface Carbonized Filter Paper Membrane for Efficient Water-in-Oil Emulsion Separation. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2021, 39, 181-188.	3.8	5
48	Fully bio-based, low fire-hazard and superelastic aerogel without hazardous cross-linkers for excellent thermal insulation and oil clean-up absorption. <i>Journal of Hazardous Materials</i> , 2021, 403, 123977.	12.4	75
49	Flame-responsive aryl ether nitrile structure towards multiple fire hazards suppression of thermoplastic polyester. <i>Journal of Hazardous Materials</i> , 2021, 403, 123714.	12.4	38
50	Superhydrophobic magnetic hollow carbon microspheres with hierarchical micro/nano-structure for ultrafast and highly-efficient multitasking oil-water separation. <i>Carbon</i> , 2021, 174, 70-78.	10.3	23
51	Toward strong and super-toughened PLA via incorporating a novel fully bio-based copolyester containing cyclic sugar. <i>Composites Part B: Engineering</i> , 2021, 207, 108558.	12.0	23
52	Development of polylactic acid-based materials with highly and balanced mechanical performances via incorporating a furan ring-containing unsaturated copolyester. <i>Composites Communications</i> , 2021, 23, 100543.	6.3	6
53	Superamphiphobic and flame-retardant coatings with highly chemical and mechanical robustness. <i>Chemical Engineering Journal</i> , 2021, 421, 127793.	12.7	37
54	A titanium dioxide-carbon nanotube hybrid to simultaneously achieve the mechanical enhancement of natural rubber and its stability under extreme frictional conditions. <i>Materials Advances</i> , 2021, 2, 2408-2418.	5.4	4

#	ARTICLE	IF	CITATIONS
55	Ultrafast, cost-effective and scaled-up recycling of aramid products into aramid nanofibers: mechanism, upcycling, closed-loop recycling. <i>Green Chemistry</i> , 2021, 23, 7646-7658.	9.0	30
56	A solar evaporator based on hollow polydopamine nanotubes with all-in-one synergic design for highly-efficient water purification. <i>Journal of Materials Chemistry A</i> , 2021, 9, 15776-15786.	10.3	39
57	Controlling Cross-Linking Networks with Different Imidazole Accelerators toward High-Performance Epoxidized Soybean Oil-Based Thermosets. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 3267-3277.	6.7	28
58	Fully Bio-Based Phytic Acidâ€“Basic Amino Acid Salt for Flame-Retardant Polypropylene. <i>ACS Applied Polymer Materials</i> , 2021, 3, 1488-1498.	4.4	50
59	High-fire-safety thermoplastic polyester constructed by novel sulfonate with benzimidazole structure. <i>Science China Materials</i> , 2021, 64, 2067-2080.	6.3	14
60	Intelligently Thermoresponsive Ionic Liquid toward Molecular Firefighting and Thermal Energy Management. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 15680-15689.	8.0	6
61	Multifunctional Photothermal Conversion Nanocoatings Toward Highly Efficient and Safe High-Viscosity Oil Cleanup Absorption. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 11948-11957.	8.0	46
62	Thermally induced end-group-capturing as an eco-friendly and general method for enhancing the fire safety of semi-aromatic polyesters. <i>Polymer</i> , 2021, 218, 123430.	3.8	13
63	Eco-friendly synergistic cross-linking flame-retardant strategy with smoke and melt-dripping suppression for condensation polymers. <i>Composites Part B: Engineering</i> , 2021, 211, 108664.	12.0	29
64	Targeted Copolymerization in Amorphous Regions for Constructing Crystallizable Functionalized Copolymers. <i>Macromolecules</i> , 2021, 54, 4412-4422.	4.8	7
65	Construction of durable eco-friendly biomass-based flame-retardant coating for cotton fabrics. <i>Chemical Engineering Journal</i> , 2021, 410, 128361.	12.7	142
66	High strength, low flammability, and smoke suppression for epoxy thermoset enabled by a low-loading phosphorus-nitrogen-silicon compound. <i>Composites Part B: Engineering</i> , 2021, 211, 108640.	12.0	80
67	Reduction of PVA Aerogel Flammability by Incorporation of an Alkaline Catalyst. <i>Gels</i> , 2021, 7, 57.	4.5	4
68	Recycling waste thermosetting unsaturated polyester resins into oligomers for preparing amphiphilic aerogels. <i>Waste Management</i> , 2021, 126, 89-96.	7.4	16
69	Ultralow-density carbon foam composites with bean-like Co-embedded carbon nanotube whiskers towards high-performance microwave absorption. <i>Journal of Alloys and Compounds</i> , 2021, 863, 158090.	5.5	30
70	Multifunctional Flame-Retardant Melamine-Based Hybrid Foam for Infrared Stealth, Thermal Insulation, and Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 26505-26514.	8.0	94
71	Semi-aromatic polyamides containing fluorenyl pendent toward excellent thermal stability, mechanical properties and dielectric performance. <i>Polymer</i> , 2021, 224, 123757.	3.8	19
72	Biomimetic construction peanut-leaf structure on ammonium polyphosphate surface: Improving its compatibility with poly(lactic acid) and flame-retardant efficiency simultaneously. <i>Chemical Engineering Journal</i> , 2021, 412, 128737.	12.7	51

#	ARTICLE	IF	CITATIONS
73	Highly efficient flame retardation of polyester fabrics via novel DOPO-modified sol-gel coatings. <i>Polymer</i> , 2021, 226, 123761.	3.8	25
74	Temperature-Responsive Intumescent Chemistry toward Fire Resistance and Super Thermal Insulation under Extremely Harsh Conditions. <i>Chemistry of Materials</i> , 2021, 33, 6018-6028.	6.7	51
75	Novel polyamide 6 composites based on Schiff-base containing phosphonate oligomer: High flame retardancy, great processability and mechanical property. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 146, 106423.	7.6	45
76	Flame-retarded thermoplastic polyurethane elastomer: From organic materials to nanocomposites and new prospects. <i>Chemical Engineering Journal</i> , 2021, 417, 129314.	12.7	80
77	Rapid Synthesis of Polymer-Grafted Cellulose Nanofiber Nanocomposite via Surface-Initiated Cu(O)-Mediated Reversible Deactivation Radical Polymerization. <i>Macromolecules</i> , 2021, 54, 7409-7420.	4.8	10
78	Effect of Bio-Based Cobalt Alginate on the Fire Safety and Mechanical Properties for Epoxy Resin. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2100466.	3.6	17
79	Hypophosphite tailored graphitized hierarchical porous biochar toward highly efficient solar thermal energy harvesting and stable Storage/Release. <i>Chemical Engineering Journal</i> , 2021, 420, 129942.	12.7	24
80	Small change, big impact: Simply tailoring the substitution position towards significant improvement of flame retardancy. <i>Composites Part B: Engineering</i> , 2021, 223, 109109.	12.0	13
81	Growing MoO <sub>3</sub> -doped WO <sub>3</sub> nanoflakes on rGO aerogel sheets towards superior microwave absorption. <i>Carbon</i> , 2021, 183, 205-215.	10.3	61
82	A Quadruple-Biomimetic surface for spontaneous and efficient fog harvesting. <i>Chemical Engineering Journal</i> , 2021, 422, 130119.	12.7	63
83	Fully biomass-based aerogels with ultrahigh mechanical modulus, enhanced flame retardancy, and great thermal insulation applications. <i>Composites Part B: Engineering</i> , 2021, 225, 109309.	12.0	75
84	Highly efficient, transparent, and environment-friendly flame-retardant coating for cotton fabric. <i>Chemical Engineering Journal</i> , 2021, 424, 130556.	12.7	117
85	Toughening of Polylactide with High Tensile Strength via Constructing an Integrative Physical Crosslinking Network Based on Ionic Interactions. <i>Macromolecules</i> , 2021, 54, 291-301.	4.8	38
86	Low Loading of Tannic Acid-Functionalized WS <sub>2</sub> Nanosheets for Robust Epoxy Nanocomposites. <i>ACS Applied Nano Materials</i> , 2021, 4, 10419-10429.	5.0	15
87	Ultralight Biomass Aerogels with Multifunctionality and Superelasticity Under Extreme Conditions. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 59231-59242.	8.0	32
88	From a body temperature-triggered reversible shape-memory material to high-sensitive bionic soft actuators. <i>Applied Materials Today</i> , 2020, 18, 100463.	4.3	29
89	Fast microwave-assisted hydrolysis of unsaturated polyester resin into column packing for rapid purifying of dye wastewater. <i>Journal of Hazardous Materials</i> , 2020, 384, 121465.	12.4	18
90	A novel phosphorus-containing semi-aromatic polyester toward flame retardancy and enhanced mechanical properties of epoxy resin. <i>Chemical Engineering Journal</i> , 2020, 380, 122471.	12.7	110

#	ARTICLE	IF	CITATIONS
91	A novel inherently flame-retardant thermoplastic polyamide elastomer. <i>Chemical Engineering Journal</i> , 2020, 379, 122278.	12.7	40
92	A superhydrophobic coating to create multi-functional materials with mechanical/chemical/physical robustness. <i>Chemical Engineering Journal</i> , 2020, 381, 122539.	12.7	41
93	Bioinspired fabrication of asymmetric wood materials for directional liquid manipulation and transport. <i>Chemical Engineering Journal</i> , 2020, 383, 123168.	12.7	32
94	Strong and Tough Polylactic Acid Based Composites Enabled by Simultaneous Reinforcement and Interfacial Compatibilization of Microfibrillated Cellulose. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 1573-1582.	6.7	78
95	Novel phosphorus-containing imidazolium as hardener for epoxy resin aiming at controllable latent curing behavior and flame retardancy. <i>Composites Part B: Engineering</i> , 2020, 184, 107673.	12.0	87
96	How Hydrogen Bond Interactions Affect the Flame Retardancy and Anti-Dripping Performances of PET. <i>Macromolecular Materials and Engineering</i> , 2020, 305, 1900661.	3.6	24
97	Epoxy resin composites reinforced and fire-retarded by surficially-treated carbon fibers via a tunable and facile process. <i>Composites Science and Technology</i> , 2020, 187, 107945.	7.8	43
98	Hot-pressing welded composite membrane for separating oil-in-water emulsion with high structural stability. <i>Composites Part B: Engineering</i> , 2020, 202, 108449.	12.0	11
99	Porous carbon materials for microwave absorption. <i>Materials Advances</i> , 2020, 1, 2631-2645.	5.4	60
100	Green Fabrication of High-Performance Chitin Nanowhiskers/PVA Composite Films with a Brick-and-Mortar Structure. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 17807-17815.	6.7	18
101	Unique two-way free-standing thermo- and photo-responsive shape memory azobenzene-containing polyurethane liquid crystal network. <i>Science China Materials</i> , 2020, 63, 2590-2598.	6.3	20
102	A highly-effective ionic liquid flame retardant towards fire-safety waterborne polyurethane (WPU) with excellent comprehensive performance. <i>Polymer</i> , 2020, 205, 122780.	3.8	29
103	Novel alkynyl-containing phosphonate ester oligomer with high charring capability as flame retardant additive for thermoplastic polyurethane. <i>Composites Part B: Engineering</i> , 2020, 199, 108315.	12.0	45
104	Fully Bio-Based Pressure-Sensitive Adhesives with High Adhesivity Derived from Epoxidized Soybean Oil and Rosin Acid. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 13261-13270.	6.7	39
105	An ultralow-temperature superelastic polymer aerogel with high strength as a great thermal insulator under extreme conditions. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18698-18706.	10.3	49
106	High-Efficiency Hydrolysis of Thermosetting Polyester Resins into Porous Functional Materials Using Low-Boiling Aqueous Solvents. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 16010-16019.	6.7	14
107	Porous CoNi nanoalloy@N-doped carbon nanotube composite clusters with ultra-strong microwave absorption at a low filler loading. <i>Journal of Materials Chemistry C</i> , 2020, 8, 13712-13722.	5.5	58
108	Chameleon-Inspired Variable Coloration Enabled by a Highly Flexible Photonic Cellulose Film. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 46710-46718.	8.0	68

#	ARTICLE	IF	CITATIONS
109	Highly Flame-Retardant Liquid Crystalline Polymers. <i>Polymers and Polymeric Composites</i> , 2020, , 549-575.	0.6	0
110	Flexible Photonic Cellulose Nanocrystal Films as a Platform with Multisensing Functions. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 18484-18491.	6.7	38
111	Banana Leaflike C-Doped MoS <sub>2</sub> Aerogels toward Excellent Microwave Absorption Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 26301-26312.	8.0	100
112	Double-cross-linked aerogels towards ultrahigh mechanical properties and thermal insulation at extreme environment. <i>Chemical Engineering Journal</i> , 2020, 399, 125698.	12.7	68
113	Synergy effect between quaternary phosphonium ionic liquid and ammonium polyphosphate toward flame retardant PLA with improved toughness. <i>Composites Part B: Engineering</i> , 2020, 197, 108192.	12.0	87
114	4D printing of shape memory aliphatic copolyester via UV-assisted FDM strategy for medical protective devices. <i>Chemical Engineering Journal</i> , 2020, 396, 125242.	12.7	79
115	Adaptable Strategy to Fabricate Self-Healable and Reprocessable Poly(thiourethane-urethane) Elastomers via Reversible Thiol-Isocyanate Click Chemistry. <i>Macromolecules</i> , 2020, 53, 4284-4293.	4.8	80
116	A dimensional stable hydrogel-born foam with enhanced mechanical and thermal insulation and fire-retarding properties via fast microwave foaming. <i>Chemical Engineering Journal</i> , 2020, 399, 125781.	12.7	27
117	Nanoflake-Constructed Supramolecular Hierarchical Porous Microspheres for Fire-Safety and Highly Efficient Thermal Energy Storage. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 28700-28710.	8.0	25
118	Highly-efficient, Rapid and continuous separation of surfactant-stabilized Oil/Water emulsions by selective under-liquid adhering emulsified droplets. <i>Journal of Hazardous Materials</i> , 2020, 400, 123132.	12.4	28
119	Flame Retardation of Natural Rubber: Strategy and Recent Progress. <i>Polymers</i> , 2020, 12, 429.	4.5	35
120	Fe <sub>3</sub> O <sub>4</sub> Nanoparticle/N-Doped Carbon Hierarchically Hollow Microspheres for Broadband and High-Performance Microwave Absorption at an Ultralow Filler Loading. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 18952-18963.	8.0	79
121	Novel piperazine-containing oligomer as flame retardant and crystallization induction additive for thermoplastics polyurethane. <i>Chemical Engineering Journal</i> , 2020, 400, 125941.	12.7	81
122	Recycling waste epoxy resin as hydrophobic coating of melamine foam for high-efficiency oil absorption. <i>Applied Surface Science</i> , 2020, 529, 147151.	6.1	44
123	<i>In situ</i> phthalocyanine synthesis chemistry in flames towards molecular fireproof engineering. <i>Chemical Communications</i> , 2020, 56, 9525-9528.	4.1	11
124	A Bioinspired Slippery Surface with Stable Lubricant Impregnation for Efficient Water Harvesting. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 12373-12381.	8.0	68
125	Carbon fiber-based polymer composite via ceramization toward excellent electromagnetic interference shielding performance and high temperature resistance. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020, 131, 105769.	7.6	30
126	A facile and efficient flame-retardant and smoke-suppressant resin coating for expanded polystyrene foams. <i>Composites Part B: Engineering</i> , 2020, 185, 107797.	12.0	70



#	ARTICLE	IF	CITATIONS
127	Energy-Efficient Conversion of Amine-Cured Epoxy Resins into Functional Chemicals Based on Swelling-Induced Nanopores. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 2226-2235.	6.7	35
128	Fire hazards management for polymeric materials via synergy effects of pyrolysates-fixation and aromatized-charring. <i>Journal of Hazardous Materials</i> , 2020, 389, 122040.	12.4	29
129	A high-strength and healable shape memory supramolecular polymer based on pyrene-naphthalene diimide complexes. <i>Polymer</i> , 2020, 190, 122228.	3.8	10
130	Tuning the Pendent Groups of Semiaromatic Polyamides toward High Performance. <i>Macromolecules</i> , 2020, 53, 3504-3513.	4.8	9
131	Multifunctional interlayer with simultaneously capturing and catalytically converting polysulfides for boosting safety and performance of lithium-sulfur batteries at high-low temperatures. <i>Journal of Energy Chemistry</i> , 2020, 50, 248-259.	12.9	35
132	Phosphorus-containing organic-inorganic hybrid nanoparticles for the smoke suppression and flame retardancy of thermoplastic polyurethane. <i>Polymer Degradation and Stability</i> , 2020, 178, 109179.	5.8	40
133	Polyurethane networks based on disulfide bonds: from tunable multi-shape memory effects to simultaneous self-healing. <i>Science China Materials</i> , 2019, 62, 437-447.	6.3	60
134	Poly(ionic liquid)-Based Hybrid Hierarchical Free-Standing Electrolytes with Enhanced Ion Transport and Fire Retardancy Towards Long-Cycle-Life and Safe Lithium Batteries. <i>ChemElectroChem</i> , 2019, 6, 3674-3683.	3.4	22
135	A Bifunctional Alginate-Based Composite Hydrogel with Synergistic Pollutant Adsorption and Photocatalytic Degradation Performance. <i>Industrial &amp; Engineering Chemistry Research</i> , 2019, 58, 13133-13144.	3.7	37
136	Dual effect of dynamic vulcanization of biobased unsaturated polyester: Simultaneously enhance the toughness and fire safety of Poly(lactic acid). <i>Composites Part B: Engineering</i> , 2019, 175, 107069.	12.0	33
137	Hybrid Nanorods Composed of Titanium, Silicon, and Organophosphorus as Additives for Flame-Retardant Polycarbonate. <i>ACS Applied Nano Materials</i> , 2019, 2, 4859-4868.	5.0	24
138	Toughening Epoxy Resin Using a Liquid Crystalline Elastomer for Versatile Application. <i>ACS Applied Polymer Materials</i> , 2019, 1, 2291-2301.	4.4	32
139	One-step preparation of poly(ionic liquid)-based flexible electrolytes by in-situ polymerization for dendrite-free lithium ion batteries. <i>Chemical Engineering Journal</i> , 2019, 375, 122062.	12.7	47
140	Thiazolium as Single-Group Bifunctional Catalyst for Selectively Bulk Melt ROP of Cyclic Esters. <i>ChemCatChem</i> , 2019, 11, 3388-3392.	3.7	6
141	Novel Ultrathin Layered Double Hydroxide Nanosheets with In Situ Formed Oxidized Phosphorus as Anions for Simultaneous Fire Resistance and Mechanical Enhancement of Thermoplastic Polyurethane. <i>ACS Applied Polymer Materials</i> , 2019, 1, 1979-1990.	4.4	24
142	NIR light manipulated "paper art" for customizing devices with sophisticated structure from DA-epoxy/graphene composites. <i>Composites Part B: Engineering</i> , 2019, 177, 107369.	12.0	6
143	Simultaneously enhance both the flame retardancy and toughness of polylactic acid by the cooperation of intumescent flame retardant and bio-based unsaturated polyester. <i>Polymer Degradation and Stability</i> , 2019, 168, 108961.	5.8	31
144	Highly-efficient separation of oil and water enabled by a silica nanoparticle coating with pH-triggered tunable surface wettability. <i>Journal of Colloid and Interface Science</i> , 2019, 557, 65-75.	9.4	49

#	ARTICLE	IF	CITATIONS
145	Design of Healable Shape-Memory Materials from Dynamic Interactions. <i>Materials Today: Proceedings</i> , 2019, 16, 1502-1506.	1.8	2
146	Photo-cross-linking of Anthracene as a Versatile Strategy to Design Shape Memory Polymers. <i>Materials Today: Proceedings</i> , 2019, 16, 1524-1530.	1.8	6
147	Ultralight Three-Dimensional Hierarchical Cobalt Nanocrystals/N-Doped CNTs/Carbon Sponge Composites with a Hollow Skeleton toward Superior Microwave Absorption. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 35987-35998.	8.0	140
148	Self-complementary hydrogen-bond interactions of guanosine: a hub for constructing supra-amphiphilic polymers with controlled molecular structure and aggregate morphology. <i>Soft Matter</i> , 2019, 15, 102-108.	2.7	2
149	Flexible and electro-induced shape memory Poly(Lactic Acid)-based material constructed by inserting a main-chain liquid crystalline and selective localization of carbon nanotubes. <i>Composites Science and Technology</i> , 2019, 173, 1-6.	7.8	30
150	Simultaneously Improved Flame Retardance and Ceramifiable Properties of Polymer-Based Composites via the Formed Crystalline Phase at High Temperature. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 7459-7471.	8.0	60
151	Poly(ethylene-co-vinyl acetate)/graphene shape-memory actuator with a cyclic thermal/light dual-sensitive capacity. <i>Composites Science and Technology</i> , 2019, 173, 41-46.	7.8	23
152	A novel bio-based flame retardant for polypropylene from phytic acid. <i>Polymer Degradation and Stability</i> , 2019, 161, 298-308.	5.8	138
153	Ultralight CoNi/rGO aerogels toward excellent microwave absorption at ultrathin thickness. <i>Journal of Materials Chemistry C</i> , 2019, 7, 441-448.	5.5	238
154	3D printable robust shape memory PET copolyesters with fire safety $\pi$ -stacking and synergistic crosslinking. <i>Journal of Materials Chemistry A</i> , 2019, 7, 17037-17045.	10.3	69
155	Ultrahigh-Temperature Insulating and Fire-Resistant Aerogels from Cationic Amylopectin and Clay via a Facile Route. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 11582-11592.	6.7	62
156	Electrostatic action induced interfacial accumulation of layered double hydroxides towards highly efficient flame retardance and mechanical enhancement of thermoplastic polyurethane/ammonium polyphosphate. <i>Polymer Degradation and Stability</i> , 2019, 165, 126-136.	5.8	76
157	Rheological premonitory of nanoclay morphology on the mechanical characteristics of composite aerogels. <i>Composites Part B: Engineering</i> , 2019, 173, 106889.	12.0	11
158	A green and facile way to prepare methylcellulose-based porous polymer electrolytes with high lithium-ion conductivity. <i>Polymer</i> , 2019, 176, 256-263.	3.8	13
159	Semi-aromatic copolyesters with high strength and fire safety via hydrogen bonds and $\pi$ - $\pi$ stacking. <i>Chemical Engineering Journal</i> , 2019, 374, 694-705.	12.7	63
160	On controlling aerogel microstructure by freeze casting. <i>Composites Part B: Engineering</i> , 2019, 173, 107036.	12.0	56
161	Novel amino glycerin decorated ammonium polyphosphate for the highly-efficient intumescent flame retardance of wood flour/polypropylene composite via simultaneous interfacial and bulk charring. <i>Composites Part B: Engineering</i> , 2019, 172, 636-648.	12.0	53
162	From waste epoxy resins to efficient oil/water separation materials via a microwave assisted pore-forming strategy. <i>Materials Horizons</i> , 2019, 6, 1733-1739.	12.2	43

#	ARTICLE	IF	CITATIONS
163	Fabrication of Shape-Memory Aerogel Based on Chitosan/Poly(ethylene glycol) Diacrylate Semi-Interpenetrating Networks via a Facile and Eco-Friendly Strategy. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1900169.	3.6	6
164	Single-walled carbon nanotubes as adaptable one-dimensional crosslinker to bridge multi-responsive shape memory network via $\pi$ - $\pi$ stacking. <i>Composites Communications</i> , 2019, 14, 48-54.	6.3	13
165	Fire-Safe Polyesters Enabled by End-Group Capturing Chemistry. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 9188-9193.	13.8	72
166	Photo-cross-linking: A powerful and versatile strategy to develop shape-memory polymers. <i>Progress in Polymer Science</i> , 2019, 95, 32-64.	24.7	91
167	Fire-Safe Polyesters Enabled by End-Group Capturing Chemistry. <i>Angewandte Chemie</i> , 2019, 131, 9286-9291.	2.0	2
168	A fully bio-based composite coating with mechanical robustness and dual superlyophobicity for efficient two-way oil/water separation. <i>Journal of Colloid and Interface Science</i> , 2019, 549, 123-132.	9.4	17
169	Effects of Sodium Montmorillonite on the Preparation and Properties of Cellulose Aerogels. <i>Polymers</i> , 2019, 11, 415.	4.5	19
170	Hierarchically porous SiO <sub>2</sub> /polyurethane foam composites towards excellent thermal insulating, flame-retardant and smoke-suppressant performances. <i>Journal of Hazardous Materials</i> , 2019, 375, 61-69.	12.4	103
171	A fast and mild closed-loop recycling of anhydride-cured epoxy through microwave-assisted catalytic degradation by trifunctional amine and subsequent reuse without separation. <i>Green Chemistry</i> , 2019, 21, 2487-2493.	9.0	75
172	A robust self-healing polyurethane elastomer: From H-bonds and stacking interactions to well-defined microphase morphology. <i>Science China Materials</i> , 2019, 62, 1188-1198.	6.3	83
173	Constructing hierarchically hydrophilic/superhydrophobic ZIF-8 pattern on soy protein towards a biomimetic efficient water harvesting material. <i>Chemical Engineering Journal</i> , 2019, 369, 1040-1048.	12.7	81
174	From shape and color memory PCL network to access high security anti-counterfeit material. <i>Polymer</i> , 2019, 172, 52-57.	3.8	16
175	Autofluorescence of hydrogels without a fluorophore. <i>Soft Matter</i> , 2019, 15, 3588-3594.	2.7	25
176	Synergistic catalysis of binary alkalis for the recycling of unsaturated polyester under mild conditions. <i>Green Chemistry</i> , 2019, 21, 3006-3012.	9.0	31
177	Heterogeneous catalysts based on built-in N-heterocyclic carbenes with high removability, recoverability and reusability for ring-opening polymerization of cyclic esters. <i>Polymer Chemistry</i> , 2019, 10, 1526-1536.	3.9	9
178	Ultra-strong mechanical property and force-driven malleability of water-poor hydrogels. <i>Journal of Colloid and Interface Science</i> , 2019, 542, 281-288.	9.4	9
179	Porous gel materials from waste thermosetting unsaturated polyester for high-efficiency wastewater treatment. <i>Chemical Engineering Journal</i> , 2019, 361, 21-30.	12.7	39
180	Controlling Self-Assembly of Cellulose Nanocrystal to Synergistically Regulate (001) Reactive Facets and Hierarchical Pore Structure of Anatase Nano-TiO <sub>2</sub> for High Photocatalytic Activity. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 1973-1979.	6.7	10

#	ARTICLE	IF	CITATIONS
181	Polyurethane foams with functionalized graphene towards high fire-resistance, low smoke release, superior thermal insulation. <i>Chemical Engineering Journal</i> , 2019, 361, 1245-1254.	12.7	83
182	Metal-phenolic networks: A biobased synergist for EVA/APP composites toward enhanced thermal stability and flame retardancy. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47243.	2.6	10
183	Bioinspired Color Changing Molecular Sensor toward Early Fire Detection Based on Transformation of Phthalonitrile to Phthalocyanine. <i>Advanced Functional Materials</i> , 2019, 29, 1806586.	14.9	86
184	Highly Flame-Retardant Liquid Crystalline Polymers. , 2019, , 1-27.		0
185	Persistently flame-retardant flexible polyurethane foams by a novel phosphorus-containing polyol. <i>Chemical Engineering Journal</i> , 2018, 343, 198-206.	12.7	143
186	Latent curing epoxy system with excellent thermal stability, flame retardance and dielectric property. <i>Chemical Engineering Journal</i> , 2018, 347, 223-232.	12.7	181
187	Tough and flame-retardant poly(lactic acid) composites prepared via reactive blending with biobased ammonium phytate and in situ formed crosslinked polyurethane. <i>Composites Communications</i> , 2018, 8, 52-57.	6.3	62
188	Nickel-Schiff base decorated graphene for simultaneously enhancing the electroconductivity, fire resistance, and mechanical properties of a polyurethane elastomer. <i>Journal of Materials Chemistry A</i> , 2018, 6, 8643-8654.	10.3	78
189	A Fascinating Metallo-Supramolecular Polymer Network with Thermal/Magnetic/Light-Responsive Shape-Memory Effects Anchored by Fe <sub>3</sub> O <sub>4</sub> Nanoparticles. <i>Macromolecules</i> , 2018, 51, 705-715.	4.8	109
190	Biomimetic Optical Cellulose Nanocrystal Films with Controllable Iridescent Color and Environmental Stimuli-Responsive Chromism. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 5805-5811.	8.0	135
191	Novel dual superlyophobic materials in water-oil systems: under oil magneto-fluid transportation and oil-water separation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 2935-2941.	10.3	57
192	Durability, anti-corrosion and self-clean in air/oil of a transparent superhydrophobic polyimide film. <i>Applied Materials Today</i> , 2018, 10, 18-23.	4.3	21
193	A novel and feasible approach for one-pack flame-retardant epoxy resin with long pot life and fast curing. <i>Chemical Engineering Journal</i> , 2018, 337, 30-39.	12.7	212
194	Reusable and Recyclable Superhydrophilic Electrospun Nanofibrous Membranes with In Situ Co-cross-linked Polymer-Chitin Nanowhisker Network for Robust Oil-in-Water Emulsion Separation. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 1753-1762.	6.7	62
195	Highly thermostable and durably flame-retardant unsaturated polyester modified by a novel polymeric flame retardant containing Schiff base and spirocyclic structures. <i>Chemical Engineering Journal</i> , 2018, 344, 419-430.	12.7	113
196	Reinforcement of shape-memory poly(ethylene-co-vinyl acetate) by carbon fibre to access robust recovery capability under resistant condition. <i>Composites Science and Technology</i> , 2018, 157, 202-208.	7.8	44
197	Regulating the crystallizing and rheological behaviors of poly(butylene succinate) by incorporating novel macromolecular ionomers. <i>Journal of Applied Polymer Science</i> , 2018, 135, 45545.	2.6	2
198	Self-assembly of stearic acid into nano flowers induces the tunable surface wettability of polyimide film. <i>Materials and Design</i> , 2018, 138, 30-38.	7.0	26

#	ARTICLE	IF	CITATIONS
199	Thermally stable and flame-retardant poly(vinyl alcohol)/montmorillonite aerogel via a facile heat treatment. <i>Chinese Chemical Letters</i> , 2018, 29, 433-436.	9.0	31
200	New application for aromatic Schiff base: High efficient flame-retardant and anti-dripping action for polyesters. <i>Chemical Engineering Journal</i> , 2018, 336, 622-632.	12.7	228
201	From Fragility to Flexibility: Construction of Hydrogel Bridges toward a Flexible Multifunctional Free-standing CaCO <sub>3</sub> Film. <i>Advanced Functional Materials</i> , 2018, 28, 1704956.	14.9	53
202	A hybrid flame retardant for semi-aromatic polyamide: Unique structure towards self-compatibilization and flame retardation. <i>Chemical Engineering Journal</i> , 2018, 334, 1046-1054.	12.7	37
203	Biomass-derived Co@crystalline carbon@carbon aerogel composite with enhanced thermal stability and strong microwave absorption performance. <i>Journal of Alloys and Compounds</i> , 2018, 736, 71-79.	5.5	88
204	Integrating shape-memory technology and photo-imaging on a polymer platform for a high-security information storage medium. <i>Journal of Materials Chemistry C</i> , 2018, 6, 10422-10427.	5.5	24
205	Orthogonal construction of dual dynamic covalent linkages toward an AND logic-gate acid-/salt-responsive block copolymer. <i>Polymer</i> , 2018, 159, 32-38.	3.8	0
206	Simultaneously Porous Structure and Chemical Anchor: A Multifunctional Composite by One-Step Mechanochemical Strategy toward High-Performance and Safe Lithium-Sulfur Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 41359-41369.	8.0	12
207	Desert Beetle-Inspired Superhydrophilic/Superhydrophobic Patterned Cellulose Film with Efficient Water Collection and Antibacterial Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 14679-14684.	6.7	85
208	Inherently flame-retardant rigid polyurethane foams with excellent thermal insulation and mechanical properties. <i>Polymer</i> , 2018, 153, 616-625.	3.8	113
209	Mechanically strong and tough hydrogels with excellent anti-fatigue, self-healing and reprocessing performance enabled by dynamic metal-coordination chemistry. <i>Polymer</i> , 2018, 153, 637-642.	3.8	32
210	A reactive phosphorus-containing polyol incorporated into flexible polyurethane foam: Self-extinguishing behavior and mechanism. <i>Polymer Degradation and Stability</i> , 2018, 153, 192-200.	5.8	59
211	Highly effective flame retarded polystyrene by synergistic effects between expandable graphite and aluminum hypophosphite. <i>Polymer Degradation and Stability</i> , 2018, 154, 1-9.	5.8	69
212	Improving fire retardancy of ceramifiable polyolefin system via a hybrid of zinc borate@melamine cyanurate. <i>Polymer Degradation and Stability</i> , 2018, 153, 325-332.	5.8	37
213	Strong and tough fully physically crosslinked double network hydrogels with tunable mechanics and high self-healing performance. <i>Chemical Engineering Journal</i> , 2018, 349, 588-594.	12.7	163
214	Epoxidized soybean oil cured with tannic acid for fully bio-based epoxy resin. <i>RSC Advances</i> , 2018, 8, 26948-26958.	3.6	86
215	Layer-by-layer assembled flame-retardant architecture toward high-performance carbon fiber composite. <i>Chemical Engineering Journal</i> , 2018, 353, 550-558.	12.7	88
216	Effect of biphenyl biimide structure on the thermal stability, flame retardancy and pyrolysis behavior of PET. <i>Polymer Degradation and Stability</i> , 2018, 155, 162-172.	5.8	18

#	ARTICLE	IF	CITATIONS
217	Novel Core-Shell Hybrid Nanosphere towards the Mechanical Enhancement and Fire Retardance of Polycarbonate. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 28036-28050.	8.0	54
218	Cellulose Aerogels: Synthesis, Applications, and Prospects. <i>Polymers</i> , 2018, 10, 623.	4.5	311
219	Continuous and controlled directional water transportation on a hydrophobic/superhydrophobic patterned surface. <i>Chemical Engineering Journal</i> , 2018, 352, 722-729.	12.7	53
220	Toward Super-Tough Poly(lactide) via Constructing Pseudo-Cross-link Network in Toughening Phase Anchored by Stereocomplex Crystallites at the Interface. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 26594-26603.	8.0	41
221	Full-Biobased Nanofiber Membranes toward Decontamination of Wastewater Containing Multiple Pollutants. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 11783-11792.	6.7	59
222	Dendritic crystallization and morphology control of random poly(p-dioxanone-co-butylene-co-succinate) copolyesters. <i>European Polymer Journal</i> , 2018, 108, 76-84.	5.4	12
223	Flame-retardant and smoke-suppressant flexible polyurethane foams based on reactive phosphorus-containing polyol and expandable graphite. <i>Journal of Hazardous Materials</i> , 2018, 360, 651-660.	12.4	139
224	Physio- and chemo-dual crosslinking toward thermo and photo-response of azobenzene-containing liquid crystalline polyester. <i>Science China Materials</i> , 2018, 61, 1225-1236.	6.3	12
225	Novel phosphorus-containing halogen-free ionic liquid toward fire safety epoxy resin with well-balanced comprehensive performance. <i>Chemical Engineering Journal</i> , 2018, 354, 208-219.	12.7	178
226	Carbon Fibers Decorated by Polyelectrolyte Complexes Toward Their Epoxy Resin Composites with High Fire Safety. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2018, 36, 1375-1384.	3.8	54
227	Tailoring Schiff base cross-linking by cyano group toward excellent flame retardancy, anti-dripping and smoke suppression of PET. <i>Polymer</i> , 2018, 153, 78-85.	3.8	40
228	Strategy for Constructing Shape-Memory Dynamic Networks through Charge-Transfer Interactions. <i>ACS Macro Letters</i> , 2018, 7, 705-710.	4.8	19
229	A novel organic-inorganic hybrid SiO <sub>2</sub> @DPP for the fire retardance of polycarbonate. <i>Polymer Degradation and Stability</i> , 2018, 154, 177-185.	5.8	51
230	Structure, morphology, and properties of LDPE/sepiolite nanofiber nanocomposite. <i>Polymers for Advanced Technologies</i> , 2017, 28, 958-964.	3.2	9
231	One-step enzymatic synthesis of poly(p-dioxanone-co-butylene-co-succinate) copolyesters with well-defined structure and enhanced degradability. <i>Polymer</i> , 2017, 111, 107-114.	3.8	8
232	Modes of action of a mono-component intumescent flame retardant MAPP in polyethylene-octene elastomer. <i>Polymer Degradation and Stability</i> , 2017, 138, 142-150.	5.8	22
233	Highly Flame Retardant Expanded Polystyrene Foams from Phosphorus-Nitrogen-Silicon Synergistic Adhesives. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 4649-4658.	3.7	87
234	Bi-DOPO Structure Flame Retardants with or without Reactive Group: Their Effects on Thermal Stability and Flammability of Unsaturated Polyester. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 5913-5924.	3.7	65

#	ARTICLE	IF	CITATIONS
235	Pure copper phosphate nanostructures with controlled growth: a versatile support for enzyme immobilization. <i>CrystEngComm</i> , 2017, 19, 2996-3002.	2.6	40
236	Development of Copper Phosphate Nanoflowers on Soy Protein toward a Superhydrophobic and Self-Cleaning Film. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 869-875.	6.7	65
237	Novel Polymer Aerogel toward High Dimensional Stability, Mechanical Property, and Fire Safety. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 22985-22993.	8.0	72
238	Creating Poly(tetramethylene oxide) Glycol-Based Networks with Tunable Two-Way Shape Memory Effects via Temperature-Switched Netpoints. <i>Macromolecules</i> , 2017, 50, 5155-5164.	4.8	34
239	A Fully Biobased Encapsulant Constructed of Soy Protein and Cellulose Nanocrystals for Flexible Electromechanical Sensing. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 7063-7070.	6.7	60
240	Photothermal Conversion Triggered Precisely Targeted Healing of Epoxy Resin Based on Thermoreversible Diels-Alder Network and Amino-Functionalized Carbon Nanotubes. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 20797-20807.	8.0	95
241	Electrostatic wrapping of doxorubicin with curdlan to construct an efficient pH-responsive drug delivery system. <i>Nanotechnology</i> , 2017, 28, 295601.	2.6	13
242	A superhydrophobic and self-cleaning photoluminescent protein film with high weatherability. <i>Chemical Engineering Journal</i> , 2017, 326, 436-442.	12.7	35
243	Flame-Retardant Flexible Polyurethane Foams with Highly Efficient Melamine Salt. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 7112-7119.	3.7	75
244	Cellulose Nanocrystal-Templated Synthesis of Mesoporous TiO <sub>2</sub> with Dominantly Exposed (001) Facets for Efficient Catalysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 3721-3725.	6.7	47
245	Flame-Retardant Pressure-Sensitive Adhesives Derived from Epoxidized Soybean Oil and Phosphorus-Containing Dicarboxylic Acids. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 3353-3361.	6.7	69
246	Azobenzene-containing liquid crystalline polyester with $\pi$ - $\pi$ interactions: diverse thermo- and photo-responsive behaviours. <i>Journal of Materials Chemistry C</i> , 2017, 5, 3306-3314.	5.5	46
247	Influence of small difference in structure of polyamide charring agents on their flame-retardant efficiency in EVA. <i>Polymer Degradation and Stability</i> , 2017, 135, 130-139.	5.8	23
248	Coated vs. naked red phosphorus: A comparative study on their fire retardancy and smoke suppression for rigid polyurethane foams. <i>Polymer Degradation and Stability</i> , 2017, 136, 103-111.	5.8	68
249	New Strategy to Access Dual-Stimuli-Responsive Triple-Shape-Memory Effect in a Non-Overlapping Pattern. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1600664.	3.9	18
250	Fully bio-based, highly toughened and heat-resistant poly(L-lactide) ternary blends via dynamic vulcanization with poly(D-lactide) and unsaturated bioelastomer. <i>Science China Materials</i> , 2017, 60, 1008-1022.	6.3	26
251	Fire behavior of novel imidized norbornene-containing poly(ethylene terephthalate) copolymers: Influence of retro-Diels-Alder reaction at high temperature. <i>Polymer Degradation and Stability</i> , 2017, 146, 105-112.	5.8	18
252	Facile batch synthesis of porous vaterite microspheres for high efficient and fast removal of toxic heavy metal ions. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 4505-4515.	6.7	29

#	ARTICLE	IF	CITATIONS
253	Novel liquid crystalline copolyester containing amphi-mesogenic units toward multiple stimuli-response behaviors. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9702-9711.	5.5	19
254	Robust and fire retardant borate-crosslinked poly (vinyl alcohol)/montmorillonite aerogel via melt-crosslink. <i>Polymer</i> , 2017, 131, 111-119.	3.8	55
255	One-Step Approach to the Growth of ZnO Nano-Microrods on Cellulose toward Its Durable Superhydrophobicity. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700550.	3.7	25
256	Concurrent Superhydrophobicity and Thermal Energy Storage of Microcapsule with Superior Thermal Stability and Durability. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 7759-7767.	6.7	23
257	A novel Schiff-base polyphosphate ester: Highly-efficient flame retardant for polyurethane elastomer. <i>Polymer Degradation and Stability</i> , 2017, 144, 70-82.	5.8	94
258	Green Approach to Improving the Strength and Flame Retardancy of Poly(vinyl alcohol)/Clay Aerogels: Incorporating Biobased Gelatin. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 42258-42265.	8.0	104
259	Design and Synthesis of PET-Based Copolyesters with Flame-Retardant and Antidripping Performance. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700451.	3.9	102
260	Epoxy resin flame-retarded via a novel melamine-organophosphinic acid salt: Thermal stability, flame retardance and pyrolysis behavior. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017, 128, 54-63.	5.5	116
261	Novel Multiblock Poly( $\mu$ -caprolactone) Copolyesters Containing <i>D</i> -Glucose Derivatives with Different Bicyclic Structures. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 7040-7051.	6.7	9
262	Fabrication of Liquid Crystalline Polyurethane Networks with a Pendant Azobenzene Group to Access Thermal/Photoresponsive Shape-Memory Effects. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 24947-24954.	8.0	45
263	Rejuvenated fly ash in poly(vinyl alcohol)-based composite aerogels with high fire safety and smoke suppression. <i>Chemical Engineering Journal</i> , 2017, 327, 992-999.	12.7	48
264	Effect of different dimensional carbon nanoparticles on the shape memory behavior of thermotropic liquid crystalline polymer. <i>Composites Science and Technology</i> , 2017, 138, 8-14.	7.8	43
265	Surface modification with hierarchical CuO arrays toward a flexible, durable superhydrophobic and self-cleaning material. <i>Chemical Engineering Journal</i> , 2017, 313, 1328-1334.	12.7	93
266	Synthesis and performances of poly(butylene-succinate) with enhanced viscosity and crystallization rate via introducing a small amount of diacetylene groups. <i>Chinese Chemical Letters</i> , 2017, 28, 354-357.	9.0	16
267	Facile fabrication of ternary nanocomposites with selective dispersion of multi-walled carbon nanotubes to access multi-stimuli-responsive shape-memory effects. <i>Materials Chemistry Frontiers</i> , 2017, 1, 343-353.	5.9	21
268	Preparation of polymer nanocomposites with enhanced mechanical properties using hybrid of graphene and partially wrapped multi-wall carbon nanotube as nanofiller. <i>Chinese Chemical Letters</i> , 2017, 28, 201-205.	9.0	13
269	The influence of coexisted monomer on thermal, mechanical, and hydrolytic properties of poly( <i>p</i> -dioxanone). <i>Journal of Applied Polymer Science</i> , 2016, 133, .	2.6	3
270	Flame-Retardant and Smoke-Suppressed Silicone Foams with Chitosan-Based Nanocoatings. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 7239-7248.	3.7	61



#	ARTICLE	IF	CITATIONS
271	Novel phosphorus-containing halogen-free ionic liquids: effect of sulfonate anion size on physical properties, biocompatibility, and flame retardancy. <i>RSC Advances</i> , 2016, 6, 52485-52494.	3.6	23
272	Design of Poly( $\epsilon$ -lactide)-Poly(ethylene glycol) Copolymer with Light-Induced Shape-Memory Effect Triggered by Pendant Anthracene Groups. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 9431-9439.	8.0	109
273	Biobased Poly(furfuryl alcohol)/Clay Aerogel Composite Prepared by a Freeze-Drying Process. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 2601-2605.	6.7	35
274	Piperazine-modified ammonium polyphosphate as monocomponent flame-retardant hardener for epoxy resin: flame retardance, curing behavior and mechanical property. <i>Polymer Chemistry</i> , 2016, 7, 3003-3012.	3.9	126
275	A facile chemoenzymatic synthesis of amphiphilic miktoarm star copolymers from a sugar core and their potential for anticancer drug delivery. <i>Polymer</i> , 2016, 93, 159-166.	3.8	14
276	A Facile Strategy To Construct PDLLA-PTMEG Network with Triple-Shape Effect via Photo-Cross-Linking of Anthracene Groups. <i>Macromolecules</i> , 2016, 49, 3845-3855.	4.8	51
277	Poly(ethylene imine)-Triggered Morphological Change of Anisotropic Micelles from Direct Aqueous Self-Assembly of an Amphiphilic Diblock Copolymer. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 2165-2171.	2.2	0
278	Improving crystallization and processability of PBS via slight cross-linking. <i>RSC Advances</i> , 2016, 6, 68942-68951.	3.6	12
279	Construction of conductive percolation network with high efficiency in composite film via a novel sparsely partial wrapping strategy. <i>Composites Science and Technology</i> , 2016, 136, 39-45.	7.8	6
280	An efficient halogen-free flame retardant for polyethylene: piperazine-modified ammonium polyphosphates with different structures. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2016, 34, 1339-1353.	3.8	44
281	Special topic on bio-based and biodegradable polymers. <i>Science China Chemistry</i> , 2016, 59, 1353-1354.	8.2	0
282	Preparation and characterization of Poly(vinyl alcohol)/graphene nanocomposite with enhanced thermal stability using P(EGMA)-Br as stabilizer and compatibilizer. <i>Polymer Degradation and Stability</i> , 2016, 131, 42-52.	5.8	15
283	Polyethyleneimine modified ammonium polyphosphate toward polyamine-hardener for epoxy resin: Thermal stability, flame retardance and smoke suppression. <i>Polymer Degradation and Stability</i> , 2016, 131, 62-70.	5.8	88
284	Modification of poly(propylene carbonate) with chain extender ADR-4368 to improve its thermal, barrier, and mechanical properties. <i>Polymer Testing</i> , 2016, 54, 301-307.	4.8	30
285	A Novel Linear-Chain Polyamide Charring Agent for the Fire Safety of Noncharring Polyolefin. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 7132-7141.	3.7	29
286	A novel high-temperature-resistant polymeric material for cables and insulated wires via the ceramization of mica-based ceramifiable EVA composites. <i>Composites Science and Technology</i> , 2016, 132, 116-122.	7.8	47
287	Thermal transition behaviors, solubility, and mechanical properties of wholly aromatic para-, meta-poly(ether-amide)s: effect on numbers of para-aryl ether linkages. <i>RSC Advances</i> , 2016, 6, 84284-84293.	3.6	4
288	A facile strategy to fabricate highly-stretchable self-healing poly(vinyl alcohol) hybrid hydrogels based on metal-ligand interactions and hydrogen bonding. <i>Polymer Chemistry</i> , 2016, 7, 7269-7277.	3.9	37

#	ARTICLE	IF	CITATIONS
289	Flexible Material Based on Poly(lactic acid) and Liquid Crystal with Multishape Memory Effects. ACS Sustainable Chemistry and Engineering, 2016, 4, 3820-3829.	6.7	18
290	Ultrasoft gelatin aerogels for oil contaminant removal. Journal of Materials Chemistry A, 2016, 4, 9381-9389.	10.3	73
291	Flame retardation of cellulose-rich fabrics via a simplified layer-by-layer assembly. Carbohydrate Polymers, 2016, 151, 434-440.	10.2	41
292	Inherent flame retardation of semi-aromatic polyesters via binding small-molecule free radicals and charring. Polymer Chemistry, 2016, 7, 1584-1592.	3.9	43
293	A Novel Organophosphorus Hybrid with Excellent Thermal Stability: Core-Shell Structure, Hybridization Mechanism, and Application in Flame Retarding Semi-Aromatic Polyamide. ACS Applied Materials & Interfaces, 2016, 8, 881-890.	8.0	38
294	Poly(piperazinyl phosphamide): a novel highly-efficient charring agent for an EVA/APP intumescent flame retardant system. RSC Advances, 2016, 6, 30436-30444.	3.6	51
295	Phenylmaleimide-containing PET-based copolyester: cross-linking from 2iE + iE cycloaddition toward flame retardance and anti-dripping. Polymer Chemistry, 2016, 7, 2698-2708.	3.9	63
296	Roles of Soft Segment Length in Structure and Property of Soy Protein Isolate/Waterborne Polyurethane Blend Films. Industrial & Engineering Chemistry Research, 2016, 55, 1229-1235.	3.7	64
297	Nonflammable Alginate Nanocomposite Aerogels Prepared by a Simple Freeze-Drying and Post-Cross-Linking Method. ACS Applied Materials & Interfaces, 2016, 8, 643-650.	8.0	134
298	Renewable Sugar-Based Diols with Different Rigid Structure: Comparable Investigation on Improving Poly(butylene succinate) Performance. ACS Sustainable Chemistry and Engineering, 2016, 4, 350-362.	6.7	57
299	Low flammability foam-like materials based on epoxy, tannic acid, and sodium montmorillonite clay. Green Materials, 2015, 3, 43-51.	2.1	18
300	Synthesis, characterization and isothermal crystallization behavior of poly(butylene) Tj ETQqO O O rgBT /Overlock 10 Tf 50 307 Td (succin Technologies, 2015, 26, 1003-1013.	3.2	15
301	Improving the impact property and heat-resistance of PLA/PC blends through coupling molecular chains at the interface. Polymers for Advanced Technologies, 2015, 26, 1247-1258.	3.2	27
302	Biodegradable polylactide based materials with improved crystallinity, mechanical properties and rheological behaviour by introducing a long-chain branched copolymer. RSC Advances, 2015, 5, 42162-42173.	3.6	38
303	Super Toughened and High Heat-Resistant Poly(Lactic Acid) (PLA)-Based Blends by Enhancing Interfacial Bonding and PLA Phase Crystallization. Industrial & Engineering Chemistry Research, 2015, 54, 5643-5655.	3.7	78
304	Main-chain liquid crystalline ionomers with a nonplanar ionic segment. RSC Advances, 2015, 5, 48541-48550.	3.6	8
305	Influence of catalysts used in synthesis of poly(p-dioxanone) on its thermal degradation behaviors. Polymer Degradation and Stability, 2015, 121, 253-260.	5.8	15
306	Phosphorus-containing copolyesters: The effect of ionic group and its analogous phosphorus heterocycles on their flame-retardant and anti-dripping performances. Polymer, 2015, 60, 50-61.	3.8	74

#	ARTICLE	IF	CITATIONS
307	Efficient Approach to Improving the Flame Retardancy of Poly(vinyl alcohol)/Clay Aerogels: Incorporating Piperazine-Modified Ammonium Polyphosphate. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 1780-1786.	8.0	98
308	PBT/PC Blends Compatibilized and Toughened via Copolymers in Situ Formed by MgO-Catalyzed Transesterification. <i>Industrial &amp; Engineering Chemistry Research</i> , 2015, 54, 1282-1291.	3.7	30
309	Morphology development of PP/POE blends with high loading of magnesium hydroxide. <i>RSC Advances</i> , 2015, 5, 17967-17975.	3.6	9
310	Characterization of the effect of REC on the compatibility of PHBH and PLA. <i>Polymer Testing</i> , 2015, 42, 17-25.	4.8	25
311	Synthesis and characterization of a polyurethane ionene/zinc chloride complex with antibacterial properties. <i>RSC Advances</i> , 2015, 5, 12423-12433.	3.6	9
312	Simultaneous improvement in the flame retardancy and water resistance of PP/APP through coating UV-curable pentaerythritol triacrylate onto APP. <i>Chinese Journal of Polymer Science (English) Tj ETQq0 0 0 rgBT /Ow&amp;Block 10 17 50 537</i>	3.6	17
313	Flame-retardant wrapped ramie fibers towards suppressing "candlewick effect" of polypropylene/ramie fiber composites. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2015, 33, 84-94.	3.8	32
314	An efficient method to improve simultaneously the water resistance, flame retardancy and mechanical properties of POE intumescent flame-retardant systems. <i>RSC Advances</i> , 2015, 5, 16328-16339.	3.6	41
315	Biobased Thermoplastic Poly(ester urethane) Elastomers Consisting of Poly(butylene succinate) and Poly(propylene succinate). <i>Industrial &amp; Engineering Chemistry Research</i> , 2015, 54, 6258-6268.	3.7	14
316	Contribution of Hemispheric CaCO <sub>3</sub> To Improving Crystalline, Physical Properties and Biocompatibility of Poly( <i>p</i> -dioxanone). <i>Industrial &amp; Engineering Chemistry Research</i> , 2015, 54, 6269-6281.	3.7	9
317	PET-based copolyesters with bisphenol A or bisphenol F structural units: Their distinct differences in pyrolysis behaviours and flame-retardant performances. <i>Polymer Degradation and Stability</i> , 2015, 120, 158-168.	5.8	17
318	Block self-cross-linkable poly(ethylene terephthalate) copolyester via solid-state polymerization: Crystallization, cross-linking, and flame retardance. <i>Polymer</i> , 2015, 70, 68-76.	3.8	27
319	Properties regulation of poly(butylene succinate) ionomers through their ionic group distribution. <i>Polymer</i> , 2015, 66, 148-159.	3.8	15
320	Novel Multifunctional Organic-Inorganic Hybrid Curing Agent with High Flame-Retardant Efficiency for Epoxy Resin. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 17919-17928.	8.0	213
321	Ammonium polyphosphate-based nanocoating for melamine foam towards high flame retardancy and anti-shrinkage in fire. <i>Polymer</i> , 2015, 66, 86-93.	3.8	59
322	Ligand-metal-drug coordination based micelles for efficient intracellular doxorubicin delivery. <i>RSC Advances</i> , 2015, 5, 47629-47639.	3.6	10
323	Let It Shine: A Transparent and Photoluminescent Foldable Nanocellulose/Quantum Dot Paper. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 10076-10079.	8.0	58
324	Preparation and characterization of nanocomposites of polyvinyl alcohol/cellulose nanowhiskers/chitosan. <i>Composites Science and Technology</i> , 2015, 115, 60-65.	7.8	80

#	ARTICLE	IF	CITATIONS
325	An Effective Way To Flame-Retard Biocomposite with Ethanolamine Modified Ammonium Polyphosphate and Its Flame Retardant Mechanisms. <i>Industrial &amp; Engineering Chemistry Research</i> , 2015, 54, 3524-3531.	3.7	90
326	Direct Aqueous Self-Assembly of an Amphiphilic Diblock Copolymer toward Multistimuli-Responsive Fluorescent Anisotropic Micelles. <i>ACS Nano</i> , 2015, 9, 4649-4659.	14.6	53
327	A novel EVA composite with simultaneous flame retardation and ceramifiable capacity. <i>RSC Advances</i> , 2015, 5, 51248-51257.	3.6	34
328	Novel crosslinkable epoxy resins containing phenylacetylene and azobenzene groups: From thermal crosslinking to flame retardance. <i>Polymer Degradation and Stability</i> , 2015, 122, 66-76.	5.8	42
329	Coating Novozyme435 with an ionic liquid: more than just a coating for the efficient ring-opening polymerization of $\epsilon$ -valerolactone. <i>RSC Advances</i> , 2015, 5, 68276-68282.	3.6	11
330	Improvement of the flame retardancy of wood-fibre/polypropylene composites with ideal mechanical properties by a novel intumescent flame retardant system. <i>RSC Advances</i> , 2015, 5, 59865-59873.	3.6	32
331	A new approach to improving flame retardancy, smoke suppression and anti-dripping of PET: Via arylene-ether units rearrangement reactions at high temperature. <i>Polymer</i> , 2015, 77, 21-31.	3.8	39
332	Shape-memory poly(p-dioxanone)-poly( $\epsilon$ -caprolactone)/sepiolite nanocomposites with enhanced recovery stress. <i>Chinese Chemical Letters</i> , 2015, 26, 1221-1224.	9.0	26
333	An efficient flame retardant for silicone rubber: Preparation and application. <i>Polymer Degradation and Stability</i> , 2015, 121, 42-50.	5.8	45
334	Bamboo ( <i>Neosinocalamus affinis</i> )-based thin film, a novel biomass material with high performances. <i>Carbohydrate Polymers</i> , 2015, 119, 167-172.	10.2	11
335	Logic gate regulated pH and reduction dual-responsive prodrug nanoparticles for efficient intracellular anticancer drug delivery. <i>Chemical Communications</i> , 2015, 51, 93-96.	4.1	32
336	Enhanced degradation stability of poly(p-dioxanone) under different temperature and humidity with bis(2,6-diisopropylphenyl) carbodiimide. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	2
337	Hydrolytic degradation behaviors of poly(p-dioxanone) in ambient environments. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2014, 32, 1678-1689.	3.8	6
338	Chemical recycling of fiber-reinforced epoxy resin using a polyethylene glycol/NaOH system. <i>Journal of Reinforced Plastics and Composites</i> , 2014, 33, 2106-2114.	3.1	35
339	Water resistance, thermal stability, and flame retardation of polypropylene composites containing a novel ammonium polyphosphate microencapsulated by UV-curable epoxy acrylate resin. <i>Polymers for Advanced Technologies</i> , 2014, 25, 861-871.	3.2	31
340	Preparation of Core-Shell Nanofibers with Selectively Localized CNTs from Shish Kebab-like Hierarchical Composite Micelles. <i>Macromolecular Rapid Communications</i> , 2014, 35, 1450-1457.	3.9	7
341	Soy protein isolate films with improved property via a facile surface coating. <i>Industrial Crops and Products</i> , 2014, 54, 102-108.	5.2	29
342	Effect of two types of iron MMTs on the flame retardation of LDPE composite. <i>Polymer Degradation and Stability</i> , 2014, 103, 1-10.	5.8	32

#	ARTICLE	IF	CITATIONS
343	Reversible photoswitching aggregation and dissolution of spiropyran-functionalized copolymer and light-responsive FRET process. <i>Chinese Chemical Letters</i> , 2014, 25, 389-396.	9.0	27
344	Synergistic flame-retardant effect of halloysite nanotubes on intumescent flame retardant in LDPE. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	23
345	Facile fabrication of poly(vinyl alcohol) gels and derivative aerogels. <i>Polymer</i> , 2014, 55, 380-384.	3.8	84
346	A flame-retardant-free and thermo-cross-linkable copolyester: Flame-retardant and anti-dripping mode of action. <i>Polymer</i> , 2014, 55, 2394-2403.	3.8	124
347	Degradation of polylactide using basic ionic liquid imidazolium acetates. <i>Chemical Papers</i> , 2014, 68, .	2.2	4
348	Flame retardation of polypropylene via a novel intumescent flame retardant: Ethylenediamine-modified ammonium polyphosphate. <i>Polymer Degradation and Stability</i> , 2014, 106, 88-96.	5.8	160
349	Succinic Acid Based Biodegradable Thermoplastic Poly(ester urethane) Elastomers: Effects of Segment Ratios and Lengths on Physical Properties. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 1404-1414.	3.7	20
350	Thermoplastic PVA/PLA Blends with Improved Processability and Hydrophobicity. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 17355-17361.	3.7	65
351	Composition dependence of physical properties of biodegradable poly(ethylene succinate) urethane ionenes. <i>RSC Advances</i> , 2014, 4, 54175-54186.	3.6	13
352	Phase separation in electrospun nanofibers controlled by crystallization induced self-assembly. <i>Journal of Materials Chemistry A</i> , 2014, 2, 8416.	10.3	42
353	An Efficient Mono-Component Polymeric Intumescent Flame Retardant for Polypropylene: Preparation and Application. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 7363-7370.	8.0	268
354	A phosphorus-containing PET ionomer: from ionic aggregates to flame retardance and restricted melt-dripping. <i>Polymer Chemistry</i> , 2014, 5, 1982-1991.	3.9	55
355	In situ formed crosslinked polyurethane toughened polylactide. <i>Polymer Chemistry</i> , 2014, 5, 2530.	3.9	129
356	Ammonium polyphosphate chemically-modified with ethanolamine as an efficient intumescent flame retardant for polypropylene. <i>Journal of Materials Chemistry A</i> , 2014, 2, 13955.	10.3	220
357	Multi-stimuli sensitive supramolecular hydrogel formed by host-guest interaction between PNIPAM-Azo and cyclodextrin dimers. <i>RSC Advances</i> , 2014, 4, 4955.	3.6	66
358	Fully Biobased and Supertough Polylactide-Based Thermoplastic Vulcanizates Fabricated by Peroxide-Induced Dynamic Vulcanization and Interfacial Compatibilization. <i>Biomacromolecules</i> , 2014, 15, 4260-4271.	5.4	178
359	Dandelion-like CaCO <sub>3</sub> microspheres: ionic liquid-assisted biomimetic synthesis and in situ fabrication of poly( $\epsilon$ -caprolactone)/CaCO <sub>3</sub> composites with high performance. <i>RSC Advances</i> , 2014, 4, 53380-53386.	3.6	8
360	Organic-inorganic hybrid flame retardant: preparation, characterization and application in EVA. <i>RSC Advances</i> , 2014, 4, 17812.	3.6	61

#	ARTICLE	IF	CITATIONS
361	Phosphorus-containing thermotropic liquid crystalline polymers: a class of efficient polymeric flame retardants. <i>Polymer Chemistry</i> , 2014, 5, 3737.	3.9	56
362	A novel phosphorus-containing poly(1,4-cyclohexylenedimethylene terephthalate) copolyester: Synthesis, thermal stability, flammability and pyrolysis behavior. <i>Polymer Degradation and Stability</i> , 2014, 108, 12-22.	5.8	14
363	Super-tough poly( $\epsilon$ -lactide)/crosslinked polyurethane blends with tunable impact toughness. <i>RSC Advances</i> , 2014, 4, 12857-12866.	3.6	83
364	Influence of Valence and Structure of Phosphorus-Containing Melamine Salts on the Decomposition and Fire Behaviors of Flexible Polyurethane Foams. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 8773-8783.	3.7	49
365	Inherently Flame-Retardant Flexible Polyurethane Foam with Low Content of Phosphorus-Containing Cross-Linking Agent. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 1160-1171.	3.7	123
366	An intumescent flame retardant polypropylene system with simultaneously improved flame retardancy and water resistance. <i>Polymer Degradation and Stability</i> , 2014, 108, 97-107.	5.8	87
367	Degradation of nylon 6 to produce a pseudo-amino acid ionic liquid. <i>Polymer Degradation and Stability</i> , 2014, 109, 171-174.	5.8	10
368	A novel flame-retardant acrylonitrile-butadiene-styrene system based on aluminum isobutylphosphinate and red phosphorus: Flame retardance, thermal degradation and pyrolysis behavior. <i>Polymer Degradation and Stability</i> , 2014, 109, 184-193.	5.8	38
369	Acrylonitrile-Butadiene-Styrene Terpolymer with Metal Hypophosphites: Flame Retardance and Mechanism Research. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 2299-2307.	3.7	30
370	In-situ synthesis, characterization and antimicrobial activity of viscose fiber loaded with silver nanoparticles. <i>Cellulose</i> , 2014, 21, 3097-3105.	4.9	16
371	Preparation and Flammability of Poly(vinyl alcohol) Composite Aerogels. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 6790-6796.	8.0	125
372	Fennel-like nanoaggregates based on polysaccharide derivatives and their application in drug delivery. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 113, 501-504.	5.0	9
373	Sustainable waterborne polyurethane ionomer reinforced poly(vinyl alcohol) composite films. <i>Composites Science and Technology</i> , 2014, 96, 109-115.	7.8	17
374	A prodrug strategy based on chitosan for efficient intracellular anticancer drug delivery. <i>Nanotechnology</i> , 2014, 25, 255101.	2.6	28
375	Crystallization induced micellization of poly(p-dioxanone)-block-polyethylene glycol diblock copolymer functionalized with pyrene moiety. <i>Chinese Chemical Letters</i> , 2014, 25, 1311-1317.	9.0	8
376	Flame retardance and thermal degradation mechanism of polystyrene modified with aluminum hypophosphite. <i>Polymer Degradation and Stability</i> , 2014, 99, 35-42.	5.8	73
377	Chain folding in main-chain liquid crystalline polyesters: from $\pi$ - $\pi$ stacking toward shape memory. <i>Journal of Materials Chemistry C</i> , 2014, 2, 6155.	5.5	52
378	Synthesis and characterization of segmented poly(butylene succinate) urethane ionenes containing secondary amine cation. <i>Polymer</i> , 2014, 55, 4358-4368.	3.8	41

#	ARTICLE	IF	CITATIONS
379	Biodegradable Pectin/Clay Aerogels. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 1715-1721.	8.0	141
380	Biodegradation behavior of poly(butylene adipate-co-terephthalate) (PBAT), poly(lactic acid) (PLA), and their blend under soil conditions. <i>Polymer Testing</i> , 2013, 32, 918-926.	4.8	375
381	Thermal Transition Behavior, Thermal Stability, and Flame Retardancy of Low-Melting-Temperature Copolyester: Comonomer Effect. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 4539-4546.	3.7	11
382	Synergistic Effect of Layered Nanofillers in Intumescent Flame-Retardant EPDM: Montmorillonite versus Layered Double Hydroxides. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 8454-8463.	3.7	67
383	Phosphorus-Containing Poly(ethylene terephthalate): Solid-State Polymerization and Its Sequential Distribution. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 5326-5333.	3.7	23
384	Thermal Degradation, Crystallization, and Rheological Behavior of Biodegradable Poly( <i>p</i> -dioxanone)/Synthetic Hectorite Nanocomposites. <i>Soft Materials</i> , 2013, 11, 98-107.	1.7	2
385	Poly(ethylene succinate)- <i>b</i> -poly(butylene succinate) Multiblock Copolyesters: The Effects of Block Length and Composition on Physical Properties. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 13669-13676.	3.7	15
386	Fractional Crystallization and Homogeneous Nucleation of Confined PEG Microdomains in PBS-PEG Multiblock Copolymers. <i>Journal of Physical Chemistry B</i> , 2013, 117, 10665-10676.	2.6	24
387	Aluminum Hydroxymethylphosphinate and Melamine Pyrophosphate: Synergistic Flame Retardance and Smoke Suppression for Glass Fiber Reinforced Polyamide 6. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 15613-15620.	3.7	14
388	Thermodynamics and kinetics of Novozym 435 catalyzed ring-opening polymerization of 1,4-dioxan-2-one. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2013, 96, 40-45.	1.8	8
389	Non-isothermal crystallization kinetics of biodegradable poly(butylene succinate-co-diethylene glycol) Tj ETQq1 1 0.784314 rgBT /Overlock	2.7	21
390	Fabrication of graphene/poly(lactide) nanocomposites with improved properties. <i>Composites Science and Technology</i> , 2013, 88, 33-38.	7.8	54
391	Main-chain liquid crystalline copolyesters with a phosphorus-containing non-coplanar moiety. <i>Polymer Chemistry</i> , 2013, 4, 329-336.	3.9	10
392	The high-temperature self-crosslinking contribution of azobenzene groups to the flame retardance and anti-dripping of copolyesters. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9264.	10.3	56
393	Temperature dependent morphological evolution and the formation mechanism of anisotropic nano-aggregates from a crystalline-coil block copolymer of poly( <i>p</i> -dioxanone) and poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock	2.7	21
394	Block phosphorus-containing poly(trimethylene terephthalate) copolyester via solid-state polymerization: retarded crystallization and melting behaviour. <i>CrystEngComm</i> , 2013, 15, 2688.	2.6	24
395	Influence of oxidized starch on the properties of thermoplastic starch. <i>Carbohydrate Polymers</i> , 2013, 96, 358-364.	10.2	51
396	Flame retardant mechanism of an efficient flame-retardant polymeric synergist with ammonium polyphosphate for polypropylene. <i>Polymer Degradation and Stability</i> , 2013, 98, 2011-2020.	5.8	100

#	ARTICLE	IF	CITATIONS
397	Foam-like materials based on whey protein isolate. <i>European Polymer Journal</i> , 2013, 49, 3387-3391.	5.4	43
398	Synthesis of functionalized Î±-zirconium phosphate modified with intumescent flame retardant and its application in poly(lactic acid). <i>Polymer Degradation and Stability</i> , 2013, 98, 1731-1737.	5.8	56
399	Polymeric triglyceride analogs prepared by enzyme-catalyzed condensation polymerization. <i>European Polymer Journal</i> , 2013, 49, 793-803.	5.4	45
400	A facile method to produce PBS-PEG/CNTs nanocomposites with controllable electro-induced shape memory effect. <i>Polymer Chemistry</i> , 2013, 4, 3987.	3.9	31
401	Nanofibers with Very Fine Core-Shell Morphology from Anisotropic Micelle of Amphiphilic Crystalline-Coil Block Copolymer. <i>ACS Nano</i> , 2013, 7, 4892-4901.	14.6	20
402	Phosphorus-containing poly(trimethylene terephthalate) derived from 2-(6-oxido-6H-dibenzoc, eâ€™1,2â€™oxaphosphorin-6-yl)-1,4-hydroxyethoxy phenylene: Synthesis, thermal degradation, combustion and pyrolysis behavior. <i>Journal of Analytical and Applied Pyrolysis</i> , 2013, 99, 40-48.	5.5	17
403	Biodegradation behavior of P(3HB,4HB)/PLA blends in real soil environments. <i>Polymer Testing</i> , 2013, 32, 60-70.	4.8	109
404	Crystallization Kinetics and Spherulitic Morphologies of Biodegradable Poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td (suc Research, 2013, 52, 1591-1599.	3.7	18
405	A pH-responsive chitosan- <i>i&gt;b&lt;/i&gt;-poly(p-dioxanone) nanocarrier: formation and efficient antitumor drug delivery. <i>Nanotechnology</i>, 2013, 24, 145101.</i>	2.6	33
406	Synergistic Effect between Aluminum Hypophosphite and Alkyl-Substituted Phosphinate in Flame-Retarded Polyamide 6. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 17162-17170.	3.7	48
407	Aluminum Hypophosphite versus Alkyl-Substituted Phosphinate in Polyamide 6: Flame Retardance, Thermal Degradation, and Pyrolysis Behavior. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 2875-2886.	3.7	104
408	An Effective Flame Retardant and Smoke Suppression Oligomer for Epoxy Resin. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 9397-9404.	3.7	67
409	Poly(oleic diacid-co-glycerol): Comparison of Polymer Structure Resulting from Chemical and Lipase Catalysis. <i>ACS Symposium Series</i> , 2012, , 111-129.	0.5	4
410	A promising strategy for chemical recycling of carbon fiber/thermoset composites: self-accelerating decomposition in a mild oxidative system. <i>Green Chemistry</i> , 2012, 14, 3260.	9.0	129
411	Thermal Degradation and Fire Behaviors of Glass Fiber Reinforced PA6 Flame Retarded by Combination of Aluminum Hypophosphite with Melamine Derivatives. <i>ACS Symposium Series</i> , 2012, , 167-182.	0.5	3
412	A novel phosphorus-containing flame retardant for the formaldehyde-free treatment of cotton fabrics. <i>Polymer Degradation and Stability</i> , 2012, 97, 2487-2491.	5.8	82
413	A Biobased Blend of Cellulose Diacetate with Starch. <i>Journal of Polymers and the Environment</i> , 2012, 20, 1103-1111.	5.0	5
414	Crystallization and morphology of a polymer blend based on linear PPDO and branched poly(p-dioxanone)-poly(lactic acid) block copolymer with immiscible blocks. <i>Polymer Chemistry</i> , 2012, 3, 2537.	3.9	11



#	ARTICLE	IF	CITATIONS
415	A novel flame-retardant-free copolyester: cross-linking towards self extinguishing and non-dripping. <i>Journal of Materials Chemistry</i> , 2012, 22, 19849.	6.7	78
416	Urethane Ionic Groups Induced Rapid Crystallization of Biodegradable Poly(ethylene succinate). <i>ACS Macro Letters</i> , 2012, 1, 965-968.	4.8	42
417	Highly efficient solvolysis of epoxy resin using poly(ethylene glycol)/NaOH systems. <i>Polymer Degradation and Stability</i> , 2012, 97, 1101-1106.	5.8	75
418	Intumescence: An effect way to flame retardance and smoke suppression for polystyrene. <i>Polymer Degradation and Stability</i> , 2012, 97, 1423-1431.	5.8	151
419	Block phosphorus-containing poly(trimethylene terephthalate) copolyester via solid-state polymerization: Reaction kinetics and sequential distribution. <i>Polymer</i> , 2012, 53, 3520-3528.	3.8	6
420	Crystallization behavior and morphology of double crystalline poly(butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td (succinate)-p	3.8	20
421	Self-assembly, drug-delivery behavior, and cytotoxicity evaluation of amphiphilic chitosan-graft-poly(1,4-dioxan-2-one) copolymers. <i>Journal of Polymer Research</i> , 2012, 19, 1.	2.4	14
422	Development of soy protein isolate/waterborne polyurethane blend films with improved properties. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 100, 16-21.	5.0	65
423	Dynamic Origin and Thermally Induced Evolution of New Self-Assembled Aggregates from an Amphiphilic Comb-Like Graft Copolymer: A Multiscale and Multimorphological Procedure. <i>Chemistry - A European Journal</i> , 2012, 18, 12237-12241.	3.3	22
424	Low flammability, foam-like materials based on ammonium alginate and sodium montmorillonite clay. <i>Polymer</i> , 2012, 53, 5825-5831.	3.8	119
425	Synthesis and micellization of amphiphilic multi-branched poly(p-dioxanone)-block-poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 1	3.9	21
426	From miscible to partially miscible biodegradable double crystalline poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (succina	3.9	56
427	Poly(butylene succinate)-poly(ethylene glycol) multiblock copolymer: Synthesis, structure, properties and shape memory performance. <i>Polymer Chemistry</i> , 2012, 3, 800.	3.9	58
428	Halogen-Free Flame-Retardant Flexible Polyurethane Foam with a Novel Nitrogen-Phosphorus Flame Retardant. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 9769-9776.	3.7	186
429	Isothermal Crystallization Behavior of Biodegradable P(BS-b-PEGS) Multiblock Copolymers. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 8262-8272.	3.7	20
430	Thermal, Crystallization Properties, and Micellization Behavior of HEC-PPDO Copolymer: Microstructure Parameters Effect. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 14037-14046.	3.7	12
431	Aromatic-aliphatic random and block copolyesters: synthesis, sequence distribution and thermal properties. <i>Polymer Chemistry</i> , 2012, 3, 1344.	3.9	31
432	Synthesis and Properties of Biodegradable Poly(butylene succinate-co-diethylene glycol succinate) Copolymers. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 12258-12265.	3.7	53

#	ARTICLE	IF	CITATIONS
433	A main-chain phosphorus-containing poly(trimethylene terephthalate) copolyester: synthesis, characterization, and flame retardance. <i>Polymers for Advanced Technologies</i> , 2012, 23, 1276-1282.	3.2	14
434	Flame-retardant and physical properties of poly(vinyl alcohol) chemically modified by diethyl chlorophosphate. <i>Journal of Applied Polymer Science</i> , 2012, 125, 3517-3523.	2.6	15
435	The influence of the surface character of the clays on the properties of poly( <i>p</i> -dioxanone)/fibrous clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2012, 125, E247.	2.6	7
436	Rapid synthesis of poly( <i>p</i> -dioxanone)/montmorillonite nanocomposites under microwave irradiation. <i>Journal of Applied Polymer Science</i> , 2012, 125, 3463-3468.	2.6	2
437	Chitin Whiskers: An Overview. <i>Biomacromolecules</i> , 2012, 13, 1-11.	5.4	374
438	Preparation and properties of oxidized starch with high degree of oxidation. <i>Carbohydrate Polymers</i> , 2012, 87, 2554-2562.	10.2	170
439	PET in situ composites improved both flame retardancy and mechanical properties by phosphorus-containing thermotropic liquid crystalline copolyester with aromatic ether moiety. <i>Composites Science and Technology</i> , 2012, 72, 649-655.	7.8	17
440	Ionic liquid coated lipase: Green synthesis of high molecular weight poly(1,4-dioxan-2-one). <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2012, 77, 46-52.	1.8	27
441	Crystallization behavior of partially miscible biodegradable poly(butylene succinate)/poly(ethylene Terephthalate) blends. <i>Journal of Applied Polymer Science</i> , 2012, 125, 2473-2481.	2.7	33
442	Miscibility, crystallization and mechanical properties of biodegradable blends of poly(L-lactic acid) and poly(butylene succinate- <i>b</i> -ethylene succinate) multiblock copolymer. <i>Thermochimica Acta</i> , 2012, 539, 16-22.	2.7	16
443	An efficient halogen-free flame retardant for glass-fibre-reinforced poly(butylene terephthalate). <i>Polymer Degradation and Stability</i> , 2012, 97, 158-165.	5.8	42
444	Dechlorination of poly(vinyl chloride) by 1-butyl-3-methylimidazoliumhydroxide. <i>Polymer Degradation and Stability</i> , 2012, 97, 145-148.	5.8	16
445	Effect of TiO <sub>2</sub> nanoparticles on the long-term hydrolytic degradation behavior of PLA. <i>Polymer Degradation and Stability</i> , 2012, 97, 721-728.	5.8	119
446	Pyrolysis study of poly(trimethylene terephthalate) and its phosphorus-containing copolyesters. <i>Polymer Degradation and Stability</i> , 2012, 97, 905-913.	5.8	15
447	Improvement of biocompatibility and biodegradability of poly(ethylene succinate) by incorporation of poly(ethylene glycol) segments. <i>Polymer</i> , 2012, 53, 481-489.	3.8	22
448	Flame-retardant polycarbonate/acrylonitrile-butadiene-styrene based on red phosphorus encapsulated by polysiloxane: Flame retardance, thermal stability, and water resistance. <i>Journal of Applied Polymer Science</i> , 2012, 123, 2867-2874.	2.6	16
449	Synergistic effects of novolac-based char former with a phosphorus/nitrogen-containing flame retardant in polyamide 6. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012, 30, 72-81.	3.8	9
450	Polyamide 6 with a flame retardant encapsulated by polyamide 66: Flame retardation, thermo-decomposition and the potential mechanism. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012, 30, 101-108.	3.8	10

#	ARTICLE	IF	CITATIONS
451	SYNTHESIS AND CHARACTERIZATION OF A FLAME-RETARDANT AND ANTI-DRIPPING COPOLYESTER. <i>Acta Polymerica Sinica</i> , 2012, 012, 1042-1046.	0.0	3
452	SYNTHESIS AND CHARACTERIZATION OF PHOSPHORUS-CONTAINING LIQUID CRYSTALLINE COPOLYESTERS BASED ON BIPHENYL-4,4'-DICARBOXYLIC ACID. <i>Acta Polymerica Sinica</i> , 2012, 012, 1177-1182.	0.0	2
453	Novel $\alpha$ -star anise-like nano aggregate prepared by self-assembling of preformed microcrystals from branched crystalline-coil alternating multi-block copolymer. <i>Chemical Communications</i> , 2011, 47, 4198.	4.1	32
454	Morphology and interference color in spherulite of poly(trimethylene terephthalate) copolyester with bulky linking pendent group. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 11067.	2.8	42
455	Cellulose Diacetate-g-poly(p-dioxanone) Co-polymer: Synthesis, Properties and Microsphere Preparation. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011, 22, 981-999.	3.5	10
456	Preparation of Poly(p-dioxanone)/Sepiolite Nanocomposites with Excellent Strength/Toughness Balance via Surface-Initiated Polymerization. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 10006-10016.	3.7	21
457	Preparation and Rheological Behaviors of Thermoplastic Poly(vinyl alcohol) Modified by Lactic Acid. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 9123-9130.	3.7	22
458	Nonisothermal and Isothermal Cold Crystallization Behaviors of Biodegradable Poly(p-dioxanone). <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 4471-4477.	3.7	37
459	Poly(vinyl alcohol)/Ammonium Polyphosphate Systems Improved Simultaneously Both Fire Retardancy and Mechanical Properties by Montmorillonite. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 9998-10005.	3.7	42
460	A Novel Multiblock Poly(ester urethane) Based on Poly(butylene succinate) and Poly(ethylene Terephthalate) /Overlock 10 Tf 50 387 2065-2072.	3.7	27
461	Improving Flexibility of Poly(lactide) by Blending with Poly(l-lactic acid) Based Poly(ester-urethane): Morphology, Mechanical Properties, and Crystallization Behaviors. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 6124-6131.	3.7	42
462	Flame-Retardant Effect of Sepiolite on an Intumescent Flame-Retardant Polypropylene System. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 2047-2054.	3.7	142
463	Biodegradable Soy Protein Isolate-Based Materials: A Review. <i>Biomacromolecules</i> , 2011, 12, 3369-3380.	5.4	287
464	Well-Defined Amphiphilic Biodegradable Comb-Like Graft Copolymers: Their Unique Architecture-Determined LCST and UCST Thermoresponsivity. <i>Macromolecules</i> , 2011, 44, 999-1008.	4.8	65
465	Characterization of Electrospun Poly(p-dioxanone) and Poly(p-dioxanone)/Clay Nanocomposite Fibers. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 1609-1612.	0.9	2
466	Preparation of UV-crosslinked biodegradable poly(p-dioxanone)/poly(ethylene glycol) films. <i>Journal of Controlled Release</i> , 2011, 152, e239-e240.	9.9	2
467	Flame retardation of glass-fibre-reinforced polyamide 6 by a novel metal salt of alkylphosphinic acid. <i>Polymer Degradation and Stability</i> , 2011, 96, 1538-1545.	5.8	58
468	Effect of a phosphorus-containing flame retardant on the thermal properties and ease of ignition of poly(lactic acid). <i>Polymer Degradation and Stability</i> , 2011, 96, 1557-1561.	5.8	96

#	ARTICLE	IF	CITATIONS
469	Inherent flame retardation of bio-based poly(lactic acid) by incorporating phosphorus linked pendent group into the backbone. <i>Polymer Degradation and Stability</i> , 2011, 96, 1669-1675.	5.8	47
470	In situ reinforced and flame-retarded polycarbonate by a novel phosphorus-containing thermotropic liquid crystalline copolyester. <i>Polymer</i> , 2011, 52, 4150-4157.	3.8	35
471	Synthesis and characterization of a novel multiblock copolyester containing poly(ethylene succinate) and poly(butylene succinate). <i>Materials Chemistry and Physics</i> , 2011, 130, 943-949.	4.0	46
472	Poly (N-isopropylacrylamide)/poly (ethylene oxide) blend nanofibrous scaffolds: Thermo-responsive carrier for controlled drug release. <i>Colloids and Surfaces B: Biointerfaces</i> , 2011, 88, 749-754.	5.0	62
473	Fabrication of novel thermo-responsive electrospun nanofibrous mats and their application in bioseparation. <i>European Polymer Journal</i> , 2011, 47, 1885-1892.	5.4	31
474	Bio-based blends of starch and poly(butylene succinate) with improved miscibility, mechanical properties, and reduced water absorption. <i>Carbohydrate Polymers</i> , 2011, 83, 762-768.	10.2	127
475	Synthesis, crystallization and hydrolysis of aromatic <sup>1</sup> aliphatic copolyester: Poly(trimethylene Tj ETQq1 1 0.784314 rgBT /Overlock 10	5.8	18
476	Synthesis of organo-modified $\hat{1}$ -zirconium phosphate and its effect on the flame retardancy of IFR poly(lactic acid) systems. <i>Polymer Degradation and Stability</i> , 2011, 96, 771-777.	5.8	82
477	Biodegradable poly( <i>p</i> -dioxanone) reinforced and toughened by organo <sup>1</sup> modified vermiculite. <i>Polymers for Advanced Technologies</i> , 2011, 22, 993-1000.	3.2	9
478	A method for simultaneously improving the flame retardancy and toughness of PLA. <i>Polymers for Advanced Technologies</i> , 2011, 22, 2295-2301.	3.2	117
479	Flame retardation of glass <sup>1</sup> fiber <sup>1</sup> reinforced polyamide 6 by combination of aluminum phenylphosphinate with melamine pyrophosphate. <i>Polymers for Advanced Technologies</i> , 2011, 22, 1166-1173.	3.2	27
480	2010 Symposium on Flame <sup>1</sup> Retardant Materials & Technologies (ISFRMT2010), Chengdu, China, 2010. <i>Polymers for Advanced Technologies</i> , 2011, 22, 1083-1084.	3.2	1
481	A phosphorus <sup>1</sup> containing inorganic compound as an effective flame retardant for glass <sup>1</sup> fiber <sup>1</sup> reinforced polyamide 6. <i>Journal of Applied Polymer Science</i> , 2011, 119, 2379-2385.	2.6	69
482	Impact behavior and fracture morphology of acrylonitrile <sup>1</sup> butadiene <sup>1</sup> styrene resins toughened by linear random styrene <sup>1</sup> isoprene <sup>1</sup> butadiene rubber. <i>Journal of Applied Polymer Science</i> , 2011, 121, 2458-2466.	2.6	9
483	Durable flame retardant finishing of PET/cotton blends using a Novel PVA <sup>1</sup> based phosphorus <sup>1</sup> nitrogen polymer. <i>Journal of Applied Polymer Science</i> , 2011, 122, 342-353.	2.6	22
484	Fuel oil from ABS using a tandem PEG-enhanced denitrogenation <sup>1</sup> pyrolysis method: Thermal degradation of denitrogenated ABS. <i>Journal of Analytical and Applied Pyrolysis</i> , 2011, 92, 267-272.	5.5	12
485	An efficiently halogen-free flame-retardant long-glass-fiber-reinforced polypropylene system. <i>Polymer Degradation and Stability</i> , 2011, 96, 363-370.	5.8	95
486	A novel efficient halogen-free flame retardant system for polycarbonate. <i>Polymer Degradation and Stability</i> , 2011, 96, 320-327.	5.8	93

#	ARTICLE	IF	CITATIONS
487	Denitrogenation of acrylonitrile-butadiene-styrene copolymers using polyethylene glycol/hydroxides. <i>Polymer Degradation and Stability</i> , 2011, 96, 870-874.	5.8	9
488	A novel phosphorus-containing poly(lactic acid) toward its flame retardation. <i>Polymer</i> , 2011, 52, 233-238.	3.8	123
489	Biodegradation behavior of PHAs with different chemical structures under controlled composting conditions. <i>Polymer Testing</i> , 2011, 30, 372-380.	4.8	140
490	PPDO-PU/Montmorillonite Nanocomposites Prepared by Chain-Extending Reaction: Thermal Stability, Mechanical Performance and Rheological Behavior. <i>Soft Materials</i> , 2011, 9, 393-408.	1.7	5
491	A review on flame retardant technology in China. Part I: development of flame retardants. <i>Polymers for Advanced Technologies</i> , 2010, 21, 1-26.	3.2	123
492	Preparation and properties of a novel biodegradable ethyl cellulose grafting copolymer with poly(p-dioxanone) side-chains. <i>Carbohydrate Polymers</i> , 2010, 80, 350-359.	10.2	64
493	Effect of polycarbodiimide on the thermal stability and crystallization of poly(p-dioxanone). <i>Journal of Polymer Research</i> , 2010, 17, 63-70.	2.4	9
494	Preparation of a new dialdehyde starch derivative and investigation of its thermoplastic properties. <i>Journal of Polymer Research</i> , 2010, 17, 439-446.	2.4	44
495	A novel organophosphorus flame retardant: Synthesis and durable finishing of poly(ethylene Tj ETQq1 1 0.784314.rgBT /Overlock 10	2.8	14
496	Synergistic effect between a novel hyperbranched charring agent and ammonium polyphosphate on the flame retardant and anti-dripping properties of polylactide. <i>Polymer Degradation and Stability</i> , 2010, 95, 763-770.	5.8	227
497	Oxidation of natural rubber using a sodium tungstate/acetic acid/hydrogen peroxide catalytic system. <i>Polymer Degradation and Stability</i> , 2010, 95, 1077-1082.	5.8	25
498	Preparation and burning behaviors of flame retarding biodegradable poly(lactic acid) nanocomposite based on zinc aluminum layered double hydroxide. <i>Polymer Degradation and Stability</i> , 2010, 95, 2474-2480.	5.8	181
499	Biodegradation behavior of PHBV films in a pilot-scale composting condition. <i>Polymer Testing</i> , 2010, 29, 579-587.	4.8	90
500	A facile approach to preparation of long-chain-branched poly(p-dioxanone). <i>European Polymer Journal</i> , 2010, 46, 24-33.	5.4	10
501	A novel thermotropic liquid crystalline copolyester containing phosphorus and aromatic ether moiety toward high flame retardancy and low mesophase temperature. <i>Journal of Polymer Science Part A</i> , 2010, 48, 1182-1189.	2.3	21
502	A novel aromatic-aliphatic copolyester consisting of poly(1,4-dioxanone) and poly(ethylene-co-hexene terephthalate): Preparation, thermal, and mechanical properties. <i>Journal of Polymer Science Part A</i> , 2010, 48, 2828-2837.	2.3	13
503	Well-defined amphiphilic poly(p-dioxanone)-grafted poly(vinyl alcohol) copolymers: Synthesis and micellization. <i>Journal of Polymer Science Part A</i> , 2010, 48, 4811-4822.	2.3	16
504	Rapid ring-opening polymerization of 1,4-dioxanone initiated by titanium alkoxides. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5885-5890.	2.3	20

#	ARTICLE	IF	CITATIONS
505	The synergistic flame-retardant effect of O <sub>2</sub> -MMT on the intumescent flame-retardant PP/CA/APP systems. <i>Polymers for Advanced Technologies</i> , 2010, 21, 789-796.	3.2	83
506	Synthesis of Poly(p-dioxanone) Catalyzed by Zn L-Lactate under Microwave Irradiation and Its Application in Ibuprofen Delivery. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010, 21, 927-936.	3.5	11
507	Thermal Degradation and Combustion Behavior of a Modified Intumescent Flame-retardant ABS Composite. <i>Journal of Thermoplastic Composite Materials</i> , 2010, 23, 473-486.	4.2	12
508	Notice of Retraction: How to learn polymer science well for university students whose major is not polymer science. , 2010, , .		0
509	Effect of an Ultrahigh Rubber ABS Impact Modifier Resin on Mechanical Properties of Intumescent Flame-Retardant ABS Composites. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 542-551.	1.0	5
510	Aryl Polyphosphonates: Useful Halogen-Free Flame Retardants for Polymers. <i>Materials</i> , 2010, 3, 4746-4760.	2.9	79
511	Novel Flame-Retardant and Antidripping Branched Polyesters Prepared via Phosphorus-Containing Ionic Monomer as End-Capping Agent. <i>Industrial &amp; Engineering Chemistry Research</i> , 2010, 49, 4190-4196.	3.7	42
512	Unique Crystalline/Crystalline Polymer Blends of Poly(ethylene succinate) and Poly(p-dioxanone): Miscibility and Crystallization Behaviors. <i>Journal of Physical Chemistry B</i> , 2010, 114, 14827-14833.	2.6	78
513	Dissolution Behavior of Chitin in Ionic Liquids. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 528-541.	1.0	129
514	Novel Semibiobased Copolyester Containing Poly(trimethylene-co-hexamethylene Terephthalate) and Poly(lactic Acid) Segments. <i>Industrial &amp; Engineering Chemistry Research</i> , 2010, 49, 5986-5992.	3.7	9
515	A Novel Aromatic-Aliphatic Copolyester of Poly(ethylene-co-diethylene) <i>Industrial &amp; Engineering Chemistry Research</i> , 2010, 49, 9803-9810.	3.7	12
516	Miscibility and Crystallization Behaviors of Poly(butylene succinate) and Poly(l-lactic) <i>Industrial &amp; Engineering Chemistry Research</i> , 2010, 49, 9870-9876.	3.7	17
517	Synthesis of Organo Cobalt-Aluminum Layered Double Hydroxide via a Novel Single-Step Self-Assembling Method and Its Use as Flame Retardant Nanofiller in PP. <i>Langmuir</i> , 2010, 26, 14162-14169.	3.5	153
518	Novel Inherently Flame-Retardant Poly(trimethylene Terephthalate) Copolyester with the Phosphorus-Containing Linking Pendent Group. <i>Industrial &amp; Engineering Chemistry Research</i> , 2010, 49, 7052-7059.	3.7	45
519	Non-isothermal Crystallization Behaviors of Poly(p-dioxanone) and Poly(p-dioxanone)-poly(butylene succinate) Multiblock Copolymer from Amorphous State. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 269-285.	1.0	9
520	A highly efficient approach for dehydrochlorinating polyvinyl chloride: catalysis by 1-butyl-3-methylimidazolium chloride. <i>Green Chemistry</i> , 2010, 12, 1062.	9.0	37
521	Relationship between Microstructure and Mechanical Properties of Ethylene-Octene Copolymer Reinforced and Toughened PP. <i>Journal of Macromolecular Science - Physics</i> , 2009, 48, 351-364.	1.0	15
522	Nonisothermal Crystallization Behaviors of Flame-Retardant Copolyester/Montmorillonite Nanocomposites. <i>Journal of Macromolecular Science - Physics</i> , 2009, 48, 927-940.	1.0	5

#	ARTICLE	IF	CITATIONS
523	Microwave-Assisted Single-Step Synthesis of Poly(L-lactic acid)-poly(ethylene glycol) Copolymers. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2009, 46, 631-635.	2.2	4
524	Effects of Boric Acid on Flame Retardancy of Intumescent Flame-Retardant Polypropylene Systems Containing a Caged Bicyclic Phosphate. <i>ACS Symposium Series</i> , 2009, , 225-248.	0.5	4
525	Enhanced hydrolytic stability of poly( <i>p</i> -dioxanone) with polycarbodiimide. <i>Journal of Applied Polymer Science</i> , 2009, 112, 3079-3086.	2.6	9
526	Boron trifluoride-catalyzed degradation of poly- $\epsilon$ -caprolactone at ambient temperature. <i>Polymer Degradation and Stability</i> , 2009, 94, 1515-1519.	5.8	2
527	Preparation and characterization of poly(lactic acid)-grafted TiO <sub>2</sub> nanoparticles with improved dispersions. <i>Applied Surface Science</i> , 2009, 255, 6795-6801.	6.1	71
528	Effect of carbonyl content on the properties of thermoplastic oxidized starch. <i>Carbohydrate Polymers</i> , 2009, 78, 157-161.	10.2	43
529	Double In Situ Approach for the Preparation of Polymer Nanocomposite with Multi-functionality. <i>Nanoscale Research Letters</i> , 2009, 4, 303-306.	5.7	21
530	High Carbonyl Content Oxidized Starch Prepared by Hydrogen Peroxide and Its Thermoplastic Application. <i>Starch/Staerke</i> , 2009, 61, 646-655.	2.1	120
531	A novel phosphorus-containing copolyester with low melting temperature and high flame retardancy. <i>Polymer International</i> , 2009, 58, 1202-1208.	3.1	12
532	A novel phosphorus-containing thermotropic liquid crystalline poly(ester-imide) with high flame retardancy. <i>Polymers for Advanced Technologies</i> , 2009, 20, 378-383.	3.2	11
533	A kinked unit-containing thermotropic liquid crystalline copolyester with low glass transition temperature and broad phase transition temperature. <i>Journal of Polymer Science Part A</i> , 2009, 47, 4703-4709.	2.3	22
534	An efficient approach to synthesize polysaccharides-graft-poly( <i>p</i> -dioxanone) copolymers as potential drug carriers. <i>Journal of Polymer Science Part A</i> , 2009, 47, 5344-5353.	2.3	14
535	Synthesis of high-molecular-weight aliphatic-aromatic copolyesters from poly(ethylene-co-1,6-hexene terephthalate) and poly(L-lactic acid) by chain extension. <i>Journal of Polymer Science Part A</i> , 2009, 47, 5898-5907.	2.3	25
536	Novel Pleuromutilin Derivatives with Excellent Antibacterial Activity Against <i>Staphylococcus aureus</i> . <i>Chemical Biology and Drug Design</i> , 2009, 73, 655-660.	3.2	21
537	Synthesis of poly(1,4-dioxan-2-one) catalyzed by immobilized lipase CA. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2009, 57, 224-228.	1.8	9
538	A water-soluble PPDO/PEG alternating multiblock copolymer: Synthesis, characterization, and its gel-sol transition behavior. <i>European Polymer Journal</i> , 2009, 45, 1190-1197.	5.4	16
539	Organically modified rectorite toughened poly(lactic acid): Nanostructures, crystallization and mechanical properties. <i>European Polymer Journal</i> , 2009, 45, 2996-3003.	5.4	83
540	Preparation, characterization and hydrolytic degradation of poly[p-dioxanone-(butylene succinate)] multiblockcopolymer. <i>European Polymer Journal</i> , 2009, 45, 3043-3057.	5.4	24

#	ARTICLE	IF	CITATIONS
541	Poly(ethylene glycol) enhanced dehydrochlorination of poly(vinyl chloride). Journal of Hazardous Materials, 2009, 163, 1408-1411.	12.4	29
542	Metal compound-enhanced flame retardancy of intumescent epoxy resins containing ammonium polyphosphate. Polymer Degradation and Stability, 2009, 94, 625-631.	5.8	154
543	Preparation and characterisation of a novel fire retardant PET/ $\gamma$ -zirconium phosphate nanocomposite. Polymer Degradation and Stability, 2009, 94, 544-549.	5.8	99
544	A novel biodegradable multiblock poly(ester urethane) containing poly(L-lactic acid) and poly(butylene succinate) blocks. Polymer, 2009, 50, 1178-1186.	3.8	166
545	Transesterification-controlled compatibility and microfibrillation in PC/ABS composites reinforced by phosphorus-containing thermotropic liquid crystalline polyester. Polymer, 2009, 50, 3037-3046.	3.8	30
546	Green composite films prepared from cellulose, starch and lignin in room-temperature ionic liquid. Bioresource Technology, 2009, 100, 2569-2574.	9.6	237
547	Green synthesis of a novel biodegradable copolymer base on cellulose and poly(p-dioxanone) in ionic liquid. Carbohydrate Polymers, 2009, 76, 139-144.	10.2	43
548	Chitosan-graft poly(p-dioxanone) copolymers: preparation, characterization, and properties. Carbohydrate Research, 2009, 344, 801-807.	2.3	38
549	Preparation and properties of nanocomposites based on poly(lactic acid) and functionalized TiO <sub>2</sub> . Acta Materialia, 2009, 57, 3182-3191.	7.9	130
550	Tissue anti-adhesion potential of biodegradable PELA electrospun membranes. Acta Biomaterialia, 2009, 5, 2467-2474.	8.3	46
551	Synthesis and Properties of Poly(Ester Urethane)s Consisting of Poly(L-Lactic Acid) and Poly(Ethylene Terephthalate) / Overlaid	3.7	95
552	Rheology, Crystallization, and Biodegradability of Blends Based on Soy Protein and Chemically Modified Poly(butylene succinate). Industrial & Engineering Chemistry Research, 2009, 48, 4817-4825.	3.7	33
553	Preparation and Drug-Delivery Potential of Metronidazole-Loaded PELA Tri-block Co-polymeric Electrospun Membranes. Journal of Biomaterials Science, Polymer Edition, 2009, 20, 1321-1334.	3.5	23
554	Synthesis and Properties of Thermoplastic Poly(vinyl Alcohol)-Graft-Lactic Acid Copolymers. Industrial & Engineering Chemistry Research, 2009, 48, 788-793.	3.7	48
555	Nonisothermal Crystallization Kinetics of Poly( $\epsilon$ -Caprolactone)/Montmorillonite Nanocomposites. Journal of Macromolecular Science - Physics, 2009, 48, 710-722.	1.0	22
556	Cellulose/Soy Protein Isolate Blend Films Prepared via Room-Temperature Ionic Liquid. Industrial & Engineering Chemistry Research, 2009, 48, 7132-7136.	3.7	79
557	A Novel Potential Ecomaterial Based on Poly(p-Dioxanone)/Montmorillonite Nanocomposite With Improved Crystalline, Processing, and Mechanical Properties. Journal of Macromolecular Science - Physics, 2009, 48, 1031-1041.	1.0	10
558	Thermal and Thermo-Oxidative Degradation of Biodegradable Poly(Ester Urethane) Containing Poly(L-Lactic Acid) and Poly(Butylene Succinate) Blocks. Journal of Macromolecular Science - Physics, 2009, 48, 635-649.	1.0	11



#	ARTICLE	IF	CITATIONS
559	Thermal Degradation and Combustion Behaviors of Flame-Retardant Polypropylene/Thermoplastic Polyurethane Blends. <i>Journal of Macromolecular Science - Physics</i> , 2009, 48, 889-909.	1.0	18
560	Synthesis and Anticoccidial Activity of ethyl 6-substitutedbenzyloxy-7-alkoxy-4-hydroxyquinoline-3-carboxylates. <i>Journal of Chemical Research</i> , 2009, 2009, 252-254.	1.3	2
561	A biodegradable copolymer from coupling poly(p-dioxanone) with poly(ethylene succinate) via toluene-2,4-diisocyanate. <i>E-Polymers</i> , 2009, 9, .	3.0	0
562	Effect of metal chelates on the ignition and early flaming behaviour of intumescent fire-retarded polyethylene systems. <i>Polymer Degradation and Stability</i> , 2008, 93, 1024-1030.	5.8	87
563	Synthesis of poly(lactic acid-b-p-dioxanone) block copolymers from ring opening polymerization of p-dioxanone by poly(L-lactic acid) macroinitiators. <i>Polymer Bulletin</i> , 2008, 61, 139-146.	3.3	25
564	Phosphorus-containing telechelic polyester-based ionomer: Facile synthesis and antidripping effects. <i>Journal of Polymer Science Part A</i> , 2008, 46, 2994-3006.	2.3	51
565	Microwave-assisted ring-opening polymerization of p-dioxanone. <i>Journal of Polymer Science Part A</i> , 2008, 46, 3207-3213.	2.3	15
566	Ring-opening polymerization of 1,4-dioxanone initiated by lanthanum isopropoxide in bulk. <i>Journal of Polymer Science Part A</i> , 2008, 46, 5214-5222.	2.3	15
567	A phosphorus-containing thermotropic liquid crystalline copolyester with low mesophase temperature and high flame retardance. <i>Journal of Polymer Science Part A</i> , 2008, 46, 5752-5759.	2.3	41
568	A novel intumescent flame-retardant LDPE system and its thermo-oxidative degradation and flame-retardant mechanisms. <i>Polymers for Advanced Technologies</i> , 2008, 19, 1566-1575.	3.2	54
569	Polyamide-enhanced flame retardancy of ammonium polyphosphate on epoxy resin. <i>Journal of Applied Polymer Science</i> , 2008, 108, 2644-2653.	2.6	103
570	A formaldehyde-free flame retardant wood particleboard system based on two-component polyurethane adhesive. <i>Journal of Applied Polymer Science</i> , 2008, 108, 1216-1222.	2.6	31
571	Effects of phosphorus-containing thermotropic liquid crystal copolyester on pyrolysis of PET and its flame retardant mechanism. <i>Polymer Degradation and Stability</i> , 2008, 93, 2066-2070.	5.8	29
572	A novel halogen-free flame retardant for glass-fiber-reinforced poly(ethylene terephthalate). <i>Polymer Degradation and Stability</i> , 2008, 93, 1188-1193.	5.8	75
573	Synergistic effect of ammonium polyphosphate and layered double hydroxide on flame retardant properties of poly(vinyl alcohol). <i>Polymer Degradation and Stability</i> , 2008, 93, 1323-1331.	5.8	221
574	A flame-retardant epoxy resin based on a reactive phosphorus-containing monomer of DODPP and its thermal and flame-retardant properties. <i>Polymer Degradation and Stability</i> , 2008, 93, 1308-1315.	5.8	167
575	Preparation and flammability of a novel intumescent flame-retardant poly(ethylene-co-vinyl acetate) system. <i>Polymer Degradation and Stability</i> , 2008, 93, 2186-2192.	5.8	65
576	Biodegradation behaviors of thermoplastic starch (TPS) and thermoplastic dialdehyde starch (TPDAS) under controlled composting conditions. <i>Polymer Testing</i> , 2008, 27, 924-930.	4.8	67

#	ARTICLE	IF	CITATIONS
577	A novel charring agent containing caged bicyclic phosphate and its application in intumescent flame retardant polypropylene systems. <i>Journal of Industrial and Engineering Chemistry</i> , 2008, 14, 589-595.	5.8	117
578	Preparation, characterization, and in vitro drug release behavior of biodegradable chitosan-graft-poly(1, 4-dioxan-2-one) copolymer. <i>Carbohydrate Polymers</i> , 2008, 74, 862-867.	10.2	43
579	A new approach to prepare high molecular weight poly(p-dioxanone) by chain-extending from dihydroxyl terminated propolymers. <i>European Polymer Journal</i> , 2008, 44, 465-474.	5.4	20
580	Preparation of nano-MgO/Carbon composites from sucrose-assisted synthesis for highly efficient dehydrochlorination process. <i>Materials Letters</i> , 2008, 62, 1887-1889.	2.6	23
581	Novel Biodegradable Poly(1,4-dioxan-2-one) Grafted Soy Protein Copolymer: Synthesis and Characterization. <i>Industrial &amp; Engineering Chemistry Research</i> , 2008, 47, 8233-8238.	3.7	21
582	Structure and Properties of Soy Protein/Poly(butylene succinate) Blends with Improved Compatibility. <i>Biomacromolecules</i> , 2008, 9, 3157-3164.	5.4	89
583	Effect of Modified Intumescent Flame Retardant via Surfactant/Polyacrylate Latex on Properties of Intumescent Flame Retardant ABS Composites. <i>Journal of Macromolecular Science - Physics</i> , 2008, 47, 1087-1095.	1.0	10
584	STUDY ON THE EFFECTS OF TLCP ON PYROLYSIS OF PET AND ITS RETARDANT MECHANISM. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2008, 26, 111.	3.8	7
585	AN S- AND P-CONTAINING FLAME RETARDANT FOR POLYPROPYLENE. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2008, 26, 299.	3.8	18
586	In vitro degradation of biodegradable blending materials based on poly(p-dioxanone) and poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Research - Part A, 2007, 80A, 453-465.	4.0	24
587	Fabrication and characterization of hydrophilic electrospun membranes made from the block copolymer of poly(ethylene glycol-co-lactide). <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 82A, 680-688.	4.0	27
588	A novel phosphorus-containing copolyester/montmorillonite nanocomposites with improved flame retardancy. <i>European Polymer Journal</i> , 2007, 43, 2882-2890.	5.4	60
589	Fire retardancy of a reactively extruded intumescent flame retardant polyethylene system enhanced by metal chelates. <i>Polymer Degradation and Stability</i> , 2007, 92, 1592-1598.	5.8	157
590	A novel intumescent flame-retardant system containing metal chelates for polyvinyl alcohol. <i>Polymer Degradation and Stability</i> , 2007, 92, 1555-1564.	5.8	63
591	Modified Corn Starches with Improved Comprehensive Properties for Preparing Thermoplastics. <i>Starch/Staerke</i> , 2007, 59, 258-268.	2.1	92
592	Char-forming mechanism of a novel polymeric flame retardant with char agent. <i>Polymer Degradation and Stability</i> , 2007, 92, 1046-1052.	5.8	98
593	Self-association and micelle formation of biodegradable poly(ethylene glycol)-poly(L-lactic acid) amphiphilic di-block co-polymers. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006, 17, 747-763.	3.5	29
594	Copolymerization of poly(vinyl alcohol)-graft-poly(1,4-dioxan-2-one) with designed molecular structure by a solid-state polymerization method. <i>Journal of Polymer Science Part A</i> , 2006, 44, 3083-3091.	2.3	15

#	ARTICLE	IF	CITATIONS
595	Thermal properties and non-isothermal crystallization behavior of biodegradable poly(p-dioxanone)/poly(vinyl alcohol) blends. <i>Polymer International</i> , 2006, 55, 383-390.	3.1	29
596	Synthesis, characterization, and thermal properties of a novel pentaerythritol-initiated star-shaped poly(p-dioxanone). <i>Journal of Polymer Science Part A</i> , 2006, 44, 1245-1251.	2.3	16
597	A study on grafting poly(1,4-dioxan-2-one) onto starch via 2,4-tolylene diisocyanate. <i>Carbohydrate Polymers</i> , 2006, 65, 28-34.	10.2	27
598	Enhanced thermal stability of poly(1,4-dioxan-2-one) in melt by adding a chelator. <i>Polymer Degradation and Stability</i> , 2006, 91, 2465-2470.	5.8	17
599	Pyrolysis of waste tire on ZSM-5 zeolite with enhanced catalytic activities. <i>Polymer Degradation and Stability</i> , 2006, 91, 2389-2395.	5.8	59
600	A novel biodegradable poly(p-dioxanone)-grafted poly(vinyl alcohol) copolymer with a controllable in vitro degradation. <i>Polymer</i> , 2006, 47, 32-36.	3.8	42
601	Synthesis of block copolymers of poly(p-dioxanone) block poly(tetrahydrofuran). <i>Polymer Bulletin</i> , 2006, 57, 151-156.	3.3	6
602	A rapid synthesis of poly (p-dioxanone) by ring-opening polymerization under microwave irradiation. <i>Polymer Bulletin</i> , 2006, 57, 873-880.	3.3	20
603	Burning behavior and pyrolysis products of flame-retardant PET containing sulfur-containing aryl polyphosphonate. <i>Journal of Analytical and Applied Pyrolysis</i> , 2006, 76, 198-202.	5.5	48
604	Thermal oxidative degradation behaviours of flame-retardant thermotropic liquid crystal copolyester/PET blends. <i>Materials Chemistry and Physics</i> , 2006, 98, 172-177.	4.0	32
605	Effects of molecular weights of bioabsorbable poly(p-dioxanone) on its crystallization behaviors. <i>Journal of Applied Polymer Science</i> , 2006, 100, 2331-2335.	2.6	18
606	ABA triblock copolymers from poly(p-dioxanone) and poly(ethylene glycol). <i>Journal of Applied Polymer Science</i> , 2006, 102, 1092-1097.	2.6	16
607	Flammability and thermal degradation behaviors of phosphorus-containing copolyester/BaSO4 nanocomposites. <i>Journal of Applied Polymer Science</i> , 2006, 102, 564-570.	2.6	25
608	A novel flame retardant of spirocyclic pentaerythritol bisphosphorate for epoxy resins. <i>Journal of Applied Polymer Science</i> , 2006, 102, 4978-4982.	2.6	43
609	A Novel Intumescent Flame-Retardant Polyethylene System. <i>Macromolecular Materials and Engineering</i> , 2006, 291, 247-253.	3.6	153
610	A Novel Phosphorus-Containing Poly(ethylene terephthalate) Nanocomposite with Both Flame Retardancy and Anti-Dripping Effects. <i>Macromolecular Materials and Engineering</i> , 2006, 291, 638-645.	3.6	70
611	Chain-extension and thermal behaviors of poly(p-dioxanone) with toluene-2,4-diisocyanate. <i>Reactive and Functional Polymers</i> , 2005, 65, 309-315.	4.1	11
612	Properties of phosphorus-containing thermotropic liquid crystal copolyester/poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td	5.8	44

#	ARTICLE	IF	CITATIONS
613	Thermal oxidative degradation behaviours of flame-retardant copolyesters containing phosphorous linked pendent group/montmorillonite nanocomposites. <i>Polymer Degradation and Stability</i> , 2005, 87, 171-176.	5.8	96
614	A novel biodegradable polyester from chain-extension of poly(p-dioxanone) with poly(butylene Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	5.8	25
615	Flame-retardant and anti-dripping effects of a novel char-forming flame retardant for the treatment of poly(ethylene terephthalate) fabrics. <i>Polymer Degradation and Stability</i> , 2005, 88, 349-356.	5.8	147
616	Effect of PEG on the crystallization of PPDO/PEG blends. <i>European Polymer Journal</i> , 2005, 41, 1243-1250.	5.4	58
617	Sn-containing composite thin films by plasma deposition of tetramethyltin. <i>Thin Solid Films</i> , 2005, 472, 58-63.	1.8	9
618	A novel method for preparing poly(ethylene terephthalate)/BaSO <sub>4</sub> nanocomposites. <i>European Polymer Journal</i> , 2005, 41, 2569-2574.	5.4	53
619	AlEt <sub>3</sub> -H <sub>2</sub> O-H <sub>3</sub> PO <sub>4</sub> catalyzed polymerizations of 1, 4-dioxan-2-one. <i>Polymer Bulletin</i> , 2005, 54, 187-193.	3.3	9
620	Preparation and characterization of a novel biodegradable poly(p-dioxanone)/montmorillonite nanocomposite. <i>Journal of Polymer Science Part A</i> , 2005, 43, 2298-2303.	2.3	29
621	Effects of molecular weights of poly(p-dioxanone) on its thermal, rheological and mechanical properties and in vitro degradability. <i>Materials Chemistry and Physics</i> , 2004, 87, 218-221.	4.0	29
622	Agricultural Application and Environmental Degradation of Photo-Biodegradable Polyethylene Mulching Films. <i>Journal of Polymers and the Environment</i> , 2004, 12, 7-10.	5.0	33
623	Crystallization and morphology of starch-g-poly(1,4-dioxan-2-one) copolymers. <i>Polymer</i> , 2004, 45, 7961-7968.	3.8	17
624	Synthesis and nuclear magnetic resonance analysis of starch-g-poly(1,4-dioxan-2-one) copolymers. <i>Journal of Polymer Science Part A</i> , 2004, 42, 3417-3422.	2.3	17
625	Synthesis and characterization of a novel nitrogen-containing flame retardant. <i>Journal of Applied Polymer Science</i> , 2004, 94, 1556-1561.	2.6	101
626	Synergistic Effect of the Charring Agent on the Thermal and Flame Retardant Properties of Polyethylene. <i>Macromolecular Materials and Engineering</i> , 2004, 289, 208-212.	3.6	139
627	A Novel Phosphorus-Containing Polymer as a Highly Effective Flame Retardant. <i>Macromolecular Materials and Engineering</i> , 2004, 289, 703-707.	3.6	109
628	A novel non-dripping oligomeric flame retardant for polyethylene terephthalate. <i>European Polymer Journal</i> , 2004, 40, 1909-1913.	5.4	56
629	Catalytic degradation and dechlorination of PVC-containing mixed plastics via Al <sup>3+</sup> /Mg composite oxide catalysts. <i>Fuel</i> , 2004, 83, 1727-1732.	6.4	58
630	Catalytic degradation of low-density polyethylene and polypropylene using modified ZSM-5 zeolites. <i>Polymer Degradation and Stability</i> , 2004, 84, 493-497.	5.8	44

#	ARTICLE	IF	CITATIONS
631	Crystallization and morphology of a novel biodegradable polymer system: poly(1,4-dioxan-2-one)/starch blends. <i>Acta Materialia</i> , 2004, 52, 4899-4905.	7.9	42
632	A new biodegradable copolyester poly(butylene succinate-co-ethylene succinate-co-ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702	7.9	61
633	Properties of Starch Blends with Biodegradable Polymers. <i>Journal of Macromolecular Science - Reviews in Macromolecular Chemistry and Physics</i> , 2003, 43, 385-409.	2.2	165
634	Thermal behaviors of flame-retardant polycarbonates containing diphenyl sulfonate and poly(sulfonyl phenylene phosphonate). <i>Journal of Applied Polymer Science</i> , 2003, 89, 882-889.	2.6	50
635	Kinetics of thermal degradation and thermal oxidative degradation of poly(p-dioxanone). <i>European Polymer Journal</i> , 2003, 39, 1567-1574.	5.4	79
636	Modifications of ZSM-5 zeolites and their applications in catalytic degradation of LDPE. <i>Polymer Degradation and Stability</i> , 2003, 80, 23-30.	5.8	48
637	Kinetics of thermal degradation of flame retardant copolyesters containing phosphorus linked pendent groups. <i>Polymer Degradation and Stability</i> , 2003, 80, 135-140.	5.8	81
638	Catalytic effect of Al <sup>3+</sup> -Zn composite catalyst on the degradation of PVC-containing polymer mixtures into pyrolysis oil. <i>Polymer Degradation and Stability</i> , 2003, 81, 89-94.	5.8	42
639	Thermogravimetric analysis of the decomposition of poly(1,4-dioxan-2-one)/starch blends. <i>Polymer Degradation and Stability</i> , 2003, 81, 415-421.	5.8	27
640	Solubility parameters of poly(sulfonyldiphenylene phenylphosphonate) and its miscibility with poly(ethylene terephthalate). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2003, 41, 2296-2301.	2.1	32
641	A new approach for the simultaneous improvement of fire retardancy, tensile strength and melt dripping of poly(ethylene terephthalate). <i>Journal of Materials Chemistry</i> , 2003, 13, 1248.	6.7	88
642	Microwave Assisted Radical Grafting of Maleic Anhydride onto Polyethylene in Solution. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2003, 40, 739-745.	2.2	5
643	POLY(p-DIOXANONE) AND ITS COPOLYMERS. <i>Journal of Macromolecular Science - Reviews in Macromolecular Chemistry and Physics</i> , 2002, 42, 373-398.	2.2	194
644	Ductile-brittle-transition phenomenon in polypropylene/ethylene-propylene-diene rubber blends obtained by dynamic packing injection molding: A new understanding of the rubber-toughening mechanism. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 2086-2097.	2.1	42
645	Kinetics of thermal oxidative degradation of phosphorus-containing flame retardant copolyesters. <i>Polymer Degradation and Stability</i> , 2002, 76, 401-409.	5.8	68
646	Physical and chemical effects of diethylN,N'-diethanolaminomethylphosphate on flame retardancy of rigid polyurethane foam. <i>Journal of Applied Polymer Science</i> , 2001, 82, 276-282.	2.6	39
647	High fire-safety phosphorus-containing polyethylene terephthalate with well-balanced comprehensive performances by reactive blending with liquid crystalline copolyester. <i>High Performance Polymers</i> , 0, , 095400832110288.	1.8	1
648	Efficient Water Harvesting Enabled by Porous Architecture-Containing Hybrid Surfaces. <i>Industrial &amp; Engineering Chemistry Research</i> , 0, , .	3.7	3