
Cindy L K Lam

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1214636/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association of genetic variants related to combined exposure to higher BMI and waist-to-hip ratio on lifelong cardiovascular risk in UK Biobank. Public Health Nutrition, 2023, 26, 416-424.	2.2	0
2	Long-term outcome of patients treated with antithyroid drugs, radioactive iodine or surgery for persistent or relapsed Graves' disease. British Journal of Surgery, 2022, 109, 381-389.	0.3	6
3	The association between trajectories of risk factors and risk of cardiovascular disease or mortality among patients with diabetes or hypertension: A systematic review. PLoS ONE, 2022, 17, e0262885.	2.5	2
4	Association Between Team-Based Continuity of Care and Risk of Cardiovascular Diseases Among Patients With Diabetes: A Retrospective Cohort Study. Diabetes Care, 2022, 45, 1162-1169.	8.6	3
5	Identifying and articulating the student experience in the Intercalated Enrichment Year. BMC Medical Education, 2022, 22, 246.	2.4	0
6	Attaining biochemical euthyroidism early after total thyroidectomy in Graves' disease may lower long-term morbidity risk. BJS Open, 2022, 6, .	1.7	3
7	The Spill-Over Impact of the Novel Coronavirus-19 Pandemic on Medical Care and Disease Outcomes in Non-communicable Diseases: A Narrative Review. Public Health Reviews, 2022, 43, 1604121.	3.2	12
8	Morbidity Patterns in Primary Care in Hong Kong: Protocol for a Practice-Based Morbidity Survey. JMIR Research Protocols, 2022, 11, e37334.	1.0	1
9	Adolescent Knowledge, Attitudes and Practices of Healthy Eating: Findings of Qualitative Interviews among Hong Kong Families. Nutrients, 2022, 14, 2857.	4.1	7
10	Effects of bariatric surgery on kidney diseases, cardiovascular diseases, mortality and severe hypoglycaemia among patients with Type 2 diabetes mellitus. Nephrology Dialysis Transplantation, 2021, 36, 1440-1451.	0.7	12
11	Prediction models and nomograms for 10â€year risk of endâ€stage renal disease in Chinese type 2 diabetes mellitus patients in primary care. Diabetes, Obesity and Metabolism, 2021, 23, 897-909.	4.4	11
12	Retrospective cohort study to investigate the 10-year trajectories of disease patterns in patients with hypertension and/or diabetes mellitus on subsequent cardiovascular outcomes and health service utilisation: a study protocol. BMJ Open, 2021, 11, e038775.	1.9	3
13	Outcomes of Graves' Disease Patients Following Antithyroid Drugs, Radioactive Iodine, or Thyroidectomy as the First-line Treatment. Annals of Surgery, 2021, 273, 1197-1206.	4.2	20
14	Generative adversarial networks for imputing missing data for big data clinical research. BMC Medical Research Methodology, 2021, 21, 78.	3.1	22
15	Greater variability in lipid measurements associated with kidney diseases in patients with type 2 diabetes mellitus in a 10-year diabetes cohort study. Scientific Reports, 2021, 11, 8047.	3.3	8
16	Association between bariatric surgery and risks of cancer among Chinese patients with type 2 diabetes mellitus: A retrospective cohort study. Journal of Diabetes, 2021, 13, 868-881.	1.8	5
17	Comparative Risks of Nonsteroidal Anti-Inflammatory Drugs on CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 898-907.	4.5	17
18	Impact of sleep duration, physical activity, and screen time on health-related quality of life in children and adolescents. Health and Quality of Life Outcomes, 2021, 19, 145.	2.4	20

#	Article	IF	CITATIONS
19	Author response to: Bariatric surgery is expensive but improves co-morbidity: 5-year assessment of patients with obesity and type 2 diabetes. British Journal of Surgery, 2021, 108, e281-e281.	0.3	6
20	Association between health behaviours and cardiometabolic dysregulation: a population-based survey among healthy adults in Hong Kong. BMJ Open, 2021, 11, e043503.	1.9	2
21	Unintentional Injury Burden in Hong Kong: Results from a Representative Population-Based Survey. International Journal of Environmental Research and Public Health, 2021, 18, 8826.	2.6	2
22	How Does the Family Influence Adolescent Eating Habits in Terms of Knowledge, Attitudes and Practices? A Global Systematic Review of Qualitative Studies. Nutrients, 2021, 13, 3717.	4.1	21
23	A pilot study on the validity and psychometric properties of the electronic EQ-5D-5L in routine clinical practice. Health and Quality of Life Outcomes, 2021, 19, 266.	2.4	5
24	Bariatric surgery is expensive but improves co-morbidity: 5-year assessment of patients with obesity and type 2 diabetes. British Journal of Surgery, 2021, 108, 554-565.	0.3	14
25	Fiveâ€year effectiveness of bariatric surgery on disease remission, weight loss, and changes of metabolic parameters in obese patients with type 2 diabetes: A populationâ€based propensity scoreâ€matched cohort study. Diabetes/Metabolism Research and Reviews, 2020, 36, e3236.	4.0	14
26	Lower urinary tract symptoms and health-related quality of life in Hong Kong primary care: a cross-sectional study. Quality of Life Research, 2020, 29, 1311-1321.	3.1	2
27	Association of visit-to-visit variability of systolic blood pressure with cardiovascular disease, chronic kidney disease and mortality in patients with hypertension. Journal of Hypertension, 2020, 38, 943-953.	0.5	13
28	Do Negative Emotional States Play a Role in the Association Between Intimate Partner Violence and Poor Health-Related Quality of Life in Chinese Women From Low-Income Families?. Violence Against Women, 2020, 26, 2041-2061.	1.7	6
29	Cultural adaptation and content validity of a Chinese translation of the â€ ⁻ Person-Centered Primary Care Measure': findings from cognitive debriefing. Family Medicine and Community Health, 2020, 8, e000621.	1.6	5
30	Prediction models for the risk of cardiovascular diseases in Chinese patients with type 2 diabetes mellitus: a systematic review. Public Health, 2020, 186, 144-156.	2.9	3
31	The validity, reliability, sensitivity and responsiveness of a modified Patient Enablement Instrument (PEI-2) as a tool for serial measurements of health enablement. Family Practice, 2020, 38, 339-345.	1.9	4
32	Improvement in patient-reported outcomes in Chinese adults after bariatric surgery: 1-year follow-up of a prospective cohort. Surgery for Obesity and Related Diseases, 2020, 16, 1563-1572.	1.2	6
33	SGLT2i as fourth-line therapy and risk of mortality, end-stage renal diseases and cardiovascular diseases in patients with type 2 diabetes mellitus. Diabetes and Metabolism, 2020, 47, 101196.	2.9	7
34	Development and pilot evaluation of a mobile app on parent-child exercises to improve physical activity and psychosocial outcomes of Hong Kong Chinese children. BMC Public Health, 2020, 20, 1544.	2.9	20
35	Nonrestorative sleep scale: a reliable and valid short form of the traditional Chinese version. Quality of Life Research, 2020, 29, 2585-2592.	3.1	7
36	Healthcare utilization and direct medical cost in the years during and after cancer diagnosis in patients with typeÂ2 diabetes mellitus. Journal of Diabetes Investigation, 2020, 11, 1661-1672.	2.4	5

#	Article	IF	CITATIONS
37	The Impact of Cardiovascular Disease and Chronic Kidney Disease on Life Expectancy and Direct Medical Cost in a 10-Year Diabetes Cohort Study. Diabetes Care, 2020, 43, 1750-1758.	8.6	24
38	Greater variability in lipid measurements associated with cardiovascular disease and mortality: A 10â€year diabetes cohort study. Diabetes, Obesity and Metabolism, 2020, 22, 1777-1788.	4.4	27
39	Psychometric evaluation of the Chinese version of the Toronto Hospital Alertness Test. Journal of Patient-Reported Outcomes, 2020, 4, 32.	1.9	3
40	DPP4i, thiazolidinediones, or insulin and risks of cancer in patients with type 2 diabetes mellitus on metformin–sulfonylurea dual therapy with inadequate control. BMJ Open Diabetes Research and Care, 2020, 8, e001346.	2.8	3
41	Ageâ€specific associations of <scp>glycated haemoglobin</scp> variability with cardiovascular disease and mortality in patients with type 2 diabetes mellitus: A 10―year cohort study. Diabetes, Obesity and Metabolism, 2020, 22, 1316-1327.	4.4	15
42	Trend in health-related quality of life and health utility and their decrements due to non-communicable diseases and risk factors: analysis of four population-based surveys between 1998 and 2015. Quality of Life Research, 2020, 29, 2921-2934.	3.1	3
43	Lifetime cost-effectiveness analysis of first-line dialysis modalities for patients with end-stage renal dialysis first policy. BMC Nephrology, 2020, 21, 42.	1.8	13
44	<p>The APEC Digital Hub-WONCA Collaborative Framework on Integration of Mental Health into Primary Care in the Asia Pacific</p> . Journal of Multidisciplinary Healthcare, 2020, Volume 13, 1693-1704.	2.7	4
45	Longâ€ŧerm costâ€effectiveness of a Patient Empowerment Programme for type 2 diabetes mellitus in primary care. Diabetes, Obesity and Metabolism, 2019, 21, 73-83.	4.4	13
46	Healthâ€related quality of life and health utility of Chinese patients undergoing nocturnal home haemodialysis in comparison with other modes of dialysis. Nephrology, 2019, 24, 630-637.	1.6	15
47	Direct and indirect costs of end-stage renal disease patients in the first and second years after initiation of nocturnal home haemodialysis, hospital haemodialysis and peritoneal dialysis. Nephrology Dialysis Transplantation, 2019, 34, 1565-1576.	0.7	28
48	Evaluation of the responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in Chinese patients with hypertension in primary care. Quality of Life Research, 2019, 28, 2851-2857.	3.1	8
49	Association of Blood Pressure and Risk of Cardiovascular and Chronic Kidney Disease in Hong Kong Hypertensive Patients. Hypertension, 2019, 74, 331-340.	2.7	27
50	Cultural adaptation and psychometric properties of the Chinese Burden of Treatment Questionnaire (C-TBQ) in primary care patients with multi-morbidity. Family Practice, 2019, 36, 657-665.	1.9	9
51	Nonrestorative sleep scale: reliable and valid for the Chinese population. Quality of Life Research, 2019, 28, 1685-1692.	3.1	11
52	Direct medical costs in the preceding, event and subsequent years of a first severe hypoglycaemia episode requiring hospitalization: A populationâ€based cohort study. Diabetes, Obesity and Metabolism, 2019, 21, 1330-1339.	4.4	6
53	Intensification with dipeptidyl peptidase-4 inhibitor, insulin, or thiazolidinediones and risks of all-cause mortality, cardiovascular diseases, and severe hypoglycemia in patients on metformin-sulfonylurea dual therapy: A retrospective cohort study. PLoS Medicine, 2019, 16, e1002999.	8.4	9
54	The mediating role of sleep quality in the association between nocturia and health-related quality of life. Health and Quality of Life Outcomes, 2019, 17, 181.	2.4	27

#	Article	IF	CITATIONS
55	Cost-effectiveness of a primary care multidisciplinary Risk Assessment and Management Program for patients with diabetes mellitus (RAMP-DM) over lifetime. Endocrine, 2019, 63, 259-269.	2.3	5
56	Tree analysis modeling of the associations between PHQ-9 depressive symptoms and doctor diagnosis of depression in primary care. Psychological Medicine, 2019, 49, 449-457.	4.5	1
57	A prospective cohort study to investigate parental stress and child health in low-income Chinese families: protocol paper. BMJ Open, 2018, 8, e018792.	1.9	12
58	Relation between HbA1c and incident cardiovascular disease over a period of 6 years in the Hong Kong population. Diabetes and Metabolism, 2018, 44, 415-423.	2.9	5
59	Direct medical costs of diabetes mellitus in the year of mortality and year preceding the year of mortality. Diabetes, Obesity and Metabolism, 2018, 20, 1470-1478.	4.4	14
60	Effect of Achieved Systolic Blood Pressure on Cardiovascular Outcomes in Patients With Type 2 Diabetes: A Population-Based Retrospective Cohort Study. Diabetes Care, 2018, 41, 1134-1141.	8.6	25
61	Development of a cardiovascular diseases risk prediction model and tools for <scp>C</scp> hinese patients with type 2 diabetes mellitus: <scp>A</scp> populationâ€based retrospective cohort study. Diabetes, Obesity and Metabolism, 2018, 20, 309-318.	4.4	26
62	Temporal trends in quality of primary care for patients with type 2 diabetes mellitus: A populationâ€based retrospective cohort study after implementation of a quality improvement initiative. Diabetes/Metabolism Research and Reviews, 2018, 34, e2952.	4.0	6
63	Five-Year Cost-effectiveness of the Multidisciplinary Risk Assessment and Management Programme–Diabetes Mellitus (RAMP-DM). Diabetes Care, 2018, 41, 250-257.	8.6	42
64	Five-Year Effectiveness of the Multidisciplinary Risk Assessment and Management Programme–Diabetes Mellitus (RAMP-DM) on Diabetes-Related Complications and Health Service Uses—A Population-Based and Propensity-Matched Cohort Study. Diabetes Care, 2018, 41, 49-59.	8.6	82
65	Five-year effectiveness of short messaging service (SMS) for pre-diabetes. BMC Research Notes, 2018, 11, 709.	1.4	5
66	Effects of health-related quality of life on health service utilisation in patients with colorectal neoplasms. European Journal of Cancer Care, 2018, 27, e12926.	1.5	3
67	Ten-year risk prediction models of complications and mortality of Chinese patients with diabetes mellitus in primary care in Hong Kong: a study protocol. BMJ Open, 2018, 8, e023070.	1.9	7
68	Evaluation of the internal and external responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in patients with type 2 diabetes mellitus. Quality of Life Research, 2018, 27, 2459-2469.	3.1	8
69	SF-6D population norms for the Hong Kong Chinese general population. Quality of Life Research, 2018, 27, 2349-2359.	3.1	29
70	Awareness of diabetic retinopathy and its association with attendance for systematic screening at the public primary care setting: a cross-sectional study in Hong Kong. BMJ Open, 2018, 8, e019989.	1.9	23
71	Spillover Effects of Maternal Chronic Disease on Children's Quality of Life and Behaviors Among Low-Income Families. Patient, 2018, 11, 625-635.	2.7	15
72	A Mobile App for Identifying Individuals With Undiagnosed Diabetes and Prediabetes and for Promoting Behavior Change: 2-Year Prospective Study. JMIR MHealth and UHealth, 2018, 6, e10662.	3.7	10

#	Article	IF	CITATIONS
73	Poverty and health-related quality of life of people living in Hong Kong: comparison of individuals from low-income families and the general population. Journal of Public Health, 2017, 39, fdw046.	1.8	25
74	Systematic review on the cost-effectiveness of self-management education programme for type 2 diabetes mellitus. Diabetes Research and Clinical Practice, 2017, 127, 21-34.	2.8	28
75	Fiveâ€year costâ€effectiveness of the Patient Empowerment Programme (<scp>PEP</scp>) for type 2 diabetes mellitus in primary care. Diabetes, Obesity and Metabolism, 2017, 19, 1312-1316.	4.4	11
76	EQ-5D-5L and SF-6D Utility Measures in Symptomatic benign Thyroid Nodules: Acceptability and Psychometric Evaluation. Patient, 2017, 10, 447-454.	2.7	9
77	Prediction of five-year all-cause mortality in Chinese patients with type 2 diabetes mellitus – A population-based retrospective cohort study. Journal of Diabetes and Its Complications, 2017, 31, 939-944.	2.3	19
78	Traditional growing rod versus magnetically controlled growing rod for treatment of early onset scoliosis: Cost analysis from implantation till skeletal maturity. Journal of Orthopaedic Surgery, 2017, 25, 230949901770502.	1.0	27
79	Bridging the Gaps Between Patients and Primary Care in China: A Nationwide Representative Survey. Annals of Family Medicine, 2017, 15, 237-245.	1.9	33
80	Cost-effectiveness analysis of vaccinations and decision makings on vaccination programmes in Hong Kong: A systematic review. Vaccine, 2017, 35, 3153-3161.	3.8	18
81	Association of Visit-to-Visit Variability of Systolic Blood Pressure With Cardiovascular Disease and Mortality in Primary Care Chinese Patients With Type 2 Diabetes—A Retrospective Population-Based Cohort Study. Diabetes Care, 2017, 40, 270-279.	8.6	42
82	Annual direct medical costs associated with diabetesâ€related complications in the event year and in subsequent years in Hong Kong. Diabetic Medicine, 2017, 34, 1276-1283.	2.3	22
83	The Health-Related Quality of Life of Chinese Patients on Hemodialysis and Peritoneal Dialysis. Patient, 2017, 10, 799-808.	2.7	28
84	Association of estimated glomerular filtration rate and urine albumin-to-creatinine ratio with incidence of cardiovascular diseases and mortality in chinese patients with type 2 diabetes mellitus – a population-based retrospective cohort study. BMC Nephrology, 2017, 18, 47.	1.8	27
85	Do We Need a Patient-Centered Target for Systolic Blood Pressure in Hypertensive Patients With Type 2 Diabetes Mellitus?. Hypertension, 2017, 70, 1273-1282.	2.7	12
86	Effect of Multifactorial Treatment Targets and Relative Importance of Hemoglobin A1c, Blood Pressure, and Lowâ€Density Lipoproteinâ€Cholesterol on Cardiovascular Diseases in Chinese Primary Care Patients With Type 2 Diabetes Mellitus: A Populationâ€Based Retrospective Cohort Study. Journal of the American Heart Association, 2017, 6, .	3.7	37
87	Morbidity pattern of traditional Chinese medicine primary care in the Hong Kong population. Scientific Reports, 2017, 7, 7513.	3.3	15
88	Primary care workforce and continuous medical education in China: lessons to learn from a nationwide cross-sectional survey. BMJ Open, 2017, 7, e015145.	1.9	17
89	Maternal mental quality of life mediates the associations between intimate partner abuse against mothers and their children's behaviours and quality of life in low-income Chinese families. Quality of Life Research, 2017, 26, 3297-3306.	3.1	14
90	Evaluation of the outcomes of care of nurseâ€led continence care clinics for Chinese patients with lower urinary tract symptoms, a 2â€year prospective longitudinal study. Journal of Advanced Nursing, 2017, 73, 1158-1171.	3.3	6

#	Article	IF	CITATIONS
91	Classification Rule for 5-year Cardiovascular Diseases Risk using decision tree in Primary Care Chinese Patients with Type 2 Diabetes Mellitus. Scientific Reports, 2017, 7, 15238.	3.3	4
92	Statin use reduces cardiovascular events and all-cause mortality amongst Chinese patients with type 2 diabetes mellitus: a 5-year cohort study. BMC Cardiovascular Disorders, 2017, 17, 166.	1.7	12
93	Health-related quality of life and health preference of Chinese patients with diabetes mellitus managed in primary care and secondary care setting: decrements associated with individual complication and number of complications. Health and Quality of Life Outcomes, 2017, 15, 125.	2.4	23
94	Effectiveness of a multidisciplinary risk assessment and management programme—diabetes mellitus (RAMP-DM) on patient-reported outcomes. Endocrine, 2017, 55, 416-426.	2.3	9
95	Mapping the SRS-22r questionnaire onto the EQ-5D-5L utility score in patients with adolescent idiopathic scoliosis. PLoS ONE, 2017, 12, e0175847.	2.5	27
96	Prediction of new onset of end stage renal disease in Chinese patients with type 2 diabetes mellitus – a population-based retrospective cohort study. BMC Nephrology, 2017, 18, 257.	1.8	33
97	The mediating factors in the relationship between lower urinary tract symptoms and health-related quality of life. BMC Research Notes, 2017, 10, 611.	1.4	7
98	Cost-Effectiveness of a Short Message Service Intervention to Prevent Type 2 Diabetes from Impaired Glucose Tolerance. Journal of Diabetes Research, 2016, 2016, 1-8.	2.3	25
99	Simple nonâ€laboratory―and laboratoryâ€based risk assessment algorithms and nomogram for detecting undiagnosed diabetes mellitus. Journal of Diabetes, 2016, 8, 414-421.	1.8	16
100	Psychometric Validation of the Traditional Chinese Version of the Early Onset Scoliosis-24 Item Questionnaire (EOSQ-24). Spine, 2016, 41, E1460-E1469.	2.0	18
101	Mental Health Mediating the Relationship Between Symptom Severity and Healthâ€Related Quality of Life in Patients with Lower Urinary Tract Symptoms. LUTS: Lower Urinary Tract Symptoms, 2016, 8, 141-149.	1.3	25
102	Psychometric validation of the EuroQoL 5-Dimension 5-Level (EQ-5D-5L) in Chinese patients with adolescent idiopathic scoliosis. Scoliosis and Spinal Disorders, 2016, 11, 19.	2.3	64
103	Development of a Health Empowerment Programme to improve the health of working poor families: protocol for a prospective cohort study in Hong Kong. BMJ Open, 2016, 6, e010015.	1.9	20
104	A systematic review of quality of thyroid-specific health-related quality-of-life instruments recommends ThyPRO for patients with benign thyroid diseases. Journal of Clinical Epidemiology, 2016, 78, 63-72.	5.0	64
105	Possible Impact of Incremental Cost-Effectiveness Ratio (ICER) on Decision Making for Cancer Screening in Hong Kong: A Systematic Review. Applied Health Economics and Health Policy, 2016, 14, 647-657.	2.1	5
106	Quality of care and volume for patients with diabetes mellitus in the primary care setting: A population based retrospective cohort study. Diabetes Research and Clinical Practice, 2016, 120, 171-181.	2.8	5
107	Effectiveness of the multidisciplinary Risk Assessment and Management Program for Patients with Diabetes Mellitus (RAMP-DM) for diabetic microvascular complications: A population-based cohort study. Diabetes and Metabolism, 2016, 42, 424-432.	2.9	24
108	The role of the family doctor in the era of multi-disciplinary primary care. Family Practice, 2016, 33, 447-448.	1.9	6

#	Article	IF	CITATIONS
109	Evaluation of patient-reported outcomes data in structured diabetes education intervention: 2-year follow-up data of patient empowerment programme. Endocrine, 2016, 54, 422-432.	2.3	9
110	Evaluation of the quality of care of a haemodialysis public-private partnership programme for patients with end-stage renal disease. BMC Nephrology, 2016, 17, 79.	1.8	8
111	Association of variability in hemoglobin A1c with cardiovascular diseases and mortality in Chinese patients with type 2 diabetes mellitus — A retrospective population-based cohort study. Journal of Diabetes and Its Complications, 2016, 30, 1240-1247.	2.3	46
112	Macrovascular and microvascular disease in obese patients with type 2 diabetes attending structured diabetes education program: a population-based propensity-matched cohort analysis of Patient Empowerment Programme (PEP). Endocrine, 2016, 53, 412-422.	2.3	21
113	A curvilinear association of body mass index with cardiovascular diseases in Chinese patients with type 2 diabetes mellitus – A population-based retrospective cohort study. Journal of Diabetes and Its Complications, 2016, 30, 1261-1268.	2.3	9
114	Main predictors in health-related quality of life in Chinese patients with type 2 diabetes mellitus. Quality of Life Research, 2016, 25, 2957-2965.	3.1	19
115	Effect of a structured diabetes education programme in primary care on hospitalizations and emergency department visits among people with Type 2 diabetes mellitus: results from the Patient Empowerment Programme. Diabetic Medicine, 2016, 33, 1427-1436.	2.3	23
116	The 12-Month Incidence and Predictors of PHQ-9-Screened Depressive Symptoms in Chinese Primary Care Patients. Annals of Family Medicine, 2016, 14, 47-53.	1.9	19
117	The impact of a co-payment on the cost-effectiveness of screening for diabetic retinopathy. Journal of Public Health, 2016, 38, 782-792.	1.8	9
118	Health-related quality of life mediates associations between multi-morbidity and depressive symptoms in Chinese primary care patients. Family Practice, 2016, 33, 61-68.	1.9	13
119	Evaluation of the internal and external responsiveness of the Pressure Ulcer Scale for Healing (<scp>PUSH</scp>) tool for assessing acute and chronic wounds. Journal of Advanced Nursing, 2016, 72, 1134-1143.	3.3	47
120	Incidence and predictors for cardiovascular disease in Chinese patients with type 2 diabetes mellitus – a population-based retrospective cohort study. Journal of Diabetes and Its Complications, 2016, 30, 444-450.	2.3	17
121	Systematic screening for diabetic retinopathy (DR) in Hong Kong: prevalence of DR and visual impairment among diabetic population. British Journal of Ophthalmology, 2016, 100, 151-155.	3.9	53
122	Mental health of Chinese primary care patients with lower urinary tract symptoms. Psychology, Health and Medicine, 2016, 21, 113-127.	2.4	16
123	Validation of the Disease-Specific Components of the Kidney Disease Quality of Life-36 (KDQOL-36) in Chinese Patients Undergoing Maintenance Dialysis. PLoS ONE, 2016, 11, e0155188.	2.5	27
124	Cost-effectiveness simulation and analysis of colorectal cancer screening in Hong Kong Chinese population: comparison amongst colonoscopy, guaiac and immunologic fecal occult blood testing. BMC Cancer, 2015, 15, 705.	2.6	25
125	Long-term effects of the multidisciplinary risk assessment and management program for patients with diabetes mellitus (RAMP-DM): a population-based cohort study. Cardiovascular Diabetology, 2015, 14, 105.	6.8	38
126	The effect of timing of incentive payments on response rates for cohort study telephone interviews in primary care setting with cost-minimization analysis, a randomized controlled trial. BMC Medical Research Methodology, 2015, 15, 79.	3.1	6

#	Article	IF	CITATIONS
127	Five-year change of clinical and complications profile of diabetic patients under primary care: a population-based longitudinal study on 127,977 diabetic patients. Diabetology and Metabolic Syndrome, 2015, 7, 79.	2.7	20
128	The test–retest reliability of the <scp>I</scp> ncontinence <scp>Q</scp> uestionnaireâ€ <scp>U</scp> rinary <scp>I</scp> ncontinence <scp>S</scp> hort <scp>F</scp> orm (<scp>ICIQ</scp> â€ <scp>UI SF</scp>) for assessing type of urinary incontinence in males and females. Journal of Clinical Nursing, 2015, 24, 3742-3744.	3.0	8
129	The responsiveness of the International Prostate Symptom Score, Incontinence Impact Questionnaireâ€7 and Depression, Anxiety and Stress Scaleâ€21 in patients with lower urinary tract symptoms. Journal of Advanced Nursing, 2015, 71, 1857-1870.	3.3	11
130	Evaluation of the Effectiveness of Nurse-Led Continence Care Treatments for Chinese Primary Care Patients with Lower Urinary Tract Symptoms. PLoS ONE, 2015, 10, e0129875.	2.5	17
131	Systematic review recommends the European Organization for Research and Treatment of Cancer colorectal cancer–specific module for measuring quality of life in colorectal cancer patients. Journal of Clinical Epidemiology, 2015, 68, 266-278.	5.0	34
132	Help-seeking intentions and subsequent 12-month mental health service use in Chinese primary care patients with depressive symptoms. BMJ Open, 2015, 5, e006730-e006730.	1.9	41
133	Patient Empowerment Programme (PEP) and Risk of Microvascular Diseases Among Patients With Type 2 Diabetes in Primary Care: A Population-Based Propensity-Matched Cohort Study. Diabetes Care, 2015, 38, e116-e117.	8.6	22
134	Patterns of health-related quality of life and associated factors in Chinese patients undergoing haemodialysis. Health and Quality of Life Outcomes, 2015, 13, 108.	2.4	23
135	Can HbA1c replace OGTT for the diagnosis of diabetes mellitus among Chinese patients with impaired fasting glucose?. Family Practice, 2015, 32, cmv077.	1.9	14
136	Evaluation of the quality of care of a multi-disciplinary Risk Factor Assessment and Management Programme for Hypertension (RAMP-HT). BMC Family Practice, 2015, 16, 71.	2.9	7
137	Increased number of structured diabetes education attendance was not associated with the improvement in patient-reported health-related quality of life: results from Patient Empowerment Programme (PEP). Health and Quality of Life Outcomes, 2015, 13, 126.	2.4	22
138	Health-related quality of life in patients with colorectal neoplasm and cost-effectiveness of colorectal cancer screening in Hong Kong. Hong Kong Medical Journal, 2015, 21 Suppl 6, 4-8.	0.1	0
139	Effects of Patient Empowerment Programme (PEP) on Clinical Outcomes and Health Service Utilization in Type 2 Diabetes Mellitus in Primary Care: An Observational Matched Cohort Study. PLoS ONE, 2014, 9, e95328.	2.5	65
140	Having a Family Doctor is Associated with Some Better Patient-Reported Outcomes of Primary Care Consultations. Frontiers in Medicine, 2014, 1, 29.	2.6	10
141	Road to better health and integration: a Delphi study on health service models for Hong Kong migrants. International Journal for Equity in Health, 2014, 13, 127.	3.5	6
142	Measuring body constitution: Validation of the Body Constitution Questionnaire (BCQ) in Hong Kong. Complementary Therapies in Medicine, 2014, 22, 670-682.	2.7	31
143	Responsiveness was similar between direct and mapped SF-6D inÂcolorectal cancer patients who declined. Journal of Clinical Epidemiology, 2014, 67, 219-227.	5.0	16
144	Is the SFâ€12 version 2 Health Survey a valid and equivalent substitute for the SFâ€36 version 2 Health Survey for the Chinese?. Journal of Evaluation in Clinical Practice, 2013, 19, 200-208.	1.8	150

#	Article	IF	CITATIONS
145	A short message service (SMS) intervention to prevent diabetes in Chinese professional drivers with pre-diabetes: A pilot single-blinded randomized controlled trial. Diabetes Research and Clinical Practice, 2013, 102, 158-166.	2.8	59
146	Direct medical costs of care for Chinese patients with colorectal neoplasia: a health care service provider perspective. Journal of Evaluation in Clinical Practice, 2012, 18, 1203-1210.	1.8	31
147	Utilisation patterns of primary health care services in Hong Kong: does having a family doctor make any difference?. Hong Kong Medical Journal, 2011, 17, 28-32.	0.1	14
148	Quality-adjusted life years: population-specific measurement of the quality component. Hong Kong Medical Journal, 2011, 17 Suppl 6, 17-21.	0.1	34
149	Brief problemâ€solving treatment in primary care (pstâ€pc) was not more effective than placebo for elderly patients screened positive of psychological problems. International Journal of Geriatric Psychiatry, 2010, 25, 968-980.	2.7	17
150	A pilot study on the validity and reliability of the Patient Enablement Instrument (PEI) in a Chinese population. Family Practice, 2010, 27, 395-403.	1.9	54
151	Unrecognised psychological problems impair quality of life and increase consultation rates in Chinese elderly patients. International Journal of Geriatric Psychiatry, 2009, 24, 979-989.	2.7	14
152	Chinese herbal medicine in the treatment of acute upper respiratory tract infection: a randomised, double blind, placebo-controlled clinical trial. Hong Kong Medical Journal, 2009, 15 Suppl 6, 30-4.	0.1	1
153	Valuation of the SF-6D Health States Is Feasible, Acceptable, Reliable, and Valid in a Chinese Population. Value in Health, 2008, 11, 295-303.	0.3	111
154	PBL curriculum improves medical students' participation in small-group tutorials. Medical Teacher, 2007, 29, e198-e203.	1.8	24
155	Cost effectiveness of mammography screening for Chinese women. Cancer, 2007, 110, 885-895.	4.1	65
156	Positive association between gastroâ€oesophageal reflux disease and irritable bowel syndrome in a Chinese population. Alimentary Pharmacology and Therapeutics, 2007, 25, 1099-1104.	3.7	35
157	Successful Pulmonary Vein Isolation Using Transvenous Catheter Cryoablation Improves Quality-of-Life in Patients with Atrial Fibrillation. PACE - Pacing and Clinical Electrophysiology, 2005, 28, 421-424.	1.2	14
158	Is the standard SF-12 Health Survey valid and equivalent for a Chinese population?. Quality of Life Research, 2005, 14, 539-547.	3.1	451
159	An instrument to assess mental patients? capacity to appraise and report subjective quality of life. Quality of Life Research, 2005, 14, 687-694.	3.1	27
160	Impact of Untreated Psychosis on Quality of Life in Patients with First-episode Schizophrenia. Quality of Life Research, 2005, 14, 1803-1811.	3.1	54
161	The SF-36 summary scales were valid, reliable, and equivalent in a Chinese population. Journal of Clinical Epidemiology, 2005, 58, 815-822.	5.0	219
162	Population based study of noncardiac chest pain in southern Chinese: Prevalence, psychosocial factors and health care utilization. World Journal of Gastroenterology, 2004, 10, 707.	3.3	86

#	Article	IF	CITATIONS
163	The 21st Century: The Age of Family Medicine Research?. Annals of Family Medicine, 2004, 2, S50-S54.	1.9	17
164	Onset and disappearance of reflux symptoms in a Chinese population: a 1-year follow-up study. Alimentary Pharmacology and Therapeutics, 2004, 20, 803-812.	3.7	32
165	Awareness of osteoporosis among physicians in China. Osteoporosis International, 2004, 15, 329-334.	3.1	9
166	Double-blind, randomized controlled study to assess the effects of lansoprazole 30 mg and lansoprazole 15 mg on 24-h oesophageal and intragastric pH in Chinese subjects with gastro-oesophageal reflux disease. Alimentary Pharmacology and Therapeutics, 2004, 19, 455-462.	3.7	18
167	A Chinese version of the Sleep Apnea Quality of Life Index was evaluated for reliability, validity, and responsiveness. Journal of Clinical Epidemiology, 2004, 57, 470-478.	5.0	30
168	A validated symptoms questionnaire (Chinese GERDQ) for the diagnosis of gastroâ€oesophageal reflux disease in the Chinese population. Alimentary Pharmacology and Therapeutics, 2003, 17, 1407-1413.	3.7	85
169	Prevalence, clinical spectrum and health care utilization of gastroâ€oesophageal reflux disease in a Chinese population: a populationâ€based study. Alimentary Pharmacology and Therapeutics, 2003, 18, 595-604.	3.7	238
170	The effect of health-related quality of life (HRQOL) on health service utilisation of a Chinese population. Social Science and Medicine, 2002, 55, 1635-1646.	3.8	69
171	Anxiety but not depression determines health careâ€seeking behaviour in Chinese patients with dyspepsia and irritable bowel syndrome: a populationâ€based study. Alimentary Pharmacology and Therapeutics, 2002, 16, 2081-2088.	3.7	171
172	The Hong Kong index of dyspepsia: A validated symptom severity questionnaire for patients with dyspepsia. Journal of Gastroenterology and Hepatology (Australia), 2002, 17, 545-551.	2.8	48
173	Confucius School of Medicine: the way to great learning. BMJ: British Medical Journal, 2001, 323, 1458-1459.	2.3	3
174	Trends in Asthma Therapy in Hong Kong, 1987–1992. Journal of Asthma, 1993, 30, 475-483.	1.7	4