## Jianheng Bi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12152810/publications.pdf Version: 2024-02-01



IMNHENC RL

#	Article	IF	CITATIONS
1	pH-activatable near-infrared fluorescent probes for detection of lysosomal pH inside living cells. Journal of Materials Chemistry B, 2014, 2, 4500-4508.	5.8	111
2	A cyanine-based fluorescent cassette with aggregation-induced emission for sensitive detection of pH changes in live cells. Chemical Communications, 2018, 54, 1133-1136.	4.1	65
3	Near-infrared fluorescent probes with BODIPY donors and rhodamine and merocyanine acceptors for ratiometric determination of lysosomal pH variance. Sensors and Actuators B: Chemical, 2019, 294, 1-13.	7.8	63
4	Ratiometric Near-Infrared Fluorescent Probes Based On Through-Bond Energy Transfer and Ï€-Conjugation Modulation between Tetraphenylethene and Hemicyanine Moieties for Sensitive Detection of pH Changes in Live Cells. Bioconjugate Chemistry, 2018, 29, 1406-1418.	3.6	61
5	Fluorescent probes for sensitive and selective detection of pH changes in live cells in visible and near-infrared channels. Journal of Materials Chemistry B, 2017, 5, 9579-9590.	5.8	55
6	Near-infrared fluorescent probes based on TBET and FRET rhodamine acceptors with different p <i>K</i> <sub>a</sub> values for sensitive ratiometric visualization of pH changes in live cells. Journal of Materials Chemistry B, 2019, 7, 198-209.	5.8	52
7	Luminescent Probes for Sensitive Detection of pH Changes in Live Cells through Two Near-Infrared Luminescence Channels. ACS Sensors, 2017, 2, 924-931.	7.8	46
8	Ratiometric fluorescent probes based on through-bond energy transfer of cyanine donors to near-infrared hemicyanine acceptors for mitochondrial pH detection and monitoring of mitophagy. Journal of Materials Chemistry B, 2020, 8, 1603-1615.	5.8	43
9	Fluorescent probes based on π-conjugation modulation between hemicyanine and coumarin moieties for ratiometric detection of pH changes in live cells with visible and near-infrared channels. Sensors and Actuators B: Chemical, 2018, 265, 699-708.	7.8	41
10	Highly water-soluble, near-infrared emissive BODIPY polymeric dye bearing RGD peptide residues for cancer imaging. Analytica Chimica Acta, 2013, 758, 138-144.	5.4	40
11	New Near-Infrared Fluorescent Probes with Single-Photon Anti-Stokes-Shift Fluorescence for Sensitive Determination of pH Variances in Lysosomes with a Double-Checked Capability. ACS Applied Bio Materials, 2018, 1, 549-560.	4.6	35
12	Near-infrared fluorescent probe for sensitive detection of Pb(II) ions in living cells. Inorganica Chimica Acta, 2017, 468, 140-145.	2.4	28
13	A Near-Infrared Fluorescent Probe Based on a FRET Rhodamine Donor Linked to a Cyanine Acceptor for Sensitive Detection of Intracellular pH Alternations. Molecules, 2018, 23, 2679.	3.8	26
14	Functionalization of BODIPY dyes at 2,6-positions through formyl groups. RSC Advances, 2013, 3, 4793.	3.6	25
15	Detecting Zn(II) Ions in Live Cells with Near-Infrared Fluorescent Probes. Molecules, 2019, 24, 1592.	3.8	23