
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1218729/publications.pdf Version: 2024-02-01



Τλέρομι Τέρλο

#	Article	IF	CITATIONS
1	Impact of climate factors, especially temperature and relative humidity on mood fluctuations in bipolar spectrum disorder. Bipolar Disorders, 2022, 24, 337-339.	1.9	0
2	The importance of comorbidities and concurrent drugs for assessing renal function of lithium treated patients. Bipolar Disorders, 2022, 24, 209-210.	1.9	0
3	Editorial: Insights in Psychological Therapies: 2021. Frontiers in Psychiatry, 2022, 13, 890889.	2.6	1
4	Lithium in drinking water and suicide prevention: The largest nationwide epidemiological study from Japan. Bipolar Disorders, 2021, 23, 33-40.	1.9	22
5	Dampening antidepressant effects via 5â€HT _{1A} autoâ€receptors. Acta Psychiatrica Scandinavica, 2021, 143, 94-95.	4.5	2
6	A case of clozapine-induced creatine kinase elevation after initiation of clozapine with successful continuation. Australian and New Zealand Journal of Psychiatry, 2021, 55, 633-633.	2.3	2
7	Association between trace levels of lithium in drinking water and COVIDâ€19â€associated mortality. Bipolar Disorders, 2021, 23, 100-100.	1.9	2
8	Maternal overprotection predicts consistent improvement of self-compassion during mindfulness-based intervention and existential approach: a secondary analysis of the EXMIND study. BMC Psychology, 2021, 9, 20.	2.1	2
9	Editorial: How to Help Employees Returning to Work Following Depression. Frontiers in Psychiatry, 2021, 12, 714589.	2.6	1
10	The Present State of Lithium for the Prevention of Dementia Related to Alzheimer's Dementia in Clinical and Epidemiological Studies: A Critical Review. International Journal of Environmental Research and Public Health, 2021, 18, 7756.	2.6	14
11	Neglected but not negligible aspects of antidepressants and their availability in bipolar depression. Brain and Behavior, 2021, 11, e2308.	2.2	5
12	Body mass index, affective temperament and bipolar spectrum disorder. Journal of Affective Disorders, 2021, 295, 3-4.	4.1	0
13	Should medications with little or no efficacy be prescribed when treating bipolar disorder?. Bipolar Disorders, 2021, 23, 832-833.	1.9	1
14	The Present State of Existential Interventions Within Palliative Care. Frontiers in Psychiatry, 2021, 12, 811612.	2.6	8
15	Human leukocyte antigen-DRB1*04:05 might be associated with the development of clozapine-induced agranulocytosis in a Japanese patient with schizophrenia. Australian and New Zealand Journal of Psychiatry, 2020, 54, 542-543.	2.3	4
16	A specific group of patients with diagnostic conversion from depression to bipolar disorder and finally to dementia as a mental GSKâ€3 disease: A hypothesis. Bipolar Disorders, 2020, 22, 356-359.	1.9	7
17	Adjunctive bright light therapy for treating bipolar depression: A systematic review and metaâ€analysis of randomized controlled trials. Brain and Behavior, 2020, 10, e01876.	2.2	18
18	Lithium in drinking water and crime rates in Japan: cross-sectional study. BJPsych Open, 2020, 6, e122.	0.7	7

#	Article	IF	CITATIONS
19	Association between lithium in tap water and suicide mortality rates in Miyazaki Prefecture. Environmental Health and Preventive Medicine, 2020, 25, 26.	3.4	6
20	ls the bell-shaped dose-response curve of the selective serotonin reuptake inhibitor due to 5-HT1A auto-receptors?. Medical Hypotheses, 2020, 140, 109681.	1.5	11
21	Patterns in Psychiatrists' Prescription of Valproate for Female Patients of Childbearing Age With Bipolar Disorder in Japan: A Questionnaire Survey. Frontiers in Psychiatry, 2020, 11, 250.	2.6	4
22	More Purpose in Life and Less Novelty Seeking Predict Improvements in Self-Compassion During a Mindfulness-Based Intervention: The EXMIND Study. Frontiers in Psychiatry, 2020, 11, 252.	2.6	4
23	Bell-shaped dose-response curve of antipsychotic drugs and dopaminergic auto-receptors: a hypothesis. Clinical Neuropsychopharmacology and Therapeutics, 2020, 11, 47-48.	0.3	1
24	Modified interpersonal and social rhythm therapy via modulation of ambient light. Bipolar Disorders, 2019, 21, 564-564.	1.9	1
25	Existential and Mindfulness–Based Intervention to Increase Self-Compassion in Apparently Healthy Subjects (the EXMIND Study): A Randomized Controlled Trial. Frontiers in Psychiatry, 2019, 10, 538.	2.6	7
26	â€~Hidden' corrected QT interval prolongation induced by olanzapine. Australian and New Zealand Journal of Psychiatry, 2019, 53, 1121-1121.	2.3	1
27	Light modulation for bipolar disorder: A commentary on "An update on adjunctive treatment options for bipolar disorder―by Dean et al. (2018). Bipolar Disorders, 2019, 21, 282-282.	1.9	3
28	Relationship between hyperthymic temperament, selfâ€directedness, and selfâ€transcendence in medical students and staff members. Psychiatry and Clinical Neurosciences, 2019, 73, 277-283.	1.8	8
29	Affective temperaments are associated with the white matter microstructure in healthy participants. Bipolar Disorders, 2019, 21, 539-546.	1.9	3
30	Use of gray sunglasses to alleviate hypomanic state in two patients with bipolar <scp>II</scp> disorder. Bipolar Disorders, 2019, 21, 182-184.	1.9	4
31	Temperament associated with Bipolar disorder. Kyushu Neuropsychiatry, 2019, 65, 74-80.	0.1	0
32	Relationship between anxious temperament and harm avoidance in medical students and staff. Psychiatry and Clinical Neurosciences, 2018, 72, 322-328.	1.8	10
33	Mixed Features in Bipolar I Disorder and the Effect of Lithium on Suicide. American Journal of Psychiatry, 2018, 175, 80-80.	7.2	3
34	Trace lithium and mental health. Journal of Neural Transmission, 2018, 125, 223-227.	2.8	14
35	Relationship between ambient light and glucose metabolism in healthy subjects. BMC Neuroscience, 2018, 19, 44.	1.9	3
36	Social cognition and metacognition contribute to accuracy for self-evaluation of real-world functioning in patients with schizophrenia. Schizophrenia Research, 2018, 202, 426-428.	2.0	7

#	Article	IF	CITATIONS
37	Naturally absorbed polyunsaturated fatty acids, lithium, and suicide-related behaviors: A case-controlled study. Journal of Affective Disorders, 2018, 241, 200-205.	4.1	10
38	Low estrogen but not high cholesterol induced suicide?. Acta Psychiatrica Scandinavica, 2017, 136, 658-658.	4.5	1
39	Serum lithium levels and suicide attempts: a case-controlled comparison in lithium therapy-naive individuals. Psychopharmacology, 2017, 234, 3335-3342.	3.1	14
40	Re-analysis of the association of temperature or sunshine with hyperthymic temperament using lithium levels of drinking water. Journal of Affective Disorders, 2017, 223, 126-129.	4.1	8
41	Cyclothymic temperament and glucose metabolism in the right superior parietal lobule. Psychiatry Research - Neuroimaging, 2017, 270, 76-79.	1.8	6
42	Comparison of lithium levels between Japanese and foreign mineral waters. Clinical Neuropsychopharmacology and Therapeutics, 2017, 8, 13-15.	0.3	4
43	Lithium in drinking water may be negatively associated with depressive temperament in the nonclinical population. Clinical Neuropsychopharmacology and Therapeutics, 2017, 8, 7-11.	0.3	7
44	Assessment of safety and efficacy of lamotrigine over the course of 1-year observation in Japanese patients with bipolar disorder: post-marketing surveillance study report. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 1441-1448.	2.2	6
45	Lithium Levels in Tap Water and the Mental Health Problems of Adolescents. Journal of Clinical Psychiatry, 2017, 78, e252-e256.	2.2	22
46	CNPT in Transition. Clinical Neuropsychopharmacology and Therapeutics, 2017, 8, 12-12.	0.3	0
47	Anxious temperament as a risk factor of suicide attempt. Comprehensive Psychiatry, 2016, 68, 72-77.	3.1	10
48	Doubtful comparison group. Lancet Psychiatry,the, 2016, 3, 105.	7.4	0
49	Cognitive insight and functional outcome in schizophrenia; a multi-center collaborative study with the specific level of functioning scale–Japanese version. Schizophrenia Research: Cognition, 2016, 6, 9-14.	1.3	30
50	Coexistence of Delusional Parasitosis and Complex Visual Hallucinations With Micropsia. Journal of Neuropsychiatry and Clinical Neurosciences, 2016, 28, e10-e12.	1.8	7
51	Trace lithium is inversely associated with male suicide after adjustment of climatic factors. Journal of Affective Disorders, 2016, 189, 282-286.	4.1	36
52	Is lithium potentially a trace element?. World Journal of Psychiatry, 2015, 5, 1.	2.7	22
53	Association between HLA-DRB1*0405, -DQB1*0401 and -DQA1*0303 alleles and lamotrigine-induced cutaneous adverse drug reactions. A pilot case-control study from Japan. Journal of Affective Disorders, 2015, 179, 47-50.	4.1	12
54	Does temperature or sunshine mediate the effect of latitude on affective temperaments? A study of 5 regions in Japan. Journal of Affective Disorders, 2015, 172, 141-145.	4.1	14

#	Article	IF	CITATIONS
55	Identification of the neural correlates of cyclothymic temperament using a working memory task in fMRI. Journal of Affective Disorders, 2015, 171, 1-5.	4.1	6
56	Low Risk of Male Suicide and Lithium in Drinking Water. Journal of Clinical Psychiatry, 2015, 76, 319-326.	2.2	49
57	Difference in brain activations during appreciating paintings and photographic analogs. Frontiers in Human Neuroscience, 2014, 8, 478.	2.0	23
58	The effects of mental state on assessment of bipolar temperament. Journal of Affective Disorders, 2014, 161, 1-3.	4.1	13
59	Antidepressant-induced mania or hypomania in DSM-5. Psychopharmacology, 2014, 231, 315-315.	3.1	11
60	Identification of the neural correlates of cyclothymic temperament using an esthetic judgment for paintings task in fMRI. Journal of Affective Disorders, 2014, 169, 47-50.	4.1	7
61	Dose-dependent effects of light on hyperthymic temperament. Journal of Affective Disorders, 2014, 162, 26-29.	4.1	6
62	Association between affective temperaments and regional gray matter volume in healthy subjects. Journal of Affective Disorders, 2014, 155, 169-173.	4.1	11
63	Musical hallucinations responding to a further increase of carbamazepine. BMJ Case Reports, 2014, 2014, bcr2014206418-bcr2014206418.	0.5	4
64	Valproate as a risk factor for lamotrigine discontinuation. Journal of Affective Disorders, 2013, 150, 1197-1199.	4.1	4
65	Hyperthymic temperament and brightness preference in healthy subjects: Further evidence for involvement of left inferior orbitofrontal cortex in hyperthymic temperament. Journal of Affective Disorders, 2013, 151, 763-768.	4.1	10
66	Affective temperaments and psychotropic adherence. Journal of Affective Disorders, 2013, 150, 1142-1147.	4.1	11
67	Hyperthymic temperament and brightness judgment in healthy subjects: Involvement of left inferior orbitofrontal cortex. Journal of Affective Disorders, 2013, 151, 143-148.	4.1	19
68	Relationship between hostility and subjective sleep quality. Psychiatry Research, 2013, 209, 545-548.	3.3	25
69	Risk factors for suicide in Japan: A model of predicting suicide in 2008 by risk factors of 2007. Journal of Affective Disorders, 2013, 147, 352-354.	4.1	17
70	Hyperthymic temperament and rapid reaction time in brightness preference. Journal of Affective Disorders, 2013, 151, 914-919.	4.1	0
71	Lithium in Tap Water and Suicide Mortality in Japan. International Journal of Environmental Research and Public Health, 2013, 10, 6044-6048.	2.6	51
72	Type A behavior pattern: Bortner scale vs. Japanese-original questionnaires. Journal of Affective Disorders, 2012, 142, 351-354.	4.1	7

#	Article	IF	CITATIONS
73	Latitude effect on bipolar temperaments. Journal of Affective Disorders, 2012, 142, 53-56.	4.1	18
74	The Effects of Single and Repeated Psychiatric Occupational Therapy on Psychiatric Symptoms: Assessment Using a Visual Analogue Scale. Stress and Health, 2012, 28, 98-101.	2.6	4
75	Bipolar temperaments and light. Journal of Affective Disorders, 2012, 136, 740-742.	4.1	12
76	Aripiprazole may be free from tachyphylaxis: Preliminary findings. Psychiatry and Clinical Neurosciences, 2012, 66, 160-162.	1.8	1
77	Cyclothymic and hyperthymic temperaments may predict bipolarity in major depressive disorder: A supportive evidence for bipolar II1/2 and IV. Journal of Affective Disorders, 2011, 129, 34-38.	4.1	47
78	Association between affective temperaments and brain-derived neurotrophic factor, Glycogen synthase kinase 3β and Wnt signaling pathway gene polymorphisms in healthy subjects. Journal of Affective Disorders, 2011, 131, 353-357.	4.1	11
79	Type A behavior pattern and hyperthymic temperament: Possible association with bipolar IV disorder. Journal of Affective Disorders, 2011, 133, 22-28.	4.1	20
80	Biological aspect of hyperthymic temperament: light, sleep, and serotonin. Psychopharmacology, 2011, 213, 633-638.	3.1	27
81	Light can ameliorate low mood in healthy people. Psychopharmacology, 2011, 213, 831-831.	3.1	11
82	Strange taste and mild lithium intoxication. BMJ Case Reports, 2011, 2011, bcr0520114267-bcr0520114267.	0.5	9
83	Lithium levels in drinking water and risk of suicide. British Journal of Psychiatry, 2009, 194, 464-465.	2.8	185
84	Even very low but sustained lithium intake can prevent suicide in the general population?. Medical Hypotheses, 2009, 73, 811-812.	1.5	24
85	Aggression, Suicide, and Lithium Treatment. American Journal of Psychiatry, 2008, 165, 1356-1357.	7.2	16
86	Type A behaviour pattern is associated with cynicism and low selfâ€acceptance in medical students. Stress and Health, 2007, 23, 323-329.	2.6	2
87	Lithium and dementia: A preliminary study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2006, 30, 1125-1128.	4.8	83
88	Effects of repeated milnacipran administration on brain serotonergic and noradrenergic functions in healthy volunteers. Psychopharmacology, 2006, 187, 526-527.	3.1	3
89	Mental effect of cholesterol in males: Protective effect?. Journal of Affective Disorders, 2006, 91, 139-144.	4.1	7
90	Effect of latitude on suicide rates in Japan. Lancet, The, 2002, 360, 1892.	13.7	38

#	Article	IF	CITATIONS
91	Polymorphisms of the ?1 receptor gene in schizophrenia: An association study. American Journal of Medical Genetics Part A, 2000, 96, 118-122.	2.4	23
92	Exhibitionism and low-dose trazodone treatment. Human Psychopharmacology, 2000, 15, 347-349.	1.5	3
93	Polymorphisms of the σ1 receptor gene in schizophrenia: An association study. American Journal of Medical Genetics Part A, 2000, 96, 118.	2.4	3
94	Dopamine D1 receptor gene polymorphism and schizophrenia in Japan. American Journal of Medical Genetics Part A, 1999, 88, 116-119.	2.4	28
95	Association study of the 5-HT6 receptor gene in schizophrenia. , 1999, 88, 120-122.		35
96	An active metabolite of carbamazepine, carbamazepine-10,11-epoxide, inhibits ion channel-mediated catecholamine secretion in cultured bovine adrenal medullary cells. Psychopharmacology, 1998, 135, 368-373.	3.1	13
97	Antidepressant Effect of Lithium in Patients with Systemic Lupus Erythematosus and Cerebral Infarction, Treated with Corticosteroid. British Journal of Psychiatry, 1994, 164, 109-111.	2.8	16