Gavin Andrews

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12191282/publications.pdf

Version: 2024-02-01

153	17,040	62	126
papers	citations	h-index	g-index
153	153	153	15051 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	The World Health Organization Composite International Diagnostic Interview shortâ€form (CIDI‧F). International Journal of Methods in Psychiatric Research, 1998, 7, 171-185.	2.1	1,806
2	Interpreting scores on the Kessler Psychological Distress Scale (K10). Australian and New Zealand Journal of Public Health, 2001, 25, 494-497.	1.8	1,460
3	Computer Therapy for the Anxiety and Depressive Disorders Is Effective, Acceptable and Practical Health Care: A Meta-Analysis. PLoS ONE, 2010, 5, e13196.	2.5	1,103
4	Prevalence, comorbidity, disability and service utilisation. British Journal of Psychiatry, 2001, 178, 145-153.	2.8	847
5	2007 National Survey of Mental Health and Wellbeing: Methods and Key Findings. Australian and New Zealand Journal of Psychiatry, 2009, 43, 594-605.	2.3	701
6	Utilising survey data to inform public policy: Comparison of the cost-effectiveness of treatment of ten mental disorders. British Journal of Psychiatry, 2004, 184, 526-533.	2.8	444
7	Internet Treatment for Depression: A Randomized Controlled Trial Comparing Clinician vs. Technician Assistance. PLoS ONE, 2010, 5, e10939.	2.5	349
8	Shortfall in mental health service utilisation. British Journal of Psychiatry, 2001, 179, 417-425.	2.8	342
9	Normative Data for the 12 Item WHO Disability Assessment Schedule 2.0. PLoS ONE, 2009, 4, e8343.	2.5	320
10	Australia's Mental Health: An Overview of the General Population Survey. Australian and New Zealand Journal of Psychiatry, 2000, 34, 197-205.	2.3	317
11	Transdiagnostic internet treatment for anxiety and depression: A randomised controlled trial. Behaviour Research and Therapy, 2011, 49, 441-452.	3.1	245
12	Do guided internet-based interventions result in clinically relevant changes for patients with depression? An individual participant data meta-analysis. Clinical Psychology Review, 2018, 63, 80-92.	11.4	239
13	Internet Treatment for Generalized Anxiety Disorder: A Randomized Controlled Trial Comparing Clinician vs. Technician Assistance. PLoS ONE, 2010, 5, e10942.	2.5	215
14	Clinician-Assisted Internet-Based Treatment is Effective for Depression: Randomized Controlled Trial. Australian and New Zealand Journal of Psychiatry, 2009, 43, 571-578.	2.3	214
15	Prevalence and correlates of DSM-IV major depression in an Australian national survey. Journal of Affective Disorders, 2003, 75, 155-162.	4.1	206
16	Health anxiety in Australia: prevalence, comorbidity, disability and service use. British Journal of Psychiatry, 2013, 202, 56-61.	2.8	204
17	Prevalence and Severity of Mental Health-Related Disability and Relationship to Diagnosis. Psychiatric Services, 2002, 53, 80-86.	2.0	188
18	Shyness 3: Randomized Controlled Trial of Guided Versus Unguided Internet-Based CBT for Social Phobia. Australian and New Zealand Journal of Psychiatry, 2008, 42, 1030-1040.	2.3	185

#	Article	IF	CITATIONS
19	Lifetime prevalence estimates of major depression: An indirect estimation method and a quantification of recall bias. European Journal of Epidemiology, 2005, 20, 103-111.	5.7	183
20	Mental Disorders in Australian Prisoners: a Comparison with a Community Sample. Australian and New Zealand Journal of Psychiatry, 2006, 40, 272-276.	2.3	182
21	Deconstructing current comorbidity: data from the Australian National Survey of Mental Health and Well-Being. British Journal of Psychiatry, 2002, 181, 306-314.	2.8	181
22	Adherence as a determinant of effectiveness of internet cognitive behavioural therapy for anxiety and depressive disorders. Behaviour Research and Therapy, 2012, 50, 463-468.	3.1	180
23	The SFâ€12 in the Australian population: crossâ€validation of item selection. Australian and New Zealand Journal of Public Health, 2002, 26, 343-345.	1.8	169
24	Internetâ€based prevention for alcohol and cannabis use: final results of the Climate Schools course. Addiction, 2010, 105, 749-759.	3.3	165
25	Psychotic-like experiences in the general community: the correlates of CIDI psychosis screen items in an Australian sample. Psychological Medicine, 2006, 36, 231-238.	4.5	163
26	Effects of Sociodemographic and Health Variables on Mini-Mental State Exam Scores in Older Australians. American Journal of Geriatric Psychiatry, 2007, 15, 467-476.	1.2	158
27	Association between trauma exposure and delusional experiences in a large community-based sample. British Journal of Psychiatry, 2007, 190, 339-343.	2.8	152
28	Treatment-as-usual (TAU) is anything but usual: A meta-analysis of CBT versus TAU for anxiety and depression. Journal of Affective Disorders, 2015, 175, 152-167.	4.1	148
29	Shyness 1: Distance Treatment of Social Phobia Over the Internet. Australian and New Zealand Journal of Psychiatry, 2008, 42, 585-594.	2.3	146
30	Clinician-Assisted Internet-Based Treatment is Effective for Panic: A Randomized Controlled Trial. Australian and New Zealand Journal of Psychiatry, 2010, 44, 599-607.	2.3	144
31	The Changing Prevalence and Severity of Obsessive-Compulsive Disorder Criteria From DSM-III to DSM-IV. American Journal of Psychiatry, 2005, 162, 876-882.	7.2	139
32	Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the treatment of panic disorder, social anxiety disorder and generalised anxiety disorder. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1109-1172.	2.3	137
33	Culturally attuned Internet treatment for depression amongst Chinese Australians: A randomised controlled trial. Journal of Affective Disorders, 2012, 136, 459-468.	4.1	136
34	Combining imagination and reason in the treatment of depression: A randomized controlled trial of internet-based cognitive-bias modification and internet-CBT for depression Journal of Consulting and Clinical Psychology, 2013, 81, 793-799.	2.0	133
35	Prevalence of Mental Disorders in the Elderly: The Australian National Mental Health and Well-Being Survey. American Journal of Geriatric Psychiatry, 2007, 15, 455-466.	1.2	132
36	The Economic Costs of Schizophrenia. Archives of General Psychiatry, 1985, 42, 537.	12.3	126

#	Article	lF	Citations
37	Effectiveness Randomized Controlled Trial of Face to Face Versus Internet Cognitive Behaviour Therapy for Social Phobia. Australian and New Zealand Journal of Psychiatry, 2011, 45, 337-340.	2.3	122
38	Clinician-Assisted Internet-Based Treatment is Effective for Generalized Anxiety Disorder: Randomized Controlled Trial. Australian and New Zealand Journal of Psychiatry, 2009, 43, 905-912.	2.3	119
39	The Effectiveness of Internet Cognitive Behavioural Therapy (iCBT) for Depression in Primary Care: A Quality Assurance Study. PLoS ONE, 2013, 8, e57447.	2.5	115
40	Shyness 2: Treating Social Phobia Online: Replication and Extension. Australian and New Zealand Journal of Psychiatry, 2008, 42, 595-605.	2.3	108
41	A RCT of a Transdiagnostic Internet-Delivered Treatment for Three Anxiety Disorders: Examination of Support Roles and Disorder-Specific Outcomes. PLoS ONE, 2011, 6, e28079.	2.5	107
42	Service utilisation for anxiety in an Australian community sample. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 153-163.	3.1	103
43	Validity of the Composite International Diagnostic Interview (CIDI) psychosis module in a psychiatric setting. Journal of Psychiatric Research, 1998, 32, 361-368.	3.1	96
44	Randomized Controlled Trial of Web-Based Treatment of Social Phobia Without Clinician Guidance. Australian and New Zealand Journal of Psychiatry, 2009, 43, 913-919.	2.3	95
45	A randomized controlled trial of â€ [*] MUMentum Pregnancy': Internet-delivered cognitive behavioral therapy program for antenatal anxiety and depression. Journal of Affective Disorders, 2019, 243, 381-390.	4.1	94
46	Using epidemiological data to model efficiency in reducing the burden of depression. Journal of Mental Health Policy and Economics, 2000, 3, 175-186.	0.6	93
47	Burden of disease. British Journal of Psychiatry, 1998, 173, 123-131.	2.8	92
48	Gender differences in the prevalence of DSM-IV and ICD-10 PTSD. Psychological Medicine, 2006, 36, 81-89.	4.5	89
49	An RCT Comparing Effect of Two Types of Support on Severity of Symptoms for People Completing Internet-Based Cognitive Behaviour Therapy for Social Phobia. Australian and New Zealand Journal of Psychiatry, 2009, 43, 920-926.	2.3	88
50	Characteristics of Adults with Anxiety or Depression Treated at an Internet Clinic: Comparison with a National Survey and an Outpatient Clinic. PLoS ONE, 2010, 5, e10885.	2.5	84
51	THE EFFECTIVENESS OF INTERNET COGNITIVE BEHAVIOURAL THERAPY FOR GENERALIZED ANXIETY DISORDER IN CLINICAL PRACTICE. Depression and Anxiety, 2012, 29, 843-849.	4.1	84
52	An open trial of a brief transdiagnostic internet treatment for anxiety and depression. Behaviour Research and Therapy, 2011, 49, 830-837.	3.1	79
53	Cost-effectiveness of current and optimal treatment for schizophrenia. British Journal of Psychiatry, 2003, 183, 427-435.	2.8	78
54	Lifetime risk of depression: restricted to a minority or waiting for most?. British Journal of Psychiatry, 2005, 187, 495-496.	2.8	77

#	Article	IF	Citations
55	Assessing Cost-Effectiveness in Mental Health: Helping Policy-Makers Prioritize and Plan Health Services. Australian and New Zealand Journal of Psychiatry, 2005, 39, 701-712.	2.3	76
56	Frequency and quality of mental health treatment for affective and anxiety disorders among Australian adults. Medical Journal of Australia, 2015, 202, 185-189.	1.7	7 5
57	Investigating trajectories of change in psychological distress amongst patients with depression and generalised anxiety disorder treated with internet cognitive behavioural therapy. Behaviour Research and Therapy, 2012, 50, 374-380.	3.1	74
58	Internet-delivered psychological interventions for clinical anxiety and depression in perinatal women: a systematic review and meta-analysis. Archives of Women's Mental Health, 2019, 22, 737-750.	2.6	74
59	Internet cognitive behavioural treatment for obsessive compulsive disorder: A randomised controlled trial. Behaviour Research and Therapy, 2014, 63, 99-106.	3.1	73
60	Developing a roadmap for the translation of e-mental health services for depression. Australian and New Zealand Journal of Psychiatry, 2015, 49, 776-784.	2.3	73
61	Effectiveness of transdiagnostic internet cognitive behavioural treatment for mixed anxiety and depression in primary care. Journal of Affective Disorders, 2014, 165, 45-52.	4.1	72
62	Dimensionality and the category of major depressive episode. International Journal of Methods in Psychiatric Research, 2007, 16, S41-S51.	2.1	71
63	Web-Based Cognitive Behavior Therapy for Depression in People With Diabetes Mellitus: A Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e157.	4.3	71
64	Up-scaling clinician assisted internet cognitive behavioural therapy (iCBT) for depression: A model for dissemination into primary care. Clinical Psychology Review, 2015, 41, 40-48.	11.4	70
65	An Internet administered treatment program for obsessive–compulsive disorder: A feasibility study. Journal of Anxiety Disorders, 2011, 25, 1102-1107.	3.2	67
66	A brief integer scorer for the SFâ€12: validity of the brief scorer in Australian community and clinic settings. Australian and New Zealand Journal of Public Health, 2002, 26, 508-510.	1.8	64
67	Empirical Impact of DSM-IV Diagnostic Criterion for Clinical Significance. Journal of Nervous and Mental Disease, 2002, 190, 334-337.	1.0	61
68	The 10-Item Kessler Psychological Distress Scale (K10) as a Screening Instrument in Older Individuals. American Journal of Geriatric Psychiatry, 2013, 21, 596-606.	1.2	60
69	Transdiagnostic versus disorder-specific internet-delivered cognitive behaviour therapy for anxiety and depression in primary care. Journal of Anxiety Disorders, 2017, 46, 25-34.	3.2	58
70	The impact of psychological distress tolerance in the treatment ofÂdepression. Behaviour Research and Therapy, 2013, 51, 469-475.	3.1	56
71	Investigating the Factor Structure of the Kessler Psychological Distress Scale in Community and Clinical Samples of the Australian Population. Journal of Psychopathology and Behavioral Assessment, 2012, 34, 253-259.	1.2	55
72	Generalized Anxiety Disorder and Major Depressive Disorder comorbidity in the National Survey of Mental Health and Well-Being. Depression and Anxiety, 2004, 20, 23-31.	4.1	54

#	Article	IF	CITATIONS
73	Anxiety and Comorbid Measures Associated With PLXNA2. Archives of General Psychiatry, 2007, 64, 318.	12.3	52
74	Current perspectives on Internet delivered cognitive behavioral therapy for adults with anxiety and related disorders. Psychology Research and Behavior Management, 2014, 7, 37.	2.8	52
75	Transdiagnostic internet-delivered CBT and mindfulness-based treatment for depression and anxiety: A randomised controlled trial. Internet Interventions, 2020, 20, 100310.	2.7	49
76	Reductions in negative repetitive thinking and metacognitive beliefs during transdiagnostic internet cognitive behavioural therapy (iCBT) for mixed anxiety and depression. Behaviour Research and Therapy, 2014, 59, 52-60.	3.1	48
77	Assessing personality disorders in a national mental health survey. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 87-98.	3.1	47
78	Preventing anxiety and depression in adolescents: A randomised controlled trial of two school based Internet-delivered cognitive behavioural therapy programmes. Internet Interventions, 2014, 1, 90-94.	2.7	47
79	Internet Treatment for Social Phobia Reduces Comorbidity. Australian and New Zealand Journal of Psychiatry, 2009, 43, 754-759.	2.3	46
80	The effectiveness of unguided internet cognitive behavioural therapy for mixed anxiety and depression. Internet Interventions, 2017, 10, 47-53.	2.7	46
81	Generic effectiveness measures: Sensitivity to symptom change in anxiety disorders. Journal of Affective Disorders, 2006, 90, 123-130.	4.1	45
82	Universal Internet-based prevention for alcohol and cannabis use reduces truancy, psychological distress and moral disengagement: A cluster randomised controlled trial. Preventive Medicine, 2014, 65, 109-115.	3.4	44
83	Age Shall not Weary Them: Mental Health in the Middle-Aged and the Elderly. Australian and New Zealand Journal of Psychiatry, 2007, 41, 581-589.	2.3	43
84	Characteristics and Treatment Preferences of People with Symptoms of Posttraumatic Stress Disorder: An Internet Survey. PLoS ONE, 2011, 6, e21864.	2.5	43
85	Do doctors know best? Comments on a failed trial. Medical Journal of Australia, 2001, 174, 144-146.	1.7	42
86	Demographic, Clinical, and Lifestyle Correlates of Subjective Memory Complaints in the Australian Population. American Journal of Geriatric Psychiatry, 2014, 22, 1222-1232.	1.2	42
87	Neurasthenia: Prevalence, disability and health care characteristics in the Australian community. British Journal of Psychiatry, 2002, 181, 56-61.	2.8	41
88	Reducing the burden of affective disorders: is evidence-based health care affordable?. Journal of Affective Disorders, 2003, 77, 109-125.	4.1	41
89	Using the effect size to model change in preference values from descriptive health status. Quality of Life Research, 2004, 13, 1255-1264.	3.1	40
90	Psychological distress across the lifespan: examining age-related item bias in the Kessler 6 Psychological Distress Scale. International Psychogeriatrics, 2012, 24, 231-242.	1.0	40

#	Article	IF	CITATIONS
91	Comorbidity and Internet-Delivered Transdiagnostic Cognitive Behavioural Therapy for Anxiety Disorders. Cognitive Behaviour Therapy, 2013, 42, 180-192.	3.5	40
92	A Naturalistic Study of the Acceptability and Effectiveness of Internet-Delivered Cognitive Behavioural Therapy for Psychiatric Disorders in Older Australians. PLoS ONE, 2013, 8, e71825.	2.5	40
93	The effectiveness of internet cognitive behaviour therapy (iCBT) for social anxiety disorder across two routine practice pathways. Internet Interventions, 2014, 1, 225-229.	2.7	40
94	AGORAPHOBIA WITHOUT A HISTORY OF PANIC DISORDER MAY BE PART OF THE PANIC DISORDER SYNDROME. Journal of Nervous and Mental Disease, 2002, 190, 624-630.	1.0	39
95	Cognitive behaviour therapy via the internet for depression: A useful strategy to reduce suicidal ideation. Journal of Affective Disorders, 2015, 170, 78-84.	4.1	39
96	Treating late-life depression: Comparing the effects of internet-delivered cognitive behavior therapy across the adult lifespan. Journal of Affective Disorders, 2018, 226, 58-65.	4.1	39
97	The Classification of Anxiety Disorders in ICD-10 and DSM-IV: A Concordance Analysis. Psychopathology, 2002, 35, 100-106.	1.5	38
98	Estimating the Prevalence of DSM-IV Mental Illness in the Australian General Population Using the Kessler Psychological Distress Scale. Australian and New Zealand Journal of Psychiatry, 2011, 45, 880-889.	2.3	38
99	Internet-Delivered Cognitive Behavior Therapy for Anxiety Disorders Is Here to Stay. Current Psychiatry Reports, 2015, 17, 533.	4. 5	37
100	Internet cognitive–behavioural treatment for panic disorder: randomised controlled trial and evidence of effectiveness in primary care. BJPsych Open, 2016, 2, 154-162.	0.7	37
101	Shyness 5: The Clinical Effectiveness of Internet-Based Clinician-Assisted Treatment of Social Phobia. Australasian Psychiatry, 2009, 17, 488-492.	0.7	36
102	Randomized Controlled Trial of an Early Intervention Programme for Adolescent Anxiety Disorders. Australian and New Zealand Journal of Psychiatry, 2009, 43, 300-304.	2.3	35
103	Integrating iCBT for generalized anxiety disorder into routine clinical care: Treatment effects across the adult lifespan. Journal of Anxiety Disorders, 2017, 51, 47-54.	3.2	34
104	The International Personality Disorder Examination Questionnaire (IPDEQ): preliminary data on its utility as a screener for anxious personality disorder. International Journal of Methods in Psychiatric Research, 1998, 7, 84-88.	2.1	31
105	Measuring outcomes in patients with depression or anxiety: an essential part of clinical practice. Medical Journal of Australia, 2002, 177, 205-207.	1.7	31
106	Who Treats whom? An Application of the Pathways to Care Model in Australia. Australian and New Zealand Journal of Psychiatry, 2006, 40, 74-86.	2.3	30
107	Internet access is NOT restricted globally to high income countries: So why are evidenced based prevention and treatment programs for mental disorders so rare?. Asian Journal of Psychiatry, 2014, 10, 71-74.	2.0	29
108	Online physical activity interventions for mental disorders: A systematic review. Internet Interventions, 2015, 2, 214-220.	2.7	27

#	Article	IF	Citations
109	The crisis in mental health: the chariot needs one horseman. Medical Journal of Australia, 2005, 182, 372-373.	1.7	25
110	Reducing the Burden of Depression. Canadian Journal of Psychiatry, 2008, 53, 420-427.	1.9	24
111	Empirical Investigation of Two Assumptions in the Diagnosis of DSM-IV Major Depressive Episode. Australian and New Zealand Journal of Psychiatry, 2007, 41, 17-23.	2.3	23
112	The use of automated assessments in internet-based CBT: The computer will be with you shortly. Internet Interventions, 2014, 1, 216-224.	2.7	23
113	Issues for DSM-V: Simplifying DSM-IV to Enhance Utility: The Case of Major Depressive Disorder. American Journal of Psychiatry, 2007, 164, 1784-1785.	7.2	22
114	Computer-delivered cognitive behavioural therapy: effective and getting ready for dissemination. F1000 Medicine Reports, 2010, 2, .	2.9	21
115	Lifetime and current prevalence of common DSM-IV mental disorders, their demographic correlates, and association with service utilisation and disability in older Australian adults. Australian and New Zealand Journal of Psychiatry, 2015, 49, 145-155.	2.3	21
116	What people say about their general practitioners' treatment of anxiety and depression. Medical Journal of Australia, 2001, 175, S48.	1.7	19
117	The Effect of the Draft DSM-5 Criteria for GAD on Prevalence and Severity. Australian and New Zealand Journal of Psychiatry, 2010, 44, 784-790.	2.3	19
118	Developing the Climate Schools: Alcohol and Cannabis Module: A Harm-Minimization, Universal Drug Prevention Program Facilitated by the Internet. Substance Use and Misuse, 2011, 46, 1651-1663.	1.4	19
119	Online mindfulness-enhanced cognitive behavioural therapy for anxiety and depression: Outcomes of a pilot trial. Internet Interventions, 2018, 13, 41-50.	2.7	19
120	Pilot trial of a therapist-supported internet-delivered cognitive behavioural therapy program for health anxiety. Internet Interventions, 2016, 6, 71-79.	2.7	17
121	Internet-based cognitive behavioural therapy (iCBT) for perinatal anxiety and depression versus treatment as usual: study protocol for two randomised controlled trials. Trials, 2018, 19, 56.	1.6	17
122	Summary of Guideline for the Treatment of Panic Disorder and Agoraphobia. Australasian Psychiatry, 2003, 11, 29-33.	0.7	15
123	The effectiveness of internet-delivered cognitive behavioural therapy for health anxiety in routine care. Journal of Affective Disorders, 2020, 264, 535-542.	4.1	15
124	Measuring the level of diagnostic concordance and discordance between modules of the CIDI-Short Form and the CIDI-Auto 2.1. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 775-785.	3.1	14
125	Poor self-rated health and its associations with somatisation in two Australian national surveys. BMJ Open, 2013, 3, e002965.	1.9	14
126	Mental Disorders and Burden of Disease: How was Disability Estimated and is It Valid?. Australian and New Zealand Journal of Psychiatry, 2001, 35, 668-676.	2.3	13

#	Article	IF	CITATIONS
127	It Would be Cost-Effective to Treat More People with Mental Disorders. Australian and New Zealand Journal of Psychiatry, 2006, 40, 613-615.	2.3	13
128	Factor mixture analysis of DSM-IV symptoms of major depression in a treatment seeking clinical population. Comprehensive Psychiatry, 2013, 54, 474-483.	3.1	13
129	Relationship between measurement invariance and age-related differences in the prevalence of generalized anxiety disorder. Journal of Affective Disorders, 2014, 152-154, 306-312.	4.1	13
130	Pilot Trial of the Reboot Online Program: An Internet-Delivered, Multidisciplinary Pain Management Program for Chronic Pain. Pain Research and Management, 2018, 2018, 1-11.	1.8	11
131	Evidence-based care for alcohol use disorders is affordable Journal of Studies on Alcohol and Drugs, 2004, 65, 521-529.	2.3	10
132	Occupational impact of internetâ€delivered cognitive behaviour therapy for depression and anxiety: reanalysis of data from five Australian randomised controlled trials. Medical Journal of Australia, 2014, 201, 417-419.	1.7	10
133	DSM-IV major depressive episode in the elderly: The relationship between the number and the type of depressive symptoms and impairment. Journal of Affective Disorders, 2009, 117, 55-62.	4.1	9
134	Consistency of Diagnostic Thresholds in DSM-V. Australian and New Zealand Journal of Psychiatry, 2010, 44, 309-313.	2.3	8
135	The anxiety disorder inclusion and exclusion criteria in DSM-IV and ICD-10. Current Opinion in Psychiatry, 2000, 13, 139-141.	6.3	7
136	Reducing the burden of anxiety and depressive disorders: the role of computerized clinician assistance. Current Opinion in Psychiatry, 2003, 16, 41-44.	6.3	7
137	An Assessment of the Status of Adults with Cerebral Palsy. Developmental Medicine and Child Neurology, 2008, 19, 803-810.	2.1	7
138	Developing a shortâ€form structured diagnostic interview for common mental disorders using signal detection theory. International Journal of Methods in Psychiatric Research, 2012, 21, 247-257.	2.1	7
139	Help-seeking characteristics of Chinese- and English-speaking Australians accessing Internet-delivered cognitive behavioural therapy for depression. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 89-97.	3.1	7
140	Computerised cognitive behaviour therapy for major depression: a reply to the REEACT trial. Evidence-Based Mental Health, 2016, 19, 43-45.	4.5	6
141	The yield from national surveys of mental health. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2008, 5, 16-18.	0.1	6
142	Exclusion criteria in the diagnostic classifications of DSM-IV and ICD-10: revisiting the co-occurrence of psychiatric syndromes. Psychological Medicine, 2002, 32, 1203-1211.	4.5	5
143	Implications for Intervention and Prevention from the New Zealand and Australian Mental Health Surveys. Australian and New Zealand Journal of Psychiatry, 2006, 40, 827-829.	2.3	5
144	Structure of the DSM-5 generalized anxiety disorder criteria among a large community sample of worriers. Journal of Affective Disorders, 2014, 157, 18-24.	4.1	5

#	Article	IF	CITATIONS
145	Internet-based cognitive behavioural therapy (iCBT) for posttraumatic stress disorder versus waitlist control: study protocol for a randomised controlled trial. Trials, 2015, 16, 544.	1.6	5
146	Pragmatic treatment options for depression and anxiety disorders are needed. World Psychiatry, 2016, 15, 241-242.	10.4	4
147	The epidemiology of anxiety disorders. Current Opinion in Psychiatry, 2002, 15, 129-130.	6.3	2
148	The yield from national surveys of mental health. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2008, 5, 16-18.	0.1	2
149	Psychiatric Diagnosis and Classification in Primary Care. , 0, , 219-248.		1
150	Commentaries on â€~Cognitive behavioural therapy for anxiety disorders in children and adolescents', with response from the author. Evidence-Based Child Health: A Cochrane Review Journal, 2007, 2, 1278-1281.	2.0	1
151	Untreated depression in the community. Psychiatric Bulletin, 2009, 33, 407-408.	0.3	1
152	Interventionspotenziale., 2006,, 359-370.		1
153	Computers in psychiatric care. Current Opinion in Psychiatry, 1999, 12, 701-704.	6.3	O