

Giada Gasparini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1219671/publications.pdf>

Version: 2024-02-01

81
papers

1,058
citations

361413

20
h-index

454955

30
g-index

83
all docs

83
docs citations

83
times ranked

560
citing authors

#	ARTICLE	IF	CITATIONS
1	Tensile properties and microstructural features of 304L austenitic stainless steel produced by wire-and-arc additive manufacturing. <i>International Journal of Advanced Manufacturing Technology</i> , 2020, 106, 3693-3705.	3.0	107
2	A Five-Step Procedure for the Dimensioning of Viscous Dampers to Be Inserted in Building Structures. <i>Journal of Earthquake Engineering</i> , 2010, 14, 417-447.	2.5	80
3	Experimental results for structural design of Wire-and-Arc Additive Manufactured stainless steel members. <i>Journal of Constructional Steel Research</i> , 2020, 167, 105858.	3.9	67
4	On the influence of the geometrical irregularities in the mechanical response of Wire-and-Arc Additively Manufactured planar elements. <i>Journal of Constructional Steel Research</i> , 2021, 178, 106490.	3.9	55
5	Results of pseudo-static tests with cyclic horizontal load on cast in situ sandwich squat concrete walls. <i>Engineering Structures</i> , 2013, 54, 131-149.	5.3	43
6	Crescent shaped braces for the seismic design of building structures. <i>Materials and Structures/Materiaux Et Constructions</i> , 2015, 48, 1485-1502.	3.1	36
7	On the evaluation of the horizontal forces produced by grain-like material inside silos during earthquakes. <i>Bulletin of Earthquake Engineering</i> , 2012, 10, 1535-1560.	4.1	34
8	Experimentally-validated modelling of thin RC sandwich walls subjected to seismic loads. <i>Engineering Structures</i> , 2016, 119, 95-109.	5.3	32
9	A "direct five-step procedure" for the preliminary seismic design of buildings with added viscous dampers. <i>Engineering Structures</i> , 2018, 173, 933-950.	5.3	32
10	Assessment of design mechanical parameters and partial safety factors for Wire-and-Arc Additive Manufactured stainless steel. <i>Engineering Structures</i> , 2020, 225, 111314.	5.3	31
11	On the dimensioning of viscous dampers for the mitigation of the earthquake-induced effects in moment-resisting frame structures. <i>Bulletin of Earthquake Engineering</i> , 2013, 11, 2429-2446.	4.1	29
12	Experimental tests on Crescent Shaped Braces hysteretic devices. <i>Engineering Structures</i> , 2017, 144, 185-200.	5.3	28
13	Shaking-table tests of flat-bottom circular silos containing grain-like material. <i>Earthquake Engineering and Structural Dynamics</i> , 2016, 45, 69-89.	4.4	27
14	New insight into and simplified approach to seismic analysis of torsionally coupled one-story, elastic systems. <i>Journal of Sound and Vibration</i> , 2005, 286, 265-312.	3.9	24
15	Peak velocities estimation for a direct five-step design procedure of inter-storey viscous dampers. <i>Bulletin of Earthquake Engineering</i> , 2016, 14, 599-619.	4.1	24
16	Force reduction factor for building structures equipped with added viscous dampers. <i>Bulletin of Earthquake Engineering</i> , 2013, 11, 1661-1681.	4.1	22
17	Preliminary interpretation of shaking-table response of a full-scale 3-storey building composed of thin reinforced concrete sandwich walls. <i>Engineering Structures</i> , 2014, 76, 75-89.	5.3	22
18	Mechanical response of dot-by-dot wire-and-arc additively manufactured 304L stainless steel bars under tensile loading. <i>Construction and Building Materials</i> , 2022, 318, 125925.	7.2	22

#	ARTICLE	IF	CITATIONS
19	Multi-performance seismic design through an enhanced first-storey isolation system. <i>Engineering Structures</i> , 2014, 59, 495-506.	5.3	21
20	Computational design and manufacturing of a half-scaled 3D-printed stainless steel diagrid column. <i>Additive Manufacturing</i> , 2020, 36, 101505.	3.0	21
21	Geometrical Characterization of Wire-and-Arc Additive Manufactured Steel Element. <i>Advanced Materials Letters</i> , 2019, 10, 695-699.	0.6	21
22	Refinements to the Silvestri's theory for the evaluation of the seismic actions in flat-bottom silos containing grain-like material. <i>Bulletin of Earthquake Engineering</i> , 2015, 13, 3493-3525.	4.1	20
23	Predicting Compressive Strength of 3D Printed Mortar in Structural Members Using Machine Learning. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10826.	2.5	19
24	Seismic Modal Contribution Factors. <i>Bulletin of Earthquake Engineering</i> , 2015, 13, 2867-2891.	4.1	18
25	Physically-based prediction of the maximum corner displacement magnification of one-storey eccentric systems. <i>Bulletin of Earthquake Engineering</i> , 2013, 11, 1467-1491.	4.1	17
26	An approach for the mechanical characterisation of the Asinelli Tower (Bologna) in presence of insufficient experimental data. <i>Journal of Cultural Heritage</i> , 2015, 16, 536-543.	3.3	16
27	Structural Interpretation of Data from Static and Dynamic Structural Health Monitoring of Monumental Buildings. <i>Key Engineering Materials</i> , 0, 747, 431-439.	0.4	16
28	On the peak inter-storey drift and peak inter-storey velocity profiles for frame structures. <i>Soil Dynamics and Earthquake Engineering</i> , 2017, 94, 18-34.	3.8	15
29	A statistical study on the peak ground parameters and amplification factors for an updated design displacement spectrum and a criterion for the selection of recorded ground motions. <i>Engineering Structures</i> , 2014, 76, 163-176.	5.3	14
30	Seismic design of a precast r.c. structure equipped with viscous dampers. <i>Earthquake and Structures</i> , 2011, 2, 297-321.	1.0	14
31	Numerical Verification of the Effectiveness of the α -Method for the Estimation of the Maximum Rotational Elastic Response of Eccentric Systems. <i>Journal of Earthquake Engineering</i> , 2008, 12, 249-280.	2.5	13
32	A Structural Analysis of the Modena Cathedral. <i>International Journal of Architectural Heritage</i> , 0, , .	3.1	13
33	Long-Term Seismometric Monitoring of the Two Towers of Bologna (Italy): Modal Frequencies Identification and Effects Due to Traffic Induced Vibrations. <i>Frontiers in Built Environment</i> , 2020, 6, .	2.3	12
34	The role of ductility in the collapse of a long-span steel roof in North Italy. <i>Engineering Failure Analysis</i> , 2017, 82, 243-265.	4.0	10
35	Comprehensive Review on the Dynamic and Seismic Behavior of Flat-Bottom Cylindrical Silos Filled With Granular Material. <i>Frontiers in Built Environment</i> , 2022, 7, .	2.3	9
36	On the Fundamental Periods of Vibration of Flat-Bottom Ground-Supported Circular Silos containing Gran-like Material. <i>Procedia Engineering</i> , 2017, 199, 248-253.	1.2	8

#	ARTICLE	IF	CITATIONS
37	Coupled Response of Frame Structures Connected to a Strongback. Journal of Structural Engineering, 2018, 144, .	3.4	7
38	Experimental behaviour of Wire&nd&Arc Additively Manufactured stainless steel rods. Ce/Papers, 2021, 4, 2387-2392.	0.3	7
39	Analytical estimation of the key performance points of the tensile force-displacement response of Crescent Shaped Braces. Soil Dynamics and Earthquake Engineering, 2021, 148, 106839.	3.8	7
40	A comprehensive study on the seismic response of one-storey asymmetric systems. Bulletin of Earthquake Engineering, 2017, 15, 1497-1517.	4.1	6
41	A direct design procedure for frame structures with added viscous dampers for the mitigation of earthquake-induced vibrations. Procedia Engineering, 2017, 199, 1755-1760.	1.2	5
42	High performance mortar for ductile seismic-resistant unreinforced masonry systems. Construction and Building Materials, 2020, 245, 118385.	7.2	4
43	The structural behaviour of the masonry vaults of the Cathedral of Modena. , 2017, , .		4
44	Strong-Back System Coupled with Framed Structure to Control the Building Seismic Response. Journal of Civil & Environmental Engineering, 2017, 07, .	0.1	3
45	A time domain approach for data interpretation from long&term static monitoring of historical structures. Structural Control and Health Monitoring, 2021, 28, e2708.	4.0	3
46	Seismic Design and Performances of Frame Structures Connected to a Strongback System and Equipped with Different Configurations of Supplemental Viscous Dampers. Frontiers in Built Environment, 2021, 7, .	2.3	3
47	Seismic horizontal forces exerted by granular material on flat bottom silos: experimental and analytical results. , 2016, , .		3
48	Mechanical Vibrations Applied to Nondestructive Evaluation of Materials and Structures. Shock and Vibration, 2017, 2017, 1-2.	0.6	2
49	Optimization studies on diagrid columns realized with Wire-and-Arc Additive Manufacturing process. , 2019, , .		2
50	AN ASSESSMENT OF THE STRUCTURAL BEHAVIOUR OF THE GARISENDA TOWER IN BOLOGNA THROUGH FINITE ELEMENT MODELLING AND STRUCTURAL HEALTH MONITORING. , 2019, , .		2
51	Structural evaluation of the Palazzo della Civilt& Italiana in Rome. Structure and Infrastructure Engineering, 2011, 7, 147-162.	3.7	1
52	Italy's new forensic engineering research centre: a progress report. Proceedings of the Institution of Civil Engineers: Forensic Engineering, 2015, 168, 17-24.	0.5	1
53	SSHM and DSHM for a better knowledge and risk prevention of historical buildings: The cases of the Two Towers in Bologna and the Cathedral in Modena. , 2015, , .		1
54	Application of a Direct Procedure for the Seismic Retrofit of a R/C School Building Equipped with Viscous Dampers. Frontiers in Built Environment, 2015, 1, .	2.3	1

#	ARTICLE	IF	CITATIONS
55	Shaking Table Test Design to Evaluate Earthquake Capacity of a 3-Storey Building Specimen Composed of Cast-In-Situ Concrete Walls. <i>Geotechnical, Geological and Earthquake Engineering</i> , 2015, , 345-358.	0.2	1
56	A Direct Five-Step Procedure for the Dimensioning of Viscous Dampers to Be Inserted in Frame Structures. <i>Applied Mechanics and Materials</i> , 2016, 847, 233-239.	0.2	1
57	Estimating Fundamental Dynamic Properties of Structures with Supplemental Dampers by Means of Generalized Single Degree of Freedom Systems. <i>Journal of Earthquake Engineering</i> , 2020, , 1-30.	2.5	1
58	EXPERIMENTS ON CRESCENT SHAPED BRACES. <i>Proceedings of International Structural Engineering and Construction</i> , 2015, 2, .	0.1	1
59	A Case Study of a Building in L'Aquila, Italy for Evaluating the Effects of Masonry Infills on the Seismic Behavior of R.C. Frame Structures. , 2010, , .		0
60	Stiffness-Strength-Ductility Design Approach: an application to a five-storey steel building structure. <i>IABSE Symposium Report</i> , 2010, , .	0.0	0
61	Correlations Between the Experimental Results of Pseudo-Static Tests with Cyclic Horizontal Load on Concrete/Polystyrene Sandwich Bearing Panels and their analytical counterparts. <i>IABSE Symposium Report</i> , 2010, , .	0.0	0
62	Identification of Uniform Hazard Time-Histories for Seismic Design. , 2010, , .		0
63	An Application of a Proposed Stiffness-Strength-Ductility Design Approach to a Five Storey Steel Building Structure. , 2010, , .		0
64	Seismic Analysis for the Structural Retrofit of "Palazzo della Civilt� Italiana" in Rome EUR, Italy. <i>Advanced Materials Research</i> , 2010, 133-134, 753-758.	0.3	0
65	A Proposed Approach for Probabilistic Seismic Hazard Analysis. , 2010, , .		0
66	A Special Solution for Lateral-Resisting Systems Capable of Multiple Seismic Performances. , 2011, , .		0
67	Physically Based Prediction of the Maximum Corner Displacement of One-Storey Eccentric Systems. <i>Geotechnical, Geological and Earthquake Engineering</i> , 2013, , 137-153.	0.2	0
68	The first year of activities of the "Observatory Claudio Ceccoli", on the defects of the building structures. , 2014, , .		0
69	Reference Quantities and Values for a Possible Interpretation of the Data Acquired from Monitoring System of Historical Buildings. <i>Geotechnical, Geological and Earthquake Engineering</i> , 2015, , 111-126.	0.2	0
70	Structural Strengthening of the Portico of the Santa Maria Dei Servi Church in Bologna. <i>Applied Mechanics and Materials</i> , 2016, 847, 354-360.	0.2	0
71	Corrigendum to "Multi-performance seismic design through an enhanced first-storey isolation system" [Eng. Struct. 59 (2014) 495-506]. <i>Engineering Structures</i> , 2016, 122, 349.	5.3	0
72	Energy Dissipation Systems for Seismic Vibration-Induced Damage Mitigation in Building Structures: Development, Modeling, Analysis, and Design. <i>Shock and Vibration</i> , 2018, 2018, 1-2.	0.6	0

#	ARTICLE	IF	CITATIONS
73	A new procedure for probabilistic seismic hazard analysis. , 2011, , 1588-1595.		0
74	On the schematization of design response spectra as a stochastic model. , 2011, , 1580-1587.		0
75	Use of Crescent Shaped Braces for Controlled Seismic Design of Ductile Structures. Journal of Civil Engineering and Architecture, 2011, 5, .	0.1	0
76	EFFECT OF THE GRAIN SLIDING ON THE SEISMIC BEHAVIOR OF CIRCULAR SILOS: A THEORETICAL FORMULATION. Proceedings of International Structural Engineering and Construction, 2015, 2, .	0.1	0
77	Application of the Equivalent Static Analysis procedure for the seismic design of buildings with added viscous dampers. , 2016, , .		0
78	Maximum Corner Displacement Amplifications for Inelastic One-Storey In-Plan Asymmetric Systems Under Seismic Excitation. Geotechnical, Geological and Earthquake Engineering, 2016, , 243-254.	0.2	0
79	IDENTIFICATION THROUGH SEISMOMETRIC MEASUREMENTS OF TRANSIENTS PROPAGATING INSIDE THE ASINELLI AND GARISENDA TOWERS (BOLOGNA, ITALY), IMPLICATION ON STRUCTURAL MODELING AND STATE OF HEALTH MONITORING. , 2019, , .		0
80	THE APPLICATION OF WELD-BASED ADDITIVE MANUFACTURING STEEL TO STRUCTURAL ENGINEERING. Proceedings of International Structural Engineering and Construction, 2019, 6, .	0.1	0
81	SEISMIC DESIGN OF FRAME STRUCTURES EQUIPPED WITH INNOVATIVE HYSTERETIC DISSIPATIVE DEVICES. Proceedings of International Structural Engineering and Construction, 2019, 6, .	0.1	0